

附件 11 (CCAH17LP2590T7 第十五次增列)

本公司依申請者於108年12月24日販賣用電信管制射頻器材型式認證申請書，同意增列天線共59組 (PIFA Antenna:(1)-(44)、(46)、(48)、(50)、(52)-(59); Dipole Antenna:(45)、(47)、(49)、(51)，第十五次同意增列日期: 108年12月25日，其廠牌/型號如下：

- (1) Hong-BO / 6036B0248301(260-27344) (Main), 6036B0248201(260-27343) (Aux)
天線增益: 2400-2500MHz: 0.92dBi, 5150-5250MHz: 0.49dBi, 5250-5350MHz: 0.49dBi,
5470-5725 MHz: 0.22dBi, 5725-5850MHz: -0.01dBi
- (2) Hong-BO / 6036B0248301(260-27344) (Main), 6036B0248201(260-27343) (Aux)
天線增益: 2400-2500MHz: 0.56dBi, 5150-5250MHz: -2.19dBi, 5250-5350MHz: -2.08dBi,
5470-5725 MHz: -2.26dBi, 5725-5850MHz: -1.65dBi
- (3) WNC / 6036B0248401 (81EABB15.G31) (Main), 6036B0248501 (81EABB15.G30) (Aux)
天線增益: 2400-2500MHz: -0.78dBi, 5150-5250MHz: 1.16dBi, 5250-5350MHz: 1.59dBi,
5470-5725 MHz: 1.81dBi, 5725-5850MHz: 1.13dBi
- (4) WNC / 6036B0248401 (81EABB15.G31) (Main), 6036B0248501 (81EABB15.G30) (Aux)
天線增益: 2400-2500MHz: 0.15dBi, 5150-5250MHz: 1.92dBi, 5250-5350MHz: 1.92dBi,
5470-5725 MHz: 1.47dBi, 5725-5850MHz: 0.96dBi
- (5) HOB / DQ602376700(260-23767) (Main), DQ602376700(260-23767) (Aux)
天線增益: 2400-2500MHz: 0.62dBi, 5150-5250MHz: 0.06dBi, 5250-5350MHz: 0.33dBi,
5470-5725 MHz: 0.19dBi, 5725-5850MHz: 0.19dBi
- (6) INPAQ / DQ60PLBLB25(WA-P-LBLB-02-083) (Main), DQ60PLBLB25(WA-P-LBLB-02-083) (Aux)
天線增益: 2400-2500MHz: -0.40dBi, 5150-5250MHz: 1.34dBi, 5250-5350MHz: 1.34dBi,
5470-5725 MHz: 0.98dBi, 5725-5850MHz: 0.23dBi
- (7) WNC / DQ6B15G1600(81EABB15.G16) (Main), DQ6B15G1600(81EABB15.G16) (Aux)
天線增益: 2400-2500MHz: 0.55dBi, 5150-5250MHz: -1.72dBi, 5250-5350MHz: -2.69dBi,
5470-5725 MHz: -1.67dBi, 5725-5850MHz: -2.32dBi
- (8) HOB / DQ602377100(260-23771) (Main), DQ602377100(260-23771) (Aux)
天線增益: 2400-2500MHz: 0.75dBi, 5150-5250MHz: 1.88dBi, 5250-5350MHz: 0.85dBi,
5470-5725 MHz: 2.32dBi, 5725-5850MHz: 2.32dBi
- (9) INPAQ / DQ60PLBLB26WA-P-LBLB-02-085 (Main), DQ60PLBLB26WA-P-LBLB-02-085 (Aux)
天線增益: 2400-2500MHz: -0.80dBi, 5150-5250MHz: 2.35dBi, 5250-5350MHz: 1.48dBi,
5470-5725 MHz: 1.00dBi, 5725-5850MHz: -0.09dBi
- (10) WNC / DQ6B15G2200(81EABB15.G22) (Main), DQ6B15G2200(81EABB15.G22) (Aux)
天線增益: 2400-2500MHz: 2.33dBi, 5150-5250MHz: -0.42dBi, 5250-5350MHz: -0.30dBi,
5470-5725 MHz: 0.36dBi, 5725-5850MHz: -0.69dBi
- (11) Fit / ANTS2M1-CLA12-EH (Main), ANTS2M1-CLA12-EH (Aux)
天線增益: 2400-2500MHz: 0.40dBi, 5150-5250MHz: 2.88dBi, 5250-5350MHz: 2.88dBi,
5470-5725 MHz: 2.82dBi, 5725-5850MHz: 2.63dBi
- (12) AWAN / ADM6Y-200023 (Main), ADM6Y-200023 (Aux)
天線增益: 2400-2500MHz: 1.15dBi, 5150-5250MHz: 2.02dBi, 5250-5350MHz: 1.65dBi,
5470-5725 MHz: 1.83dBi, 5725-5850MHz: 1.83dBi

- (13) WNC / 81EAA915.G34 (Main), 81EAA915.G34 (Aux)
天線增益: 2400-2500MHz: 1.10dBi, 5150-5250MHz: -0.73dBi, 5250-5350MHz: -0.34dBi,
5470-5725 MHz: -0.64dBi, 5725-5850MHz: -0.64dBi
- (14) TE Connectivity / 2195770-1 (Main), 2195770-1 (Aux)
天線增益: 2400-2500MHz: 0.45dBi, 5150-5250MHz: -1.56dBi, 5250-5350MHz: -1.92dBi,
5470-5725 MHz: -1.48dBi, 5725-5850MHz: -0.97dBi
- (15) TE Connectivity / 2195722-1(350507H00-278-G) (Main), 2195722-1(350507H00-278-G) (Aux)
天線增益: 2400-2500MHz: 1.87dBi, 5150-5250MHz: 3.26dBi, 5250-5350MHz: 3.30dBi,
5470-5725 MHz: 2.43dBi, 5725-5850MHz: 2.11dBi
- (16) Hong-Bo / 260-33089(350507G00-H0B-G) (Main), 260-33089(350507G00-H0B-G) (Aux)
天線增益: 2400-2500MHz: -1.41dBi, 5150-5250MHz: 3.41dBi, 5250-5350MHz: 3.05dBi,
5470-5725 MHz: 3.83dBi, 5725-5850MHz: 4.64dBi
- (17) Speed / F.0G.CC-6019-001-00 (350507J00-HY0-G) (Main),
F.0G.CC-6019-001-00 (350507J00-HY0-G) (Aux)
天線增益: 2400-2500MHz: 1.17dBi, 5150-5250MHz: 2.29dBi, 5250-5350MHz: 2.29dBi,
5470-5725 MHz: 2.30dBi, 5725-5850MHz: 1.10dBi
- (18) High-Tek / DQ60ACQD042 (0ACQD019037N) (Main), DQ60ACQD042 (0ACQD019037N) (Aux)
天線增益: 2400-2500MHz: 0.01dBi, 5150-5250MHz: -1.79dBi, 5250-5350MHz: -1.83dBi,
5470-5725 MHz: -1.44dBi, 5725-5850MHz: 0.10dBi
- (19) High-Tek / DQ60ACQD042 (0ACQD019037N) (Main), DQ60ACQD042 (0ACQD019037N) (Aux)
天線增益: 2400-2500MHz: 0.37dBi, 5150-5250MHz: -0.76dBi, 5250-5350MHz: -0.48dBi,
5470-5725 MHz: 0.01dBi, 5725-5850MHz: -0.17dBi
- (20) WNC / DQ6615G7000 (81EAA615.G70) (Main), DQ6615G7000 (81EAA615.G70) (Aux)
天線增益: 2400-2500MHz: -0.85dBi, 5150-5250MHz: 0.52dBi, 5250-5350MHz: 1.31dBi,
5470-5725 MHz: 1.30dBi, 5725-5850MHz: 0.55dBi
- (21) WNC / DQ6615G7000 (81EAA615.G70) (Main), DQ6615G7000 (81EAA615.G70) (Aux)
天線增益: 2400-2500MHz: -1.02dBi, 5150-5250MHz: -0.38dBi, 5250-5350MHz: 0.08dBi,
5470-5725 MHz: 0.57dBi, 5725-5850MHz: 1.08dBi
- (22) Luxshare-ICT Corporation / L01RF123-DT-H (Main), L01RF116-DT-H (Aux)
天線增益: 2400-2500MHz: 2.80dBi, 5150-5250MHz: 3.00dBi, 5250-5350MHz: 3.00dBi,
5470-5725 MHz: 2.90dBi, 5725-5850MHz: 2.90dBi
- (23) High-Tek Electronics Co., Ltd / 0ACCN018015N(DC330028N00) (Main),
0ACCN018016N(DC330028N10) (Aux)
天線增益: 2400-2500MHz: -0.20dBi, 5150-5250MHz: -0.16dBi, 5250-5350MHz: 0.57dBi,
5470-5725 MHz: 0.56dBi, 5725-5850MHz: -0.21dBi
- (24) YAGEO Corporation / ANTA0LC13041WLAN1 (DC330028J00) (Main),
ANTA0LC13041WLAN3(DC330028J10) (Aux)
天線增益: 2400-2500MHz: 0.98dBi, 5150-5250MHz: -0.02dBi, 5250-5350MHz: 1.81dBi,
5470-5725 MHz: 1.32dBi, 5725-5850MHz: 0.02dBi
- (25) High-Tek Electronics Co., Ltd / 0ACCN018013N(DC330028E00) (Main),
0ACCN018014N(DC330028E10) (Aux)
天線增益: 2400-2500MHz: -1.43dBi, 5150-5250MHz: -2.06dBi, 5250-5350MHz: -1.92dBi,
5470-5725 MHz: -1.62dBi, 5725-5850MHz: -1.75dBi

- (26) YAGEO Corporation / ANTA0LC13021WLAN1(DC330028F00) (Main), ANTA0LC13021WLAN2(DC330028F10) (Aux)
天線增益: 2400-2500MHz: 0.98dBi, 5150-5250MHz: 1.80dBi, 5250-5350MHz: 1.25dBi, 5470-5725 MHz: 1.32dBi, 5725-5850MHz: 0.02dBi
- (27) High-Tek Electronics Co., Ltd / 0ACCN019011N(DC33002FE00) (Main), 0ACCN019012N(DC33002FE10) (Aux)
天線增益: 2400-2500MHz: 1.77dBi, 5150-5250MHz: 0.25dBi, 5250-5350MHz: -0.31dBi, 5470-5725 MHz: 0.53dBi, 5725-5850MHz: -0.33dBi
- (28) Mag. Layers Scientific-Technics Co., Ltd / PCA-3009-25GC1-A11(DC33002FF00) (Main), PCA-3009-25GC1-A12(DC33002FF10) (Aux)
天線增益: 2400-2500MHz: 1.58dBi, 5150-5250MHz: 1.39dBi, 5250-5350MHz: 0.31dBi, 5470-5725 MHz: 0.79dBi, 5725-5850MHz: 0.03dBi
- (29) Luxshare-ICT Corporation / L01RF031-DT-R + L01RF062-DT-R (Main), L01RF113-DT-H (Aux)
天線增益: 2400-2500MHz: -0.10dBi, 5150-5250MHz: 0.70dBi, 5250-5350MHz: 0.50dBi, 5470-5725 MHz: 2.40dBi, 5725-5850MHz: 2.40dBi
- (30) Luxshare-ICT Corporation / L01RF092-DT-R+L01RF126-DT-R (Main), L01RF112-DT-H (Aux)
天線增益: 2400-2500MHz: 1.59dBi, 5150-5250MHz: -1.60dBi, 5250-5350MHz: -1.80dBi, 5470-5725 MHz: 0.90dBi, 5725-5850MHz: 0.90dBi
- (31) Luxshare-ICT Corporation / L01RF031-DT-R + L01RF076-DT-R (Main), L01RF094-DT-R (Aux)
天線增益: 2400-2500MHz: -0.15dBi, 5150-5250MHz: -0.41dBi, 5250-5350MHz: -0.57dBi, 5470-5725 MHz: -0.11dBi, 5725-5850MHz: -0.32dBi
- (32) Luxshare-ICT Corporation / L01RF031-DT-R + L01RF062-DT-R (Main), L01RF114-DT-H (Aux)
天線增益: 2400-2500MHz: 0.53dBi, 5150-5250MHz: 2.75dBi, 5250-5350MHz: 2.97dBi, 5470-5725 MHz: 2.85dBi, 5725-5850MHz: 2.85dBi
- (33) HONGBO / SA30W89020 (260-28156) (Aux)
天線增益: 2400-2500MHz: -1.51dBi, 5150-5250MHz: 0.93dBi, 5250-5350MHz: 0.43dBi, 5470-5725 MHz: 0.60dBi, 5725-5850MHz: 0.84dBi
- (34) SPEED / 025.901LC.0001(F.0G.FS-6084-001-00) (Main), 025.901LC.0001(F.0G.FS-6084-001-00) (Aux)
天線增益: 2400-2500MHz: 2.34dBi, 5150-5250MHz: 3.39dBi, 5250-5350MHz: 3.39dBi, 5470-5725 MHz: 2.96dBi, 5725-5850MHz: 3.39dBi
- (35) Hong-Bo / 025.901LB.0001(260-27352) (Main), 025.901LB.0001(260-27352) (Aux)
天線增益: 2400-2500MHz: 0.78dBi, 5150-5250MHz: 2.22dBi, 5250-5350MHz: 2.18dBi, 5470-5725 MHz: 1.55dBi, 5725-5850MHz: 1.55dBi
- (36) TE Connectivity / 025.901LF.0001(2195800-1) (Main), 025.901LF.0001(2195800-1) (Aux)
天線增益: 2400-2500MHz: 1.57dBi, 5150-5250MHz: 0.64dBi, 5250-5350MHz: 1.52dBi, 5470-5725 MHz: 1.25dBi, 5725-5850MHz: -0.32dBi
- (37) TE Connectivity / 025.901LH.0001(2195770-1) (Main), 025.901LH.0001(2195770-1) (Aux)
天線增益: 2400-2500MHz: -0.07dBi, 5150-5250MHz: -1.40dBi, 5250-5350MHz: -1.40dBi, 5470-5725 MHz: -2.31dBi, 5725-5850MHz: -2.89dBi

- (38) Wistron Neweb Corporation / 025.901L8.0001(81EAA915.G38) (Main),
025.901L8.0001(81EAA915.G38) (Aux)
天線增益: 2400-2500MHz: 1.40dBi, 5150-5250MHz: -0.15dBi, 5250-5350MHz: -0.47dBi,
5470-5725 MHz: -0.54dBi, 5725-5850MHz: -0.68dBi
- (39) HONGBO / 025.901ME.0001(260-27416) (Main), 025.901MF.0001(260-27415) (Aux)
天線增益: 2400-2500MHz: 0.21dBi, 5150-5250MHz: 0.40dBi, 5250-5350MHz: 0.40dBi,
5470-5725 MHz: -1.25dBi, 5725-5850MHz: -2.74dBi
- (40) SPEED / 025.901ME.0011(F.0G.FS-6095-001-00) (Main),
025.901MF.0011(F.0G.FS-6095-002-00) (Aux)
天線增益: 2400-2500MHz: 1.90dBi, 5150-5250MHz: 1.94dBi, 5250-5350MHz: 1.94dBi,
5470-5725 MHz: 0.64dBi, 5725-5850MHz: -0.06dBi
- (41) Luxshare-ICT / L20RF016-YT-H (Main), L20RF016-YT-H (Aux)
天線增益: 2400-2500MHz: 1.70dBi, 5150-5250MHz: 3.20dBi, 5250-5350MHz: 2.90dBi,
5470-5725 MHz: 1.70dBi, 5725-5850MHz: 1.70dBi
- (42) VSO / 821-101-01211310(Main), 821-101-01211310(Aux)
天線增益: 2400-2500MHz: 0.48dBi, 5150-5250MHz: 0.39dBi, 5250-5350MHz: -0.92dBi,
5470-5725 MHz: 0.72dBi, 5725-5850MHz: 2.35dBi
- (43) Luxshare-ICT / L20RF017-YT-H (Main), L20RF017-YT-H (Aux)
天線增益: 2400-2500MHz: 1.80dBi, 5150-5250MHz: 2.40dBi, 5250-5350MHz: 2.30dBi,
5470-5725 MHz: 2.30dBi, 5725-5850MHz: 2.00dBi
- (44) VSO / 821-101-01211320 (Main), 821-101-01211320 (Aux)
天線增益: 2400-2500MHz: 0.47dBi, 5150-5250MHz: -0.09dBi, 5250-5350MHz: -1.14dBi,
5470-5725 MHz: 0.35dBi, 5725-5850MHz: 2.00dBi
- (45) Speedwire / DC33001L100 (Main)
天線增益: 2400-2500MHz: 1.86dBi, 5150-5250MHz: 2.91dBi, 5250-5350MHz: 2.91dBi,
5470-5725 MHz: 3.01dBi, 5725-5850MHz: 2.34dBi
- (46) Speedwire / DC33001L110 (Aux)
天線增益: 2400-2500MHz: -3.62dBi, 5150-5250MHz: -0.34dBi, 5250-5350MHz: -0.34dBi,
5470-5725 MHz: -0.74dBi, 5725-5850MHz: -1.07dBi
- (47) Speedwire / DC33001L100 (Main)
天線增益: 2400-2500MHz: 1.86dBi, 5150-5250MHz: 2.91dBi, 5250-5350MHz: 2.91dBi,
5470-5725 MHz: 3.01dBi, 5725-5850MHz: 2.34dBi
- (48) Speedwire / DC33001L600 (Aux)
天線增益: 2400-2500MHz: 2.03dBi, 5150-5250MHz: 2.43dBi, 5250-5350MHz: 2.92dBi,
5470-5725 MHz: 3.94dBi, 5725-5850MHz: 3.53dBi
- (49) Luxshare-ICT / DC33001L300 (Main)
天線增益: 2400-2500MHz: 0.56dBi, 5150-5250MHz: 1.64dBi, 5250-5350MHz: 1.05dBi,
5470-5725 MHz: -0.47dBi, 5725-5850MHz: -0.47dBi
- (50) Luxshare-ICT / DC33001L310 (Aux)
天線增益: 2400-2500MHz: 0.19dBi, 5150-5250MHz: -1.04dBi, 5250-5350MHz: -0.67dBi,
5470-5725 MHz: 0.34dBi, 5725-5850MHz: 0.15dBi

(51) Luxshare-ICT / DC33001L300 (Main)

天線增益: 2400-2500MHz: 1.92dBi, 5150-5250MHz: 1.49dBi, 5250-5350MHz: 0.91dBi,
5470-5725 MHz: -0.39dBi, 5725-5850MHz: -2.00dBi

(52) Luxshare-ICT / DC33001L500 (Aux)

天線增益: 2400-2500MHz: 1.35dBi, 5150-5250MHz: 3.64dBi, 5250-5350MHz: 3.71dBi,
5470-5725 MHz: 4.05dBi, 5725-5850MHz: 2.90dBi

(53) Luxshare-ICT / DC33001KP00 (Main), DC33001KP00 (Aux)

天線增益: 2400-2500MHz: 0.68dBi, 5150-5250MHz: 1.01dBi, 5250-5350MHz: 2.07dBi,
5470-5725 MHz: 2.14dBi, 5725-5850MHz: 2.14dBi

(54) Speedwire / DC33001KN00 (Main), DC33001KN00 (Aux)

天線增益: 2400-2500MHz: 1.18dBi, 5150-5250MHz: 2.28dBi, 5250-5350MHz: 2.00dBi,
5470-5725 MHz: 1.39dBi, 5725-5850MHz: 1.65dBi

(55) Luxshare-ICT / DC33001KL00 (Main), DC33001KL00 (Aux)

天線增益: 2400-2500MHz: 1.31dBi, 5150-5250MHz: 0.63dBi, 5250-5350MHz: 0.76dBi,
5470-5725 MHz: 0.73dBi, 5725-5850MHz: 1.26dBi

(56) Speedwire / DC33001KM00 (Main), DC33001KM00 (Aux)

天線增益: 2400-2500MHz: 1.87dBi, 5150-5250MHz: 1.75dBi, 5250-5350MHz: 2.46dBi,
5470-5725 MHz: 1.49dBi, 5725-5850MHz: 1.33dBi

(57) HongBo / DC33001KF00 (Main), DC33001KF00 (Aux)

天線增益: 2400-2500MHz: 0.11dBi, 5150-5250MHz: -2.27dBi, 5250-5350MHz: -1.49dBi,
5470-5725 MHz: -0.77dBi, 5725-5850MHz: -0.77dBi

(58) Luxshare-ICT / DC33001MR00 (Main), DC33001MR00 (Aux)

天線增益: 2400-2500MHz: 1.62dBi, 5150-5250MHz: 1.22dBi, 5250-5350MHz: 1.22dBi,
5470-5725 MHz: -0.01dBi, 5725-5850MHz: -0.03dBi

(59) Speedwire / DC33001MQ00 (Main), DC33001MQ00 (Aux)

天線增益: 2400-2500MHz: 2.27dBi, 5150-5250MHz: 2.18dBi, 5250-5350MHz: 2.64dBi,
5470-5725 MHz: 2.37dBi, 5725-5850MHz: 2.35dBi

(以下空白)