




















802.11a Unwanted Emission Strength	
Channel 140 (5700MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11a Unwanted Emission Strength	
Channel 144 (5720MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT20 Unwanted Emission Strength	
Channel 36 (5180MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11 ac-VHT20 Unwanted Emission Strength	
Channel 44 (5220MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11 ac-VHT20 Unwanted Emission Strength	
Channel 48 (5240MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz~18000MHz	18000MHz~26000MHz
	





802.11ac-VHT20 Unwanted Emission Strength	
Channel 52 (5260MHz)	
30MHz ~ 5233.3MHz	5233.3MHz ~ 5350MHz
	
5233.3MHz ~ 5350MHz-Verification Note 1	5350MHz~18000MHz
	
18000MHz~26000MHz	
	





Note 1: The worst frequency is 5237.38MHz, and the sample level is -31.94 dBm is lower than the lowest limit (-21.144 dBm) in 5233.3MHz ~ 5240MHz.





802.11ac-VHT20 Unwanted Emission Strength	
Channel 60 (5300MHz)	
30MHz~5233.3MHz	5233.3MHz ~ 5350MHz
	
5350MHz~18000MHz	18000MHz~26000MHz
	





802.11ac-VHT20 Unwanted Emission Strength	
Channel 64 (5320MHz)	
30MHz ~ 5233.3MHz	5233.3MHz ~ 5350MHz
	
5350MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT20 Unwanted Emission Strength	
Channel 100 (5500MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ac-VHT20 Unwanted Emission Strength	
Channel 120 (5600MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT20 Unwanted Emission Strength	
Channel 140 (5700MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT20 Unwanted Emission Strength	
Channel 144 (5720MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT40 Unwanted Emission Strength	
Channel 38 (5190MHz)	
30MHz ~ 5141.6MHz	5141.6MHz ~ 5278.4MHz
	
5278.4MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT40 Unwanted Emission Strength	
Channel 46 (5230MHz)	
30MHz ~ 5141.6MHz	5141.6MHz ~ 5278.4MHz
	
5141.6MHz ~ 5278.4MHz - Verification Note 1	5278.4MHz ~ 18000MHz
	
8000MHz ~ 26000MHz	
	





Note 1: The worst frequency is 5269.3712MHz, and the sample level is -31.20 dBm is lower than the lowest limit (-20.75 dBm) in 5251MHz ~ 5270MHz.





802.11 ac-VHT40 Unwanted Emission Strength	
Channel 54 (5270MHz)	
30MHz ~ 5221.6MHz	5221.6MHz ~ 5358.4MHz
	
5358.4MHz~18000MHz	18000MHz ~ 26000MHz
	





802.11 ac-VHT40 Unwanted Emission Strength	
Channel 62 (5310MHz)	
30MHz ~ 5221.6MHz	5221.6MHz ~ 5358.4MHz
	
5358.4MHz~18000MHz	18000MHz ~ 26000MHz
	





802.11 ac-VHT40 Unwanted Emission Strength	
Channel 102 (5510MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11 ac-VHT40 Unwanted Emission Strength	
Channel 118 (5590MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT40 Unwanted Emission Strength	
Channel 134 (5670MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT40 Unwanted Emission Strength	
Channel 142 (5710MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT80 Unwanted Emission Strength	
Channel 42 (5210MHz)	
30MHz ~ 5123.2MHz	5123.2MHz ~ 5296.7MHz
	
5296.7MHz~18000MHz	18000MHz ~ 26000MHz
	




802.11ac-VHT80 Unwanted Emission Strength	
Channel 58 (5290MHz)	
30MHz ~ 5203.3MHz	5203.3MHz ~ 5376.8MHz
	
5376.8MHz ~ 18000MHz	18000MHz ~ 26000MHz
	




802.11ac-VHT80 Unwanted Emission Strength	
Channel 106 (5530MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	




802.11ac-VHT80 Unwanted Emission Strength	
Channel 122 (5610MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	





802.11ac-VHT80 Unwanted Emission Strength	
Channel 138 (5690MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	




802.11ac-VHT160 Unwanted Emission Strength	
Channel 50 (5250MHz)	
30MHz ~ 5099.6MHz	5099.6MHz ~ 5400.4MHz
	
5400.4MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ac-VHT160 Unwanted Emission Strength	
Channel 114 (5570MHz)	
30MHz ~ 5419.6MHz	5419.6MHz ~ 5725MHz
	
5725MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE20 Unwanted Emission Strength	
Channel 36 (5180MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11 ax-HE20 Unwanted Emission Strength	
Channel 44 (5220MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz ~ 8000MHz	8000MHz ~ 26000MHz
	

802.11 ax-HE20 Unwanted Emission Strength	
Channel 48 (5240MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5142MHz ~ 5266.7MHz-Verification Note 1	5142MHz ~ 5266.7MHz-Verification Note 2
	
5142MHz ~ 5266.7MHz-Verification Note 3	5142MHz ~ 5266.7MHz-Verification Note 4
	

5266.7MHz~ 18000MHz	5266.7MHz~ 18000MHz -Verification Note 5
	
18000MHz~26000MHz	
	









Note 1: The worst frequency is 5250.18MHz, and the sample level is -6.48 dBm is lower than the lowest limit (-1.47 dBm) in 5250MHz ~ 5250.2MHz.



Note 2: The worst frequency is 5250.45MHz, and the sample level is -12.49 dBm is lower than the lowest limit (-4.5 dBm) in 5250.2MHz ~ 5251MHz.

Note 3: The worst frequency is 5255.49MHz, and the sample level is -25.96 dBm is lower than the lowest limit (-13.99 dBm) in 5251MHz ~ 5260MHz.

Note 4: The worst frequency is 5262.49MHz, and the sample level is -31.15 dBm is lower than the lowest limit (-20.988 dBm) in 5260MHz ~ 5266.7MHz.

Note 5: The worst frequency is 5267.0MHz, and the sample level is -39.60 dBm is lower than the lowest limit (-26 dBm) in 5266.7MHz ~ 18000MHz.

802.11 ax-HE20 Unwanted Emission Strength	
Channel 52 (5260MHz)	
30MHz ~ 5233.3MHz	30MHz ~ 5233.3MHz-Verification Note 1
	
5233.3MHz ~ 5350MHz	5233.3MHz ~ 5350MHz-Verification Note 2
	
5233.3MHz ~ 5350MHz-Verification Note 3	5233.3MHz ~ 5350MHz-Verification Note 4
	
5233.3MHz ~ 5350MHz-Verification Note 5	5233.3MHz ~ 5350MHz-Verification Note 6
	

5350MHz~18000MHz	18000MHz~26000MHz
	

Note 1: The worst frequency is 5233.3MHz, and the sample level is -37.27 dBm is lower than the lowest limit (-26 dBm) in 30MHz ~ 5233.3MHz.




Note 2: The worst frequency is 5249.88MHz, and the sample level is -1.89 dBm is lower than the lowest limit (0.13 dBm) in 5249.8MHz ~ 5250MHz.



Note 3: The worst frequency is 5249.23MHz, and the sample level is -16.72 dBm is lower than the lowest limit (-7.7 dBm) in 5249MHz ~ 5249.8MHz.





Note 4: The worst frequency is 5248.88MHz, and the sample level is -22.77 dBm is lower than the lowest limit (-10.11 dBm) in 5240MHz ~ 5249MHz.





Note 5: The worst frequency is 5239.77MHz, and the sample level is -30.66 dBm is lower than the lowest limit (-18.28 dBm) in 5233.3MHz ~ 5240MHz.




Note 6: The worst frequency is 5236.80MHz, and the sample level is -35.36 dBm is lower than the lowest limit (-21.84 dBm) in 5233.3MHz ~ 5240MHz.




802.11 ax-HE20 Unwanted Emission Strength	
Channel 60 (5300MHz)	
30MHz~5233.3MHz	5233.3MHz ~ 5350MHz
	
5350MHz~18000MHz	18000MHz~26000MHz
	




802.11 ax-HE20 Unwanted Emission Strength	
Channel 64 (5320MHz)	
30MHz ~ 5233.3MHz	5233.3MHz ~ 5350MHz
	
5350MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11 ax-HE20 Unwanted Emission Strength	
Channel 100 (5500MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11 ax-HE20 Unwanted Emission Strength	
Channel 120 (5600MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11 ax-HE20 Unwanted Emission Strength	
Channel 140 (5700MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE20 Unwanted Emission Strength	
Channel 144 (5720MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5765MHz
	
5765MHz ~ 18000MHz	18000MHz ~ 26000MHz
	


802.11ax-HE40 Unwanted Emission Strength	
Channel 38 (5190MHz)	
30MHz ~ 5141.6MHz	30MHz ~ 5141.6MHz-Verification Note 1
	
5141.6MHz ~ 5278.4MHz	5278.4MHz ~ 18000MHz
	
18000MHz ~ 26000MHz	
	

Note 1: The worst frequency is 5139.0MHz, and the sample level is -37.11 dBm is lower than the lowest limit (-26 dBm) in 5100MHz ~ 5141.6MHz.


802.11 ax-HE40 Unwanted Emission Strength

Channel 46 (5230MHz)


30MHz ~ 5141.6MHz




5141.6MHz ~ 5278.4MHz




5141.6MHz ~ 5278.4MHz-Verification Note 1




5141.6MHz ~ 5278.4MHz-Verification Note 2




5278.4MHz-18000MHz



5278.4MHz-18000MHz-Verification Note 3



18000MHz ~ 26000MHz







Note 1: The worst frequency is 5262.6812MHz, and the sample level is -27.89 dBm is lower than the lowest

limit (-17.93 dBm) in 5251MHz ~ 5270MHz.






Note 2: The worst frequency is 5271.9704MHz, and the sample level is -31.64 dBm is lower than the lowest limit (-22.19 dBm) in 5270MHz ~ 5278.4MHz.

Note 3: The worst frequency is 5278.0MHz, and the sample level is -36.89 dBm is lower than the lowest limit (-25.81 dBm) in 5270MHz ~ 5278.4MHz.

複製禁止





802.11 ax-HE40 Unwanted Emission Strength	
Channel 54 (5270MHz)	
30MHz ~ 5221.6MHz	5221.6MHz ~ 5358.4MHz
	
5221.6MHz ~ 5358.4MHz-Verificatin Note 1	5358.4MHz~ 8000MHz
	
18000MHz ~ 26000MHz	
	





Note 1: The worst frequency is 5229.1924MHz, and the sample level is -33.18 dBm is lower than the lowest limit (-21.49 dBm) in 5221.6MHz ~ 5230MHz.




802.11 ax-HE40 Unwanted Emission Strength	
Channel 62 (5310MHz)	
30MHz ~ 5221.6MHz	5221.6MHz ~ 5358.4MHz
	
5221.6MHz ~ 5358.4MHz-Verificatin Note 1	5358.4MHz~18000MHz
	
5358.4MHz~18000MHz-Verificatin Note 2	8000MHz ~ 26000MHz
	





Note 1: The worst frequency is 5351.902MHz, and the sample level is -29.01 dBm is lower than the lowest limit (-18.24 dBm) in 5350MHz ~ 5358.4MHz.





Note 2: The worst frequency is 5358.0MHz, and the sample level is -35.15 dBm is lower than the lowest limit (-18.24 dBm) in 5350MHz ~ 5358.4MHz.

802.11 ax-HE40 Unwanted Emission Strength	
Channel 102 (5510MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11 ax-HE40 Unwanted Emission Strength	
Channel 118 (5590MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11 ax-HE40 Unwanted Emission Strength	
Channel 134 (5670MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11 ax-HE40 Unwanted Emission Strength	
Channel 142 (5710MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE80 Unwanted Emission Strength	
Channel 42 (5210MHz)	
30MHz ~ 5123.2MHz	30MHz ~ 5123.2MHz-Verification Note 1
	
5123.2MHz~5296.7MHz	5123.2MHz~5296.7MHz-Verification Note 2
	
5296.7MHz~18000MHz	5296.7MHz~18000MHz-Verification Note 3
	
18000MHz ~ 26000MHz	
	

Note 1: The worst frequency is 5120.7MHz, and the sample level is -36.07 dBm is lower than the lowest limit

(-26 dBm) in 5020MHz ~ 5123.2MHz.

Note 2: The worst frequency is 5290.97MHz, and the sample level is -32.65 dBm is lower than the lowest limit (-24.31 dBm) in 5290MHz ~ 5296.7MHz.


Note 3: The worst frequency is 5303.0MHz, and the sample level is -36.30 dBm is lower than the lowest limit (-26 dBm) in 5296.7MHz ~ 5480MHz.

複製禁止

802.11ax-HE80 Unwanted Emission Strength

Channel 58 (5290MHz)


30MHz ~ 5203.3MHz



5203.3MHz ~ 5376.8MHz




5203.3MHz ~ 5376.8MHz-Verification Note 1




5203.3MHz ~ 5376.8MHz-Verification Note 2



5376.8MHz ~18000MHz








18000MHz ~ 26000MHz










Note 1: The worst frequency is 5249.02MHz, and the sample level is -27.29 dBm is lower than the lowest limit (-15.82 dBm) in 5249MHz ~ 5250MHz.




Note 2: The worst frequency is 5216.14MHz, and the sample level is -35.44 dBm is lower than the lowest limit (-22.76 dBm) in 5210MHz ~ 5249MHz.




802.11ax-HE80 Unwanted Emission Strength	
Channel 106 (5530MHz)	
30MHz ~ 5460MHz	30MHz ~ 5460MHz-Verification Note 1
	
5460MHz ~ 5770MHz	5770MHz ~ 18000MHz
	
18000MHz ~ 26000MHz	
	

Note 1: The worst frequency is 5460.0MHz, and the sample level is -28.79 dBm is lower than the lowest limit (-19 dBm) in 30MHz ~ 5460MHz.

802.11ax-HE80 Unwanted Emission Strength	
Channel 122 (5610MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE80 Unwanted Emission Strength	
Channel 138 (5690MHz)	
30MHz ~ 5460MHz	5460MHz ~ 5770MHz
	
5770MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE160 Unwanted Emission Strength	
Channel 50 (5250MHz)	
30MHz ~ 5099.6MHz	5099.6MHz ~ 5400.4MHz
	
5400.4MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE160 Unwanted Emission Strength	
Channel 114 (5570MHz)	
30MHz ~ 5419.6MHz	5419.6MHz ~ 5725MHz
	
5725MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

Partial RU:

Test Site	SIP-TR1	Temperature	27.9 ~ 28.4°C
Test Engineer	Ryan Wang	Humidity	50.1 ~ 54.2%RH
Test Date	2024-08-26 ~ 2024-08-27		

Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE20 - RU0								
5180MHz	30 ~ 5142	3764.3	-39.55	0.5	-39.05	0.124	≤ 2.50	Pass
	5266.7 ~ 18000	14562.0	-39.83	0.5	-39.33	0.117	≤ 2.50	Pass
	18000 ~ 26000	25988.0	-41.31	0.5	-40.81	0.083	≤ 2.50	Pass
5220MHz	30 ~ 5142	4037.8	-38.66	0.5	-38.16	0.153	≤ 2.50	Pass
	5266.7 ~ 18000	17911.0	-39.60	0.5	-39.10	0.123	≤ 2.50	Pass
	18000 ~ 26000	25708.0	-42.06	0.5	-41.56	0.070	≤ 2.50	Pass
5240MHz	30 ~ 5142	4032.7	-39.95	0.5	-39.45	0.114	≤ 2.50	Pass
	5266.7 ~ 18000	13696.0	-39.89	0.5	-39.39	0.115	≤ 2.50	Pass
	18000 ~ 26000	25924.0	-41.87	0.5	-41.37	0.073	≤ 2.50	Pass
5260MHz	30 ~ 5233.3	4067.8	-39.09	0.5	-38.59	0.138	≤ 2.50	Pass
	5350 ~ 18000	17911.0	-38.55	0.5	-38.05	0.157	≤ 2.50	Pass
	18000 ~ 26000	25720.0	-41.50	0.5	-41.00	0.079	≤ 2.50	Pass
5300MHz	30 ~ 5233.3	4052.2	-39.49	0.5	-38.99	0.126	≤ 2.50	Pass
	5350 ~ 18000	17652.0	-40.02	0.5	-39.52	0.112	≤ 2.50	Pass
	18000 ~ 26000	25736.0	-42.04	0.5	-41.54	0.070	≤ 2.50	Pass
5320MHz	30 ~ 5233.3	3784.2	-39.13	0.5	-38.63	0.137	≤ 2.50	Pass
	5350 ~ 18000	13731.0	-39.78	0.5	-39.28	0.118	≤ 2.50	Pass
	18000 ~ 26000	25712.0	-41.67	0.5	-41.17	0.076	≤ 2.50	Pass
5500MHz	30 ~ 5460	4002.0	-38.98	0.5	-38.48	0.142	≤ 2.50	Pass
	5765 ~ 18000	13602.0	-39.54	0.5	-39.04	0.125	≤ 2.50	Pass
	18000 ~ 26000	25796.0	-41.97	0.5	-41.47	0.071	≤ 2.50	Pass
5600MHz	30 ~ 5460	4064.5	-38.67	0.5	-38.17	0.152	≤ 2.50	Pass
	5765 ~ 18000	6010.0	-39.12	0.5	-38.62	0.137	≤ 2.50	Pass
	18000 ~ 26000	25752.0	-41.47	0.5	-40.97	0.080	≤ 2.50	Pass
5700MHz	30 ~ 5460	4045.5	-39.81	0.5	-39.31	0.117	≤ 2.50	Pass
	5765 ~ 18000	5991.0	-39.55	0.5	-39.05	0.124	≤ 2.50	Pass
	18000 ~ 26000	25736.0	-41.31	0.5	-40.81	0.083	≤ 2.50	Pass
5720 MHz	30 ~ 5460	4056.3	-39.31	0.5	-38.81	0.132	≤ 2.50	Pass
	5765 ~ 18000	17951.0	-39.79	0.5	-39.29	0.118	≤ 2.50	Pass
	18000 ~ 26000	25304.0	-41.66	0.5	-41.16	0.077	≤ 2.50	Pass

Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE20 - RU4								
5180MHz	30 ~ 5142	4045.5	-39.84	0.5	-39.34	0.116	≤ 2.50	Pass
	5266.7 ~ 18000	13964.0	-38.99	0.5	-38.49	0.142	≤ 2.50	Pass
	18000 ~ 26000	25704.0	-42.06	0.5	-41.56	0.070	≤ 2.50	Pass
5220MHz	30 ~ 5142	3764.3	-39.84	0.5	-39.34	0.116	≤ 2.50	Pass
	5266.7 ~ 18000	14498.0	-39.23	0.5	-38.73	0.134	≤ 2.50	Pass
	18000 ~ 26000	25700.0	-41.90	0.5	-41.40	0.072	≤ 2.50	Pass
5240MHz	30 ~ 5142	4050.6	-39.22	0.5	-38.72	0.134	≤ 2.50	Pass
	5266.7 ~ 18000	17402.0	-39.68	0.5	-39.18	0.121	≤ 2.50	Pass
	18000 ~ 26000	26000.0	-41.22	0.5	-40.72	0.085	≤ 2.50	Pass
5260MHz	30 ~ 5233.3	4036.5	-39.15	0.5	-38.65	0.136	≤ 2.50	Pass
	5350 ~ 18000	17937.0	-39.79	0.5	-39.29	0.118	≤ 2.50	Pass
	18000 ~ 26000	25968.0	-42.02	0.5	-41.52	0.070	≤ 2.50	Pass
5300MHz	30 ~ 5233.3	3812.8	-39.38	0.5	-38.88	0.129	≤ 2.50	Pass
	5350 ~ 18000	7064.0	-40.05	0.5	-39.55	0.111	≤ 2.50	Pass
	18000 ~ 26000	25740.0	-41.25	0.5	-40.75	0.084	≤ 2.50	Pass
5320MHz	30 ~ 5233.3	4033.9	-39.69	0.5	-39.19	0.121	≤ 2.50	Pass
	5350 ~ 18000	13693.0	-39.23	0.5	-38.73	0.134	≤ 2.50	Pass
	18000 ~ 26000	25744.0	-42.19	0.5	-41.69	0.068	≤ 2.50	Pass
5500MHz	30 ~ 5460	4053.6	-39.35	0.5	-38.85	0.130	≤ 2.50	Pass
	5765 ~ 18000	14684.0	-39.61	0.5	-39.11	0.123	≤ 2.50	Pass
	18000 ~ 26000	25744.0	-42.03	0.5	-41.53	0.070	≤ 2.50	Pass
5600MHz	30 ~ 5460	3999.3	-38.51	0.5	-38.01	0.158	≤ 2.50	Pass
	5765 ~ 18000	6719.0	-39.01	0.5	-38.51	0.141	≤ 2.50	Pass
	18000 ~ 26000	25688.0	-42.06	0.5	-41.56	0.070	≤ 2.50	Pass
5700MHz	30 ~ 5460	4558.6	-38.11	0.5	-37.61	0.173	≤ 2.50	Pass
	5765 ~ 18000	14226.0	-39.69	0.5	-39.19	0.121	≤ 2.50	Pass
	18000 ~ 26000	25832.0	-41.93	0.5	-41.43	0.072	≤ 2.50	Pass
5720 MHz	30 ~ 5460	4042.8	-40.07	0.5	-39.57	0.110	≤ 2.50	Pass
	5765 ~ 18000	6316.0	-39.72	0.5	-39.22	0.120	≤ 2.50	Pass
	18000 ~ 26000	24532.0	-42.13	0.5	-41.63	0.069	≤ 2.50	Pass

Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE20 - RU8								
5180MHz	30 ~ 5142	4868.5	-38.97	0.5	-38.47	0.142	≤ 2.50	Pass
	5266.7 ~ 18000	13671.0	-39.23	0.5	-38.73	0.134	≤ 2.50	Pass
	18000 ~ 26000	25668.0	-42.11	0.5	-41.61	0.069	≤ 2.50	Pass
5220MHz	30 ~ 5142	3830.8	-40.18	0.5	-39.68	0.108	≤ 2.50	Pass
	5266.7 ~ 18000	13607.0	-39.35	0.5	-38.85	0.130	≤ 2.50	Pass
	18000 ~ 26000	25656.0	-40.28	0.5	-39.78	0.105	≤ 2.50	Pass
5240MHz	30 ~ 5142	4819.9	-39.96	0.5	-39.46	0.113	≤ 2.50	Pass
	5266.7 ~ 18000	13613.0	-39.27	0.5	-38.77	0.133	≤ 2.50	Pass
	18000 ~ 26000	25720.0	-42.22	0.5	-41.72	0.067	≤ 2.50	Pass
5260MHz	30 ~ 5233.3	5233.3	-34.26	0.5	-33.76	0.421	≤ 2.50	Pass
	5350 ~ 18000	17937.0	-39.13	0.5	-38.63	0.137	≤ 2.50	Pass
	18000 ~ 26000	25944.0	-41.30	0.5	-40.80	0.083	≤ 2.50	Pass
5300MHz	30 ~ 5233.3	4554.3	-39.40	0.5	-38.90	0.129	≤ 2.50	Pass
	5350 ~ 18000	17608.0	-39.91	0.5	-39.41	0.115	≤ 2.50	Pass
	18000 ~ 26000	25992.0	-41.10	0.5	-40.60	0.087	≤ 2.50	Pass
5320MHz	30 ~ 5233.3	3794.6	-40.00	0.5	-39.50	0.112	≤ 2.50	Pass
	5350 ~ 18000	17690.0	-39.74	0.5	-39.24	0.119	≤ 2.50	Pass
	18000 ~ 26000	35736.0	-41.44	0.5	-40.94	0.081	≤ 2.50	Pass
5500MHz	30 ~ 5460	3803.9	-38.70	0.5	-38.20	0.151	≤ 2.50	Pass
	5765 ~ 18000	14342.0	-39.24	0.5	-38.74	0.134	≤ 2.50	Pass
	18000 ~ 26000	25896.0	-41.61	0.5	-41.11	0.077	≤ 2.50	Pass
5600MHz	30 ~ 5460	4072.6	-39.37	0.5	-38.87	0.130	≤ 2.50	Pass
	5765 ~ 18000	13608.0	-39.53	0.5	-39.03	0.125	≤ 2.50	Pass
	18000 ~ 26000	25684.0	-41.76	0.5	-41.26	0.075	≤ 2.50	Pass
5700MHz	30 ~ 5460	4042.8	-38.17	0.5	-37.67	0.171	≤ 2.50	Pass
	5765 ~ 18000	17150.0	-39.88	0.5	-39.38	0.115	≤ 2.50	Pass
	18000 ~ 26000	25932.0	-41.27	0.5	-40.77	0.084	≤ 2.50	Pass
5720 MHz	30 ~ 5460	4040.1	-39.50	0.5	-39.00	0.126	≤ 2.50	Pass
	5765 ~ 18000	13638.0	-39.55	0.5	-39.05	0.124	≤ 2.50	Pass
	18000 ~ 26000	25804.0	-41.84	0.5	-41.34	0.073	≤ 2.50	Pass

Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE40 - RU0								
5190MHz	30 ~ 5141.6	3753.8	-40.10	0.5	-39.60	0.110	≤ 2.50	Pass
	5278.4 ~ 18000	14457.0	-39.56	0.5	-39.06	0.124	≤ 2.50	Pass
	18000 ~ 26000	25900.0	-42.00	0.5	-41.50	0.071	≤ 2.50	Pass
5230MHz	30 ~ 5141.6	4034.9	-39.22	0.5	-38.72	0.134	≤ 2.50	Pass
	5278.4 ~ 18000	17606.0	-39.66	0.5	-39.16	0.121	≤ 2.50	Pass
	18000 ~ 26000	25968.0	-41.64	0.5	-41.14	0.077	≤ 2.50	Pass
5270MHz	30 ~ 5221.6	3788.7	-39.20	0.5	-38.70	0.135	≤ 2.50	Pass
	5358.4 ~ 18000	15427.0	-39.37	0.5	-38.87	0.130	≤ 2.50	Pass
	18000 ~ 26000	25860.0	-42.21	0.5	-41.71	0.067	≤ 2.50	Pass
5310MHz	30 ~ 5221.6	4113.2	-39.29	0.5	-38.79	0.132	≤ 2.50	Pass
	5358.4 ~ 18000	5365.0	-37.63	0.5	-37.13	0.194	≤ 2.50	Pass
	18000 ~ 26000	25664.0	-41.15	0.5	-40.65	0.086	≤ 2.50	Pass
5510MHz	30 ~ 5460	3798.4	-39.36	0.5	-38.86	0.130	≤ 12.50	Pass
	5770 ~ 18000	13989.0	-39.71	0.5	-39.21	0.120	≤ 12.50	Pass
	18000 ~ 26000	25692.0	-42.46	0.5	-41.96	0.064	≤ 12.50	Pass
5590MHz	30 ~ 5460	4067.2	-39.64	0.5	-39.14	0.122	≤ 12.50	Pass
	5770 ~ 18000	15230.0	-39.16	0.5	-38.66	0.136	≤ 12.50	Pass
	18000 ~ 26000	25676.0	-40.05	0.5	-39.55	0.111	≤ 12.50	Pass
5670MHz	30 ~ 5460	3817.4	-39.26	0.5	-38.76	0.133	≤ 12.50	Pass
	5770 ~ 18000	6033.0	-39.07	0.5	-38.57	0.139	≤ 12.50	Pass
	18000 ~ 26000	25980.0	-41.64	0.5	-41.14	0.077	≤ 12.50	Pass
5710MHz	30 ~ 5460	4021.1	-38.32	0.5	-37.82	0.165	≤ 12.50	Pass
	5770 ~ 18000	17321.0	-39.96	0.5	-39.46	0.113	≤ 12.50	Pass
	18000 ~ 26000	25960.0	-41.69	0.5	-41.19	0.076	≤ 12.50	Pass




Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE40 - RU8								
5190MHz	30 ~ 5141.6	4055.4	-39.58	0.5	-39.08	0.124	≤ 2.50	Pass
	5278.4 ~ 18000	17930.0	-39.39	0.5	-38.89	0.129	≤ 2.50	Pass
	18000 ~ 26000	25748.0	-41.79	0.5	-41.29	0.074	≤ 2.50	Pass
5230MHz	30 ~ 5141.6	4040.1	-39.14	0.5	-38.64	0.137	≤ 2.50	Pass
	5278.4 ~ 18000	17332.0	-39.31	0.5	-38.81	0.132	≤ 2.50	Pass
	18000 ~ 26000	25840.0	-41.53	0.5	-41.03	0.079	≤ 2.50	Pass
5270MHz	30 ~ 5221.6	4037.9	-39.63	0.5	-39.13	0.122	≤ 2.50	Pass
	5358.4 ~ 18000	17488.0	-39.57	0.5	-39.07	0.124	≤ 2.50	Pass
	18000 ~ 26000	25984.0	-41.65	0.5	-41.15	0.077	≤ 2.50	Pass
5310MHz	30 ~ 5221.6	4904.9	-39.69	0.5	-39.19	0.121	≤ 2.50	Pass
	5358.4 ~ 18000	13696.0	-39.53	0.5	-39.03	0.125	≤ 2.50	Pass
	18000 ~ 26000	25952.0	-41.83	0.5	-41.33	0.074	≤ 2.50	Pass
5510MHz	30 ~ 5460	4091.6	-39.35	0.5	-38.85	0.130	≤ 12.50	Pass
	5770 ~ 18000	13628.0	-39.19	0.5	-38.69	0.135	≤ 12.50	Pass
	18000 ~ 26000	25916.0	-41.65	0.5	-41.15	0.077	≤ 12.50	Pass
5590MHz	30 ~ 5460	4053.6	-39.39	0.5	-38.89	0.129	≤ 12.50	Pass
	5770 ~ 18000	14618.0	-39.90	0.5	-39.40	0.115	≤ 12.50	Pass
	18000 ~ 26000	25708.0	-40.79	0.5	-40.29	0.094	≤ 12.50	Pass
5670MHz	30 ~ 5460	4031.9	-39.75	0.5	-39.25	0.119	≤ 12.50	Pass
	5770 ~ 18000	13634.0	-39.14	0.5	-38.64	0.137	≤ 12.50	Pass
	18000 ~ 26000	24572.0	-41.94	0.5	-41.44	0.072	≤ 12.50	Pass
5710MHz	30 ~ 5460	4879.0	-38.66	0.5	-38.16	0.153	≤ 12.50	Pass
	5770 ~ 18000	15120.0	-39.16	0.5	-38.66	0.136	≤ 12.50	Pass
	18000 ~ 26000	25864.0	-42.11	0.5	-41.61	0.069	≤ 12.50	Pass





Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE40 - RU17								
5190MHz	30 ~ 5141.6	4052.8	-39.11	0.5	-38.61	0.138	≤ 2.50	Pass
	5278.4 ~ 18000	14482.0	-39.47	0.5	-38.97	0.127	≤ 2.50	Pass
	18000 ~ 26000	25836.0	-41.83	0.5	-41.33	0.074	≤ 2.50	Pass
5230MHz	30 ~ 5141.6	3776.8	-39.87	0.5	-39.37	0.116	≤ 2.50	Pass
	5278.4 ~ 18000	17637.0	-39.62	0.5	-39.12	0.122	≤ 2.50	Pass
	18000 ~ 26000	25968.0	-42.17	0.5	-41.67	0.068	≤ 2.50	Pass
5270MHz	30 ~ 5221.6	4069.1	-40.10	0.5	-39.60	0.110	≤ 2.50	Pass
	5358.4 ~ 18000	13651.0	-39.33	0.5	-38.83	0.131	≤ 2.50	Pass
	18000 ~ 26000	25820.0	-40.89	0.5	-40.39	0.091	≤ 2.50	Pass
5310MHz	30 ~ 5221.6	3806.9	-39.40	0.5	-38.90	0.129	≤ 2.50	Pass
	5358.4 ~ 18000	14530.0	-40.17	0.5	-39.67	0.108	≤ 2.50	Pass
	18000 ~ 26000	25668.0	-42.03	0.5	-41.53	0.070	≤ 2.50	Pass
5510MHz	30 ~ 5460	3809.3	-38.92	0.5	-38.42	0.144	≤ 12.50	Pass
	5770 ~ 18000	17914.0	-39.21	0.5	-38.71	0.135	≤ 12.50	Pass
	18000 ~ 26000	25984.0	-41.67	0.5	-41.17	0.076	≤ 12.50	Pass
5590MHz	30 ~ 5460	4045.5	-39.22	0.5	-38.72	0.134	≤ 12.50	Pass
	5770 ~ 18000	14001.0	-39.18	0.5	-38.68	0.136	≤ 12.50	Pass
	18000 ~ 26000	25976.0	-41.21	0.5	-40.71	0.085	≤ 12.50	Pass
5670MHz	30 ~ 5460	3771.3	-39.67	0.5	-39.17	0.121	≤ 12.50	Pass
	5770 ~ 18000	13689.0	-39.13	0.5	-38.63	0.137	≤ 12.50	Pass
	18000 ~ 26000	25964.0	-41.73	0.5	-41.23	0.075	≤ 12.50	Pass
5710MHz	30 ~ 5460	4072.6	-38.68	0.5	-38.18	0.152	≤ 12.50	Pass
	5770 ~ 18000	13622.0	-39.15	0.5	-38.65	0.136	≤ 12.50	Pass
	18000 ~ 26000	25804.0	-42.10	0.5	-41.60	0.069	≤ 12.50	Pass



Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE80 - RU0								
5210MHz	30 ~ 5123.2	4043.4	-40.05	0.5	-39.55	0.111	≤ 2.50	Pass
	5296.7 ~ 18000	14939.0	-38.97	0.5	-38.47	0.142	≤ 2.50	Pass
	18000 ~ 26000	25992.0	-41.39	0.5	-40.89	0.081	≤ 2.50	Pass
5290MHz	30 ~ 5203.3	4013.4	-38.90	0.5	-38.40	0.145	≤ 2.50	Pass
	5376.8 ~ 18000	5951.0	-39.56	0.5	-39.06	0.124	≤ 2.50	Pass
	18000 ~ 26000	25424.0	-41.94	0.5	-41.44	0.072	≤ 2.50	Pass
5530MHz	30 ~ 5460	3801.1	-38.90	0.5	-38.40	0.145	≤ 12.5	Pass
	5770 ~ 18000	17865.0	-39.85	0.5	-39.35	0.116	≤ 12.5	Pass
	1800 ~ 26000	25992.0	-42.67	0.5	-42.17	0.061	≤ 12.5	Pass
5610MHz	30 ~ 5460	4295.3	-39.74	0.5	-39.24	0.119	≤ 12.5	Pass
	5770 ~ 18000	14924.0	-39.91	0.5	-39.41	0.115	≤ 12.5	Pass
	1800 ~ 26000	25808.0	-42.08	0.5	-41.58	0.070	≤ 12.5	Pass
5690MHz	30 ~ 5460	4059.1	-39.31	0.5	-38.81	0.132	≤ 12.5	Pass
	5770 ~ 18000	17651.0	-39.77	0.5	-39.27	0.118	≤ 12.5	Pass
	1800 ~ 26000	25972.0	-41.57	0.5	-41.07	0.078	≤ 12.5	Pass
802.11ax-HE80 - RU18								
5210MHz	30 ~ 5123.2	3791.3	-39.93	0.5	-39.43	0.114	≤ 2.50	Pass
	5296.7 ~ 18000	14964.0	-39.32	0.5	-38.82	0.131	≤ 2.50	Pass
	18000 ~ 26000	25684.0	-41.79	0.5	-41.29	0.074	≤ 2.50	Pass
5290MHz	30 ~ 5203.3	4041.9	-39.02	0.5	-38.52	0.141	≤ 2.50	Pass
	5376.8 ~ 18000	14718.0	-39.46	0.5	-38.96	0.127	≤ 2.50	Pass
	18000 ~ 26000	25740.0	-40.87	0.5	-40.37	0.092	≤ 2.50	Pass
5530MHz	30 ~ 5460	3787.6	-38.72	0.5	-38.22	0.151	≤ 12.5	Pass
	5770 ~ 18000	15951.0	-39.04	0.5	-38.54	0.140	≤ 12.5	Pass
	1800 ~ 26000	25960.0	-42.10	0.5	-41.60	0.069	≤ 12.5	Pass
5610MHz	30 ~ 5460	4059.1	-39.30	0.5	-38.80	0.132	≤ 12.5	Pass
	5770 ~ 18000	14466.0	-39.61	0.5	-39.11	0.123	≤ 12.5	Pass
	1800 ~ 26000	25940.0	-41.97	0.5	-41.47	0.071	≤ 12.5	Pass
5690MHz	30 ~ 5460	4078.1	-39.21	0.5	-38.71	0.135	≤ 12.5	Pass
	5770 ~ 18000	14209.0	-39.13	0.5	-38.63	0.137	≤ 12.5	Pass
	1800 ~ 26000	25684.0	-42.15	0.5	-41.65	0.068	≤ 12.5	Pass

Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE80 - RU36								
5210MHz	30 ~ 5123.2	4081.6	-38.84	0.5	-38.34	0.147	≤ 2.50	Pass
	5296.7 ~ 18000	13681.0	-38.63	0.5	-38.13	0.154	≤ 2.50	Pass
	18000 ~ 26000	25652.0	-42.10	0.5	-41.60	0.069	≤ 2.50	Pass
5290MHz	30 ~ 5203.3	4049.7	-39.06	0.5	-38.56	0.139	≤ 2.50	Pass
	5376.8 ~ 18000	14440.0	-39.62	0.5	-39.12	0.122	≤ 2.50	Pass
	18000 ~ 26000	25696.0	-41.36	0.5	-40.86	0.082	≤ 2.50	Pass
5530MHz	30 ~ 5460	4056.3	-39.33	0.5	-38.83	0.131	≤ 12.5	Pass
	5770 ~ 18000	13683.0	-39.58	0.5	-39.08	0.124	≤ 12.5	Pass
	1800 ~ 26000	25688.0	-41.59	0.5	-41.09	0.078	≤ 12.5	Pass
5610MHz	30 ~ 5460	4596.6	-39.66	0.5	-39.16	0.121	≤ 12.5	Pass
	5770 ~ 18000	17327.0	-40.04	0.5	-39.54	0.111	≤ 12.5	Pass
	1800 ~ 26000	25888.0	-41.38	0.5	-40.88	0.082	≤ 12.5	Pass
5690MHz	30 ~ 5460	4914.3	-39.82	0.5	-39.32	0.117	≤ 12.5	Pass
	5770 ~ 18000	17896.0	-40.02	0.5	-39.52	0.112	≤ 12.5	Pass
	1800 ~ 26000	25980.0	-41.68	0.5	-41.18	0.076	≤ 12.5	Pass

Test Channel	Frequency Range (MHz)	Measurement Freq (MHz)	Measurement Level (dBm/MHz)	Antenna Gain (dBi)	Final Level (dBm/MHz)	Final Level (μW/MHz)	Limit (μW/MHz)	Result
802.11ax-HE160 - RU0								
5250MHz	30 ~ 5099.6	4047.7	-39.07	0.5	-38.57	0.139	≤ 2.50	Pass
	5400.4 ~ 18000	14441.0	-38.67	0.5	-38.17	0.152	≤ 2.50	Pass
	18000 ~ 26000	25836.0	-41.57	0.5	-41.07	0.078	≤ 2.50	Pass
5570MHz	30 ~ 5419.6	4039.9	-40.20	0.5	-39.70	0.107	≤ 12.5	Pass
	5725 ~ 18000	17877.0	-38.69	0.5	-38.19	0.152	≤ 12.5	Pass
	18000 ~ 26000	25708.0	-42.26	0.5	-41.76	0.067	≤ 12.5	Pass
802.11ax-HE160 - RU37								
5250MHz	30 ~ 5099.6	3806.9	-39.99	0.5	-39.49	0.112	≤ 2.50	Pass
	5400.4 ~ 18000	17660.0	-39.56	0.5	-39.06	0.124	≤ 2.50	Pass
	18000 ~ 26000	25776.0	-42.12	0.5	-41.62	0.069	≤ 2.50	Pass
5570MHz	30 ~ 5419.6	3848.5	-39.66	0.5	-39.16	0.121	≤ 12.5	Pass
	5725 ~ 18000	14446.0	-38.49	0.5	-37.99	0.159	≤ 12.5	Pass
	18000 ~ 26000	25776.0	-42.46	0.5	-41.96	0.064	≤ 12.5	Pass
802.11ax-HE160 - RU73								
5250MHz	30 ~ 5099.6	5016.0	-36.77	0.5	-36.27	0.236	≤ 2.50	Pass
	5400.4 ~ 18000	13697.0	-39.67	0.5	-39.17	0.121	≤ 2.50	Pass
	18000 ~ 26000	2536.0	-41.04	0.5	-40.54	0.088	≤ 2.50	Pass
5570MHz	30 ~ 5419.6	38005.4	-39.44	0.5	-38.94	0.128	≤ 12.5	Pass
	5725 ~ 18000	5805.0	-37.08	0.5	-36.58	0.220	≤ 12.5	Pass
	18000 ~ 26000	25844.0	-41.60	0.5	-41.10	0.078	≤ 12.5	Pass

802.11ax-HE20 Unwanted Emission Strength - RU0	
Channel 36 (5180MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE20 Unwanted Emission Strength - RU0	
Channel 44 (5220MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz ~ 18000MHz	18000MHz ~ 26000MHz
	

802.11ax-HE20 Unwanted Emission Strength - RU0	
Channel 48 (5240MHz)	
30MHz ~ 5142MHz	5142MHz ~ 5266.7MHz
	
5266.7MHz~18000MHz	18000MHz~26000MHz
