


## **Annex A.3 Unwanted Emission Intensity**

## 1. 802.11a\_20M\_Band1\_L

### 1.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|-----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak      | 846             | -50.14          | 0.010          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak      | 5140            | -32             | 0.631          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak      | 10362.904       | -45.26          | 0.030          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak      | 24816           | -43.38          | 0.046          | 2.5            | Pass    |



## 2. 802.11a\_20M\_Band1\_M

### 2.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|-----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak      | 932             | -49.99          | 0.010          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak      | 5132            | -44.27          | 0.037          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak      | 5268.7          | -40.33          | 0.093          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak      | 24823           | -43.85          | 0.041          | 2.5            | Pass    |



### 3. 802.11a\_20M\_Band1\_H

#### 3.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 831             | -49.08          | 0.012          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak     | 5130            | -45.98          | 0.025          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak     | 5266.7          | -29.46          | 1.133          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24768           | -43.98          | 0.040          | 2.5            | Pass    |



## 4. 802.11n\_20M\_Band1\_L

### 4.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 810             | -49.21          | 0.012          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak     | 5139            | -33.52          | 0.445          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak     | 10360.904       | -45.17          | 0.030          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24852           | -44.4           | 0.036          | 2.5            | Pass    |



## 5. 802.11n\_20M\_Band1\_M

### 5.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 718             | -49.96          | 0.010          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak     | 5134            | -45.42          | 0.029          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak     | 5274.7          | -37.33          | 0.185          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24832           | -44.19          | 0.038          | 2.5            | Pass    |



## 6. 802.11n\_20M\_Band1\_H

### 6.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 866             | -50.02          | 0.010          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak     | 5140            | -45.25          | 0.030          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak     | 5266.7          | -25.27          | 2.974          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -48.204         | 0.015          |                | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24787           | -43.23          | 0.048          | 2.5            | Pass    |



## 7. 802.11ac\_20M\_Band1\_L

### 7.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 832             | -50.22          | 0.010          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak     | 5142            | -34.43          | 0.361          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak     | 5268.7          | -45.32          | 0.029          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24845           | -43.24          | 0.047          | 2.5            | Pass    |



## 8. 802.11ac\_20M\_Band1\_M

### 8.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 411             | -50.35          | 0.009          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak     | 5133            | -44.2           | 0.038          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak     | 5267.7          | -40.35          | 0.092          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24885           | -44.11          | 0.039          | 2.5            | Pass    |



## 9. 802.11ac\_20M\_Band1\_H

### 9.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 928             | -49.84          | 0.010          | 2.5            | Pass    |
| 1000                  | 5142                 | 1         | Peak     | 5142            | -45.84          | 0.026          | 2.5            | Pass    |
| 5266.7                | 12750                | 1         | Peak     | 5266.7          | -29.98          | 1.005          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24913           | -44.55          | 0.035          | 2.5            | Pass    |



## 10. 802.11a\_20M\_Band2\_L

### 10.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 733             | -50.11          | 0.010          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5233.3          | -26.63          | 2.173          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -48.061         | 0.016          |                | Pass    |
| 5350                  | 12750                | 1         | Peak     | 10516           | -44.1           | 0.039          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24838           | -44.3           | 0.037          | 2.5            | Pass    |



## 11. 802.11a\_20M\_Band2\_M

### 11.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 813             | -50.33          | 0.009          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5231.3          | -43.53          | 0.044          | 2.5            | Pass    |
| 5350                  | 12750                | 1         | Peak     | 5353            | -36.34          | 0.232          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24925           | -43.95          | 0.040          | 2.5            | Pass    |



## 12. 802.11a\_20M\_Band2\_H

### 12.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 858             | -50.01          | 0.010          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5233.3          | -45.37          | 0.029          | 2.5            | Pass    |
| 5350                  | 12750                | 1         | Peak     | 5351            | -26.13          | 2.435          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -49.935         | 0.01           |                | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24727           | -43.86          | 0.041          | 2.5            | Pass    |



## 13. 802.11n\_20M\_Band2\_L

### 13.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 774             | -49.81          | 0.010          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5233.3          | -24.65          | 3.425          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -48.443         | 0.014          |                | Pass    |
| 5350                  | 12750                | 1         | Peak     | 10517           | -45.01          | 0.032          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24762           | -44.03          | 0.040          | 2.5            | Pass    |



## 14. 802.11n\_20M\_Band2\_M

### 14.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 784             | -50.53          | 0.009          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5226.3          | -42.71          | 0.054          | 2.5            | Pass    |
| 5350                  | 12750                | 1         | Peak     | 5353            | -36.67          | 0.215          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24812           | -44.62          | 0.035          | 2.5            | Pass    |



## 15. 802.11n\_20M\_Band2\_H

### 15.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 469             | -50.32          | 0.009          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5222.299        | -46.14          | 0.024          | 2.5            | Pass    |
| 5350                  | 12750                | 1         | Peak     | 5351            | -25.91          | 2.563          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -49.978         | 0.01           |                | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24888           | -44.11          | 0.039          | 2.5            | Pass    |



## 16. 802.11ac\_20M\_Band2\_L

### 16.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 420             | -49.99          | 0.010          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5231.3          | -25.06          | 3.120          | 2.5            | Pass    |
|                       |                      |           | Sample   |                 | -46.787         | 0.021          |                | Pass    |
| 5350                  | 12750                | 1         | Peak     | 10516           | -45.5           | 0.028          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24866           | -44.11          | 0.039          | 2.5            | Pass    |



## 17. 802.11ac\_20M\_Band2\_M

### 17.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 483             | -50.45          | 0.009          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5231.3          | -40.74          | 0.084          | 2.5            | Pass    |
| 5350                  | 12750                | 1         | Peak     | 5350            | -38.35          | 0.146          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24846           | -44.54          | 0.035          | 2.5            | Pass    |



## 18. 802.11ac\_20M\_Band2\_H

### 18.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 764             | -50.33          | 0.009          | 2.5            | Pass    |
| 1000                  | 5233.3               | 1         | Peak     | 5233.3          | -45.82          | 0.026          | 2.5            | Pass    |
| 5350                  | 12750                | 1         | Peak     | 5351            | -25.31          | 2.943          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -46.986         | 0.02           |                | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24884           | -43.9           | 0.041          | 2.5            | Pass    |



## 19. 802.11a\_20M\_Band3\_L

### 19.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 804             | -50.3           | 0.009          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5460            | -33.85          | 0.412          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 12399           | -44.94          | 0.032          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24759           | -43.98          | 0.040          | 2.5            | Pass    |



## 20. 802.11a\_20M\_Band3\_M

### 20.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 778             | -49.91          | 0.010          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5442            | -45.88          | 0.026          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 11160           | -45.11          | 0.031          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24860           | -44.26          | 0.037          | 2.5            | Pass    |



## 21. 802.11a\_20M\_Band3\_H

### 21.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 835             | -50.06          | 0.010          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 3156            | -46.58          | 0.022          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 11404           | -44.02          | 0.040          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24856           | -44.28          | 0.037          | 2.5            | Pass    |



## 22. 802.11n\_20M\_Band3\_L

### 22.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 892             | -50.21          | 0.010          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5459            | -33.73          | 0.424          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 12594           | -45.82          | 0.026          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24790           | -44.15          | 0.038          | 2.5            | Pass    |



## 23. 802.11n\_20M\_Band3\_M

### 23.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 743             | -50.11          | 0.010          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5447            | -45.1           | 0.031          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 11156           | -45.37          | 0.029          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24823           | -43.98          | 0.040          | 2.5            | Pass    |



## 24. 802.11n\_20M\_Band3\_H

### 24.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 829             | -50.26          | 0.009          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5459            | -46.93          | 0.020          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 11407           | -44.73          | 0.034          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24883           | -43.33          | 0.046          | 2.5            | Pass    |



## 25. 802.11ac\_20M\_Band3\_L

### 25.2. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 771             | -50.42          | 0.009          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5459            | -37.18          | 0.191          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 12188           | -46.11          | 0.024          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24777           | -43.63          | 0.043          | 2.5            | Pass    |



## 26. 802.11ac\_20M\_Band3\_M

### 26.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 532             | -49.94          | 0.010          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5410            | -45.21          | 0.030          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 12354           | -45.71          | 0.027          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24745           | -44.28          | 0.037          | 2.5            | Pass    |



## 27. 802.11ac\_20M\_Band3\_H

### 27.2. A.3-Unwanted Emission Intensity(20M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 868             | -50.19          | 0.010          | 2.5            | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 3157            | -47.12          | 0.019          | 2.5            | Pass    |
| 5765                  | 12750                | 1         | Peak     | 11403           | -44.04          | 0.039          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24860           | -43.81          | 0.042          | 2.5            | Pass    |



## 1. 802.11n\_40M\_Band1\_L

### 1.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|-----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak      | 975             | -50.1           | 0.010          | 2.5            | Pass    |
| 1000                  | 5141.6               | 1         | Peak      | 5133.599        | -30.09          | 0.979          | 2.5            | Pass    |
| 5278.4                | 12750                | 1         | Peak      | 5282.4          | -36.26          | 0.237          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak      | 25118           | -43.96          | 0.040          | 2.5            | Pass    |



## 2. 802.11n\_40M\_Band1\_H

### 2.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|-----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak      | 848             | -50.06          | 0.010          | 2.5            | Pass    |
| 1000                  | 5141.6               | 1         | Peak      | 5129.598        | -39.97          | 0.101          | 2.5            | Pass    |
| 5278.4                | 12750                | 1         | Peak      | 5279.4          | -28.14          | 1.535          | 2.5            | N/A     |
|                       |                      |           | Sample    |                 | -48.696         | 0.014          |                | Pass    |
| 12750                 | 26000                | 1         | Peak      | 24870           | -43.65          | 0.043          | 2.5            | Pass    |



## 4. 802.11ac\_40M\_Band1\_L

### 4.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 807             | -49.46          | 0.011          | 2.5            | Pass    |
| 1000                  | 5141.6               | 1         | Peak     | 5141.6          | -31.39          | 0.726          | 2.5            | Pass    |
| 5278.4                | 12750                | 1         | Peak     | 5278.4          | -41.26          | 0.075          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24830           | -44.23          | 0.038          | 2.5            | Pass    |



## 5. 802.11ac\_40M\_Band1\_H

### 5.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 858             | -50.53          | 0.009          | 2.5            | Pass    |
| 1000                  | 5141.6               | 1         | Peak     | 5138.6          | -40.74          | 0.084          | 2.5            | Pass    |
| 5278.4                | 12750                | 1         | Peak     | 5278.4          | -31.06          | 0.783          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24830           | -44.64          | 0.034          | 2.5            | Pass    |



## 6. 802.11n\_40M\_Band2\_L

### 6.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 415             | -50.54          | 0.009          | 2.5            | Pass    |
| 1000                  | 5221.6               | 1         | Peak     | 5213.599        | -29.57          | 1.105          | 2.5            | Pass    |
| 5358.4                | 12750                | 1         | Peak     | 5361.4          | -35.17          | 0.304          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24827           | -44.44          | 0.036          | 2.5            | Pass    |



## 7. 802.11n\_40M\_Band2\_H

### 7.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 714             | -50.39          | 0.009          | 2.5            | Pass    |
| 1000                  | 5221.6               | 1         | Peak     | 5210.598        | -40.05          | 0.099          | 2.5            | Pass    |
| 5358.4                | 12750                | 1         | Peak     | 5359.4          | -27.68          | 1.707          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -48.679         | 0.014          |                | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24822           | -43.56          | 0.044          | 2.5            | Pass    |



## 8. 802.11ac\_40M\_Band2\_L

### 8.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 829             | -50.48          | 0.009          | 2.5            | Pass    |
| 1000                  | 5221.6               | 1         | Peak     | 5221.6          | -29.04          | 1.248          | 2.5            | Pass    |
| 5358.4                | 12750                | 1         | Peak     | 5361.4          | -39.82          | 0.104          | 2.5            | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24868           | -43.92          | 0.041          | 2.5            | Pass    |



## 9. 802.11ac\_40M\_Band2\_H

### 9.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 855             | -50.44          | 0.009          | 2.5            | Pass    |
| 1000                  | 5221.6               | 1         | Peak     | 5220.6          | -40.78          | 0.084          | 2.5            | Pass    |
| 5358.4                | 12750                | 1         | Peak     | 5361.4          | -27.72          | 1.690          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -48.69          | 0.014          |                | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24787           | -44.27          | 0.037          | 2.5            | Pass    |



## 10. 802.11n\_40M\_Band3\_L

### 10.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 831             | -49.7           | 0.011          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5453            | -30.97          | 0.799          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 12666           | -45.7           | 0.027          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24828           | -43.22          | 0.048          | 12.5           | Pass    |



## 11. 802.11n\_40M\_Band3\_M

### 11.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 897             | -50.46          | 0.009          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5443            | -46             | 0.025          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 12648           | -45.66          | 0.027          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24855           | -44.25          | 0.038          | 12.5           | Pass    |



## 12. 802.11n\_40M\_Band3\_H

### 12.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 923             | -50.33          | 0.009          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5436            | -46.64          | 0.022          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 5770            | -43.91          | 0.041          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24659           | -43.36          | 0.046          | 12.5           | Pass    |



### 13. 802.11ac\_40M\_Band3\_L

#### 13.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 858             | -49.55          | 0.011          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5457            | -31.65          | 0.684          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 12307           | -46.19          | 0.024          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24885           | -44.09          | 0.039          | 12.5           | Pass    |



## 14. 802.11ac\_40M\_Band3\_M

### 14.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 873             | -49.76          | 0.011          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5434            | -45.65          | 0.027          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 12293           | -44.38          | 0.036          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24730           | -43.84          | 0.041          | 12.5           | Pass    |



## 15. 802.11ac\_40M\_Band3\_H

### 15.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 898             | -49.68          | 0.011          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5450            | -46.74          | 0.021          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 12254           | -45.54          | 0.028          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24664           | -43.88          | 0.041          | 12.5           | Pass    |



## 1. 802.11ac\_80M\_Band1\_M

### 1.1. A.3-Unwanted Emission Intensity(80M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 758             | -50.41          | 0.009          | 2.5            | Pass    |
| 1000                  | 5123.2               | 1         | Peak     | 5119.2          | -29.22          | 1.198          | 2.5            | Pass    |
| 5296.7                | 12750                | 1         | Peak     | 5303.7          | -26.18          | 2.408          | 2.5            | N/A     |
|                       |                      |           | Sample   |                 | -46.475         | 0.023          |                | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24814           | -44.46          | 0.036          | 2.5            | Pass    |



## 2. 802.11ac\_80M\_Band2\_M

### 2.1. A.3-Unwanted Emission Intensity(80M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detect or | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|-----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak      | 803             | -50.63          | 0.009          | 2.5            | Pass    |
| 1000                  | 5203.3               | 1         | Peak      | 5203.3          | -30.82          | 0.829          | 2.5            | Pass    |
| 5376.8                | 12750                | 1         | Peak      | 5383.8          | -27.85          | 1.641          | 2.5            | N/A     |
|                       |                      |           | Sample    |                 | -47.579         | 0.017          |                | Pass    |
| 12750                 | 26000                | 1         | Peak      | 24835           | -44.15          | 0.038          | 2.5            | Pass    |



### 3. 802.11ac\_80M\_Band3\_L

#### 3.2. A.3-Unwanted Emission Intensity(80M)(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 889             | -50.34          | 0.009          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5459            | -27.06          | 1.970          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 12206           | -44.61          | 0.035          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24764           | -44.46          | 0.036          | 12.5           | Pass    |



## 4. 802.11ac\_80M\_Band3\_M

### 4.1. A.3-Unwanted Emission Intensity(80M)(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm/MHz) | Power (μW/MHz) | Limit (μW/MHz) | Verdict |
|-----------------------|----------------------|-----------|----------|-----------------|-----------------|----------------|----------------|---------|
| 30                    | 1000                 | 1         | Peak     | 228             | -50.56          | 0.009          | 12.5           | Pass    |
| 1000                  | 5460                 | 1         | Peak     | 5458            | -42             | 0.063          | 12.5           | Pass    |
| 5770                  | 12750                | 1         | Peak     | 5770            | -43.05          | 0.050          | 12.5           | Pass    |
| 12750                 | 26000                | 1         | Peak     | 24677           | -44.28          | 0.037          | 12.5           | Pass    |



--BLANK BELOW--