

Appendix B: Test Results of Radiated Emissions & Mains Conducted Emission Test

Band Edges, 2.31GHz ~ 2.9GHz


BLE_1M

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2375.96	52.70	15.24	37.46	74.00	-21.30	145	199	Peak	Horizontal	
2 *	2402.00	102.04	64.40	37.64	74.00	28.04	145	199	Peak	Horizontal	
3	2830.62	54.88	16.54	38.34	74.00	-19.12	145	199	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2358.50	53.41	16.08	37.33	74.00	-20.59	316	143	Peak	Vertical	
2 *	2402.00	100.30	62.66	37.64	74.00	26.30	316	143	Peak	Vertical	
3	2790.85	54.76	16.49	38.27	74.00	-19.24	316	143	Peak	Vertical	

BLE_1M

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2388.94	52.77	15.22	37.55	74.00	-21.23	176	197	Peak	Horizontal	
2 *	2480.00	98.68	68.73	30.15	74.00	24.68	176	197	Peak	Horizontal	
3	2824.24	54.90	16.57	38.33	74.00	-19.10	176	197	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2368.86	52.84	15.48	37.36	74.00	-21.16	291	143	Peak	Vertical	
2 *	2480.00	96.31	58.16	38.15	74.00	22.31	291	143	Peak	Vertical	
3	2818.58	54.92	16.59	38.33	74.00	-19.08	291	143	Peak	Vertical	

BLE_1M


High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.65	52.85	15.29	37.56	74.00	-21.15	316	142	Peak	Vertical	
2 *	2402.00	100.35	62.71	37.64	74.00	26.35	316	142	Peak	Vertical	
3	2799.23	54.99	16.69	38.30	74.00	-19.01	316	142	Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.35	53.00	15.46	37.54	74.00	-21.00	145	199	Peak	Horizontal	
2 *	2402.00	102.06	64.42	37.64	74.00	28.06	145	199	Peak	Horizontal	
3	2830.38	54.68	16.34	38.34	74.00	-19.32	145	199	Peak	Horizontal	

BLE_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.65	40.15	2.59	37.56	54.00	-13.85	316	142	Average	Vertical		
2 *	2402.00	97.53	59.89	37.64	54.00	43.53	316	142	Average	Vertical		
3	2799.23	41.85	3.55	38.30	54.00	-12.15	316	142	Average	Vertical		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.35	40.16	2.62	37.54	54.00	-13.84	145	199	Average	Horizontal		
2 *	2402.00	99.26	61.62	37.64	54.00	45.26	145	199	Average	Horizontal		
3	2830.38	41.68	3.34	38.34	54.00	-12.32	145	199	Average	Horizontal		

BLE_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2356.14	53.43	16.11	37.32	74.00	-20.57	176	197	Peak	Horizontal	
2 *	2489.00	98.93	69.78	38.15	74.00	24.93	176	197	Peak	Horizontal	
3	2483.50	54.77	16.61	38.16	74.00	-19.23	176	197	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.94	53.26	15.71	37.55	74.00	-20.74	291	143	Peak	Vertical	
2 *	2489.00	96.43	58.26	38.15	74.00	22.41	291	143	Peak	Vertical	
3	2489.60	55.14	16.94	38.20	74.00	-18.86	291	143	Peak	Vertical	

BLE_2M

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2356.14	40.30	2.98	37.32	54.00	-13.70	176	197	Average	Horizontal	
2 *	2488.00	95.24	57.09	38.15	54.00	41.24	176	197	Average	Horizontal	
3	2483.50	43.01	4.85	38.16	54.00	-10.99	176	197	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.94	40.23	2.68	37.55	74.00	-33.77	291	143	Peak	Vertical	
2 *	2488.00	93.57	55.42	38.15	74.00	19.57	291	143	Peak	Vertical	
3	2489.60	41.00	3.60	38.20	74.00	-32.20	291	143	Peak	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_2M

High Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	78.89	3.71	75.18	124.72	-45.83	100	216	QP	Open	
2	0.03	72.68	2.31	70.37	119.25	-46.65	100	162	QP	Open	
3	0.05	64.35	-0.27	64.62	114.17	-49.82	100	252	QP	Open	
4	0.08	58.86	-1.45	60.31	109.88	-51.02	100	235	QP	Open	
5	0.10	56.24	-0.82	57.06	107.21	-50.97	100	310	QP	Open	
6	0.14	53.32	-2.41	55.73	104.96	-51.64	100	31	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.19	65.88	12.56	53.32	101.94	-36.06	100	298	QP	Open	
2	2.07	52.77	13.89	38.88	69.50	-16.73	100	284	QP	Open	
3	8.85	49.77	12.01	37.76	69.50	-19.73	100	0	QP	Open	
4	13.18	50.54	12.59	37.95	69.50	-10.96	100	281	QP	Open	
5	16.76	50.42	12.73	37.69	69.50	-19.08	100	168	QP	Open	
6	26.70	53.54	12.96	40.58	69.50	-15.96	100	331	QP	Open	

BLE_2M

High Channel (Close) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	79.86	4.77	75.09	124.58	-44.72	100	244	QP	Close	
2	0.04	69.28	1.85	67.43	116.61	-47.33	100	318	QP	Close	
3	0.09	58.12	-0.90	59.02	108.84	-50.72	100	234	QP	Close	
4	0.11	55.18	-1.70	56.88	106.85	-51.67	100	343	QP	Close	
5	0.13	53.30	-2.52	55.82	105.10	-51.80	100	280	QP	Close	
6	0.14	52.35	-3.09	55.44	104.54	-52.19	100	343	QP	Close	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.24	62.96	11.69	51.27	100.01	-37.05	100	196	QP	Close	
2	4.46	49.07	12.57	36.50	69.50	-20.43	100	75	QP	Close	
3	10.33	50.75	12.60	38.15	69.50	-18.75	100	290	QP	Close	
4	12.75	50.94	12.96	37.98	69.50	-18.56	100	175	QP	Close	
5	17.37	50.83	13.19	37.64	69.50	-18.67	100	231	QP	Close	
6	28.00	54.37	13.14	41.23	69.50	-15.13	100	10	QP	Close	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_2M

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	81.22	32.11	44.18	-12.07	40.00	-7.89	200	253	QP	Horizontal		
2	165.70	37.87	44.82	-6.95	43.50	-5.63	200	262	QP	Horizontal		
3	243.59	39.52	47.81	-8.29	46.00	-6.48	100	110	QP	Horizontal		
4	478.92	39.18	42.61	-3.43	46.00	-6.82	200	253	QP	Horizontal		
5	720.74	34.42	33.86	0.56	46.00	-11.58	200	213	QP	Horizontal		
6	968.81	36.84	32.37	4.47	54.00	-17.16	100	185	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	81.22	35.73	47.00	-12.07	40.00	-4.27	200	167	QP	Vertical		
2	185.39	33.00	42.31	-9.31	43.50	-10.50	100	233	QP	Vertical		
3	242.14	38.69	46.99	-8.30	46.00	-7.31	100	83	QP	Vertical		
4	478.14	35.67	39.10	-3.43	46.00	-10.33	100	205	QP	Vertical		
5	722.19	30.86	30.27	0.59	46.00	-15.14	100	310	QP	Vertical		
6	968.72	35.95	31.48	4.47	54.00	-18.05	100	174	QP	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_1M

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4880.00	41.96	51.63	-9.67	74.00	-32.04	200	7	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4880.00	42.39	52.06	-9.67	74.00	-31.61	300	107	Peak	Vertical		


BLE_1M

High Channel (Horizontal)

High Channel (Vertical)



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	43.01	52.47	-9.46	74.00	-30.99	300	42	Peak	Horizontal	



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	41.99	51.45	-9.46	74.00	-32.01	300	218	Peak	Vertical	


BLE_2M

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Rx Mode, 9kHz ~ 30MHz

BLE_2M

High Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	71.68	-3.95	75.63	125.46	-53.78	100	93 QP	Open	
2	0.03	59.30	-9.31	68.61	117.88	-58.58	100	47 QP	Open	
3	0.06	52.84	-9.92	62.76	112.29	-59.45	100	352 QP	Open	
4	0.09	47.39	-11.12	58.51	108.46	-61.07	100	167 QP	Open	
5	0.12	44.04	-12.44	56.48	106.15	-62.11	100	57 QP	Open	
6	0.14	43.20	-12.30	55.50	104.62	-61.42	100	148 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.20	56.75	3.68	53.07	101.68	-44.93	100	278 QP	Open	
2	4.41	41.30	4.78	36.52	69.50	-28.20	100	8 QP	Open	
3	11.33	40.74	2.66	38.08	69.50	-28.76	100	71 QP	Open	
4	14.60	41.29	3.45	37.84	69.50	-28.21	100	342 QP	Open	
5	22.39	41.60	3.03	38.57	69.50	-27.90	100	177 QP	Open	
6	28.97	45.28	3.63	41.65	69.50	-24.22	100	160 QP	Open	

BLE_2M

High Channel (Close) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	71.22	-5.46	76.68	127.45	-56.23	100	342 QP	Close		
2	0.03	60.56	-7.32	67.88	117.88	-56.52	100	0 QP	Close		
3	0.05	53.22	-10.04	63.26	112.87	-59.65	100	83 QP	Close		
4	0.09	46.96	-11.32	58.28	108.29	-61.33	100	0 QP	Close		
5	0.13	43.46	-12.57	56.03	105.41	-61.95	100	85 QP	Close		
6	0.14	43.11	-12.24	55.35	104.41	-61.30	100	188 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.21	56.30	-3.75	52.55	101.17	-44.87	100	138 QP	Close		
2	2.62	43.84	-6.10	37.74	69.50	-25.66	100	288 QP	Close		
3	4.45	46.05	-9.55	36.50	69.50	-23.45	100	97 QP	Close		
4	13.54	42.97	-5.04	37.93	69.50	-26.53	100	211 QP	Close		
5	21.64	42.27	-4.06	38.21	69.50	-27.23	100	259 QP	Close		
6	24.38	43.64	-4.15	39.49	69.50	-25.86	100	351 QP	Close		


Spurious Emissions, Rx Mode, 30MHz ~ 1GHz

BLE_2M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	194.22	34.20	44.25	-10.05	43.50	-9.30	200	312 QP	Horizontal
2	244.37	37.19	45.48	-8.29	46.00	-8.81	200	333 QP	Horizontal
3	405.68	33.89	38.13	-4.24	46.00	-12.11	100	130 QP	Horizontal
4	477.07	36.04	39.46	-3.42	46.00	-9.96	199	200 QP	Horizontal
5	717.05	37.26	36.79	0.47	46.00	-8.74	100	138 QP	Horizontal
6	846.55	35.42	32.87	2.55	46.00	-10.58	100	192 QP	Horizontal

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	65.41	30.32	40.06	-9.74	40.00	-9.68	120	0 QP	Vertical
2	167.93	32.79	40.12	-7.33	43.50	-10.71	100	266 QP	Vertical
3	240.68	34.26	42.56	-8.30	46.00	-11.74	100	98 QP	Vertical
4	473.39	35.20	38.64	-3.44	46.00	-10.80	100	199 QP	Vertical
5	718.51	34.16	33.65	0.51	46.00	-11.84	300	106 QP	Vertical
6	846.93	34.06	31.50	2.56	46.00	-11.94	100	164 QP	Vertical


Spurious Emissions, Rx Mode, 1GHz ~ 26.5GHz

BLE_2M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1393.83	36.95	56.21	-19.26	74.00	-37.05	200	166	Peak	Horizontal	
2	4259.28	41.67	52.38	-10.71	74.00	-32.33	100	175	Peak	Horizontal	
3	5999.89	42.73	58.71	-7.98	74.00	-31.27	100	246	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1398.61	39.91	59.17	-19.26	74.00	-34.09	100	202	Peak	Vertical	
2	3011.67	43.32	56.05	-12.73	74.00	-30.68	124	8	Peak	Vertical	
3	4263.06	46.46	57.18	-10.72	74.00	-27.54	200	319	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



TÜV Rheinland Taiwan Ltd.(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322

