



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China

E.U.T:	Portable PA System
Model Number:	PAeZII
Trade Name:	
Sample Number:	33000276087
Date of Receipt:	June. 08, 2026
Date of Test:	June. 08 ~ June. 16, 2026


A.1 FREQUENCY TOLERANCE

Test Result

Condition	Mode	Ch.	Center Frequency (MHz)	Measured Value (MHz)	Result (ppm)	Limit (ppm)	Result
NT/NV	GFSK(CW)	0	2402	2402.016	6.66	± 50	PASS
NT/NV	GFSK(CW)	39	2441	2441.016	6.55	± 50	PASS
NT/NV	GFSK(CW)	78	2480	2480.017	6.85	± 50	PASS

Test Graphs

NT/NV





Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China

A.2 ANTENNA POWER

Test Result

Operation Mode	Power (dBm)	Power (mW)	Spread Bandwidth (MHz)	Power (mW/MHz)	Limit (mW/MHz)	Rated power (mW/MHz)	Tolerance (%)	Limit	Result
GFSK	1.21	1.321	71.170	0.022	3	0.020	9.69	20%	Pass
$\pi/4$ -DQPSK	1.15	1.303	71.442	0.021	3	0.020	4.12		
8DPSK	1.12	1.294	71.119	0.020	3	0.020	1.86		

Test Mode	Conducted RF output power (mW/MHz)	Conducted RF output power (dBm/MHz)	Antenna Gain	EIRP RF output power (dBm/MHz)	Limit (dBm/MHz)	Result
GFSK	0.022	-16.59	1.7	-17.17	6.91	Pass
$\pi/4$ -DQPSK	0.021	-16.81	1.7	-17.39	6.91	Pass
8DPSK	0.020	-16.91	1.7	-17.49	6.91	Pass



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China

A.3 OCCUPIED BANDWIDTH (99% BW)


Test Result

Normal Mode

Condition	Modulation	99% BW (MHz)	Limit (MHz)	Result
NT/NV	GFSK_DH1	78.147	83.5	PASS
	GFSK_DH3	78.139		PASS
	GFSK_DH5	78.152		PASS
	$\pi/4$ DQPSK_2-DH1	78.269		PASS
	$\pi/4$ DQPSK_2-DH3	78.248		PASS
	$\pi/4$ DQPSK_2-DH5	78.221		PASS
	8DPSK_3-DH1	78.289		PASS
	8DPSK_3-DH3	78.215		PASS
	8DPSK_3-DH5	78.203		PASS


Test Graphs

Normal Mode






Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China




NT/NV_GFSK_DH3




NT/NV_GFSK_DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China




NT/NV $\pi/4$ QPSK 2-DH1




NT/NV $\pi/4$ QPSK 2-DH3



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China




NT/NV $\pi/4$ DQPSK 2-DH5




NT/NV 8DPSK 3-DH1




Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China



NT/NV_8DPSK_3-DH3



NT/NV_8DPSK_3-DH5




Test Result

Normal Mode

Condition	Mode	90% SBW (MHz)	Spreading factor	Result
NT/NV	GFSK DH1	71.170	71.170	PASS
NT/NV	GFSK DH3	71.140	71.140	PASS
NT/NV	GFSK DH5	71.152	71.152	PASS
NT/NV	$\pi/4$ DQPSK 2-DH1	71.442	35.721	PASS
NT/NV	$\pi/4$ DQPSK 2-DH3	71.311	35.655	PASS
NT/NV	$\pi/4$ DQPSK 2-DH5	71.254	35.627	PASS
NT/NV	8DPSK 3-DH1	71.119	23.706	PASS
NT/NV	8DPSK 3-DH3	71.241	23.747	PASS
NT/NV	8DPSK 3-DH5	71.434	23.811	PASS


Test Graphs

Normal Mode






Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China




NT/NV_GFSK_DH3




NT/NV_GFSK_DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China




NT/NV $\pi/4$ QPSK 2-DH1




NT/NV $\pi/4$ QPSK 2-DH3



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China




NT/NV π /4DQPSK 2-DH5




NT/NV 8DPSK 3-DH1



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China



NT/NV_8DPSK_3-DH3



NT/NV_8DPSK_3-DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China

A.5 DWELL TIME


Test Result
Normal Mode

Condition	Modulation	Packet	Spreading Rate	(Spreading Rate / 79) * 0.4	Burst Ratio	Dwell Time (ms)	Limit (ms)	Result
NT/NV	GFSK	DH1	71.1703	0.3604	0.312	112	400	PASS
		DH3	71.1703	0.3604	0.660	237	400	PASS
		DH5	71.1703	0.3604	0.771	277	400	PASS
	$\pi/4$ DQPSK	2-DH1	71.4425	0.3617	0.320	115	400	PASS
		2-DH3	71.4425	0.3617	0.660	238	400	PASS
		2-DH5	71.4425	0.3617	0.773	279	400	PASS
	8DPSK	3-DH1	71.1186	0.3601	0.320	115	400	PASS
		3-DH3	71.1186	0.3601	0.660	237	400	PASS
		3-DH5	71.1186	0.3601	0.773	278	400	PASS

Note:


- 1) Spreading Rate = Spreading factor;
- 2) Normal mode Dwell time = (Spreading rate/79) x Burst Ratio x 0.4 seconds.
- 3) Burst Ratio = Duty Cycle = On Time / Period.

Test Graphs
Normal Mode






Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China




Dwell Time
NT/NV_GFSK_DH3



Dwell Time
NT/NV_GFSK_DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China




Dwell Time
NT/NV $\pi/4$ DQPSK 2-DH1



Dwell Time
NT/NV $\pi/4$ DQPSK 2-DH3



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China




Dwell Time
NT/NV π/4DQPSK 2-DH5




Dwell Time
NT/NV 8DPSK 3-DH1



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China



Dwell Time
NT/NV 8DPSK 3-DH3



Dwell Time
NT/NV 8DPSK 3-DH5



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China

A.6 SPURIOUS EMISSIONS

Test Result
GFSK_DH1

Condi on	Frequen cy Range	Lowest Channel			Middle Channel			Highest Channel			Limit (μ W/M Hz)
		Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	
NT/NV	30 to 1000	193.35 6	-53.111	0.005	291.62 2	-53.289	0.005	193.89 0	-53.197	0.005	0.25
NT/NV	1000 to 2387	2382.1 45	-52.118	0.006	2142.8 06	-51.944	0.006	2299.4 76	-51.428	0.007	2.5
NT/NV	2387 to 2400	2399.9 92	-33.537	0.443	2391.8 39	-52.356	0.006	2399.9 58	-51.868	0.007	25
NT/NV	2483.5 to 2496.5	2489.6 56	-52.384	0.006	2488.9 93	-51.334	0.007	2483.6 16	-50.432	0.009	25
NT/NV	2496.5 to 12500	4803.9 23	-39.663	0.108	4830.4 33	-37.916	0.162	4959.9 85	-40.048	0.099	2.5
Result:PASS											

π /4DQPSK_2-DH1

Condi on	Frequen cy Range	Lowest Channel			Middle Channel			Highest Channel			Limit (μ W/MH z)
		Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	
NT/NV	30 to 1000	926.27 6	-52.493	0.006	939.61 4	-53.160	0.005	181.42 5	-52.429	0.006	0.25
NT/NV	1000 to 2387	1937.9 36	-51.158	0.008	2090.1 67	-51.543	0.007	2361.6 86	-51.054	0.008	2.5
NT/NV	2387 to 2400	2399.9 96	-36.283	0.235	2399.8 65	-52.031	0.006	2391.1 11	-52.061	0.006	25
NT/NV	2483.5 to 2496.5	2494.7 83	-51.319	0.007	2496.0 89	-51.481	0.007	2483.7 90	-48.521	0.014	25
NT/NV	2496.5 to 12500	4804.4 23	-35.920	0.256	4828.4 32	-37.463	0.179	4959.9 85	-38.915	0.128	2.5
Result:PASS											

8DPSK_3-DH1

Condi on	Frequen cy Range	Lowest Channel			Middle Channel			Highest Channel			Limit (μ W/M Hz)
		Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (μ W/MH z)	
NT/NV	30 to 1000	171.91 8	-53.534	0.004	204.85 1	-53.340	0.005	875.83 4	-52.862	0.005	0.25
NT/NV	1000 to 2387	2144.3 32	-51.681	0.007	2327.0 79	-50.885	0.008	2067.8 35	-51.690	0.007	2.5
NT/NV	2387 to 2400	2399.9 83	-36.468	0.226	2389.9 43	-51.838	0.007	2390.0 61	-51.665	0.007	25
NT/NV	2483.5 to 2496.5	2488.0 57	-52.196	0.006	2492.3 48	-51.416	0.007	2489.3 66	-51.199	0.008	25
NT/NV	2496.5 to 12500	4804.4 23	-35.443	0.286	4805.9 23	-35.724	0.268	4959.9 85	-40.083	0.098	2.5
Result:PASS											

Hopping

Mode	Ch.	Range	Peak (MHz)	Emission (dBm)	Limit	Margin (dBm)	Result
------	-----	-------	---------------	-------------------	-------	-----------------	--------

Telephone: +86 (0) 87182258


www.keywaytest.com



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China


GFSK_DH1	Hopping	30 to 1000	291.622081	-53.289	-36	-17.29	PASS
GFSK_DH1	Hopping	1000 to 2387	2142.80644	-51.944	-26	-25.94	PASS
GFSK_DH1	Hopping	2387 to 2400	2391.838842	-52.356	-16	-36.36	PASS
GFSK_DH1	Hopping	2483.5 to 2496.5	2488.993425	-51.334	-16	-35.33	PASS
GFSK_DH1	Hopping	2496.5 to 12500	4830.433247	-37.916	-26	-11.92	PASS
π /4DQPSK_2-DH1	Hopping	30 to 1000	939.614481	-53.16	-36	-17.16	PASS
π /4DQPSK_2-DH1	Hopping	1000 to 2387	2090.167158	-51.543	-26	-25.54	PASS
π /4DQPSK_2-DH1	Hopping	2387 to 2400	2399.864793	-52.031	-16	-36.03	PASS
π /4DQPSK_2-DH1	Hopping	2483.5 to 2496.5	2496.088529	-51.481	-16	-35.48	PASS
π /4DQPSK_2-DH1	Hopping	2496.5 to 12500	4828.432447	-37.463	-26	-11.46	PASS
8DPSK_3-DH1	Hopping	30 to 1000	204.851243	-53.34	-36	-17.34	PASS
8DPSK_3-DH1	Hopping	1000 to 2387	2327.078604	-50.885	-26	-24.88	PASS
8DPSK_3-DH1	Hopping	2387 to 2400	2389.942697	-51.838	-16	-35.84	PASS
8DPSK_3-DH1	Hopping	2483.5 to 2496.5	2492.347592	-51.416	-16	-35.42	PASS
8DPSK_3-DH1	Hopping	2496.5 to 12500	4805.923446	-35.724	-26	-9.72	PASS

Test Graphs







Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China




2496.5 to 12500MHz
NT/NV_GFSK_DH1_Channel 0




30 to 1000MHz
NT/NV_GFSK_DH1_Channel 39




1000 to 2387MHz
NT/NV_GFSK_DH1_Channel 39




2387 to 2400MHz
NT/NV_GFSK_DH1_Channel 39




2483.5 to 2496.5MHz
NT/NV_GFSK_DH1_Channel 39



2496.5 to 12500MHz
NT/NV_GFSK_DH1_Channel 39




30 to 1000MHz
NT/NV_GFSK_DH1_Channel 78



1000 to 2387MHz
NT/NV_GFSK_DH1_Channel 78




Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China







Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China




30 to 1000MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 39




1000 to 2387MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 39




2387 to 2400MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 39




2483.5 to 2496.5MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 39




2496.5 to 12500MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 39



30 to 1000MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 78




1000 to 2387MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 78



2387 to 2400MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 78




Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China







Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China




1000 to 2387MHz
NT/NV_8DPSK_3-DH1_Channel 39




2387 to 2400MHz
NT/NV_8DPSK_3-DH1_Channel 39




2483.5 to 2496.5MHz
NT/NV_8DPSK_3-DH1_Channel 39




2496.5 to 12500MHz
NT/NV_8DPSK_3-DH1_Channel 39




30 to 1000MHz
NT/NV_8DPSK_3-DH1_Channel 78



1000 to 2387MHz
NT/NV_8DPSK_3-DH1_Channel 78




2387 to 2400MHz
NT/NV_8DPSK_3-DH1_Channel 78




2483.5 to 2496.5MHz
NT/NV_8DPSK_3-DH1_Channel 78




Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China




2496.5 to 12500MHz
NT/NV 8DPSK 3-DH1 Channel 78




30 to 1000MHz
NT/NV GFSK DH1 Channel 39




1000 to 2387MHz
NT/NV GFSK DH1 Channel 39




2387 to 2400MHz
NT/NV GFSK DH1 Channel 39




2483.5 to 2496.5MHz
NT/NV GFSK DH1 Channel 39



2496.5 to 12500MHz
NT/NV GFSK DH1 Channel 39




30 to 1000MHz
NT/NV π /4DQPSK 2-DH1 Channel 39



1000 to 2387MHz
NT/NV π /4DQPSK 2-DH1 Channel 39



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor, Building 6, Dongyi Intelligent Equipment New Energy Vehicle
Park, N.30
of Tangxia District, Dongshen Road, Tangxia Town, Dongguan
City, Guangdong, China





Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China

A.7 SPURIOUS EMISSIONS OF RECEIVER

Test Result

Normal mode_GFSK_DH1

Condi tion	Frequen cy Range (MHz)	Lowest Channel			Middle Channel			Highest Channel			Limit (nW/M Hz)
		Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/MH z)	
NT/NV	30 to 1000	906.79 5	-60.604	0.87	720.08 6	-80.924	0.008	720.08 6	-81.144	0.008	4
NT/NV	1000 to 12500	2470.1 32	-64.594	0.347	2456.3 32	-65.277	0.297	3673.8 39	-69.057	0.124	20
Result:PASS											


Normal mode_π/4DQPSK_2-DH1

Condi tion	Frequen cy Range (MHz)	Lowest Channel			Middle Channel			Highest Channel			Limit (nW/M Hz)
		Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/M Hz)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/M Hz)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/M Hz)	
NT/NV	30 to 1000	720.08 6	-80.469	0.009	720.08 6	-81.683	0.007	720.086	-79.835	0.01	4
NT/NV	1000 to 12500	4776.7 26	-68.967	0.127	4743.3 75	-68.926	0.128	11755.5 42	-69.133	0.122	20
Result:PASS											

Normal mode_8DPSK_3-DH1


Condi tion	Frequen cy Range (MHz)	Lowest Channel			Middle Channel			Highest Channel			Limit (nW/M Hz)
		Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/MH z)	Peak (Mhz)	Measur ed Value (dbm)	Measur ed Value (nW/MH z)	
NT/NV	30 to 1000	720.08 6	-81.328	0.007	720.08 6	-81.007	0.008	720.08 6	-80.904	0.008	4
NT/NV	1000 to 12500	4882.1 46	-69.066	0.124	2462.0 82	-66.962	0.201	2460.1 65	-65.793	0.263	20
Result:PASS											

Test Graphs







Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China




30MHz - 1000MHz
NT/NV GFSK DH1 Channel 39




> 1GHz
NT/NV GFSK DH1 Channel 39




30MHz - 1000MHz
NT/NV GFSK DH1 Channel 78




> 1GHz
NT/NV GFSK DH1 Channel 78




30MHz - 1000MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 0



> 1GHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 0



30MHz - 1000MHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 39



> 1GHz
NT/NV $\pi/4$ DQPSK 2-DH1 Channel 39



Keyway Testing Technology (Guangdong) Co., Ltd
21 Floor,Building 6,Dongyi Intelligent Equipment New Energy Vehicle
Park,N.30
of Tangxia District,Dongshen Road,Tangxia Town,Dongguan
City,Guangdong,China

