


Annex A.5 Adjacent channel leakage power and out-band leakage power

1. 802.11a_20M_Band1_L_ANT1

1.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.64	-26.67	Pass
-10	20	Off	Relative	-25	0	-32.44	-12.46	Pass
10	20	Off	Relative	-25	0	-32.1	-12.12	Pass
30	20	Off	Relative	-40	0	-47.94	-27.96	Pass



2. 802.11a_20M_Band1_M_ANT1

2.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.99	-26.75	Pass
-10	20	Off	Relative	-25	0	-32.15	-11.91	Pass
10	20	Off	Relative	-25	0	-32.99	-12.75	Pass
30	20	Off	Relative	-40	0	-48.59	-28.35	Pass



3. 802.11a_20M_Band1_H_ANT1

3.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.84	-26.57	Pass
-10	20	Off	Relative	-25	0	-31.26	-11	Pass
10	20	Off	Relative	-25	0	-32.55	-12.29	Pass
30	20	Off	Relative	-40	0	-47.87	-27.61	Pass



4. 802.11n_20M_Band1_L_ANT1

4.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.54	-26.65	Pass
-10	20	Off	Relative	-25	0	-31.6	-11.7	Pass
10	20	Off	Relative	-25	0	-32.25	-12.35	Pass
30	20	Off	Relative	-40	0	-48.72	-28.83	Pass



5. 802.11n_20M_Band1_M_ANT1

5.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.58	-26.73	Pass
-10	20	Off	Relative	-25	0	-31.97	-12.12	Pass
10	20	Off	Relative	-25	0	-31.44	-11.59	Pass
30	20	Off	Relative	-40	0	-48.48	-28.63	Pass



6. 802.11n_20M_Band1_H_ANT1

6.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.29	-27.39	Pass
-10	20	Off	Relative	-25	0	-32.29	-13.39	Pass
10	20	Off	Relative	-25	0	-32.37	-13.47	Pass
30	20	Off	Relative	-40	0	-47.97	-29.07	Pass



7. 802.11n_40M_Band1_L_ANT1

7.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.66	-24.92	Pass
-20	40	Off	Relative	-25	0	-36.27	-17.53	Pass
20	40	Off	Relative	-25	0	-36.06	-17.32	Pass
60	40	Off	Relative	-40	0	-45.99	-27.25	Pass



8. 802.11n_40M_Band1_H_ANT1

8.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.46	-25.65	Pass
-20	40	Off	Relative	-25	0	-36.01	-17.21	Pass
20	40	Off	Relative	-25	0	-38.14	-19.34	Pass
60	40	Off	Relative	-40	0	-46.71	-27.91	Pass



9. 802.11ac_20M_Band1_L_ANT1

9.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.72	-28.04	Pass
-10	20	Off	Relative	-25	0	-31.81	-13.14	Pass
10	20	Off	Relative	-25	0	-32.18	-13.5	Pass
30	20	Off	Relative	-40	0	-48.35	-29.68	Pass



10. 802.11ac_20M_Band1_M_ANT1

10.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.25	-27.62	Pass
-10	20	Off	Relative	-25	0	-31.56	-12.93	Pass
10	20	Off	Relative	-25	0	-32.28	-13.66	Pass
30	20	Off	Relative	-40	0	-47.88	-29.26	Pass



11. 802.11ac_20M_Band1_H_ANT1

11.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.83	-27.98	Pass
-10	20	Off	Relative	-25	0	-31.41	-12.56	Pass
10	20	Off	Relative	-25	0	-32.09	-13.24	Pass
30	20	Off	Relative	-40	0	-48.54	-29.69	Pass



12. 802.11ac_40M_Band1_L_ANT1

12.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.72	-25.11	Pass
-20	40	Off	Relative	-25	0	-36	-17.39	Pass
20	40	Off	Relative	-25	0	-36.45	-17.84	Pass
60	40	Off	Relative	-40	0	-46.09	-27.48	Pass



13. 802.11ac_40M_Band1_H_ANT1

13.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.33	-25.62	Pass
-20	40	Off	Relative	-25	0	-35.76	-18.04	Pass
20	40	Off	Relative	-25	0	-37.78	-20.06	Pass
60	40	Off	Relative	-40	0	-45.47	-27.75	Pass



14. 802.11a_20M_Band2_L_ANT1

14.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-47.09	-27.12	Pass
-10	20	Off	Relative	-25	0	-31.32	-11.35	Pass
10	20	Off	Relative	-25	0	-32.5	-12.54	Pass
30	20	Off	Relative	-40	0	-48.08	-28.11	Pass



15. 802.11a_20M_Band2_M_ANT1

15.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-47.28	-27.2	Pass
-10	20	Off	Relative	-25	0	-31.79	-11.72	Pass
10	20	Off	Relative	-25	0	-32.4	-12.32	Pass
30	20	Off	Relative	-40	0	-48.54	-28.46	Pass



16. 802.11a_20M_Band2_H_ANT1

16.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.8	-27.34	Pass
-10	20	Off	Relative	-25	0	-31.95	-12.49	Pass
10	20	Off	Relative	-25	0	-32.33	-12.87	Pass
30	20	Off	Relative	-40	0	-48.05	-28.59	Pass



17. 802.11n_20M_Band2_L_ANT1

17.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.89	-27.72	Pass
-10	20	Off	Relative	-25	0	-32.17	-12.99	Pass
10	20	Off	Relative	-25	0	-31.79	-12.61	Pass
30	20	Off	Relative	-40	0	-48.6	-29.42	Pass



18. 802.11n_20M_Band2_M_ANT1

18.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.45	-27.45	Pass
-10	20	Off	Relative	-25	0	-31.7	-12.7	Pass
10	20	Off	Relative	-25	0	-31.72	-12.72	Pass
30	20	Off	Relative	-40	0	-48.16	-29.16	Pass



19. 802.11n_20M_Band2_H_ANT1

19.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.31	-27.97	Pass
-10	20	Off	Relative	-25	0	-32.24	-13.9	Pass
10	20	Off	Relative	-25	0	-31.6	-13.26	Pass
30	20	Off	Relative	-40	0	-47.58	-29.24	Pass



20. 802.11n_40M_Band2_L_ANT1

20.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.32	-25	Pass
-20	40	Off	Relative	-25	0	-35.2	-15.88	Pass
20	40	Off	Relative	-25	0	-34.42	-15.1	Pass
60	40	Off	Relative	-40	0	-46.52	-27.2	Pass



21. 802.11n_40M_Band2_H_ANT1

21.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-45	-26.17	Pass
-20	40	Off	Relative	-25	0	-35.77	-16.94	Pass
20	40	Off	Relative	-25	0	-35.55	-16.72	Pass
60	40	Off	Relative	-40	0	-46.18	-27.36	Pass



22. 802.11ac_20M_Band2_L_ANT1

22.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.74	-28.11	Pass
-10	20	Off	Relative	-25	0	-31.84	-13.2	Pass
10	20	Off	Relative	-25	0	-32.67	-14.04	Pass
30	20	Off	Relative	-40	0	-48.35	-29.72	Pass



23. 802.11ac_20M_Band2_M_ANT1

23.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.83	-28.45	Pass
-10	20	Off	Relative	-25	0	-32.12	-13.73	Pass
10	20	Off	Relative	-25	0	-31.99	-13.6	Pass
30	20	Off	Relative	-40	0	-48.13	-29.74	Pass



24. 802.11ac_20M_Band2_H_ANT1

24.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.71	-28.53	Pass
-10	20	Off	Relative	-25	0	-31.15	-12.97	Pass
10	20	Off	Relative	-25	0	-31.55	-13.37	Pass
30	20	Off	Relative	-40	0	-47.92	-29.74	Pass



25. 802.11ac_40M_Band2_L_ANT1

25.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.83	-25.37	Pass
-20	40	Off	Relative	-25	0	-35.32	-16.86	Pass
20	40	Off	Relative	-25	0	-35.84	-17.38	Pass
60	40	Off	Relative	-40	0	-45.99	-27.53	Pass



26. 802.11ac_40M_Band2_H_ANT1

26.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.65	-26.44	Pass
-20	40	Off	Relative	-25	0	-35.78	-17.57	Pass
20	40	Off	Relative	-25	0	-36.79	-18.58	Pass
60	40	Off	Relative	-40	0	-45.69	-27.48	Pass



27. 802.11a_20M_Band3_L_ANT1

27.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-41.57	-20.75	Pass
-10	20	Off	Relative	-25	0	-28.37	-7.55	Pass
10	20	Off	Relative	-25	0	-27.71	-6.9	Pass
30	20	Off	Relative	-40	0	-41.7	-20.88	Pass



28. 802.11a_20M_Band3_M_ANT1

28.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-42.52	-22.35	Pass
-10	20	Off	Relative	-25	0	-27.56	-7.38	Pass
10	20	Off	Relative	-25	0	-26.41	-6.23	Pass
30	20	Off	Relative	-40	0	-43.55	-23.37	Pass



29. 802.11a_20M_Band3_H_ANT1

29.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-40.38	-20.47	Pass
-10	20	Off	Relative	-25	0	-25.46	-5.56	Pass
10	20	Off	Relative	-25	0	-25.14	-5.23	Pass
30	20	Off	Relative	-40	0	-42.53	-22.62	Pass



30. 802.11n_20M_Band3_L_ANT1

30.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.76	-25.64	Pass
-10	20	Off	Relative	-25	0	-30.12	-11	Pass
10	20	Off	Relative	-25	0	-28.08	-8.96	Pass
30	20	Off	Relative	-40	0	-43.89	-24.77	Pass



31. 802.11n_20M_Band3_M_ANT1

31.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.89	-26.25	Pass
-10	20	Off	Relative	-25	0	-30.18	-11.54	Pass
10	20	Off	Relative	-25	0	-28.3	-9.66	Pass
30	20	Off	Relative	-40	0	-44.28	-25.64	Pass



32. 802.11n_20M_Band3_H_ANT1

32.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.02	-27.95	Pass
-10	20	Off	Relative	-25	0	-29.75	-12.68	Pass
10	20	Off	Relative	-25	0	-28.1	-11.03	Pass
30	20	Off	Relative	-40	0	-45.52	-28.46	Pass



33. 802.11n_40M_Band3_L_ANT1

33.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-45.33	-26.97	Pass
-20	40	Off	Relative	-25	0	-36.64	-18.28	Pass
20	40	Off	Relative	-25	0	-30.25	-11.88	Pass
60	40	Off	Relative	-40	0	-43.52	-25.16	Pass



34. 802.11n_40M_Band3_M_ANT1

34.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.5	-24.67	Pass
-20	40	Off	Relative	-25	0	-34.09	-15.25	Pass
20	40	Off	Relative	-25	0	-28.49	-9.66	Pass
60	40	Off	Relative	-40	0	-41.8	-22.97	Pass



35. 802.11n_40M_Band3_H_ANT1

35.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.73	-26.73	Pass
-20	40	Off	Relative	-25	0	-34.91	-17.91	Pass
20	40	Off	Relative	-25	0	-28.99	-11.99	Pass
60	40	Off	Relative	-40	0	-43.82	-26.82	Pass



36. 802.11ac_20M_Band3_L_ANT1

36.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.81	-26.66	Pass
-10	20	Off	Relative	-25	0	-31.65	-12.5	Pass
10	20	Off	Relative	-25	0	-30.33	-11.18	Pass
30	20	Off	Relative	-40	0	-46.22	-27.07	Pass



37. 802.11ac_20M_Band3_M_ANT1

37.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.73	-25.57	Pass
-10	20	Off	Relative	-25	0	-32.41	-13.25	Pass
10	20	Off	Relative	-25	0	-31.78	-12.62	Pass
30	20	Off	Relative	-40	0	-44.56	-25.39	Pass



38. 802.11ac_20M_Band3_H_ANT1

38.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-41.24	-21.83	Pass
-10	20	Off	Relative	-25	0	-27.54	-8.13	Pass
10	20	Off	Relative	-25	0	-25.79	-6.38	Pass
30	20	Off	Relative	-40	0	-41.55	-22.14	Pass



39. 802.11ac_40M_Band3_L_ANT1

39.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-45.46	-26.83	Pass
-20	40	Off	Relative	-25	0	-36.18	-17.56	Pass
20	40	Off	Relative	-25	0	-29.71	-11.08	Pass
60	40	Off	Relative	-40	0	-43.29	-24.66	Pass



40. 802.11ac_40M_Band3_M_ANT1

40.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequen cy [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.35	-26.48	Pass
-20	40	Off	Relative	-25	0	-35.64	-17.76	Pass
20	40	Off	Relative	-25	0	-29.87	-11.99	Pass
60	40	Off	Relative	-40	0	-43.35	-25.47	Pass



41. 802.11ac_40M_Band3_H_ANT1

41.1 A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.66	-26.54	Pass
-20	40	Off	Relative	-25	0	-35.4	-18.27	Pass
20	40	Off	Relative	-25	0	-29.26	-12.14	Pass
60	40	Off	Relative	-40	0	-43.9	-26.78	Pass



80M

1. 802.11ac_80M_Band1_M_ANT1


1.1 A.5-Adjacent channel leakage power and out-band leakage power(80M)(NTNV)



2. 802.11ac_80M_Band2_M_ANT1

2.1 A.5-Adjacent channel leakage power and out-band leakage power(80M)(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-40	80	Off	Relative	25	0	-33.65	-14.42	Pass
40	80	Off	Relative	25	0	-37.19	-17.95	Pass



3. 802.11ac_80M_Band3_M_ANT1

3.1 A.5-Adjacent channel leakage power and out-band leakage power(80M)(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-40	80	Off	Relative	25	0	-35.79	-16.46	Pass
40	80	Off	Relative	25	0	-29.44	-10.11	Pass



4. 802.11ac_80H_Band3_H_ANT1

4.1 A.5-Adjacent channel leakage power and out-band leakage power(80M)(NTNV)

Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-40	80	Off	Relative	25	0	-33.8	-14.96	Pass
40	80	Off	Relative	25	0	-29.46	-10.62	Pass




20M

1. 802.11a_20M_Band1_L_ANT1

1.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5142	-25.5	2.82	-26	2.51	-0.5	N/A
5132	5142	1	Sample	5142	-48.23	0.015	-26	2.51	22.23	Pass
5142	5150	1	Peak	5150	-18.19	15.18	-18	15.85	0.19	Pass
5250	5250.2	1	Peak	5250.185	-38.75	0.13	-1.62	687.86	37.12	Pass
5250.2	5251	1	Peak	5250.88	-38.97	0.13	-8.8	131.83	30.17	Pass
5251	5260	1	Peak	5257.278	-39.17	0.12	-15.58	27.67	23.59	Pass
5260	5266.7	1	Peak	5264.958	-42.21	0.06	-23.92	4.06	18.29	Pass
5266.7	5277	1	Peak	5267.576	-42.49	0.06	-26	2.51	16.49	Pass



2. 802.11a_20M_Band1_M_ANT1

2.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5140.075	-38.05	0.16	-26	2.51	12.05	Pass
5142	5150	1	Peak	5148.56	-38.16	0.15	-18	15.85	20.16	Pass
5250	5250.2	1	Peak	5250.199	-22.79	5.26	-1.97	634.6	20.82	Pass
5250.2	5251	1	Peak	5250.992	-23.14	4.85	-9.92	101.86	13.22	Pass
5251	5260	1	Peak	5259.955	-25.87	2.59	-17.96	16	7.91	Pass
5260	5266.7	1	Peak	5266.667	-28.49	1.41	-25.96	2.54	2.53	Pass
5266.7	5277	1	Peak	5266.803	-28.35	1.46	-26	2.51	2.35	Pass



3. 802.11a_20M_Band1_H_ANT1

3.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5140.125	-44.48	0.04	-26	2.51	18.48	Pass
5142	5150	1	Peak	5147.66	-42.32	0.06	-18	15.85	24.32	Pass
5250	5250.2	1	Peak	5250.199	-2.72	534.67	-1.97	634.6	0.74	Pass
5250.2	5251	1	Peak	5250.908	-8.62	137.53	-9.08	123.59	-0.46	N/A
5250.2	5251	1	Sample	5250.908	-31.25	0.75	-9.08	123.59	22.17	Pass
5251	5260	1	Peak	5259.055	-13.1	48.94	-17.16	19.23	-4.06	N/A
5251	5260	1	Sample	5259.055	-32.24	0.597	-17.16	19.23	15.08	Pass
5260	5266.7	1	Peak	5265.93	-18.51	14.1	-25.08	3.1	-6.57	N/A
5260	5266.7	1	Sample	5265.93	-42.36	0.058	-25.08	3.1	17.28	Pass
5266.7	5277	1	Peak	5267.833	-19.87	10.31	-26	2.51	-6.13	N/A
5266.7	5277	1	Sample	5267.833	-39.65	0.108	-26	2.51	13.65	Pass



4. 802.11n_20M_Band1_L_ANT1

4.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5141.4	-21.86	6.52	-26	2.51	-4.14	N/A
5132	5142	1	Sample	5141.4	-41.23	0.075	-26	2.51	15.23	Pass
5142	5150	1	Peak	5148.64	-17.27	18.74	-18	15.85	-0.73	N/A
5142	5150	1	Sample	5148.64	-42.56	0.055	-18	15.85	24.56	Pass
5250	5250.2	1	Peak	5250.2	-37.44	0.18	-2	630.96	35.44	Pass
5250.2	5251	1	Peak	5250.994	-35.41	0.29	-9.94	101.39	25.47	Pass
5251	5260	1	Peak	5259.73	-40.69	0.09	-17.76	16.75	22.93	Pass
5260	5266.7	1	Peak	5265.31	-39.81	0.1	-24.34	3.68	15.47	Pass
5266.7	5277	1	Peak	5266.855	-41.46	0.07	-26	2.51	15.46	Pass



5. 802.11n_20M_Band1_M_ANT1

5.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5140.8 5	-44.57	0.03	-26	2.51	18.57	Pass
5142	5150	1	Peak	5147.6 8	-43.67	0.04	-18	15.85	25.67	Pass
5250	5250.2	1	Peak	5250.1 99	-32.44	0.57	-1.96	636.43	30.48	Pass
5250.2	5251	1	Peak	5250.9 64	-30.21	0.95	-9.64	108.64	20.57	Pass
5251	5260	1	Peak	5256.0 4	-31.35	0.73	-14.48	35.65	16.87	Pass
5260	5266.7	1	Peak	5264.4 72	-36.16	0.24	-23.34	4.63	12.82	Pass
5266.7	5277	1	Peak	5268.5 03	-38.13	0.15	-26	2.51	12.13	Pass



6. 802.11n_20M_Band1_H_ANT1

6.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5133.025	-46.14	0.02	-26	2.51	20.14	Pass
5142	5150	1	Peak	5147.76	-45.95	0.03	-18	15.85	27.95	Pass
5250	5250.2	1	Peak	5250.188	0.81	1206.12	-1.69	678.03	-2.5	N/A
5250	5250.2	1	Sample	5250.188	-31.25	0.750	-1.69	678.03	-30.44	Pass
5250.2	5251	1	Peak	5250.966	-5.79	263.45	-9.66	108.14	-3.87	N/A
5250.2	5251	1	Sample	5250.966	-32.89	0.514	-9.66	108.14	23.23	Pass
5251	5260	1	Peak	5251.023	-8.14	153.37	-10.02	99.54	-1.88	N/A
5251	5260	1	Sample	5251.023	-35.62	0.274	-10.02	99.54	15.6	Pass
5260	5266.7	1	Peak	5261.575	-21.67	6.81	-19.88	10.28	1.79	Pass
5266.7	5277	1	Peak	5266.777	-30.44	0.9	-26	2.51	4.44	Pass



7. 802.11ac_20M_Band1_L_ANT1

7.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5141.825	-31.6	0.69	-26	2.51	5.6	Pass
5142	5150	1	Peak	5146.66	-29.76	1.06	-18	15.85	11.76	Pass
5250	5250.2	1	Peak	5250.196	-43.9	0.04	-1.89	647.52	42.02	Pass
5250.2	5251	1	Peak	5250.982	-45.04	0.03	-9.82	104.23	35.22	Pass
5251	5260	1	Peak	5259.55	-45.77	0.03	-17.6	17.38	28.17	Pass
5260	5266.7	1	Peak	5266.7	-47.68	0.02	-26	2.51	21.68	Pass
5266.7	5277	1	Peak	5276.665	-46.46	0.02	-26	2.51	20.46	Pass



8. 802.11ac_20M_Band1_M_ANT1

8.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5138.15	-45.47	0.03	-26	2.51	19.47	Pass
5142	5150	1	Peak	5149.3	-44.11	0.04	-18	15.85	26.11	Pass
5250	5250.2	1	Peak	5250.193	-30.98	0.8	-1.81	658.79	29.16	Pass
5250.2	5251	1	Peak	5250.956	-31.01	0.79	-9.56	110.66	21.45	Pass
5251	5260	1	Peak	5259.708	-35.37	0.29	-17.74	16.83	17.63	Pass
5260	5266.7	1	Peak	5265.997	-37.91	0.16	-25.16	3.05	12.75	Pass
5266.7	5277	1	Peak	5267.241	-38.01	0.16	-26	2.51	12.01	Pass



9. 802.11ac_20M_Band1_H_ANT1

9.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5141.75	-47.07	0.02	-26	2.51	21.07	Pass
5142	5150	1	Peak	5142.98	-46.64	0.02	-18	15.85	28.64	Pass
5250	5250.2	1	Peak	5250.196	1.18	1310.99	-1.9	645.65	-3.08	N/A
5250	5250.2	1	Sample	5250.196	-31.56	0.698	-1.9	645.65	29.66	Pass
5250.2	5251	1	Peak	5250.764	-3.27	470.48	-7.64	172.19	-4.37	N/A
5250.2	5251	1	Sample	5250.764	-35.64	0.273	-7.64	172.19	28	Pass
5251	5260	1	Peak	5251.023	-7.93	161.02	-10.02	99.54	-2.09	N/A
5251	5260	1	Sample	5251.023	-35.88	0.258	-10.02	99.54	25.86	Pass
5260	5266.7	1	Peak	5266.616	-30.37	0.92	-25.9	2.57	4.47	Pass
5266.7	5277	1	Peak	5267.344	-30.2	0.96	-26	2.51	4.2	Pass



10. 802.11ac_40M_Band1_L_ANT1

10.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5141.4 25	-32.18	0.6	-26	2.51	6.18	Pass
5142	5150	1	Peak	5148.9 2	-30.87	0.82	-18	15.85	12.87	Pass
5250	5250.2	1	Peak	5250.1 89	-42.22	0.06	-1.71	674.14	40.51	Pass
5250.2	5251	1	Peak	5250.9 64	-42.41	0.06	-9.64	108.64	32.77	Pass
5251	5260	1	Peak	5259.6 63	-43.28	0.05	-17.7	16.98	25.58	Pass
5260	5266.7	1	Peak	5266.3 65	-45.12	0.03	-25.6	2.75	19.52	Pass
5266.7	5277	1	Peak	5269.0 43	-44.46	0.04	-26	2.51	18.46	Pass



11. 802.11ac_40M_Band1_H_ANT1

11.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5132	5142	1	Peak	5140	-39.72	0.11	-26	2.51	13.72	Pass
5142	5150	1	Peak	5146.76	-36.72	0.21	-18	15.85	18.72	Pass
5250	5250.2	1	Peak	5250.189	-12.09	61.79	-1.71	674.14	10.38	Pass
5250.2	5251	1	Peak	5250.97	-16.9	20.41	-9.7	107.15	7.2	Pass
5251	5260	1	Peak	5256.558	-19.9	10.24	-14.94	32.06	4.96	Pass
5260	5266.7	1	Peak	5266.6	-26.97	2.01	-25.88	2.58	1.09	Pass
5260	5266.7	1	Sample	5266.6	-45.12	0.031	-25.88	2.58	19.24	Pass
5266.7	5277	1	Peak	5268.451	-26.37	2.31	-26	2.51	0.37	Pass
5266.7	5277	1	Sample	5266.6	-41.23	0.075	-26	2.51	15.23	Pass



12. 802.11a_20M_Band2_L_ANT1

12.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5233.12	-24.57	3.49	-26	2.51	-1.43	N/A
5223	5233.3	1	Sample	5233.12	-35.63	0.274	-26	2.51	9.63	Pass
5233.3	5240	1	Peak	5234.875	-18.7	13.49	-24.12	3.87	-5.42	N/A
5233.3	5240	1	Sample	5234.875	-40.25	0.094	-24.12	3.87	16.13	Pass
5240	5249	1	Peak	5249	-6.6	218.83	-10	100	-3.4	N/A
5240	5249	1	Sample	5249	-39.65	0.108	-10	100	29.65	Pass
5249	5249.8	1	Peak	5249.042	-5.98	252.41	-9.58	110.15	-3.6	N/A
5249	5249.8	1	Sample	5249.042	-34.58	0.348	-9.58	110.15	25	Pass
5249.8	5250	1	Peak	5249.802	-0.34	924.05	-1.95	638.26	-1.61	N/A
5249.8	5250	1	Sample	5249.802	-28.56	1.393	-1.95	638.26	27.39	Pass
5350	5360	1	Peak	5351.675	-44.79	0.03	-26	2.51	18.79	Pass



13. 802.11a_20M_Band2_M_ANT1

13.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5230.88	-41.88	0.06	-26	2.51	15.88	Pass
5233.3	5240	1	Peak	5233.69	-40.83	0.08	-25.56	2.78	15.27	Pass
5240	5249	1	Peak	5243.623	-35.17	0.3	-14.78	33.27	20.39	Pass
5249	5249.8	1	Peak	5249.08	-36.34	0.23	-9.2	120.23	27.14	Pass
5249.8	5250	1	Peak	5249.813	-35.82	0.26	-1.68	679.99	34.14	Pass
5350	5360	1	Peak	5355.475	-36.79	0.21	-26	2.51	10.79	Pass



14. 802.11a_20M_Band2_H_ANT1

14.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5227.043	-46.72	0.02	-26	2.51	20.72	Pass
5233.3	5240	1	Peak	5233.35	-47.65	0.02	-25.94	2.55	21.71	Pass
5240	5249	1	Peak	5240.63	-45.05	0.03	-17.44	18.03	27.61	Pass
5249	5249.8	1	Peak	5249.046	-43.98	0.04	-9.54	111.17	34.44	Pass
5249.8	5250	1	Peak	5249.834	-43.15	0.05	-1.16	765.16	41.99	Pass
5350	5360	1	Peak	5351.4	-30.59	0.87	-26	2.51	4.59	Pass



15. 802.11n_20M_Band2_L_ANT1

15.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5232.811	-26.91	2.04	-26	2.51	0.91	Pass
5233.3	5240	1	Peak	5235.26	-22.64	5.45	-23.66	4.31	-1.02	N/A
5233.3	5240	1	Sample	5235.26	-41.89	0.065	-23.66	4.31	18.23	Pass
5240	5249	1	Peak	5248.978	-7.23	189.3	-10.02	99.54	-2.79	N/A
5240	5249	1	Sample	5248.978	-29.65	1.084	-10.02	99.54	19.63	Pass
5249	5249.8	1	Peak	5249.142	-3.58	439.01	-8.58	138.68	-5	N/A
5249	5249.8	1	Sample	5249.142	-30.60	0.871	-8.58	138.68	22.02	Pass
5249.8	5250	1	Peak	5249.808	1.68	1473.86	-1.81	658.79	-3.5	N/A
5249.8	5250	1	Sample	5249.808	-20.91	8.110	-1.81	658.79	19.1	Pass
5350	5360	1	Peak	5350.6	-46.46	0.02	-26	2.51	20.46	Pass



16. 802.11n_20M_Band2_M_ANT1

16.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5231.8 84	-42.97	0.05	-26	2.51	16.97	Pass
5233.3	5240	1	Peak	5233.3 34	-44.75	0.03	-25.96	2.54	18.79	Pass
5240	5249	1	Peak	5240.6 53	-41.36	0.07	-17.42	18.11	23.94	Pass
5249	5249.8	1	Peak	5249.0 14	-36.1	0.25	-9.86	103.28	26.24	Pass
5249.8	5250	1	Peak	5249.9 58	-31.41	0.72	1.94	1562.2 5	33.35	Pass
5350	5360	1	Peak	5350.0 5	-38.76	0.13	-26	2.51	12.76	Pass



17. 802.11n_20M_Band2_H_ANT1

17.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5223.747	-44.58	0.03	-26	2.51	18.58	Pass
5233.3	5240	1	Peak	5233.501	-47.76	0.02	-25.76	2.65	22	Pass
5240	5249	1	Peak	5240.743	-46.61	0.02	-17.34	18.45	29.27	Pass
5249	5249.8	1	Peak	5249.138	-44.84	0.03	-8.62	137.4	36.22	Pass
5249.8	5250	1	Peak	5249.816	-44.86	0.03	-1.6	691.83	43.26	Pass
5350	5360	1	Peak	5350.6	-29.38	1.15	-26	2.51	3.38	Pass



18. 802.11ac_20M_Band2_L_ANT1

18.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5232.837	-27.94	1.61	-26	2.51	1.94	Pass
5233.3	5240	1	Peak	5233.685	-26.04	2.49	-25.54	2.79	0.5	Pass
5240	5249	1	Peak	5248.978	-7.27	187.56	-10.02	99.54	-2.75	N/A
5240	5249	1	Sample	5248.978	-26.31	2.339	-10.02	99.54	16.29	Pass
5249	5249.8	1	Peak	5249.168	-3.54	442.67	-8.32	147.23	-4.78	N/A
5249	5249.8	1	Sample	5249.168	-25.34	2.924	-8.32	147.23	17.02	Pass
5249.8	5250	1	Peak	5249.8	0.97	1249.39	-2	630.96	-2.97	N/A
5249.8	5250	1	Sample	5249.8	-27	1.955	-2	630.96	25	Pass
5350	5360	1	Peak	5354.15	-44.95	0.03	-26	2.51	18.95	Pass



19. 802.11ac_20M_Band2_M_ANT1

19.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5231.601	-43.99	0.04	-26	2.51	17.99	Pass
5233.3	5240	1	Peak	5233.836	-44.08	0.04	-25.36	2.91	18.72	Pass
5240	5249	1	Peak	5240.068	-40.36	0.09	-17.94	16.07	22.42	Pass
5249	5249.8	1	Peak	5249.07	-37.23	0.19	-9.3	117.49	27.93	Pass
5249.8	5250	1	Peak	5249.833	-37.12	0.19	-1.19	760.76	35.93	Pass
5350	5360	1	Peak	5350.05	-40.58	0.09	-26	2.51	14.58	Pass



20. 802.11ac_20M_Band2_H_ANT1

20.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5223	5233.3	1	Peak	5224.5 71	-44.66	0.03	-26	2.51	18.66	Pass
5233.3	5240	1	Peak	5233.4 84	-47.62	0.02	-25.78	2.64	21.84	Pass
5240	5249	1	Peak	5240.7 88	-46.36	0.02	-17.3	18.62	29.06	Pass
5249	5249.8	1	Peak	5249.0 22	-44.26	0.04	-9.78	105.2	34.48	Pass
5249.8	5250	1	Peak	5249.8 02	-45.76	0.03	-1.95	638.26	43.81	Pass
5350	5360	1	Peak	5351.2 5	-30.61	0.87	-26	2.51	4.61	Pass



21. 802.11a_20M_Band3_M_ANT1

21.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5456.85	-48.95	0.01	-26	2.51	22.95	Pass
5460	5470	1	Peak	5464.675	-47.85	0.02	-19	12.59	28.85	Pass
5745	5765	1	Peak	5760.05	-48.2	0.02	-19	12.59	29.2	Pass
5765	5775	1	Peak	5765.225	-49.09	0.01	-26	2.51	23.09	Pass



22. 802.11a_20M_Band3_H_ANT1

22.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5452.1	-52.98	0.01	-26	2.51	26.98	Pass
5460	5470	1	Peak	5464.6	-53.49	0	-19	12.59	34.49	Pass
5745	5765	1	Peak	5746.85	-33.53	0.44	-19	12.59	14.53	Pass
5765	5775	1	Peak	5765.55	-40.75	0.08	-26	2.51	14.75	Pass



23. 802.11n_20M_Band3_L_ANT1

23.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5458.825	-28.45	1.43	-26	2.51	2.45	Pass
5460	5470	1	Peak	5468.975	-23.58	4.39	-19	12.59	4.58	Pass
5745	5765	1	Peak	5761.3	-48.09	0.02	-19	12.59	29.09	Pass
5765	5775	1	Peak	5773.575	-48.74	0.01	-26	2.51	22.74	Pass



24. 802.11n_20M_Band3_M_ANT1

24.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5459.25	-49.55	0.01	-26	2.51	23.55	Pass
5460	5470	1	Peak	5467.825	-49.19	0.01	-19	12.59	30.19	Pass
5745	5765	1	Peak	5748.45	-49.58	0.01	-19	12.59	30.58	Pass
5765	5775	1	Peak	5767.825	-49.45	0.01	-26	2.51	23.45	Pass



25. 802.11n_20M_Band3_H_ANT1

25.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5453.9	-53.72	0	-26	2.51	27.72	Pass
5460	5470	1	Peak	5467.4 75	-53.9	0	-19	12.59	34.9	Pass
5745	5765	1	Peak	5745.1 5	-37.09	0.2	-19	12.59	18.09	Pass
5765	5775	1	Peak	5766.5 25	-44.45	0.04	-26	2.51	18.45	Pass



26. 802.11ac_20M_Band3_L_ANT1

26.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5458.3 75	-29.75	1.06	-26	2.51	3.75	Pass
5460	5470	1	Peak	5469.5 5	-23.85	4.12	-19	12.59	4.85	Pass
5745	5765	1	Peak	5762.7	-49.51	0.01	-19	12.59	30.51	Pass
5765	5775	1	Peak	5766.7 25	-49.31	0.01	-26	2.51	23.31	Pass



27. 802.11ac_20M_Band3_M_ANT1

27.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5454.85	-52.29	0.01	-26	2.51	26.29	Pass
5460	5470	1	Peak	5467.775	-52.13	0.01	-19	12.59	33.13	Pass
5745	5765	1	Peak	5750.5	-51.46	0.01	-19	12.59	32.46	Pass
5765	5775	1	Peak	5771.025	-51.72	0.01	-26	2.51	25.72	Pass



28. 802.11ac_20M_Band3_H_ANT1

28.1. Out-band leakage power(Band Width 20MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5459.05	-53.05	0	-26	2.51	27.05	Pass
5460	5470	1	Peak	5469.775	-53.19	0	-19	12.59	34.19	Pass
5745	5765	1	Peak	5745	-28.23	1.5	-19	12.59	9.23	Pass
5765	5775	1	Peak	5765.75	-39.29	0.12	-26	2.51	13.29	Pass




40M

1. 802.11n_40M_Band1_L_ANT1

1.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5131	5141.6	1	Peak	5141.388	-28.64	1.37	-26	2.51	2.64	Pass
5141.6	5150	1	Peak	5149.895	-24.37	3.66	-18	15.85	6.37	Pass
5250	5251	1	Peak	5250.948	-32.33	0.59	-12.48	56.56	19.85	Pass
5251	5270	1	Peak	5269.62	-35.04	0.31	-20.84	8.24	14.2	Pass
5270	5278.4	1	Peak	5277.77	-34.91	0.32	-25.62	2.74	9.28	Pass
5278.4	5289	1	Peak	5278.586	-34.54	0.35	-26	2.51	8.54	Pass



2. 802.11n_40M_Band1_H_ANT1

2.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5131	5141.6	1	Peak	5137.201	-32.97	0.5	-26	2.51	6.97	Pass
5141.6	5150	1	Peak	5142.188	-33.04	0.5	-18	15.85	15.04	Pass
5250	5251	1	Peak	5250.93	-15.19	30.25	-12.3	58.88	2.89	Pass
5251	5270	1	Peak	5269.145	-21.31	7.39	-20.64	8.63	0.67	N/A
5251	5270	1	Sample	5269.145	-25.89	2.576	-20.64	8.63	5.25	Pass
5270	5278.4	1	Peak	5270.252	-22.08	6.2	-21.15	7.67	0.93	N/A
5270	5278.4	1	Sample	5270.252	-33.56	0.441	-21.15	7.67	12.41	Pass
5278.4	5289	1	Peak	5278.4	-29.64	1.09	-26	2.51	3.64	Pass



3. 802.11n_40M_Band2_L_ANT1

3.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5211	5221.6	1	Peak	5220.487	-30.43	0.91	-26	2.51	4.43	Pass
5221.6	5230	1	Peak	5222.44	-29.73	1.06	-25.5	2.82	4.23	Pass
5230	5249	1	Peak	5238.93	-21.8	6.6	-17.24	18.88	4.56	Pass
5249	5250	1	Peak	5249.258	-15.86	25.96	-10.43	90.68	5.43	Pass
5350	5358.4	1	Peak	5352.163	-38.68	0.14	-18	15.85	20.68	Pass
5358.4	5369	1	Peak	5363.435	-39.57	0.11	-26	2.51	13.57	Pass



4. 802.11n_40M_Band2_H_ANT1

4.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5211	5221.6	1	Peak	5211.875	-34.72	0.34	-26	2.51	8.72	Pass
5221.6	5230	1	Peak	5222.188	-34.69	0.34	-25.65	2.72	9.04	Pass
5230	5249	1	Peak	5232.043	-33.01	0.5	-20.14	9.68	12.87	Pass
5249	5250	1	Peak	5249.105	-31.98	0.63	-11.95	63.83	20.03	Pass
5350	5358.4	1	Peak	5350.252	-22.28	5.92	-18	15.85	4.28	Pass
5358.4	5369	1	Peak	5359.911	-28.84	1.31	-26	2.51	2.84	Pass



5. 802.11ac_40M_Band2_L_ANT1

5.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5211	5221.6	1	Peak	5221.282	-27.37	1.83	-26	2.51	1.37	Pass
5221.6	5230	1	Peak	5221.852	-26.36	2.31	-25.85	2.6	0.51	Pass
5221.6	5230	1	Sample	5221.852	-30.25	0.944	-25.85	2.6	4.45	Pass
5230	5249	1	Peak	5234.988	-23.12	4.87	-18.9	12.88	4.22	Pass
5249	5250	1	Peak	5249.025	-17.62	17.3	-12.75	53.09	4.87	Pass
5350	5358.4	1	Peak	5353.129	-34.69	0.34	-18	15.85	16.69	Pass
5358.4	5369	1	Peak	5365.82	-35.34	0.29	-26	2.51	9.34	Pass



6. 802.11ac_40M_Band2_H_ANT1

6.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5211	5221.6	1	Peak	5214.233	-34.38	0.36	-26	2.51	8.38	Pass
5221.6	5230	1	Peak	5221.684	-34.83	0.33	-25.95	2.54	8.88	Pass
5230	5249	1	Peak	5232.423	-33.68	0.43	-19.98	10.05	13.7	Pass
5249	5250	1	Peak	5249.163	-30.31	0.93	-11.37	72.86	18.94	Pass
5350	5358.4	1	Peak	5352.079	-25.36	2.91	-18	15.85	7.36	Pass
5358.4	5369	1	Peak	5359.089	-28.55	1.4	-26	2.51	2.55	Pass



7. 802.11n_40M_Band3_L_ANT1


7.1. Out-band leakage power(Band Width 40MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5459.7	-28.85	1.3	-19	12.59	9.85	Pass
5460	5470	1	Peak	5468.7	-23.87	4.1	-13	50.12	10.87	Pass
5770	5780	1	Peak	5770.45	-35.65	0.27	-19	12.59	16.65	Pass



8. 802.11n_40M_Band3_M_ANT1


8.1. Out-band leakage power(Band Width 40MHz)(NTNV)



9. 802.11n_40M_Band3_H_ANT1

9.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5453.475	-36.17	0.24	-19	12.59	17.17	Pass
5460	5470	1	Peak	5463.525	-35.93	0.26	-13	50.12	22.93	Pass
5770	5780	1	Peak	5778.75	-35.13	0.31	-19	12.59	16.13	Pass



10. 802.11ac_40M_Band3_L_ANT1

10.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5457.775	-27.5	1.78	-19	12.59	8.5	Pass
5460	5470	1	Peak	5467.3	-23.96	4.02	-13	50.12	10.96	Pass
5770	5780	1	Peak	5771.7	-34.83	0.33	-19	12.59	15.83	Pass



11. 802.11ac_40M_Band3_M_ANT1

11.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5458.425	-40.82	0.08	-19	12.59	21.82	Pass
5460	5470	1	Peak	5460.35	-39.91	0.1	-13	50.12	26.91	Pass
5770	5780	1	Peak	5773.125	-40.87	0.08	-19	12.59	21.87	Pass



12. 802.11ac_40M_Band3_H_ANT1

12.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5457.175	-35.76	0.27	-19	12.59	16.76	Pass
5460	5470	1	Peak	5463.225	-35.28	0.3	-13	50.12	22.28	Pass
5770	5780	1	Peak	5771.55	-34.96	0.32	-19	12.59	15.96	Pass



13. 802.11ac_40M_Band1_L_ANT1

13.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5131	5141.6	1	Peak	5140.991	-28.12	1.54	-26	2.51	2.12	Pass
5141.6	5150	1	Peak	5149.223	-26.08	2.46	-18	15.85	8.08	Pass
5250	5251	1	Peak	5250.998	-34.17	0.38	-12.98	50.41	21.2	Pass
5251	5270	1	Peak	5269.573	-35.75	0.27	-20.82	8.28	14.93	Pass
5270	5278.4	1	Peak	5277.56	-35.07	0.31	-25.5	2.82	9.57	Pass
5278.4	5289	1	Peak	5287.755	-34.58	0.35	-26	2.51	8.58	Pass



14. 802.11ac_40M_Band1_H_ANT1

14.1. Out-band leakage power(Band Width 40MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5131	5141.6	1	Peak	5135.32	-33.49	0.45	-26	2.51	7.49	Pass
5141.6	5150	1	Peak	5147.627	-34.05	0.39	-18	15.85	16.05	Pass
5250	5251	1	Peak	5250.965	-16.2	24	-12.65	54.33	3.55	Pass
5251	5270	1	Peak	5256.035	-18.15	15.32	-15.12	30.76	3.03	Pass
5270	5278.4	1	Peak	5270.966	-26.81	2.09	-21.58	6.96	5.23	Pass
5278.4	5289	1	Peak	5279.46	-32.26	0.59	-26	2.51	6.26	Pass



80M

1. 802.11ac_80M_Band1_M_ANT1

1.2. Out-band leakage power(Band Width 80MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5113	5123.2	1	Peak	5122.92	-27.67	1.71	-26	2.51	1.67	Pass
5123.2	5150	1	Peak	5146.49	-26.57	2.2	-18	15.85	8.57	Pass
5250	5251	1	Peak	5250.978	-19.39	11.52	-15.77	26.45	3.61	Pass
5251	5290	1	Peak	5251	-19.74	10.63	-16	25.12	3.74	Pass
5290	5296.7	1	Peak	5296.415	-33.52	0.44	-25.92	2.56	7.6	Pass
5296.7	5307	1	Peak	5301.464	-32.8	0.52	-26	2.51	6.8	Pass



2. 802.11ac_80M_Band2_M_ANT1

2.1. Out-band leakage power(Band Width 80MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5193	5203.3	1	Peak	5200.854	-25.65	2.72	-26	2.51	-0.35	N/A
5193	5203.3	1	Sample	5200.854	-29.65	1.084	-26	2.51	3.65	Pass
5203.3	5210	1	Peak	5203.35	-26.92	2.03	-25.98	2.52	0.93	N/A
5203.3	5210	1	Sample	5203.35	-29.98	1.005	-25.98	2.52	4	Pass
5210	5249	1	Peak	5222.188	-23.82	4.15	-21.5	7.08	2.32	Pass
5249	5250	1	Peak	5249.003	-18.38	14.52	-15.98	25.26	2.4	Pass
5350	5376.8	1	Peak	5350.603	-25.24	2.99	-18	15.85	7.24	Pass
5376.8	5387	1	Peak	5381.824	-32.1	0.62	-26	2.51	6.1	Pass



3. 802.11a_20M_Band3_L_ANT1

3.1. Out-band leakage power(Band Width 80MHz)(NTNV)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5459.1 5	-26.96	2.01	-19	12.59	7.96	Pass
5460	5469.5	1	Peak	5466.7 93	-20.17	9.62	-13	50.12	7.17	Pass
5469.5	5470	1	Peak	5469.9 2	-19.4	11.49	-12.9	51.29	6.5	Pass
5725	5735	1	Peak	5727.9 5	-46.85	0.02	-19	12.59	27.85	Pass



4. 802.11ac_80M_Band3_M_ANT1

4.1. Out-band leakage power(Band Width 80MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5460	-25.99	2.52	-19	12.59	6.99	Pass
5460	5469.5	1	Peak	5462.066	-23.91	4.07	-13	50.12	10.91	Pass
5469.5	5470	1	Peak	5469.51	-25.37	2.9	-12.9	51.29	12.47	Pass
5725	5735	1	Peak	5725.575	-39.89	0.1	-19	12.59	20.89	Pass



5. 802.11ac_80H_Band3_H_ANT1

5.1. Out-band leakage power(Band Width 80MHz)(NTNV)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detect or	Freque ncy (MHz)	Power (dBm)	Power (μW)	Limit (dBm)	Limit (μW)	Margin (dB)	Verdict
5450	5460	1	Peak	5456.7 75	-37.24	0.19	-19	12.59	18.24	Pass
5460	5469.5	1	Peak	5465.0 35	-35.99	0.25	-13	50.12	22.99	Pass
5469.5	5470	1	Peak	5469.7 61	-36.14	0.24	-12.9	51.29	23.24	Pass
5725	5735	1	Peak	5731.8 5	-32.3	0.59	-19	12.59	13.3	Pass

