

Appendix B: Test Results of Radiation Emissions & Mains

Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.83	56.84	13.67	42.37	74.00	-17.96	180	294	Peak	Horizontal	
2 *	5108.00	109.98	67.52	42.46	74.00	35.98	180	294	Peak	Horizontal	
3	5353.96	51.91	9.17	42.74	74.00	-22.09	180	294	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.83	52.73	18.36	42.37	74.00	-21.27	311	238	Peak	Vertical	
2 *	5108.00	106.00	63.54	42.46	74.00	32.00	311	238	Peak	Vertical	
3	5453.28	52.42	9.40	43.02	74.00	-21.58	311	238	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.83	46.00	3.63	42.37	54.00	-8.00	100	294	Average	Horizontal		
2 *	5180.00	96.43	55.97	42.46	54.00	44.43	100	294	Average	Horizontal		
3	5353.96	41.40	-1.34	42.74	54.00	-12.60	100	294	Average	Horizontal		

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.83	41.85	-0.52	42.37	54.00	-12.15	311	238	Average	Vertical		
2 *	5180.00	94.63	52.17	42.46	54.00	40.63	311	238	Average	Vertical		
3	5453.28	41.16	-1.86	43.02	54.00	-12.84	311	238	Average	Vertical		

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	55.62	13.25	42.37	74.00	-18.38	100	275	Peak	Horizontal	
2 *	5200.00	112.00	69.49	42.51	74.00	38.00	100	275	Peak	Horizontal	
3	5353.50	54.55	11.81	42.74	74.00	-19.45	100	275	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5080.00	53.54	11.27	42.27	74.00	-20.46	358	294	Peak	Vertical	
2 *	5200.00	114.16	71.65	42.51	74.00	40.16	358	294	Peak	Vertical	
3	5351.00	54.55	11.82	42.73	74.00	-19.45	358	294	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	45.63	3.26	42.37	54.00	-8.37	100	275	Average	Horizontal	
2 *	5200.00	101.92	59.41	42.51	54.00	47.92	100	275	Average	Horizontal	
3	5353.50	41.98	-0.76	42.74	54.00	-12.02	100	275	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5000.00	43.00	0.73	42.27	54.00	-11.00	358	294	Average	Vertical	
2 *	5200.00	102.85	60.34	42.51	54.00	48.85	358	294	Average	Vertical	
3	5351.00	41.81	-0.92	42.73	54.00	-12.19	358	294	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	56.72	14.37	42.35	74.00	-17.28	182	260	Peak	Horizontal	
2 *	5240.00	114.20	71.66	42.54	74.00	40.20	182	260	Peak	Horizontal	
3	5352.50	55.42	12.68	42.74	74.00	-18.58	182	260	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	55.78	13.45	42.33	74.00	-18.22	334	271	Peak	Vertical	
2 *	5240.00	113.75	71.21	42.54	74.00	39.75	334	271	Peak	Vertical	
3	5369.00	54.80	12.05	42.75	74.00	-19.20	334	271	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	45.38	3.03	42.35	54.00	-8.62	182	260	Average	Horizontal	
2 *	5240.00	100.74	60.20	42.54	54.00	46.74	182	260	Average	Horizontal	
3	5352.50	42.27	-0.47	42.74	54.00	-11.73	182	260	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5102.00	42.67	0.34	42.33	54.00	-11.33	334	271	Average	Vertical	
2 *	5240.00	102.92	60.38	42.54	54.00	48.92	334	271	Average	Vertical	
3	5369.00	42.26	-0.49	42.75	54.00	-11.74	334	271	Average	Vertical	

802.11n HT20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.83	61.07	18.78	42.37	74.00	-12.93	100	275 Peak	Horizontal	
2 *	5180.00	111.50	69.04	42.46	74.00	37.50	100	275 Peak	Horizontal	
3	5351.97	52.89	18.15	42.74	74.00	-21.11	100	275 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.33	60.77	18.48	42.37	74.00	-13.23	341	278 Peak	Vertical	
2 *	5180.00	113.08	70.62	42.46	74.00	39.08	341	278 Peak	Vertical	
3	5350.47	52.94	18.21	42.73	74.00	-21.06	341	278 Peak	Vertical	

802.11n HT20

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.83	46.53	4.16	42.37	54.00	-7.47	100	275	Average	Horizontal		
2 *	5180.00	100.94	58.48	42.46	54.00	46.94	100	275	Average	Horizontal		
3	5351.97	41.70	-1.04	42.74	54.00	-12.30	100	275	Average	Horizontal		

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.33	45.05	2.68	42.37	54.00	-8.95	341	270	Average	Vertical		
2 *	5180.00	101.58	59.12	42.46	54.00	47.58	341	270	Average	Vertical		
3	5350.47	41.44	-1.29	42.73	54.00	-12.56	341	270	Average	Vertical		


802.11n HT20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	57.61	15.24	42.37	74.00	-16.39	100	275	Peak	Horizontal	
2 *	5200.00	111.01	68.50	42.51	74.00	37.01	100	275	Peak	Horizontal	
3	5354.00	55.71	12.97	42.74	74.00	-18.29	100	275	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5070.50	55.81	13.54	42.27	74.00	-18.19	358	294	Peak	Vertical	
2 *	5200.00	114.04	71.53	42.51	74.00	40.04	358	294	Peak	Vertical	
3	5350.00	54.84	12.11	42.73	74.00	-19.16	358	294	Peak	Vertical	

802.11n HT20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	45.81	3.44	42.37	54.00	-8.19	100	275	Average	Horizontal	
2 *	5200.00	100.82	58.31	42.51	54.00	46.82	100	275	Average	Horizontal	
3	5354.00	42.06	-0.68	42.74	54.00	-11.94	100	275	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5078.50	42.53	0.26	42.27	54.00	-11.47	358	294	Average	Vertical	
2 *	5200.00	101.94	59.43	42.51	54.00	47.94	358	294	Average	Vertical	
3	5350.00	41.82	-0.91	42.73	54.00	-12.18	358	294	Average	Vertical	

802.11n HT20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.00	56.68	14.32	42.36	74.00	-17.32	113	266	Peak	Horizontal	
2 *	5240.00	113.68	71.06	42.64	74.00	39.68	113	266	Peak	Horizontal	
3	5351.50	54.86	12.13	42.73	74.00	-19.14	113	266	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5112.50	57.15	14.81	42.34	74.00	-16.85	334	270	Peak	Vertical	
2 *	5240.00	113.39	70.85	42.54	74.00	39.39	334	270	Peak	Vertical	
3	5368.00	55.31	12.56	42.75	74.00	-18.69	334	270	Peak	Vertical	


	Freq	Level	Lead	Limit	Over	APOS	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/M	Line	Limit				
							cm	deg		
1	5112.50	43.52	1.18	42.34	54.00	-10.48	334	270	Average	Vertical
2	5240.00	103.03	60.49	42.54	54.00	49.03	334	270	Average	Vertical
3	5368.00	102.40	-0.35	42.75	54.00	-11.60	334	270	Average	Vertical

802.11n HT40

CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.33	72.77	30.48	42.37	74.00	-1.23	111	283	Peak	Horizontal		
2 *	5198.00	109.17	66.69	42.48	74.00	35.17	348	159	Peak	Horizontal		
3	5424.34	54.46	11.57	42.89	74.00	-19.54	348	159	Peak	Horizontal		

CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.83	65.52	23.15	42.37	74.00	-8.48	308	260	Peak	Vertical		
2 *	5198.00	109.25	63.77	42.48	74.00	32.25	308	260	Peak	Vertical		
3	5399.38	54.43	11.66	42.77	74.00	-19.57	308	260	Peak	Vertical		

802.11n HT40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 38 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 46 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	44.18	1.81	42.37	54.00	-9.82	109	265	Average	Horizontal	
2 *	5230.00	97.03	54.49	42.54	54.00	43.03	109	265	Average	Horizontal	
3	5350.50	42.25	-0.48	42.73	54.00	-11.75	109	265	Average	Horizontal	

CH 46 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5117.50	42.15	-0.20	42.35	54.00	-11.65	355	294	Average	Vertical	
2 *	5230.00	97.76	55.22	42.54	54.00	43.76	355	294	Average	Vertical	
3	5350.50	42.07	-0.66	42.73	54.00	-11.93	355	294	Average	Vertical	

802.11ac VHT80

CH 42 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5087.44	56.90	14.61	42.29	74.00	-17.10	368	153	Peak	Horizontal	
2 *	5210.00	105.73	63.21	42.52	74.00	29.73	368	153	Peak	Horizontal	
3	5452.79	54.22	11.20	43.02	74.00	-19.78	368	153	Peak	Horizontal	

CH 42 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.34	57.25	14.88	42.37	74.00	-16.75	359	270	Peak	Vertical	
2 *	5210.00	105.73	63.19	42.52	74.00	31.71	359	270	Peak	Vertical	
3	5453.28	51.68	8.66	43.02	74.00	-22.32	359	270	Peak	Vertical	

802.11ac VHT80

CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5087.44	41.41	-0.88	42.29	54.00	-12.59	368	153	Average	Horizontal	
2 *	5213.22	72.41	29.89	42.52	54.00	18.41	368	153	Average	Horizontal	
3	5452.79	41.22	-1.80	43.02	54.00	-12.78	368	153	Average	Horizontal	

CH 42 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.34	41.69	-0.68	42.37	54.00	-12.31	359	270	Average	Vertical	
2 *	5210.00	72.34	29.82	42.52	54.00	18.34	359	270	Average	Vertical	
3	5453.28	41.11	-1.91	43.02	54.00	-12.89	359	270	Average	Vertical	

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.84	53.61	11.24	42.37	74.00	-20.39	186	281	Peak	Horizontal		
2 *	5260.00	109.39	66.81	42.58	74.00	35.39	186	281	Peak	Horizontal		
3	5354.46	52.90	10.16	42.74	74.00	-21.10	186	281	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5139.85	53.22	10.86	42.36	74.00	-20.78	352	246	Peak	Vertical		
2 *	5260.00	110.97	68.39	42.58	74.00	36.97	352	246	Peak	Vertical		
3	5386.40	52.25	9.49	42.76	74.00	-21.75	352	246	Peak	Vertical		

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.84	43.58	1.13	42.37	54.00	-10.50	186	281	Average	Horizontal	
2 *	5268.00	98.36	55.78	42.58	54.00	44.36	186	281	Average	Horizontal	
3	5354.46	42.69	-0.85	42.74	54.00	-11.31	186	281	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.85	42.22	-0.14	42.36	54.00	-11.78	352	246	Average	Vertical	
2 *	5268.00	98.85	56.27	42.58	54.00	44.85	352	246	Average	Vertical	
3	5386.40	42.09	-0.67	42.76	54.00	-11.91	352	246	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.83	55.77	13.48	42.37	74.00	-18.23	186	295	Peak	Horizontal		
2 *	5300.00	111.96	69.27	42.69	74.00	37.96	186	295	Peak	Horizontal		
3	5368.94	56.82	14.87	42.75	74.00	-17.18	186	295	Peak	Horizontal		

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.33	54.86	12.49	42.37	74.00	-19.14	346	247	Peak	Vertical		
2 *	5300.00	111.93	69.24	42.69	74.00	37.93	346	247	Peak	Vertical		
3	5452.79	52.61	9.59	43.02	74.00	-21.39	346	247	Peak	Vertical		

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.83	42.49	0.12	42.37	54.00	-11.51	186	295	Average	Horizontal		
2 *	5300.00	100.28	57.59	42.69	54.00	46.28	186	295	Average	Horizontal		
3	5368.94	42.92	0.17	42.75	54.00	-11.08	186	295	Average	Horizontal		

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.33	41.86	-0.51	42.37	54.00	-12.14	346	247	Average	Vertical		
2 *	5300.00	100.61	57.92	42.69	54.00	46.61	346	247	Average	Vertical		
3	5452.79	41.85	-1.17	43.02	54.00	-12.15	346	247	Average	Vertical		

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5082.45	56.45	14.17	42.28	74.00	-17.55	186	294	Peak	Horizontal	
2 *	5328.00	112.22	69.51	42.71	74.00	38.22	186	294	Peak	Horizontal	
3	5349.97	57.98	15.25	42.73	74.00	-16.02	186	294	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5080.46	54.77	12.49	42.28	74.00	-19.23	342	268	Peak	Vertical	
2 *	5328.00	113.16	70.45	42.71	74.00	39.16	342	268	Peak	Vertical	
3	5349.97	57.97	15.24	42.73	74.00	-16.03	342	268	Peak	Vertical	

802.11a


CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5124.88	56.79	14.44	42.35	74.00	-17.21	320	148	Peak	Horizontal		
2 *	5258.63	113.62	71.24	42.58	74.00	39.62	320	148	Peak	Horizontal		
3	5483.37	56.03	13.24	42.79	74.00	-17.97	320	148	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.83	54.26	11.89	42.37	74.00	-19.74	378	306	Peak	Vertical		
2 *	5260.00	110.99	68.41	42.58	74.00	36.99	378	306	Peak	Vertical		
3	5365.94	54.92	12.17	42.75	74.00	-19.08	378	306	Peak	Vertical		

802.11n HT20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5124.88	43.22	0.87	42.35	54.00	-10.78	320	148	Average	Horizontal		
2 *	5260.00	102.20	59.62	42.58	54.00	48.20	320	148	Average	Horizontal		
3	5403.37	42.54	-0.25	42.79	54.00	-11.46	320	148	Average	Horizontal		

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.83	42.68	0.23	42.37	54.00	-11.40	378	306	Average	Vertical		
2 *	5260.00	99.74	57.16	42.58	54.00	45.74	378	306	Average	Vertical		
3	5365.94	41.64	-1.11	42.75	54.00	-12.36	378	306	Average	Vertical		

802.11n HT20

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.84	55.46	13.09	42.37	74.00	-18.54	301	151	Peak	Horizontal		
2 *	5300.00	116.50	73.81	42.69	74.00	42.50	301	151	Peak	Horizontal		
3	5349.97	56.56	13.83	42.73	74.00	-17.44	301	151	Peak	Horizontal		

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5134.36	54.23	11.87	42.36	74.00	-19.77	394	307	Peak	Vertical		
2 *	5300.00	113.70	71.01	42.69	74.00	39.70	394	307	Peak	Vertical		
3	5418.35	55.83	12.97	42.86	74.00	-18.17	394	307	Peak	Vertical		

802.11n HT20

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Ind Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		5145.84	42.97	0.60	42.37	54.00	-11.03	301	151	Average	Horizontal	
2	*	5300.00	104.34	61.65	42.69	54.00	50.34	301	151	Average	Horizontal	
3		5349.97	43.71	0.98	42.73	54.00	-10.29	301	151	Average	Horizontal	

802.11n HT20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.83	57.45	15.08	42.37	74.00	-16.55	111	261	Peak	Horizontal		
2 *	5320.00	115.97	73.26	42.71	74.00	41.97	111	261	Peak	Horizontal		
3	5350.97	64.22	21.49	42.73	74.00	-9.78	111	261	Peak	Horizontal		

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4858.36	50.00	8.89	42.01	74.00	-23.10	390	305	Peak	Vertical		
2 *	5320.00	112.93	70.22	42.71	74.00	38.93	390	305	Peak	Vertical		
3	5350.97	61.60	18.87	42.73	74.00	-12.40	390	305	Peak	Vertical		

802.11n HT20


CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.84	57.32	14.95	42.37	74.00	-16.68	337	151	Peak	Horizontal		
2 *	5270.00	113.90	71.29	42.61	74.00	39.90	337	151	Peak	Horizontal		
3	5384.91	56.79	14.83	42.76	74.00	-17.21	337	151	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.34	55.78	13.41	42.37	74.00	-18.22	378	306	Peak	Vertical		
2 *	5270.00	109.61	67.00	42.61	74.00	35.61	378	306	Peak	Vertical		
3	5383.41	54.73	11.97	42.76	74.00	-19.27	378	306	Peak	Vertical		

802.11n HT40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.84	43.83	1.46	42.37	54.00	-10.17	337	151	Average	Horizontal	
2 *	5270.00	99.64	57.03	42.61	54.00	45.64	337	151	Average	Horizontal	
3	5384.91	42.96	0.20	42.76	54.00	-11.04	337	151	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.34	42.69	0.32	42.37	54.00	-11.31	378	306	Average	Vertical	
2 *	5270.00	96.87	54.26	42.61	54.00	42.87	378	306	Average	Vertical	
3	5383.41	42.04	-0.72	42.76	54.00	-11.96	378	306	Average	Vertical	


802.11n HT40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5082.45	54.83	11.75	42.28	74.00	-19.97	300	152	Peak	Horizontal		
2 *	5318.00	100.47	65.77	42.70	74.00	34.47	300	152	Peak	Horizontal		
3 !	5350.47	72.39	29.66	42.73	74.00	-1.61	296	152	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.33	54.32	11.95	42.37	74.00	-19.68	345	269	Peak	Vertical		
2 *	5318.00	100.26	66.56	42.70	74.00	35.26	345	269	Peak	Vertical		
3	5349.97	65.24	22.51	42.73	74.00	-8.76	345	269	Peak	Vertical		

802.11n HT40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5082.45	40.17	-2.11	42.28	54.00	-13.83	300	152	Average	Horizontal		
2 *	5318.00	95.64	52.94	42.70	54.00	41.64	300	152	Average	Horizontal		
3	5350.47	47.20	4.47	42.73	54.00	-6.80	296	152	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.33	41.65	-0.72	42.37	54.00	-12.35	345	269	Average	Vertical		
2 *	5318.00	96.02	53.32	42.70	54.00	42.02	345	269	Average	Vertical		
3	5349.97	43.52	0.79	42.73	54.00	-10.48	345	269	Average	Vertical		

802.11ac VHT80

CH 58 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.83	55.49	13.12	42.37	74.00	-18.51	272	157	Peak	Horizontal	
2 *	5298.00	105.05	62.39	42.66	74.00	31.05	272	157	Peak	Horizontal	
3	5352.47	62.70	19.96	42.74	74.00	-11.30	272	157	Peak	Horizontal	

CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.34	57.00	14.63	42.37	74.00	-17.00	348	270	Peak	Vertical	
2 *	5298.00	106.29	63.63	42.66	74.00	32.29	348	270	Peak	Vertical	
3	5383.91	59.67	16.91	42.76	74.00	-14.33	348	270	Peak	Vertical	

802.11ac VHT80

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.83	41.95	-0.42	42.37	54.00	-12.05		272	157	Average	Horizontal	
2 *	5290.00	73.43	30.77	42.66	54.00	19.43		272	157	Average	Horizontal	
3	5352.47	45.30	2.56	42.74	54.00	-8.70		272	157	Average	Horizontal	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.34	42.57	0.20	42.37	54.00	-11.43		348	270	Average	Vertical	
2 *	5290.00	73.15	30.49	42.66	54.00	19.15		348	270	Average	Vertical	
3	5383.91	42.17	-0.59	42.76	54.00	-11.83		348	270	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.50	55.87	12.85	43.02	74.00	-18.13	100	262 Peak	Horizontal	
2	5470.00	58.99	15.96	43.03	68.20	-9.21	100	262 Peak	Horizontal	
3 *	5500.00	109.08	66.83	43.05	68.20	40.88	100	262 Peak	Horizontal	
4	5846.00	56.39	12.66	43.73	68.20	-11.81	100	262 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5372.00	54.91	12.16	42.75	74.00	-19.09	320	269 Peak	Vertical	
2	5469.50	54.65	11.62	43.03	68.20	-13.55	320	269 Peak	Vertical	
3 *	5500.00	109.52	66.47	43.05	68.20	41.32	320	269 Peak	Vertical	
4	5726.00	55.22	11.88	43.34	68.20	-12.98	320	269 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5456.50	44.00	0.98	43.02	54.00	-10.00		100	262	Average	Horizontal	
2 *	5500.00	97.04	54.79	43.05	54.00	43.04		100	262	Average	Horizontal	

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5372.00	42.61	-0.14	42.75	54.00	-11.39		320	269	Average	Vertical	
2 *	5500.00	98.38	55.33	43.05	54.00	44.38		320	269	Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5448.00	56.53	13.53	43.00	74.00	-17.47	100	315	Peak	Horizontal
2	5466.50	55.95	12.82	43.03	68.20	-12.35	100	315	Peak	Horizontal
3 *	5588.00	111.05	67.93	43.12	68.20	42.85	100	315	Peak	Horizontal
4	5841.00	55.97	12.26	43.71	68.20	-12.23	100	315	Peak	Horizontal

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5448.00	54.38	11.38	43.00	74.00	-19.62	384	268	Peak	Vertical
2	5468.50	55.00	11.97	43.03	68.20	-13.20	384	268	Peak	Vertical
3 *	5588.00	111.08	67.96	43.12	68.20	42.88	384	268	Peak	Vertical
4	5725.50	55.73	12.39	43.34	68.20	-12.47	384	268	Peak	Vertical

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5448.00	44.14	1.14	43.00	54.00	-9.86	100	315	Average	Horizontal		
2 *	5580.00	99.75	56.63	43.12	54.00	45.75	100	315	Average	Horizontal		

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5448.00	42.94	-0.06	43.00	54.00	-11.06	394	268	Average	Vertical		
2 *	5580.00	99.86	56.74	43.12	54.00	45.86	394	268	Average	Vertical		

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	54.45	11.43	43.02	74.00	-19.55	100	313	Peak	Horizontal
2	5461.00	54.49	11.47	43.02	68.20	-13.71	100	313	Peak	Horizontal
3 *	5700.00	110.48	67.26	43.22	68.20	42.28	100	313	Peak	Horizontal
4	5725.00	59.94	16.60	43.34	68.20	-8.26	100	313	Peak	Horizontal

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5452.50	53.79	10.77	43.02	74.00	-20.21	289	262	Peak	Vertical
2	5462.00	52.75	9.73	43.02	68.20	-15.45	289	262	Peak	Vertical
3 *	5700.00	107.59	64.37	43.22	68.20	39.39	289	262	Peak	Vertical
4	5725.00	57.59	14.25	43.34	68.20	-10.61	289	262	Peak	Vertical

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	42.13	-0.89	43.02	54.00	-11.87	100	313	Average	Horizontal	
2 *	5700.00	99.00	56.58	43.22	54.00	45.00	100	313	Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5452.50	41.17	-1.85	43.02	54.00	-12.83	289	262	Average	Vertical	
2 *	5700.00	97.01	53.79	43.22	54.00	43.01	289	262	Average	Vertical	


802.11n HT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	58.56	15.54	43.02	74.00	-15.44	100	261	Peak	Horizontal		
2	5469.00	58.72	15.69	43.03	68.20	-9.48	100	261	Peak	Horizontal		
3 *	5500.00	112.67	69.82	43.05	68.20	44.67	100	261	Peak	Horizontal		
4	5800.50	55.21	11.61	43.60	68.20	-12.99	100	261	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5451.50	55.34	12.32	43.02	74.00	-18.66	292	259	Peak	Vertical		
2	5469.50	62.71	19.68	43.03	68.20	-5.49	292	259	Peak	Vertical		
3 *	5500.00	110.65	67.60	43.05	68.20	42.45	292	259	Peak	Vertical		
4	5841.50	55.57	11.86	43.71	68.20	-12.63	292	259	Peak	Vertical		

802.11n HT20

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	45.97	2.95	43.02	54.00	-8.03	100	261 Average	Horizontal	
2 *	5500.00	101.59	58.54	43.05	54.00	47.59	100	261 Average	Horizontal	

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5451.50	43.34	0.32	43.02	54.00	-10.66	292	259 Average	Vertical	
2 *	5500.00	100.15	57.10	43.05	54.00	46.15	292	259 Average	Vertical	

802.11n HT20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.58	55.91	13.05	42.86	74.00	-18.09	100	280	Peak	Horizontal	
2	5470.00	55.98	12.95	43.03	68.20	-12.22	100	280	Peak	Horizontal	
3 *	5588.00	112.29	69.17	43.12	68.20	44.09	100	280	Peak	Horizontal	
4	5748.50	56.30	12.85	43.45	68.20	-11.90	100	280	Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5337.00	55.35	12.63	42.72	74.00	-18.65	381	292	Peak	Vertical	
2	5461.50	56.62	13.68	43.02	68.20	-11.58	381	292	Peak	Vertical	
3 *	5588.00	113.09	69.97	43.12	68.20	44.89	381	292	Peak	Vertical	
4	5818.50	56.06	12.41	43.65	68.20	-12.14	381	292	Peak	Vertical	

802.11n HT20


CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.00	54.59	11.67	42.92	74.00	-19.41	100	320 Peak	Horizontal	
2	5465.50	54.97	11.94	43.03	68.20	-13.23	100	320 Peak	Horizontal	
3 *	5700.00	111.63	68.41	43.22	68.20	43.43	100	320 Peak	Horizontal	
4 !	5725.00	65.44	22.10	43.34	68.20	-2.76	100	320 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5435.50	55.30	12.36	42.94	74.00	-18.70	288	280 Peak	Vertical	
2	5470.00	53.53	10.50	43.03	68.20	-14.67	288	280 Peak	Vertical	
3 *	5700.00	110.88	67.66	43.22	68.20	42.68	288	280 Peak	Vertical	
4 !	5725.00	65.44	22.10	43.34	68.20	-2.76	288	280 Peak	Vertical	

802.11n HT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.00	42.22	-0.70	42.92	54.00	-11.78	100	320	Average	Horizontal
2 *	5700.00	101.19	57.97	43.22	54.00	47.19	100	320	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5435.50	41.18	-1.76	42.94	54.00	-12.82	288	280	Average	Vertical
2 *	5700.00	100.03	56.81	43.22	54.00	46.03	288	280	Average	Vertical

802.11n HT40

CH 102 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.50	55.75	12.73	43.02	74.00	-18.25	100	261	Peak	Horizontal		
2	5469.50	66.95	23.92	43.03	68.20	-1.25	100	261	Peak	Horizontal		
3 *	5510.00	104.66	61.60	43.06	68.20	36.46	100	261	Peak	Horizontal		
4	5820.50	54.79	11.14	43.65	68.20	-13.41	100	261	Peak	Horizontal		

CH 102 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5450.50	54.41	11.39	43.02	74.00	-19.59	368	287	Peak	Vertical		
2	5460.00	63.73	20.70	43.03	68.20	-4.47	368	287	Peak	Vertical		
3 *	5510.00	103.43	60.37	43.06	68.20	35.23	368	287	Peak	Vertical		
4	5730.50	54.13	10.77	43.36	68.20	-14.07	368	287	Peak	Vertical		

802.11n HT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5459.50	44.11	1.00	43.02	54.00	-9.89	100	261	Average	Horizontal	
2 *	5510.00	92.95	49.89	43.06	54.00	38.95	100	261	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5459.50	42.07	-0.95	43.02	54.00	-11.93	368	287	Average	Vertical	
2 *	5510.00	91.54	46.46	43.00	54.00	37.54	368	287	Average	Vertical	

802.11n HT40

CH 118 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5452.50	55.83	12.81	43.02	74.00	-18.17	100	260	Peak	Horizontal
2	5467.00	55.69	12.66	43.03	68.20	-12.51	100	260	Peak	Horizontal
3 *	5590.00	109.38	66.25	43.13	68.20	41.18	100	260	Peak	Horizontal
4	5735.00	56.11	12.72	43.39	68.20	-12.09	100	260	Peak	Horizontal

CH 118 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.50	54.91	11.89	43.02	74.00	-19.09	384	269	Peak	Vertical
2	5469.50	54.36	11.33	43.03	68.20	-19.84	384	269	Peak	Vertical
3 *	5590.00	109.87	66.74	43.13	68.20	41.67	384	269	Peak	Vertical
4	5808.50	55.43	11.81	43.62	68.20	-12.77	384	269	Peak	Vertical

802.11n HT40

CH 118 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5452.58	43.58	0.56	43.02	54.00	-10.42	100	260	Average	Horizontal	
2 *	5590.00	96.62	53.49	43.13	54.00	42.62	100	260	Average	Horizontal	

CH 118 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5457.50	42.66	-0.36	43.02	54.00	-11.34	384	269	Average	Vertical	
2 *	5590.00	96.77	53.64	43.13	54.00	42.77	384	269	Average	Vertical	

802.11n HT40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5437.50	55.07	12.12	42.95	74.00	-18.93	100	321	Peak	Horizontal	
2	5461.50	55.22	12.20	43.02	68.20	-12.98	100	321	Peak	Horizontal	
3 *	5672.00	109.31	66.12	43.19	68.20	41.11	100	321	Peak	Horizontal	
4 !	5726.00	66.72	23.38	43.34	68.20	-1.48	100	321	Peak	Horizontal	

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5429.50	54.96	12.04	42.92	74.00	-19.04	370	269	Peak	Vertical	
2	5460.00	53.61	10.59	43.02	68.20	-14.59	370	269	Peak	Vertical	
3 *	5670.00	110.13	66.94	43.19	68.20	41.93	370	269	Peak	Vertical	
4	5725.00	59.63	16.29	43.34	68.20	-8.57	370	269	Peak	Vertical	

802.11n HT40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5437.50	42.61	-0.34	42.95	54.00	-11.39		100	321	Average	Horizontal	
2 *	5670.00	97.02	53.03	43.19	54.00	43.02		100	321	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5429.50	41.65	-1.27	42.92	54.00	-12.35		370	269	Average	Vertical	
2 *	5670.00	97.94	54.75	43.19	54.00	43.94		370	269	Average	Vertical	

802.11ac VHT80

CH 106 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5412.36	58.73	15.90	42.83	74.00	-15.27	340	150 Peak	Horizontal	
2	5469.75	58.13	15.18	43.03	68.20	-10.07	340	150 Peak	Horizontal	
3 *	5538.00	105.98	62.90	43.08	68.20	37.78	340	150 Peak	Horizontal	
4	5819.13	55.43	11.78	43.65	68.20	-12.77	340	150 Peak	Horizontal	

CH 106 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5414.35	56.89	14.04	42.85	74.00	-17.11	318	269 Peak	Vertical	
2	5468.26	56.78	13.75	43.03	68.20	-11.42	318	269 Peak	Vertical	
3 *	5538.00	104.83	61.75	43.08	68.20	36.63	318	269 Peak	Vertical	
4	5823.12	55.37	11.70	43.67	68.20	-12.83	318	269 Peak	Vertical	

802.11ac VHT80


CH 106 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 122 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.77	54.71	11.69	43.02	74.00	-19.29	249	153 Peak	Horizontal	
2	5459.77	57.11	14.09	43.02	74.00	-16.89	249	153 Peak	Horizontal	
3 *	5618.00	106.70	63.56	43.14	68.20	38.50	249	153 Peak	Horizontal	
4	5772.21	57.54	14.02	43.52	68.20	-10.66	249	153 Peak	Horizontal	

CH 122 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.77	55.29	12.27	43.02	74.00	-18.71	308	268 Peak	Vertical	
2	5464.76	55.55	12.52	43.03	68.20	-12.65	308	268 Peak	Vertical	
3 *	5618.00	106.45	63.31	43.14	68.20	38.25	308	268 Peak	Vertical	
4	5738.77	56.02	12.61	43.41	68.20	-12.18	308	268 Peak	Vertical	