


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/02/2019

2462MHz_TX



Lim.PK 
 PK 
 Lim_AV 
 AV 


EUT_X_4TX
Setting 48
02-C-5
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4702G	106.07	Inf	-Inf	31.57	3	Horizontal	60	2.17	-
AV	2.471G	93.03	Inf	-Inf	31.57	3	Horizontal	60	2.17	-
PK	2.4852G	58.92	74.00	-15.08	31.59	3	Horizontal	60	2.17	-
AV	2.4836G	44.61	54.00	-9.39	31.59	3	Horizontal	60	2.17	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2422MHz_TX



Lim.PK
PK
Lim_AV
AV


EUT_X_4TX
Setting 51
02-C-5
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.77	74.00	-0.23	31.38	3	Vertical	347	1.40	-
AV	2.39G	53.33	54.00	-0.67	31.38	3	Vertical	347	1.40	-
PK	2.4208G	119.10	Inf	-Inf	31.46	3	Vertical	347	1.40	-
AV	2.4176G	106.45	Inf	-Inf	31.45	3	Vertical	347	1.40	-
PK	2.484G	62.29	74.00	-11.71	31.59	3	Vertical	347	1.40	-
AV	2.4835G	49.26	54.00	-4.74	31.59	3	Vertical	347	1.40	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2422MHz_TX




EUT_X_4TX
Setting 51
02-C-5
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	60.32	74.00	-13.68	31.38	3	Horizontal	244	1.48	-
AV	2.3868G	44.41	54.00	-9.59	31.37	3	Horizontal	244	1.48	-
PK	2.4208G	103.22	Inf	-Inf	31.46	3	Horizontal	244	1.48	-
AV	2.4176G	90.80	Inf	-Inf	31.45	3	Horizontal	244	1.48	-
PK	2.4912G	56.11	74.00	-17.89	31.61	3	Horizontal	244	1.48	-
AV	2.4928G	44.13	54.00	-9.87	31.62	3	Horizontal	244	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2427MHz_TX



Lim.PK
PK
Lim_AV
AV


EUT_X_4TX
Setting 52
02-M-1
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	73.83	74.00	-0.17	31.37	3	Vertical	330	1.49	-
AV	2.3898G	52.26	54.00	-1.74	31.38	3	Vertical	330	1.49	-
PK	2.4258G	118.11	Inf	-Inf	31.47	3	Vertical	330	1.49	-
AV	2.4162G	114.35	Inf	-Inf	31.45	3	Vertical	330	1.49	-
PK	2.4838G	65.28	74.00	-8.72	31.59	3	Vertical	330	1.49	-
AV	2.4838G	50.50	54.00	-3.50	31.59	3	Vertical	330	1.49	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2427MHz_TX




EUT_X_4TX
Setting 52
02-M-1
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.387G	61.69	74.00	-12.31	31.37	3	Horizontal	222	1.50	-
AV	2.3886G	44.82	54.00	-9.18	31.38	3	Horizontal	222	1.50	-
PK	2.4258G	102.61	Inf	-Inf	31.47	3	Horizontal	222	1.50	-
AV	2.4238G	90.02	Inf	-Inf	31.46	3	Horizontal	222	1.50	-
PK	2.4838G	56.04	74.00	-17.96	31.59	3	Horizontal	222	1.50	-
AV	2.4854G	44.14	54.00	-9.86	31.59	3	Horizontal	222	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2437MHz_TX




EUT_X_4TX
Setting 52
02-C-5
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	72.69	74.00	-1.31	31.38	3	Vertical	318	1.45	-
AV	2.3898G	53.01	54.00	-0.99	31.38	3	Vertical	318	1.45	-
PK	2.4354G	119.23	Inf	-Inf	31.48	3	Vertical	318	1.45	-
AV	2.435G	106.22	Inf	-Inf	31.48	3	Vertical	318	1.45	-
PK	2.4842G	73.68	74.00	-0.32	31.59	3	Vertical	318	1.45	-
AV	2.4835G	53.86	54.00	-0.14	31.59	3	Vertical	318	1.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2437MHz_TX




EUT_X_4TX
Setting 52
02-C-5
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.381G	56.32	74.00	-17.68	31.36	3	Horizontal	152	1.51	-
AV	2.3898G	44.12	54.00	-9.88	31.38	3	Horizontal	152	1.51	-
PK	2.4442G	102.00	Inf	-Inf	31.51	3	Horizontal	152	1.51	-
AV	2.4418G	89.87	Inf	-Inf	31.51	3	Horizontal	152	1.51	-
PK	2.485G	60.85	74.00	-13.15	31.59	3	Horizontal	152	1.51	-
AV	2.4838G	45.04	54.00	-8.96	31.59	3	Horizontal	152	1.51	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2442MHz_TX




EUT_X_4TX
Setting 52
02-M-1
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	66.96	74.00	-7.04	31.38	3	Vertical	355	1.50	-
AV	2.39G	50.71	54.00	-3.29	31.38	3	Vertical	355	1.50	-
PK	2.4256G	117.69	Inf	-Inf	31.47	3	Vertical	355	1.50	-
AV	2.4272G	105.42	Inf	-Inf	31.47	3	Vertical	355	1.50	-
PK	2.4844G	71.74	74.00	-2.26	31.59	3	Vertical	355	1.50	-
AV	2.4835G	53.84	54.00	-0.16	31.59	3	Vertical	355	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2442MHz_TX




EUT_X_4TX
Setting 52
02-M-1
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3516G	56.66	74.00	-17.34	31.28	3	Horizontal	58	1.69	-
AV	2.384G	43.89	54.00	-10.11	31.37	3	Horizontal	58	1.69	-
PK	2.456G	100.66	Inf	-Inf	31.53	3	Horizontal	58	1.69	-
AV	2.454G	88.26	Inf	-Inf	31.53	3	Horizontal	58	1.69	-
PK	2.4848G	60.23	74.00	-13.77	31.59	3	Horizontal	58	1.69	-
AV	2.484G	44.64	54.00	-9.36	31.59	3	Horizontal	58	1.69	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2447MHz_TX




EUT_X_4TX
Setting 47
02-M-1
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	60.97	74.00	-13.03	31.38	3	Vertical	7	1.33	-
AV	2.3898G	48.23	54.00	-5.77	31.38	3	Vertical	7	1.33	-
PK	2.4582G	117.17	Inf	-Inf	31.53	3	Vertical	7	1.33	-
AV	2.4294G	105.96	Inf	-Inf	31.47	3	Vertical	7	1.33	-
PK	2.4846G	73.79	74.00	-0.21	31.59	3	Vertical	7	1.33	-
AV	2.4835G	53.37	54.00	-0.63	31.59	3	Vertical	7	1.33	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2447MHz_TX




EUT_X_4TX
Setting 47
02-M-1
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	56.06	74.00	-17.94	31.38	3	Horizontal	320	1.50	-
AV	2.3814G	43.82	54.00	-10.18	31.36	3	Horizontal	320	1.50	-
PK	2.4402G	95.15	Inf	-Inf	31.50	3	Horizontal	320	1.50	-
AV	2.4362G	82.09	Inf	-Inf	31.49	3	Horizontal	320	1.50	-
PK	2.4842G	56.31	74.00	-17.69	31.59	3	Horizontal	320	1.50	-
AV	2.4934G	44.01	54.00	-9.99	31.62	3	Horizontal	320	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2452MHz_TX




EUT_X_4TX
Setting 47
02-C-5
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	60.70	74.00	-13.30	31.38	3	Vertical	350	2.14	-
AV	2.3896G	48.34	54.00	-5.66	31.38	3	Vertical	350	2.14	-
PK	2.4588G	117.53	Inf	-Inf	31.54	3	Vertical	350	2.14	-
AV	2.4396G	107.49	Inf	-Inf	31.50	3	Vertical	350	2.14	-
PK	2.4928G	70.56	74.00	-3.44	31.62	3	Vertical	350	2.14	-
AV	2.4848G	53.82	54.00	-0.18	31.59	3	Vertical	350	2.14	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/02/2019

2452MHz_TX



EUT_X_4TX
Setting 47
02-C-5
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3728G	56.07	74.00	-17.93	31.34	3	Horizontal	66	2.15	-
AV	2.3612G	43.84	54.00	-10.16	31.30	3	Horizontal	66	2.15	-
PK	2.4348G	100.95	Inf	-Inf	31.48	3	Horizontal	66	2.15	-
AV	2.4352G	89.27	Inf	-Inf	31.48	3	Horizontal	66	2.15	-
PK	2.4835G	57.76	74.00	-16.24	31.59	3	Horizontal	66	2.15	-
AV	2.484G	44.78	54.00	-9.22	31.59	3	Horizontal	66	2.15	-



RSE TX above 1GHz Result_Bandedge

Appendix F.19


For Non-beamforming / 4T4S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	2.4835G	53.99	54.00	-0.01	30.96	3	Vertical	175	1.25	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2412MHz_TX




EUT_X_4TX
Setting 54
01-M-1
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	70.58	74.00	-3.42	30.80	3	Vertical	178	1.47	-
AV	2.39G	53.92	54.00	-0.08	30.80	3	Vertical	178	1.47	-
PK	2.4172G	117.86	Inf	-Inf	30.87	3	Vertical	178	1.47	-
AV	2.4204G	105.84	Inf	-Inf	30.87	3	Vertical	178	1.47	-
PK	2.488G	61.43	74.00	-12.57	30.97	3	Vertical	178	1.47	-
AV	2.484G	49.20	54.00	-4.80	30.96	3	Vertical	178	1.47	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2412MHz_TX




EUT_X_4TX
Setting 54
01-M-1
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	59.75	74.00	-14.25	30.80	3	Horizontal	60	1.31	-
AV	2.3892G	47.36	54.00	-6.64	30.80	3	Horizontal	60	1.31	-
PK	2.4184G	102.79	Inf	-Inf	30.87	3	Horizontal	60	1.31	-
AV	2.41G	91.33	Inf	-Inf	30.86	3	Horizontal	60	1.31	-
PK	2.4864G	59.31	74.00	-14.69	30.97	3	Horizontal	60	1.31	-
AV	2.4872G	47.02	54.00	-6.98	30.97	3	Horizontal	60	1.31	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2417MHz_TX




EUT_X_4TX
Setting 58
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	67.90	74.00	-6.10	30.80	3	Vertical	188	1.49	-
AV	2.3898G	53.93	54.00	-0.07	30.80	3	Vertical	188	1.49	-
PK	2.4182G	119.42	Inf	-Inf	30.87	3	Vertical	188	1.49	-
AV	2.4214G	106.46	Inf	-Inf	30.87	3	Vertical	188	1.49	-
PK	2.4858G	62.05	74.00	-11.95	30.97	3	Vertical	188	1.49	-
AV	2.4838G	49.98	54.00	-4.02	30.96	3	Vertical	188	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2417MHz_TX




EUT_X_4TX
Setting 58
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	59.22	74.00	-14.78	30.80	3	Horizontal	59	1.25	-
AV	2.3894G	47.10	54.00	-6.90	30.80	3	Horizontal	59	1.25	-
PK	2.413G	104.05	Inf	-Inf	30.86	3	Horizontal	59	1.25	-
AV	2.4206G	92.19	Inf	-Inf	30.87	3	Horizontal	59	1.25	-
PK	2.487G	59.86	74.00	-14.14	30.97	3	Horizontal	59	1.25	-
AV	2.4835G	47.05	54.00	-6.95	30.96	3	Horizontal	59	1.25	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2422MHz_TX




EUT_X_4TX
Setting 61
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	69.98	74.00	-4.02	30.80	3	Vertical	183	1.49	-
AV	2.39G	53.86	54.00	-0.14	30.80	3	Vertical	183	1.49	-
PK	2.4144G	120.69	Inf	-Inf	30.86	3	Vertical	183	1.49	-
AV	2.4184G	107.70	Inf	-Inf	30.87	3	Vertical	183	1.49	-
PK	2.4835G	62.66	74.00	-11.34	30.96	3	Vertical	183	1.49	-
AV	2.484G	50.56	54.00	-3.44	30.96	3	Vertical	183	1.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2422MHz_TX




EUT_X_4TX
Setting 61
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3872G	59.12	74.00	-14.88	30.79	3	Horizontal	60	1.26	-
AV	2.3896G	46.95	54.00	-7.05	30.80	3	Horizontal	60	1.26	-
PK	2.4208G	104.34	Inf	-Inf	30.87	3	Horizontal	60	1.26	-
AV	2.42G	92.46	Inf	-Inf	30.87	3	Horizontal	60	1.26	-
PK	2.4932G	59.37	74.00	-14.63	30.98	3	Horizontal	60	1.26	-
AV	2.484G	47.20	54.00	-6.80	30.96	3	Horizontal	60	1.26	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2427MHz_TX




EUT X_4TX
Setting 66
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	68.97	74.00	-5.03	30.80	3	Vertical	176	1.50	-
AV	2.3898G	53.90	54.00	-0.10	30.80	3	Vertical	176	1.50	-
PK	2.4242G	120.27	Inf	-Inf	30.87	3	Vertical	176	1.50	-
AV	2.4246G	109.10	Inf	-Inf	30.87	3	Vertical	176	1.50	-
PK	2.4874G	63.23	74.00	-10.77	30.97	3	Vertical	176	1.50	-
AV	2.4874G	51.29	54.00	-2.71	30.97	3	Vertical	176	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2427MHz_TX




EUT_X_4TX
Setting 66
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3842G	59.58	74.00	-14.42	30.78	3	Horizontal	59	1.22	-
AV	2.3898G	46.94	54.00	-7.06	30.80	3	Horizontal	59	1.22	-
PK	2.4206G	105.42	Inf	-Inf	30.87	3	Horizontal	59	1.22	-
AV	2.4206G	93.94	Inf	-Inf	30.87	3	Horizontal	59	1.22	-
PK	2.493G	59.73	74.00	-14.27	30.98	3	Horizontal	59	1.22	-
AV	2.4946G	47.13	54.00	-6.87	30.98	3	Horizontal	59	1.22	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2432MHz_TX




EUT_X_4TX
Setting 69
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	69.59	74.00	-4.41	30.79	3	Vertical	181	1.08	-
AV	2.39G	53.77	54.00	-0.23	30.80	3	Vertical	181	1.08	-
PK	2.4308G	122.21	Inf	-Inf	30.89	3	Vertical	181	1.08	-
AV	2.4272G	109.86	Inf	-Inf	30.88	3	Vertical	181	1.08	-
PK	2.4884G	65.20	74.00	-8.80	30.97	3	Vertical	181	1.08	-
AV	2.4835G	52.69	54.00	-1.31	30.96	3	Vertical	181	1.08	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2432MHz_TX




EUT_X_4TX
Setting 69
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	59.10	74.00	-14.90	30.80	3	Horizontal	59	1.44	-
AV	2.39G	46.96	54.00	-7.04	30.80	3	Horizontal	59	1.44	-
PK	2.4304G	106.41	Inf	-Inf	30.89	3	Horizontal	59	1.44	-
AV	2.4336G	95.08	Inf	-Inf	30.89	3	Horizontal	59	1.44	-
PK	2.4888G	58.83	74.00	-15.17	30.97	3	Horizontal	59	1.44	-
AV	2.4948G	47.26	54.00	-6.74	30.98	3	Horizontal	59	1.44	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2437MHz_TX




EUT_X_4TX
Setting 69
01-M-1
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	66.97	74.00	-7.03	30.79	3	Vertical	175	1.25	-
AV	2.3898G	52.31	54.00	-1.69	30.80	3	Vertical	175	1.25	-
PK	2.4366G	121.73	Inf	-Inf	30.90	3	Vertical	175	1.25	-
AV	2.4326G	109.22	Inf	-Inf	30.89	3	Vertical	175	1.25	-
PK	2.4838G	68.58	74.00	-5.42	30.96	3	Vertical	175	1.25	-
AV	2.4835G	53.99	54.00	-0.01	30.96	3	Vertical	175	1.25	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2437MHz_TX




EUT_X_4TX
Setting 69
01-M-1
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	58.73	74.00	-15.27	30.80	3	Horizontal	60	1.45	-
AV	2.3858G	46.86	54.00	-7.14	30.79	3	Horizontal	60	1.45	-
PK	2.4354G	106.70	Inf	-Inf	30.90	3	Horizontal	60	1.45	-
AV	2.4326G	94.85	Inf	-Inf	30.89	3	Horizontal	60	1.45	-
PK	2.487G	59.58	74.00	-14.42	30.97	3	Horizontal	60	1.45	-
AV	2.4866G	47.23	54.00	-6.77	30.97	3	Horizontal	60	1.45	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2442MHz_TX




EUT_X_4TX
Setting 67
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3844G	65.96	74.00	-8.04	30.78	3	Vertical	181	1.23	-
AV	2.3896G	50.82	54.00	-3.18	30.80	3	Vertical	181	1.23	-
PK	2.4344G	120.84	Inf	-Inf	30.89	3	Vertical	181	1.23	-
AV	2.4352G	109.00	Inf	-Inf	30.90	3	Vertical	181	1.23	-
PK	2.486G	70.33	74.00	-3.67	30.97	3	Vertical	181	1.23	-
AV	2.484G	53.91	54.00	-0.09	30.96	3	Vertical	181	1.23	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2442MHz_TX




EUT_X_4TX
Setting 67
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3612G	58.91	74.00	-15.09	30.69	3	Horizontal	59	1.45	-
AV	2.3864G	46.88	54.00	-7.12	30.79	3	Horizontal	59	1.45	-
PK	2.4356G	105.84	Inf	-Inf	30.90	3	Horizontal	59	1.45	-
AV	2.4376G	94.81	Inf	-Inf	30.90	3	Horizontal	59	1.45	-
PK	2.4876G	59.35	74.00	-14.65	30.97	3	Horizontal	59	1.45	-
AV	2.4888G	47.41	54.00	-6.59	30.97	3	Horizontal	59	1.45	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2447MHz_TX




EUT_X_4TX
Setting 64
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3886G	63.07	74.00	-10.93	30.80	3	Vertical	189	1.26	-
AV	2.389G	49.83	54.00	-4.17	30.80	3	Vertical	189	1.26	-
PK	2.4522G	119.64	Inf	-Inf	30.92	3	Vertical	189	1.26	-
AV	2.4506G	108.28	Inf	-Inf	30.92	3	Vertical	189	1.26	-
PK	2.4838G	67.02	74.00	-6.98	30.96	3	Vertical	189	1.26	-
AV	2.4842G	53.94	54.00	-0.06	30.96	3	Vertical	189	1.26	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2447MHz_TX




EUT_X_4TX
Setting 64
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	58.11	74.00	-15.89	30.79	3	Horizontal	56	1.50	-
AV	2.3894G	46.73	54.00	-7.27	30.80	3	Horizontal	56	1.50	-
PK	2.4446G	104.61	Inf	-Inf	30.90	3	Horizontal	56	1.50	-
AV	2.4378G	92.70	Inf	-Inf	30.90	3	Horizontal	56	1.50	-
PK	2.4858G	59.19	74.00	-14.81	30.97	3	Horizontal	56	1.50	-
AV	2.4846G	47.36	54.00	-6.64	30.96	3	Horizontal	56	1.50	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2452MHz_TX




EUT_X_4TX
Setting 59
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	62.10	74.00	-11.90	30.80	3	Vertical	178	1.26	-
AV	2.3864G	49.25	54.00	-4.75	30.79	3	Vertical	178	1.26	-
PK	2.4456G	119.56	Inf	-Inf	30.91	3	Vertical	178	1.26	-
AV	2.4536G	107.27	Inf	-Inf	30.92	3	Vertical	178	1.26	-
PK	2.4856G	67.64	74.00	-6.36	30.97	3	Vertical	178	1.26	-
AV	2.4835G	53.89	54.00	-0.11	30.96	3	Vertical	178	1.26	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2452MHz_TX




EUT_X_4TX
Setting 59
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3812G	59.16	74.00	-14.84	30.76	3	Horizontal	60	1.16	-
AV	2.3864G	46.55	54.00	-7.45	30.79	3	Horizontal	60	1.16	-
PK	2.4512G	103.17	Inf	-Inf	30.92	3	Horizontal	60	1.16	-
AV	2.4476G	91.77	Inf	-Inf	30.91	3	Horizontal	60	1.16	-
PK	2.4892G	58.60	74.00	-15.40	30.97	3	Horizontal	60	1.16	-
AV	2.484G	47.12	54.00	-6.88	30.96	3	Horizontal	60	1.16	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2457MHz_TX




EUT_X_4TX
Setting 54
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	60.55	74.00	-13.45	30.79	3	Vertical	181	1.26	-
AV	2.3898G	49.15	54.00	-4.85	30.80	3	Vertical	181	1.26	-
PK	2.4558G	118.41	Inf	-Inf	30.93	3	Vertical	181	1.26	-
AV	2.4522G	106.63	Inf	-Inf	30.92	3	Vertical	181	1.26	-
PK	2.4838G	67.30	74.00	-6.70	30.96	3	Vertical	181	1.26	-
AV	2.4836G	53.95	54.00	-0.05	30.96	3	Vertical	181	1.26	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2457MHz_TX




EUT_X_4TX
Setting 54
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3814G	58.32	74.00	-15.68	30.77	3	Horizontal	60	1.01	-
AV	2.3802G	46.51	54.00	-7.49	30.76	3	Horizontal	60	1.01	-
PK	2.4526G	102.67	Inf	-Inf	30.92	3	Horizontal	60	1.01	-
AV	2.4506G	90.68	Inf	-Inf	30.92	3	Horizontal	60	1.01	-
PK	2.491G	59.10	74.00	-14.90	30.98	3	Horizontal	60	1.01	-
AV	2.4986G	47.28	54.00	-6.72	30.99	3	Horizontal	60	1.01	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2462MHz_TX




EUT_X_4TX
Setting 50
01-M-1
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3828G	59.81	74.00	-14.19	30.78	3	Vertical	181	1.44	-
AV	2.3884G	48.30	54.00	-5.70	30.80	3	Vertical	181	1.44	-
PK	2.4676G	117.30	Inf	-Inf	30.94	3	Vertical	181	1.44	-
AV	2.4572G	105.23	Inf	-Inf	30.93	3	Vertical	181	1.44	-
PK	2.4852G	68.32	74.00	-5.68	30.97	3	Vertical	181	1.44	-
AV	2.4835G	53.74	54.00	-0.26	30.96	3	Vertical	181	1.44	-

802.11ax HEW20_Nss4,(MCS0)_4TX

13/02/2019

2462MHz_TX




EUT_X_4TX
Setting 50
01-M-1
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3724G	57.91	74.00	-16.09	30.74	3	Horizontal	58	1.02	-
AV	2.382G	46.66	54.00	-7.34	30.78	3	Horizontal	58	1.02	-
PK	2.4576G	100.82	Inf	-Inf	30.93	3	Horizontal	58	1.02	-
AV	2.4552G	89.22	Inf	-Inf	30.93	3	Horizontal	58	1.02	-
PK	2.4835G	59.72	74.00	-14.28	30.96	3	Horizontal	58	1.02	-
AV	2.484G	47.32	54.00	-6.68	30.96	3	Horizontal	58	1.02	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2422MHz_TX




EUT_X_4TX
Setting 40
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.384G	64.18	74.00	-9.82	30.78	3	Vertical	180	1.49	-
AV	2.3844G	53.87	54.00	-0.13	30.78	3	Vertical	180	1.49	-
PK	2.424G	112.99	Inf	-Inf	30.87	3	Vertical	180	1.49	-
AV	2.4168G	101.65	Inf	-Inf	30.87	3	Vertical	180	1.49	-
PK	2.484G	61.44	74.00	-12.56	30.96	3	Vertical	180	1.49	-
AV	2.4916G	50.41	54.00	-3.59	30.98	3	Vertical	180	1.49	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2422MHz_TX




EUT_X_4TX
Setting 40
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3812G	58.72	74.00	-15.28	30.76	3	Horizontal	58	1.22	-
AV	2.3844G	47.64	54.00	-6.36	30.78	3	Horizontal	58	1.22	-
PK	2.4248G	96.53	Inf	-Inf	30.87	3	Horizontal	58	1.22	-
AV	2.418G	86.83	Inf	-Inf	30.87	3	Horizontal	58	1.22	-
PK	2.4896G	58.61	74.00	-15.39	30.97	3	Horizontal	58	1.22	-
AV	2.4852G	48.09	54.00	-5.91	30.97	3	Horizontal	58	1.22	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2427MHz_TX




EUT_X_4TX
Setting 41
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	64.73	74.00	-9.27	30.80	3	Vertical	176	1.48	-
AV	2.3894G	53.98	54.00	-0.02	30.80	3	Vertical	176	1.48	-
PK	2.4326G	111.99	Inf	-Inf	30.89	3	Vertical	176	1.48	-
AV	2.4202G	102.46	Inf	-Inf	30.87	3	Vertical	176	1.48	-
PK	2.4846G	61.90	74.00	-12.10	30.96	3	Vertical	176	1.48	-
AV	2.4866G	50.69	54.00	-3.31	30.97	3	Vertical	176	1.48	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2427MHz_TX




EUT_X_4TX
Setting 41
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3718G	58.54	74.00	-15.46	30.74	3	Horizontal	60	1.22	-
AV	2.3842G	48.02	54.00	-5.98	30.78	3	Horizontal	60	1.22	-
PK	2.4318G	97.40	Inf	-Inf	30.89	3	Horizontal	60	1.22	-
AV	2.4218G	87.40	Inf	-Inf	30.87	3	Horizontal	60	1.22	-
PK	2.4978G	58.83	74.00	-15.17	30.99	3	Horizontal	60	1.22	-
AV	2.489G	48.30	54.00	-5.70	30.97	3	Horizontal	60	1.22	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2432MHz_TX




EUT_X_4TX
Setting 47
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	67.62	74.00	-6.38	30.79	3	Vertical	173	1.11	-
AV	2.3872G	53.98	54.00	-0.02	30.79	3	Vertical	173	1.11	-
PK	2.4284G	113.55	Inf	-Inf	30.88	3	Vertical	173	1.11	-
AV	2.4268G	103.55	Inf	-Inf	30.88	3	Vertical	173	1.11	-
PK	2.4844G	62.56	74.00	-11.44	30.96	3	Vertical	173	1.11	-
AV	2.486G	51.79	54.00	-2.21	30.97	3	Vertical	173	1.11	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2432MHz_TX




EUT_X_4TX
Setting 47
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3876G	58.97	74.00	-15.03	30.79	3	Horizontal	57	1.43	-
AV	2.386G	47.86	54.00	-6.14	30.79	3	Horizontal	57	1.43	-
PK	2.4284G	99.32	Inf	-Inf	30.88	3	Horizontal	57	1.43	-
AV	2.4252G	88.29	Inf	-Inf	30.88	3	Horizontal	57	1.43	-
PK	2.4868G	58.70	74.00	-15.30	30.97	3	Horizontal	57	1.43	-
AV	2.4932G	48.57	54.00	-5.43	30.98	3	Horizontal	57	1.43	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2437MHz_TX




EUT_X_4TX
Setting 49
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.385G	66.00	74.00	-8.00	30.79	3	Vertical	178	1.50	-
AV	2.3858G	52.86	54.00	-1.14	30.79	3	Vertical	178	1.50	-
PK	2.4218G	114.09	Inf	-Inf	30.87	3	Vertical	178	1.50	-
AV	2.4318G	103.30	Inf	-Inf	30.89	3	Vertical	178	1.50	-
PK	2.4838G	66.15	74.00	-7.85	30.96	3	Vertical	178	1.50	-
AV	2.4838G	53.97	54.00	-0.03	30.96	3	Vertical	178	1.50	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2437MHz_TX




EUT_X_4TX
Setting 49
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3666G	58.68	74.00	-15.32	30.71	3	Horizontal	59	1.43	-
AV	2.347G	48.27	54.00	-5.73	30.64	3	Horizontal	59	1.43	-
PK	2.4334G	100.14	Inf	-Inf	30.89	3	Horizontal	59	1.43	-
AV	2.4358G	89.17	Inf	-Inf	30.90	3	Horizontal	59	1.43	-
PK	2.493G	58.85	74.00	-15.15	30.98	3	Horizontal	59	1.43	-
AV	2.4846G	48.57	54.00	-5.43	30.96	3	Horizontal	59	1.43	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2442MHz_TX




EUT_X_4TX
Setting 48
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	61.91	74.00	-12.09	30.79	3	Vertical	192	1.33	-
AV	2.39G	51.02	54.00	-2.98	30.80	3	Vertical	192	1.33	-
PK	2.4336G	113.21	Inf	-Inf	30.89	3	Vertical	192	1.33	-
AV	2.4532G	102.74	Inf	-Inf	30.92	3	Vertical	192	1.33	-
PK	2.484G	66.67	74.00	-7.33	30.96	3	Vertical	192	1.33	-
AV	2.4848G	53.92	54.00	-0.08	30.96	3	Vertical	192	1.33	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2442MHz_TX




EUT_X_4TX
Setting 48
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3836G	58.44	74.00	-15.56	30.78	3	Horizontal	60	1.41	-
AV	2.3852G	47.89	54.00	-6.11	30.79	3	Horizontal	60	1.41	-
PK	2.4448G	98.48	Inf	-Inf	30.90	3	Horizontal	60	1.41	-
AV	2.4328G	88.41	Inf	-Inf	30.89	3	Horizontal	60	1.41	-
PK	2.4992G	58.87	74.00	-15.13	30.99	3	Horizontal	60	1.41	-
AV	2.4964G	48.31	54.00	-5.69	30.99	3	Horizontal	60	1.41	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2447MHz_TX




EUT_X_4TX
Setting 41
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.383G	60.21	74.00	-13.79	30.78	3	Vertical	166	1.09	-
AV	2.3858G	49.72	54.00	-4.28	30.79	3	Vertical	166	1.09	-
PK	2.4434G	112.02	Inf	-Inf	30.90	3	Vertical	166	1.09	-
AV	2.4418G	101.02	Inf	-Inf	30.90	3	Vertical	166	1.09	-
PK	2.4835G	66.21	74.00	-7.79	30.96	3	Vertical	166	1.09	-
AV	2.4846G	53.96	54.00	-0.04	30.96	3	Vertical	166	1.09	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2447MHz_TX




EUT_X_4TX
Setting 41
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	58.35	74.00	-15.65	30.80	3	Horizontal	59	1.44	-
AV	2.3638G	47.58	54.00	-6.42	30.70	3	Horizontal	59	1.44	-
PK	2.4358G	97.98	Inf	-Inf	30.90	3	Horizontal	59	1.44	-
AV	2.4402G	87.02	Inf	-Inf	30.90	3	Horizontal	59	1.44	-
PK	2.4898G	60.57	74.00	-13.43	30.97	3	Horizontal	59	1.44	-
AV	2.491G	48.25	54.00	-5.75	30.98	3	Horizontal	59	1.44	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2452MHz_TX



Lim.PK 
 PK 
 Lim_AV 
 AV 


EUT_X_4TX
 Setting 40
 01-J-5
 FSU
 ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3832G	60.51	74.00	-13.49	30.78	3	Vertical	182	1.44	-
AV	2.3856G	49.27	54.00	-4.73	30.79	3	Vertical	182	1.44	-
PK	2.4436G	111.70	Inf	-Inf	30.90	3	Vertical	182	1.44	-
AV	2.45G	101.32	Inf	-Inf	30.92	3	Vertical	182	1.44	-
PK	2.4904G	66.15	74.00	-7.85	30.98	3	Vertical	182	1.44	-
AV	2.4904G	53.99	54.00	-0.01	30.98	3	Vertical	182	1.44	-

802.11ax HEW40_Nss4,(MCS0)_4TX

13/02/2019

2452MHz_TX



EUT_X_4TX
Setting 40
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	58.03	74.00	-15.97	30.80	3	Horizontal	59	1.14	-
AV	2.39G	47.75	54.00	-6.25	30.80	3	Horizontal	59	1.14	-
PK	2.4384G	96.13	Inf	-Inf	30.90	3	Horizontal	59	1.14	-
AV	2.4468G	86.49	Inf	-Inf	30.91	3	Horizontal	59	1.14	-
PK	2.4968G	59.23	74.00	-14.77	30.99	3	Horizontal	59	1.14	-
AV	2.4916G	48.34	54.00	-5.66	30.98	3	Horizontal	59	1.14	-