


802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5610MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.22158G	40.94	54.00	-13.06	13.83	3	Horizontal	145	1.05	-
PK	11.2238G	53.24	74.00	-20.76	13.82	3	Horizontal	145	1.05	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4464G	42.49	54.00	-11.51	3.08	3	Vertical	117	2.89	-
AV	5.6888G	92.99	Inf	-Inf	3.52	3	Vertical	117	2.89	-
PK	5.4236G	54.64	74.00	-19.36	3.06	3	Vertical	117	2.89	-
PK	5.4644G	54.65	68.20	-13.55	3.11	3	Vertical	117	2.89	-
PK	5.6864G	103.74	Inf	-Inf	3.51	3	Vertical	117	2.89	-
PK	5.852G	61.11	68.20	-7.09	3.83	3	Vertical	117	2.89	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	44.27	54.00	-9.73	3.10	3	Horizontal	207	1.00	-
AV	5.672G	97.72	Inf	-Inf	3.48	3	Horizontal	207	1.00	-
PK	5.4464G	54.92	74.00	-19.08	3.08	3	Horizontal	207	1.00	-
PK	5.4692G	55.99	68.20	-12.21	3.11	3	Horizontal	207	1.00	-
PK	5.6864G	107.04	Inf	-Inf	3.51	3	Horizontal	207	1.00	-
PK	5.8568G	63.86	68.20	-4.34	3.84	3	Horizontal	207	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.38032G	40.56	54.00	-13.44	13.68	3	Vertical	175	1.31	-
PK	11.37506G	52.95	74.00	-21.05	13.68	3	Vertical	175	1.31	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.37936G	40.69	54.00	-13.31	13.68	3	Horizontal	204	1.07	-
PK	11.38124G	52.53	74.00	-21.47	13.68	3	Horizontal	204	1.07	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.781G	90.16	Inf	-Inf	3.69	3	Vertical	201	2.49	-
PK	5.649G	57.35	68.20	-10.85	3.44	3	Vertical	201	2.49	-
PK	5.7714G	99.29	Inf	-Inf	3.68	3	Vertical	201	2.49	-
PK	5.985G	55.74	68.20	-12.46	4.10	3	Vertical	201	2.49	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7882G	93.94	Inf	-Inf	3.71	3	Horizontal	308	1.02	-
PK	5.6442G	60.95	68.20	-7.25	3.43	3	Horizontal	308	1.02	-
PK	5.7714G	103.75	Inf	-Inf	3.68	3	Horizontal	308	1.02	-
PK	5.9298G	57.46	68.20	-10.74	3.99	3	Horizontal	308	1.02	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

06/07/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.54928G	40.22	54.00	-13.78	13.52	3	Vertical	154	1.44	-
PK	11.55072G	52.39	74.00	-21.61	13.52	3	Vertical	154	1.44	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

06/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.55618G	40.42	54.00	-13.58	13.52	3	Horizontal	214	1.50	-
PK	11.53992G	52.98	74.00	-21.02	13.53	3	Horizontal	214	1.50	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5775MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7534G	89.54	Inf	-Inf	3.64	3	Vertical	115	2.99	-
PK	5.6454G	57.84	68.20	-10.36	3.43	3	Vertical	115	2.99	-
PK	5.7534G	98.64	Inf	-Inf	3.64	3	Vertical	115	2.99	-
PK	5.9286G	55.40	68.20	-12.80	3.99	3	Vertical	115	2.99	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5775MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7606G	94.41	Inf	-Inf	3.66	3	Horizontal	207	1.07	-
PK	5.6454G	64.40	68.20	-3.80	3.43	3	Horizontal	207	1.07	-
PK	5.769G	103.82	Inf	-Inf	3.67	3	Horizontal	207	1.07	-
PK	5.931G	56.62	68.20	-11.58	3.99	3	Horizontal	207	1.07	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5775MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.54686G	40.41	54.00	-13.59	13.53	3	Vertical	120	1.85	-
PK	11.55306G	52.37	74.00	-21.63	13.52	3	Vertical	120	1.85	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)

5775MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.54736G	40.57	54.00	-13.43	13.53	3	Horizontal	100	1.75	-
PK	11.55208G	52.96	74.00	-21.04	13.52	3	Horizontal	100	1.75	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	45.18	54.00	-8.82	2.74	3	Vertical	80	2.00	-
AV	5.231G	86.23	Inf	-Inf	2.83	3	Vertical	80	2.00	-
AV	5.443G	42.48	54.00	-11.52	3.08	3	Vertical	80	2.00	-
PK	5.147G	55.70	74.00	-18.30	2.74	3	Vertical	80	2.00	-
PK	5.227G	95.89	Inf	-Inf	2.83	3	Vertical	80	2.00	-
PK	5.381G	54.32	74.00	-19.68	3.01	3	Vertical	80	2.00	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.147G	50.51	54.00	-3.49	2.74	3	Horizontal	255	1.02	-
AV	5.203G	93.72	Inf	-Inf	2.80	3	Horizontal	255	1.02	-
AV	5.350005G	43.11	54.00	-10.89	2.97	3	Horizontal	255	1.02	-
PK	5.139G	61.75	74.00	-12.25	2.73	3	Horizontal	255	1.02	-
PK	5.203G	103.31	Inf	-Inf	2.80	3	Horizontal	255	1.02	-
PK	5.449G	54.12	74.00	-19.88	3.08	3	Horizontal	255	1.02	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.41558G	40.32	54.00	-13.68	12.76	3	Vertical	142	1.05	-
PK	10.4244G	52.69	74.00	-21.31	12.78	3	Vertical	142	1.05	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

07/07/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.41612G	39.91	54.00	-14.09	12.76	3	Horizontal	150	1.46	-
PK	10.41732G	52.53	74.00	-21.47	12.76	3	Horizontal	150	1.46	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.073G	43.46	54.00	-10.54	2.65	3	Vertical	16	2.99	-
AV	5.284G	89.64	Inf	-Inf	2.89	3	Vertical	16	2.99	-
AV	5.350005G	49.84	54.00	-4.16	2.97	3	Vertical	16	2.99	-
PK	5.113G	55.54	74.00	-18.46	2.70	3	Vertical	16	2.99	-
PK	5.285G	98.69	Inf	-Inf	2.89	3	Vertical	16	2.99	-
PK	5.356G	61.70	74.00	-12.30	2.97	3	Vertical	16	2.99	-
PK	5.479G	54.41	68.20	-13.79	3.12	3	Vertical	16	2.99	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	44.33	54.00	-9.67	2.74	3	Horizontal	271	1.01	-
AV	5.288G	93.91	Inf	-Inf	2.90	3	Horizontal	271	1.01	-
AV	5.350005G	52.74	54.00	-1.26	2.97	3	Horizontal	271	1.01	-
PK	5.142G	56.85	74.00	-17.15	2.74	3	Horizontal	271	1.01	-
PK	5.3G	103.17	Inf	-Inf	2.91	3	Horizontal	271	1.01	-
PK	5.352G	64.84	74.00	-9.16	2.97	3	Horizontal	271	1.01	-
PK	5.492G	54.55	68.20	-13.65	3.13	3	Horizontal	271	1.01	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

07/07/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.57846G	40.39	54.00	-13.61	13.11	3	Vertical	84	1.53	-
PK	10.57952G	52.67	74.00	-21.33	13.11	3	Vertical	84	1.53	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

07/07/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.57722G	40.42	54.00	-13.58	13.11	3	Horizontal	252	1.32	-
PK	10.57728G	52.35	74.00	-21.65	13.11	3	Horizontal	252	1.32	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.458G	48.62	54.00	-5.38	3.09	3	Vertical	15	2.68	-
AV	5.538G	91.67	Inf	-Inf	3.22	3	Vertical	15	2.68	-
PK	5.308G	54.42	68.20	-13.78	2.92	3	Vertical	15	2.68	-
PK	5.453G	59.61	74.00	-14.39	3.09	3	Vertical	15	2.68	-
PK	5.462G	60.72	68.20	-7.48	3.10	3	Vertical	15	2.68	-
PK	5.535G	101.01	Inf	-Inf	3.21	3	Vertical	15	2.68	-
PK	5.779G	54.94	68.20	-13.26	3.69	3	Vertical	15	2.68	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	52.97	54.00	-1.03	3.10	3	Horizontal	298	1.04	-
AV	5.524G	95.66	Inf	-Inf	3.19	3	Horizontal	298	1.04	-
PK	5.346G	54.49	68.20	-13.71	2.97	3	Horizontal	298	1.04	-
PK	5.459995G	64.73	74.00	-9.27	3.10	3	Horizontal	298	1.04	-
PK	5.464G	65.81	68.20	-2.39	3.10	3	Horizontal	298	1.04	-
PK	5.533G	104.73	Inf	-Inf	3.21	3	Horizontal	298	1.04	-
PK	5.763G	55.40	68.20	-12.80	3.66	3	Horizontal	298	1.04	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0609G	41.02	54.00	-12.98	13.97	3	Vertical	206	2.45	-
PK	11.06334G	53.27	74.00	-20.73	13.97	3	Vertical	206	2.45	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0649G	41.27	54.00	-12.73	13.97	3	Horizontal	256	2.30	-
PK	11.05836G	53.01	74.00	-20.99	13.98	3	Horizontal	256	2.30	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	45.38	54.00	-8.62	3.10	3	Vertical	286	1.03	-
AV	5.604G	91.92	Inf	-Inf	3.35	3	Vertical	286	1.03	-
PK	5.454G	55.86	74.00	-18.14	3.09	3	Vertical	286	1.03	-
PK	5.464G	56.93	68.20	-11.27	3.10	3	Vertical	286	1.03	-
PK	5.603G	101.34	Inf	-Inf	3.35	3	Vertical	286	1.03	-
PK	5.728G	57.73	68.20	-10.47	3.59	3	Vertical	286	1.03	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	49.52	54.00	-4.48	3.10	3	Horizontal	282	1.02	-
AV	5.603G	98.57	Inf	-Inf	3.35	3	Horizontal	282	1.02	-
PK	5.459995G	62.58	74.00	-11.42	3.10	3	Horizontal	282	1.02	-
PK	5.469G	63.88	68.20	-4.32	3.11	3	Horizontal	282	1.02	-
PK	5.613G	108.55	Inf	-Inf	3.37	3	Horizontal	282	1.02	-
PK	5.727G	67.11	68.20	-1.09	3.59	3	Horizontal	282	1.02	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

07/07/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.21534G	40.63	54.00	-13.37	13.83	3	Vertical	197	1.36	-
PK	11.22176G	53.05	74.00	-20.95	13.83	3	Vertical	197	1.36	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.22184G	40.77	54.00	-13.23	13.83	3	Horizontal	260	2.23	-
PK	11.2178G	52.59	74.00	-21.41	13.83	3	Horizontal	260	2.23	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4536G	42.94	54.00	-11.06	3.09	3	Vertical	209	1.00	-
AV	5.696G	94.55	Inf	-Inf	3.53	3	Vertical	209	1.00	-
PK	5.4368G	54.18	74.00	-19.82	3.07	3	Vertical	209	1.00	-
PK	5.462G	55.00	68.20	-13.20	3.10	3	Vertical	209	1.00	-
PK	5.6912G	104.04	Inf	-Inf	3.52	3	Vertical	209	1.00	-
PK	5.8592G	60.55	68.20	-7.65	3.84	3	Vertical	209	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4548G	44.72	54.00	-9.28	3.09	3	Horizontal	288	1.04	-
AV	5.696G	101.19	Inf	-Inf	3.53	3	Horizontal	288	1.04	-
PK	5.4584G	56.49	74.00	-17.51	3.10	3	Horizontal	288	1.04	-
PK	5.4644G	56.59	68.20	-11.61	3.11	3	Horizontal	288	1.04	-
PK	5.6708G	110.53	Inf	-Inf	3.48	3	Horizontal	288	1.04	-
PK	5.8508G	66.82	68.20	-1.38	3.83	3	Horizontal	288	1.04	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3827G	39.97	54.00	-14.03	13.68	3	Vertical	198	1.58	-
PK	11.38026G	52.07	74.00	-21.93	13.68	3	Vertical	198	1.58	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.37872G	40.38	54.00	-13.62	13.68	3	Horizontal	114	2.14	-
PK	11.381G	52.01	74.00	-21.99	13.68	3	Horizontal	114	2.14	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7774G	92.48	Inf	-Inf	3.69	3	Vertical	204	1.02	-
PK	5.6466G	58.33	68.20	-9.87	3.44	3	Vertical	204	1.02	-
PK	5.769G	101.60	Inf	-Inf	3.67	3	Vertical	204	1.02	-
PK	5.9286G	55.34	68.20	-12.86	3.99	3	Vertical	204	1.02	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

07/07/2018





Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7822G	99.05	Inf	-Inf	3.70	3	Horizontal	287	1.04	-
PK	5.6502G	63.79	68.35	-4.56	3.44	3	Horizontal	287	1.04	-
PK	5.7894G	108.00	Inf	-Inf	3.71	3	Horizontal	287	1.04	-
PK	5.925G	59.06	68.20	-9.14	3.98	3	Horizontal	287	1.04	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

07/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5539G	40.13	54.00	-13.87	13.52	3	Vertical	240	2.11	-
PK	11.54524G	51.89	74.00	-22.11	13.53	3	Vertical	240	2.11	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

07/07/2018



Lim.PK	
PK	
Lim.AV	
AV	

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.55318G	40.05	54.00	-13.95	13.52	3	Horizontal	264	1.41	-
PK	11.55136G	51.67	74.00	-22.33	13.52	3	Horizontal	264	1.41	-

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	41.64M	30.16	40.00	-9.84	-10.46	3	Vertical	360	1.00	-
802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)	Pass	PK	39.7M	29.24	40.00	-10.76	-9.61	3	Vertical	360	1.00	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	39.7M	32.15	40.00	-7.85	-9.61	3	Horizontal	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	PK	41.64M	30.16	40.00	-9.84	-10.46	3	Vertical	360	1.00	-
5500MHz	Pass	PK	159.98M	24.84	43.50	-18.66	-10.55	3	Vertical	360	1.00	-
5500MHz	Pass	PK	260.86M	25.24	46.00	-20.76	-5.80	3	Vertical	360	1.00	-
5500MHz	Pass	PK	450.98M	29.71	46.00	-16.29	-2.89	3	Vertical	360	1.00	-
5500MHz	Pass	PK	553.8M	31.36	46.00	-14.64	-1.02	3	Vertical	360	1.00	-
5500MHz	Pass	PK	643.04M	31.82	46.00	-14.18	-0.34	3	Vertical	360	1.00	-
5500MHz	Pass	PK	39.7M	26.65	40.00	-13.35	-9.61	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	161.92M	23.54	43.50	-19.96	-10.59	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	264.74M	25.52	46.00	-20.48	-5.91	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	402.48M	27.76	46.00	-18.24	-3.69	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	468.44M	29.27	46.00	-16.73	-2.59	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	650.8M	31.73	46.00	-14.27	-0.33	3	Horizontal	0	1.00	-
802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	PK	39.7M	29.24	40.00	-10.76	-9.61	3	Vertical	360	1.00	-
5500MHz	Pass	PK	90.14M	27.02	43.50	-16.48	-12.55	3	Vertical	360	1.00	-
5500MHz	Pass	PK	260.86M	24.73	46.00	-21.27	-5.80	3	Vertical	360	1.00	-
5500MHz	Pass	PK	421.88M	28.26	46.00	-17.74	-2.84	3	Vertical	360	1.00	-
5500MHz	Pass	PK	493.66M	28.82	46.00	-17.18	-2.37	3	Vertical	360	1.00	-
5500MHz	Pass	PK	563.5M	30.27	46.00	-15.73	-0.99	3	Vertical	360	1.00	-
5500MHz	Pass	PK	37.76M	26.87	40.00	-13.13	-8.64	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	181.32M	24.57	43.50	-18.93	-11.01	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	264.74M	25.94	46.00	-20.06	-5.91	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	324.88M	26.67	46.00	-19.33	-5.47	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	480.08M	28.73	46.00	-17.27	-2.34	3	Horizontal	0	1.00	-
5500MHz	Pass	PK	565.44M	29.95	46.00	-16.05	-1.05	3	Horizontal	0	1.00	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	PK	45.52M	31.26	40.00	-8.74	-12.12	3	Vertical	0	1.00	-
5610MHz	Pass	PK	117.3M	27.43	43.50	-16.07	-8.93	3	Vertical	0	1.00	-
5610MHz	Pass	PK	179.38M	27.28	43.50	-16.22	-10.99	3	Vertical	0	1.00	-
5610MHz	Pass	PK	319.06M	29.05	46.00	-16.95	-5.52	3	Vertical	0	1.00	-
5610MHz	Pass	PK	450.98M	32.21	46.00	-13.79	-2.89	3	Vertical	0	1.00	-
5610MHz	Pass	PK	553.8M	33.86	46.00	-12.14	-1.02	3	Vertical	0	1.00	-
5610MHz	Pass	PK	39.7M	32.15	40.00	-7.85	-9.61	3	Horizontal	360	1.00	-
5610MHz	Pass	PK	117.3M	27.57	43.50	-15.93	-8.93	3	Horizontal	360	1.00	-
5610MHz	Pass	PK	224M	27.12	46.00	-18.88	-10.09	3	Horizontal	360	1.00	-
5610MHz	Pass	PK	419.94M	33.26	46.00	-12.74	-2.82	3	Horizontal	360	1.00	-
5610MHz	Pass	PK	505.3M	33.64	46.00	-12.36	-2.37	3	Horizontal	360	1.00	-
5610MHz	Pass	PK	606.18M	34.04	46.00	-11.96	-0.86	3	Horizontal	360	1.00	-

802.11a_Nss1,(6Mbps)_2RX

5500MHz_Adapter

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	41.64M	30.16	40.00	-9.84	-10.46	3	Vertical	360	1.00	-
PK	159.98M	24.84	43.50	-18.66	-10.55	3	Vertical	360	1.00	-
PK	260.86M	25.24	46.00	-20.76	-5.80	3	Vertical	360	1.00	-
PK	450.98M	29.71	46.00	-16.29	-2.89	3	Vertical	360	1.00	-
PK	553.8M	31.36	46.00	-14.64	-1.02	3	Vertical	360	1.00	-
PK	643.04M	31.82	46.00	-14.18	-0.34	3	Vertical	360	1.00	-

802.11a_Nss1,(6Mbps)_2RX

5500MHz_Adapter

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	39.7M	26.65	40.00	-13.35	-9.61	3	Horizontal	0	1.00	-
PK	161.92M	23.54	43.50	-19.96	-10.59	3	Horizontal	0	1.00	-
PK	264.74M	25.52	46.00	-20.48	-5.91	3	Horizontal	0	1.00	-
PK	402.48M	27.76	46.00	-18.24	-3.69	3	Horizontal	0	1.00	-
PK	468.44M	29.27	46.00	-16.73	-2.59	3	Horizontal	0	1.00	-
PK	650.8M	31.73	46.00	-14.27	-0.33	3	Horizontal	0	1.00	-

802.11ac VHT20_Nss1,(MCS0)_1RX(Port1)

5500MHz_Adapter

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	39.7M	29.24	40.00	-10.76	-9.61	3	Vertical	360	1.00	-
PK	90.14M	27.02	43.50	-16.48	-12.55	3	Vertical	360	1.00	-
PK	260.86M	24.73	46.00	-21.27	-5.80	3	Vertical	360	1.00	-
PK	421.88M	28.26	46.00	-17.74	-2.84	3	Vertical	360	1.00	-
PK	493.66M	28.82	46.00	-17.18	-2.37	3	Vertical	360	1.00	-
PK	563.5M	30.27	46.00	-15.73	-0.99	3	Vertical	360	1.00	-

802.11ac VHT20_Nss1,(MCS0)_1RX(Port1)

5500MHz_Adapter

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	37.76M	26.87	40.00	-13.13	-8.64	3	Horizontal	0	1.00	-
PK	181.32M	24.57	43.50	-18.93	-11.01	3	Horizontal	0	1.00	-
PK	264.74M	25.94	46.00	-20.06	-5.91	3	Horizontal	0	1.00	-
PK	324.88M	26.67	46.00	-19.33	-5.47	3	Horizontal	0	1.00	-
PK	480.08M	28.73	46.00	-17.27	-2.34	3	Horizontal	0	1.00	-
PK	565.44M	29.95	46.00	-16.05	-1.05	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port2)

5610MHz_Adapter

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	45.52M	31.26	40.00	-8.74	-12.12	3	Vertical	0	1.00	-
PK	117.3M	27.43	43.50	-16.07	-8.93	3	Vertical	0	1.00	-
PK	179.38M	27.28	43.50	-16.22	-10.99	3	Vertical	0	1.00	-
PK	319.06M	29.05	46.00	-16.95	-5.52	3	Vertical	0	1.00	-
PK	450.98M	32.21	46.00	-13.79	-2.89	3	Vertical	0	1.00	-
PK	553.8M	33.86	46.00	-12.14	-1.02	3	Vertical	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port2)

5610MHz_Adapter

08/01/2019



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	39.7M	32.15	40.00	-7.85	-9.61	3	Horizontal	360	1.00	-
PK	117.3M	27.57	43.50	-15.93	-8.93	3	Horizontal	360	1.00	-
PK	224M	27.12	46.00	-18.88	-10.09	3	Horizontal	360	1.00	-
PK	419.94M	33.26	46.00	-12.74	-2.82	3	Horizontal	360	1.00	-
PK	505.3M	33.64	46.00	-12.36	-2.37	3	Horizontal	360	1.00	-
PK	606.18M	34.04	46.00	-11.96	-0.86	3	Horizontal	360	1.00	-

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	2.192G	36.88	54.00	-17.12	-4.23	3	Vertical	355	1.57	-
802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.621G	34.88	54.00	-19.12	-3.07	3	Horizontal	286	1.51	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	1.681G	37.62	54.00	-16.38	-5.49	3	Vertical	88	2.42	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	1.763G	35.62	54.00	-18.38	-5.30	3	Vertical	130	1.42	-
5500MHz	Pass	AV	2.192G	36.88	54.00	-17.12	-4.23	3	Vertical	355	1.57	-
5500MHz	Pass	AV	3.252G	31.25	54.00	-22.75	-1.82	3	Vertical	179	1.62	-
5500MHz	Pass	PK	1.763G	49.28	74.00	-24.72	-5.30	3	Vertical	130	1.42	-
5500MHz	Pass	PK	2.192G	50.26	74.00	-23.74	-4.23	3	Vertical	355	1.57	-
5500MHz	Pass	PK	3.252G	42.31	74.00	-31.69	-1.82	3	Vertical	179	1.62	-
5500MHz	Pass	AV	1.485G	36.21	54.00	-17.79	-5.98	3	Horizontal	272	2.19	-
5500MHz	Pass	AV	2.256G	34.82	54.00	-19.18	-4.05	3	Horizontal	195	1.82	-
5500MHz	Pass	AV	3.356G	33.21	54.00	-20.79	-1.69	3	Horizontal	34	1.03	-
5500MHz	Pass	PK	1.485G	49.17	74.00	-24.83	-5.98	3	Horizontal	272	2.19	-
5500MHz	Pass	PK	2.256G	50.62	74.00	-23.38	-4.05	3	Horizontal	195	1.82	-
5500MHz	Pass	PK	3.356G	44.63	74.00	-29.37	-1.69	3	Horizontal	34	1.03	-
802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	1.8G	32.26	54.00	-21.74	-5.22	3	Vertical	36	1.36	-
5500MHz	Pass	AV	2.448G	33.88	54.00	-20.12	-3.51	3	Vertical	271	1.59	-
5500MHz	Pass	AV	3.168G	27.26	54.00	-26.74	-1.92	3	Vertical	189	1.48	-
5500MHz	Pass	PK	1.8G	44.19	74.00	-29.81	-5.22	3	Vertical	36	1.36	-
5500MHz	Pass	PK	2.448G	49.27	74.00	-24.73	-3.51	3	Vertical	271	1.59	-
5500MHz	Pass	PK	3.168G	38.38	74.00	-35.62	-1.92	3	Vertical	189	1.48	-
5500MHz	Pass	AV	1.6258G	31.26	54.00	-22.74	-5.62	3	Horizontal	327	1.36	-
5500MHz	Pass	AV	2.621G	34.88	54.00	-19.12	-3.07	3	Horizontal	286	1.51	-
5500MHz	Pass	AV	3.356G	29.26	54.00	-24.74	-1.69	3	Horizontal	319	1.74	-
5500MHz	Pass	PK	1.6258G	43.19	74.00	-30.81	-5.62	3	Horizontal	327	1.36	-
5500MHz	Pass	PK	2.621G	50.27	74.00	-23.73	-3.07	3	Horizontal	286	1.51	-
5500MHz	Pass	PK	3.356G	40.38	74.00	-33.62	-1.69	3	Horizontal	319	1.74	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	1.681G	37.62	54.00	-16.38	-5.49	3	Vertical	88	2.42	-
5610MHz	Pass	AV	2.382G	35.15	54.00	-18.85	-3.70	3	Vertical	290	2.39	-
5610MHz	Pass	AV	3.162G	33.15	54.00	-20.85	-1.93	3	Vertical	249	1.32	-
5610MHz	Pass	PK	1.681G	51.28	74.00	-22.72	-5.49	3	Vertical	88	2.42	-
5610MHz	Pass	PK	2.382G	49.82	74.00	-24.18	-3.70	3	Vertical	290	2.39	-
5610MHz	Pass	PK	3.162G	44.28	74.00	-29.72	-1.93	3	Vertical	249	1.32	-
5610MHz	Pass	AV	1.592G	37.26	54.00	-16.74	-5.69	3	Horizontal	92	1.36	-
5610MHz	Pass	AV	2.486G	35.87	54.00	-18.13	-3.41	3	Horizontal	179	1.91	-
5610MHz	Pass	AV	3.421G	34.25	54.00	-19.75	-1.61	3	Horizontal	327	1.86	-
5610MHz	Pass	PK	1.592G	48.12	74.00	-25.88	-5.69	3	Horizontal	92	1.36	-
5610MHz	Pass	PK	2.486G	51.58	74.00	-22.42	-3.41	3	Horizontal	179	1.91	-
5610MHz	Pass	PK	3.421G	45.14	74.00	-28.86	-1.61	3	Horizontal	327	1.86	-

802.11a_Nss1,(6Mbps)_2RX

5500MHz_RX

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.763G	35.62	54.00	-18.38	-5.30	3	Vertical	130	1.42	-
AV	2.192G	36.88	54.00	-17.12	-4.23	3	Vertical	355	1.57	-
AV	3.252G	31.25	54.00	-22.75	-1.82	3	Vertical	179	1.62	-
PK	1.763G	49.28	74.00	-24.72	-5.30	3	Vertical	130	1.42	-
PK	2.192G	50.26	74.00	-23.74	-4.23	3	Vertical	355	1.57	-
PK	3.252G	42.31	74.00	-31.69	-1.82	3	Vertical	179	1.62	-

802.11a_Nss1,(6Mbps)_2RX

5500MHz_RX

08/01/2019





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.485G	36.21	54.00	-17.79	-5.98	3	Horizontal	272	2.19	-
AV	2.256G	34.82	54.00	-19.18	-4.05	3	Horizontal	195	1.82	-
AV	3.356G	33.21	54.00	-20.79	-1.69	3	Horizontal	34	1.03	-
PK	1.485G	49.17	74.00	-24.83	-5.98	3	Horizontal	272	2.19	-
PK	2.256G	50.62	74.00	-23.38	-4.05	3	Horizontal	195	1.82	-
PK	3.356G	44.63	74.00	-29.37	-1.69	3	Horizontal	34	1.03	-

802.11ac VHT20_Nss1,(MCS0)_1RX(Port1)

5500MHz_RX

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.8G	32.26	54.00	-21.74	-5.22	3	Vertical	36	1.36	-
AV	2.448G	33.88	54.00	-20.12	-3.51	3	Vertical	271	1.59	-
AV	3.168G	27.26	54.00	-26.74	-1.92	3	Vertical	189	1.48	-
PK	1.8G	44.19	74.00	-29.81	-5.22	3	Vertical	36	1.36	-
PK	2.448G	49.27	74.00	-24.73	-3.51	3	Vertical	271	1.59	-
PK	3.168G	38.38	74.00	-35.62	-1.92	3	Vertical	189	1.48	-

802.11ac VHT20_Nss1,(MCS0)_1RX(Port1)

5500MHz_RX

08/01/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.6258G	31.26	54.00	-22.74	-5.62	3	Horizontal	327	1.36	-
AV	2.621G	34.88	54.00	-19.12	-3.07	3	Horizontal	286	1.51	-
AV	3.356G	29.26	54.00	-24.74	-1.69	3	Horizontal	319	1.74	-
PK	1.6258G	43.19	74.00	-30.81	-5.62	3	Horizontal	327	1.36	-
PK	2.621G	50.27	74.00	-23.73	-3.07	3	Horizontal	286	1.51	-
PK	3.356G	40.38	74.00	-33.62	-1.69	3	Horizontal	319	1.74	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port2)

5610MHz_RX

08/01/2019





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.681G	37.62	54.00	-16.38	-5.49	3	Vertical	88	2.42	-
AV	2.382G	35.15	54.00	-18.85	-3.70	3	Vertical	290	2.39	-
AV	3.162G	33.15	54.00	-20.85	-1.93	3	Vertical	249	1.32	-
PK	1.681G	51.28	74.00	-22.72	-5.49	3	Vertical	88	2.42	-
PK	2.382G	49.82	74.00	-24.18	-3.70	3	Vertical	290	2.39	-
PK	3.162G	44.28	74.00	-29.72	-1.93	3	Vertical	249	1.32	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port2)

5610MHz_RX

08/01/2019



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.592G	37.26	54.00	-16.74	-5.69	3	Horizontal	92	1.36	-
AV	2.486G	35.87	54.00	-18.13	-3.41	3	Horizontal	179	1.91	-
AV	3.421G	34.25	54.00	-19.75	-1.61	3	Horizontal	327	1.86	-
PK	1.592G	48.12	74.00	-25.88	-5.69	3	Horizontal	92	1.36	-
PK	2.486G	51.58	74.00	-22.42	-3.41	3	Horizontal	179	1.91	-
PK	3.421G	45.14	74.00	-28.86	-1.61	3	Horizontal	327	1.86	-

**Exposure Environment: General Population / Uncontrolled Exposure****For 5GHz function**

Mode	DG (dBi)	Power (dBm)	EIRP (dBm)	Tolerance (dB)	Tune-up EIRP (dBm)	Tune-up EIRP (W)	Distance (cm)	S (mW/cm ²)	S Limit (mW/cm ²)
5.2G;D1D	3.30	13.62	16.92	0.50	17.42	0.05521	20	0.01098	1.00000
5.3G;D1D	3.30	13.73	17.03	0.50	17.53	0.05662	20	0.01126	1.00000
5.6G;D1D	3.40	13.86	17.26	0.50	17.76	0.05970	20	0.01188	1.00000
5.8G;D1D	3.40	13.64	17.04	0.50	17.54	0.05675	20	0.01129	1.00000