

Appendix B: Test Results of WI-FI 2.4 GHz Band

APPENDIX B.1: TEST RESULTS OF FREQUENCY TOLERANCE	2
Test Result	2
Test Graphs	3
APPENDIX B.2: TEST RESULTS OF ANTENNA POWER	7
Test Result	7
APPENDIX B.3: TEST RESULTS OF OCCUPIED CHANNEL BANDWIDTH (99%)	9
Test Result	9
Test Graphs	10
APPENDIX B.4: TEST RESULTS OF SPREAD BANDWIDTH (90%)	23
Test Result	23
Test Graphs	24
APPENDIX B.5: TEST RESULTS OF SPURIOUS EMISSIONS FOR TRANSMITTER	37
Test Result	37
Test Graphs	41
APPENDIX B.6: TEST RESULTS OF SPURIOUS EMISSIONS FOR RECEIVER	114
Test Result	114
Test Graphs	116
APPENDIX B.7: TEST RESULTS OF CARRIER SENSING	153


Appendix B.1: Test Results of Frequency Tolerance

Test Result

TestCondition	TestMode	Antenna	Frequency[MHz]	Result[ppm]	Limit[ppm]	Verdict
NTNV	11AX20SISO	Ant1	2412	8.29187	±50	PASS
			2442	-16.38002	±50	PASS
			2472	8.09062	±50	PASS
NTLV	11AX20SISO	Ant1	2412	16.58375	±50	PASS
			2442	0.00000	±50	PASS
			2472	8.09062	±50	PASS
NTHV	11AX20SISO	Ant1	2412	0.00000	±50	PASS
			2442	8.19001	±50	PASS
			2472	-8.09062	±50	PASS


Test Graphs

NTNV_11AX20SISO Ant1_2412




Date: 12.MAY.2026 15:36:47

NTNV_11AX20SISO Ant1_2442




Date: 12.MAY.2026 09:18:22


NTNV_11AX20SISO Ant1_2472




NTLV_11AX20SISO_Ant1_2412




NTLV_11AX20SISO_Ant1_2442




NTLV_11AX20SISO_Ant1_2472




NTHV_11AX20SISO Ant1_2412



NTHV_11AX20SISO Ant1_2442



NTHV_11AX20SISO Ant1_2472



Appendix B.2: Test Results of Antenna Power

Test Result

Antenna Power							
Test Condition	Test Mode	Antenna	Frequency [MHz]	Result (dBm/MHz)	Result (mW/MHz)	Limit (mW/MHz)	Verdict
NTNV	11B	Ant1	2412	5.69	3.7068	≤10	PASS
			2442	5.53	3.5727	≤10	PASS
			2472	5.54	3.5810	≤10	PASS
	11G	Ant1	2412	4.97	3.1405	≤10	PASS
			2442	3.71	2.3496	≤10	PASS
			2472	4.06	2.5468	≤10	PASS
	11N20SISO	Ant1	2412	4.13	2.5882	≤10	PASS
			2442	3.49	2.2336	≤10	PASS
			2472	3.15	2.0654	≤10	PASS
	11AX20SISO	Ant1	2412	4.74	2.9785	≤10	PASS
			2442	3.95	2.4831	≤10	PASS
			2472	3.34	2.1577	≤10	PASS
NTLV	11B	Ant1	2412	5.72	3.7325	≤10	PASS
			2442	5.56	3.5975	≤10	PASS
			2472	5.47	3.5237	≤10	PASS
	11G	Ant1	2412	4.91	3.0974	≤10	PASS
			2442	3.81	2.4044	≤10	PASS
			2472	4.10	2.5704	≤10	PASS
	11N20SISO	Ant1	2412	4.56	2.8576	≤10	PASS
			2442	4.19	2.6242	≤10	PASS
			2472	3.98	2.5003	≤10	PASS
	11AX20SISO	Ant1	2412	4.85	3.0549	≤10	PASS
			2442	3.69	2.3388	≤10	PASS
			2472	3.32	2.1478	≤10	PASS
NTHV	11B	Ant1	2412	5.49	3.5400	≤10	PASS
			2442	5.56	3.5975	≤10	PASS
			2472	5.51	3.5563	≤10	PASS
	11G	Ant1	2412	4.78	3.0061	≤10	PASS
			2442	3.86	2.4322	≤10	PASS
			2472	3.92	2.4660	≤10	PASS
	11N20SISO	Ant1	2412	4.75	2.9854	≤10	PASS
			2442	3.80	2.3988	≤10	PASS
			2472	3.29	2.1330	≤10	PASS
	11AX20SISO	Ant1	2412	4.70	2.9512	≤10	PASS
			2442	4.00	2.5119	≤10	PASS
			2472	3.12	2.0512	≤10	PASS

Tolerance								
Test Condition	Test Mode	Antenna	Frequency [MHz]	Power (mW/MHz)	RatedPower (mW/MHz)	Result (%)	Limit (%)	Verdict
NTNV	11B	Ant1	2412	3.7068	10	-62.93	-80 to +20	PASS
			2442	3.5727	10	-64.27	-80 to +20	PASS
			2472	3.5810	10	-64.19	-80 to +20	PASS
	11G	Ant1	2412	3.1405	10	-68.60	-80 to +20	PASS
			2442	2.3496	10	-76.50	-80 to +20	PASS
			2472	2.5468	10	-74.53	-80 to +20	PASS
	11N20SISO	Ant1	2412	2.5882	10	-74.12	-80 to +20	PASS
			2442	2.2336	10	-77.66	-80 to +20	PASS
			2472	2.0654	10	-79.35	-80 to +20	PASS
	11AX20SISO	Ant1	2412	2.9785	10	-70.22	-80 to +20	PASS
			2442	2.4831	10	-75.17	-80 to +20	PASS
			2472	2.1577	10	-78.42	-80 to +20	PASS
NTLV	11B	Ant1	2412	3.7325	10	-62.68	-80 to +20	PASS
			2442	3.5975	10	-64.03	-80 to +20	PASS
			2472	3.5237	10	-64.76	-80 to +20	PASS

	11G	Ant1	2412	3.0974	10	-69.03	-80 to +20	PASS
			2442	2.4044	10	-75.96	-80 to +20	PASS
			2472	2.5704	10	-74.30	-80 to +20	PASS
	11N20SISO	Ant1	2412	2.8576	10	-71.42	-80 to +20	PASS
			2442	2.6242	10	-73.76	-80 to +20	PASS
			2472	2.5003	10	-75.00	-80 to +20	PASS
	11AX20SISO	Ant1	2412	3.0549	10	-69.45	-80 to +20	PASS
			2442	2.3388	10	-76.61	-80 to +20	PASS
			2472	2.1478	10	-78.52	-80 to +20	PASS
NTHV	11B	Ant1	2412	3.5400	10	-64.60	-80 to +20	PASS
			2442	3.5975	10	-64.03	-80 to +20	PASS
			2472	3.5563	10	-64.44	-80 to +20	PASS
	11G	Ant1	2412	3.0061	10	-69.94	-80 to +20	PASS
			2442	2.4322	10	-75.68	-80 to +20	PASS
			2472	2.4660	10	-75.34	-80 to +20	PASS
	11N20SISO	Ant1	2412	2.9854	10	-70.15	-80 to +20	PASS
			2442	2.3988	10	-76.01	-80 to +20	PASS
			2472	2.1330	10	-78.67	-80 to +20	PASS
	11AX20SISO	Ant1	2412	2.9512	10	-70.49	-80 to +20	PASS
			2442	2.5119	10	-74.88	-80 to +20	PASS
			2472	2.0512	10	-79.49	-80 to +20	PASS

EIRP							
Test Condition	Test Mode	Antenna	Frequency [MHz]	Result (dBm/MHz)	EIRP (dBm/MHz)	Limit (dBm/MHz)	Verdict
NTNV	11B	Ant1	2412	5.69	8.69	≤12.14	PASS
			2442	5.53	8.53	≤12.14	PASS
			2472	5.54	8.54	≤12.14	PASS
	11G	Ant1	2412	4.97	7.97	≤12.14	PASS
			2442	3.71	6.71	≤12.14	PASS
			2472	4.06	7.06	≤12.14	PASS
	11N20SISO	Ant1	2412	4.13	7.13	≤12.14	PASS
			2442	3.49	6.49	≤12.14	PASS
			2472	3.15	6.15	≤12.14	PASS
	11AX20SISO	Ant1	2412	4.74	7.74	≤12.14	PASS
			2442	3.95	6.95	≤12.14	PASS
			2472	3.34	6.34	≤12.14	PASS
NTLV	11B	Ant1	2412	5.72	8.72	≤12.14	PASS
			2442	5.56	8.56	≤12.14	PASS
			2472	5.47	8.47	≤12.14	PASS
	11G	Ant1	2412	4.91	7.91	≤12.14	PASS
			2442	3.81	6.81	≤12.14	PASS
			2472	4.10	7.10	≤12.14	PASS
	11N20SISO	Ant1	2412	4.56	7.56	≤12.14	PASS
			2442	4.19	7.19	≤12.14	PASS
			2472	3.98	6.98	≤12.14	PASS
	11AX20SISO	Ant1	2412	4.85	7.85	≤12.14	PASS
			2442	3.69	6.69	≤12.14	PASS
			2472	3.32	6.32	≤12.14	PASS
NTHV	11B	Ant1	2412	5.49	8.49	≤12.14	PASS
			2442	5.56	8.56	≤12.14	PASS
			2472	5.51	8.51	≤12.14	PASS
	11G	Ant1	2412	4.78	7.78	≤12.14	PASS
			2442	3.86	6.86	≤12.14	PASS
			2472	3.92	6.92	≤12.14	PASS
	11N20SISO	Ant1	2412	4.75	7.75	≤12.14	PASS
			2442	3.80	6.80	≤12.14	PASS
			2472	3.29	6.29	≤12.14	PASS
	11AX20SISO	Ant1	2412	4.70	7.70	≤12.14	PASS
			2442	4.00	7.00	≤12.14	PASS
			2472	3.12	6.12	≤12.14	PASS


Appendix B.3: Test Results of Occupied Channel Bandwidth (99%)

Test Result


TestCondition	TestMode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11B	Ant1	2412	14.386	≤26	PASS
			2442	14.346	≤26	PASS
			2472	14.306	≤26	PASS
	11G	Ant1	2412	16.703	≤26	PASS
			2442	17.303	≤26	PASS
			2472	16.543	≤26	PASS
	11N20SISO	Ant1	2412	17.982	≤26	PASS
			2442	18.302	≤26	PASS
			2472	17.862	≤26	PASS
	11AX20SISO	Ant1	2412	19.181	≤26	PASS
			2442	19.021	≤26	PASS
			2472	19.221	≤26	PASS
NTLV	11B	Ant1	2412	14.386	≤26	PASS
			2442	14.346	≤26	PASS
			2472	14.306	≤26	PASS
	11G	Ant1	2412	16.943	≤26	PASS
			2442	17.023	≤26	PASS
			2472	17.103	≤26	PASS
	11N20SISO	Ant1	2412	17.782	≤26	PASS
			2442	17.902	≤26	PASS
			2472	18.062	≤26	PASS
	11AX20SISO	Ant1	2412	19.021	≤26	PASS
			2442	18.981	≤26	PASS
			2472	19.181	≤26	PASS
NTHV	11B	Ant1	2412	14.346	≤26	PASS
			2442	14.346	≤26	PASS
			2472	14.306	≤26	PASS
	11G	Ant1	2412	16.783	≤26	PASS
			2442	16.983	≤26	PASS
			2472	16.863	≤26	PASS
	11N20SISO	Ant1	2412	17.982	≤26	PASS
			2442	17.822	≤26	PASS
			2472	18.142	≤26	PASS
	11AX20SISO	Ant1	2412	19.261	≤26	PASS
			2442	18.981	≤26	PASS
			2472	19.021	≤26	PASS

Test Graphs


NTNV_11B_Ant1_2412




NTNV_11B_Ant1_2442




NTNV_11B_Ant1_2472




NTNV 11G Ant1 2412




NTNV 11G Ant1 2442




NTNV 11G Ant1 2472




NTNV 11N20SISO_Ant1_2412




NTNV 11N20SISO_Ant1_2442




NTNV 11N20SISO_Ant1_2472




NTNV_11AX20SISO Ant1_2412




NTNV_11AX20SISO Ant1_2442




NTNV_11AX20SISO Ant1_2472




NTLV_11B_Ant1_2412




NTLV_11B_Ant1_2442




NTLV_11B_Ant1_2472




NTLV 11G Ant1_2412




NTLV 11G Ant1_2442




NTLV 11G Ant1_2472




NTLV 11N20SISO Ant1 2412




NTLV 11N20SISO Ant1 2442




NTLV 11N20SISO Ant1 2472




NTLV_11AX20SISO_Ant1_2412




NTLV_11AX20SISO_Ant1_2442




NTLV_11AX20SISO_Ant1_2472




NTHV_11B_Ant1_2412




NTHV_11B_Ant1_2442




NTHV_11B_Ant1_2472




NTHV_11G Ant1 2412




NTHV_11G Ant1 2442




NTHV_11G Ant1 2472




NTHV_11N20SISO_Ant1_2412




NTHV_11N20SISO_Ant1_2442




NTHV_11N20SISO_Ant1_2472




NTHV_11AX20SISO Ant1_2412



NTHV_11AX20SISO Ant1_2442



NTHV_11AX20SISO Ant1_2472




Appendix B.4: Test Results of Spread Bandwidth (90%)
Test Result


TestCondition	TestMode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	SpreadFactor	Limit	Verdict
NTNV	11B	Ant1	2412	9.471	≥0.5	6.888	>5	PASS
			2442	9.431	≥0.5	6.859	>5	PASS
			2472	9.471	≥0.5	6.888	>5	PASS
	11G	Ant1	2412	14.226	≥0.5	---	---	PASS
			2442	14.106	≥0.5	---	---	PASS
			2472	13.866	≥0.5	---	---	PASS
	11N20SISO	Ant1	2412	15.225	≥0.5	---	---	PASS
			2442	14.745	≥0.5	---	---	PASS
			2472	15.225	≥0.5	---	---	PASS
	11AX20SISO	Ant1	2412	15.944	≥0.5	---	---	PASS
			2442	16.104	≥0.5	---	---	PASS
			2472	16.104	≥0.5	---	---	PASS
NTLV	11B	Ant1	2412	9.471	≥0.5	6.888	>5	PASS
			2442	9.431	≥0.5	6.859	>5	PASS
			2472	9.431	≥0.5	6.859	>5	PASS
	11G	Ant1	2412	14.186	≥0.5	---	---	PASS
			2442	14.106	≥0.5	---	---	PASS
			2472	14.266	≥0.5	---	---	PASS
	11N20SISO	Ant1	2412	15.105	≥0.5	---	---	PASS
			2442	15.025	≥0.5	---	---	PASS
			2472	14.945	≥0.5	---	---	PASS
	11AX20SISO	Ant1	2412	15.584	≥0.5	---	---	PASS
			2442	16.144	≥0.5	---	---	PASS
			2472	16.304	≥0.5	---	---	PASS
NTHV	11B	Ant1	2412	9.471	≥0.5	6.888	>5	PASS
			2442	9.431	≥0.5	6.859	>5	PASS
			2472	9.471	≥0.5	6.888	>5	PASS
	11G	Ant1	2412	14.226	≥0.5	---	---	PASS
			2442	14.306	≥0.5	---	---	PASS
			2472	14.306	≥0.5	---	---	PASS
	11N20SISO	Ant1	2412	15.065	≥0.5	---	---	PASS
			2442	15.065	≥0.5	---	---	PASS
			2472	15.185	≥0.5	---	---	PASS
	11AX20SISO	Ant1	2412	16.104	≥0.5	---	---	PASS
			2442	15.944	≥0.5	---	---	PASS
			2472	16.104	≥0.5	---	---	PASS

Test Graphs


NTNV_11B_Ant1_2412




NTNV_11B_Ant1_2442




NTNV_11B_Ant1_2472




NTNV 11G Ant1 2412




NTNV 11G Ant1 2442




NTNV 11G Ant1 2472




NTNV 11N20SISO_Ant1_2412




NTNV 11N20SISO_Ant1_2442




NTNV 11N20SISO_Ant1_2472




NTNV_11AX20SISO Ant1_2412




NTNV_11AX20SISO Ant1_2442




NTNV_11AX20SISO Ant1_2472




NTLV_11B_Ant1_2412




NTLV_11B_Ant1_2442




NTLV_11B_Ant1_2472




NTLV_11G_Ant1_2412




NTLV_11G_Ant1_2442




NTLV_11G_Ant1_2472




NTLV 11N20SISO Ant1 2412




NTLV 11N20SISO Ant1 2442




NTLV 11N20SISO Ant1 2472




NTLV_11AX20SISO_Ant1_2412




NTLV_11AX20SISO_Ant1_2442




NTLV_11AX20SISO_Ant1_2472




NTHV_11B_Ant1_2412




NTHV_11B_Ant1_2442




NTHV_11B_Ant1_2472




NTHV_11G Ant1 2412




NTHV_11G Ant1 2442




NTHV_11G Ant1 2472




NTHV_11N20SISO_Ant1_2412




NTHV_11N20SISO_Ant1_2442




NTHV_11N20SISO_Ant1_2472




NTHV_11AX20SISO Ant1_2412



NTHV_11AX20SISO Ant1_2442



NTHV_11AX20SISO Ant1_2472



Appendix B.5: Test Results of Spurious Emissions for Transmitter
Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11B	Ant1	2412	30~500	480.50	-55.93	≤-26	0.00255	≤2.5	PASS
				500~1000	958.13	-54.74	≤-26	0.00336	≤2.5	PASS
				1000~2387	2386.31	-42.12	≤-26	0.06138	≤2.5	PASS
				2387~2400	2395.58	-30.64	≤-16	0.86298	≤25	PASS
				2483.5~2496.5	2490.09	-42.81	≤-16	0.05236	≤25	PASS
			2496.5~13000	5817.71	-49.01	≤-26	0.01256	≤2.5	PASS	
			2442	30~500	474.15	-55.90	≤-26	0.00257	≤2.5	PASS
				500~1000	897.00	-53.21	≤-26	0.00478	≤2.5	PASS
				1000~2387	2154.33	-44.73	≤-26	0.03365	≤2.5	PASS
				2387~2400	2398.82	-42.83	≤-16	0.05212	≤25	PASS
				2483.5~2496.5	2491.82	-42.83	≤-16	0.05212	≤25	PASS
			2496.5~13000	5914.86	-49.97	≤-26	0.01007	≤2.5	PASS	
			2472	30~500	408.23	-55.88	≤-26	0.00258	≤2.5	PASS
				500~1000	897.00	-49.13	≤-26	0.01222	≤2.5	PASS
				1000~2387	2018.40	-44.08	≤-26	0.03908	≤2.5	PASS
	2387~2400	2392.10		-43.62	≤-16	0.04345	≤25	PASS		
	2483.5~2496.5	2488.49		-29.87	≤-16	1.03039	≤25	PASS		
	2496.5~13000	2497.55	-48.23	≤-26	0.01503	≤2.5	PASS			
	11G	Ant1	2412	30~500	471.57	-54.95	≤-26	0.00320	≤2.5	PASS
				500~1000	903.00	-54.10	≤-26	0.00389	≤2.5	PASS
				1000~2387	2110.64	-32.11	≤-26	0.61518	≤2.5	PASS
				2387~2400	2399.96	-23.16	≤-16	4.83059	≤25	PASS
				2483.5~2496.5	2487.71	-42.74	≤-16	0.05321	≤25	PASS
			2496.5~13000	2713.40	-39.48	≤-26	0.11272	≤2.5	PASS	
			2442	30~500	227.64	-56.19	≤-26	0.00240	≤2.5	PASS
				500~1000	921.38	-54.82	≤-26	0.00330	≤2.5	PASS
				1000~2387	2136.99	-33.13	≤-26	0.48641	≤2.5	PASS
				2387~2400	2399.60	-38.06	≤-16	0.15631	≤25	PASS
				2483.5~2496.5	2483.90	-39.52	≤-16	0.11169	≤25	PASS
			2496.5~13000	2747.53	-42.06	≤-26	0.06223	≤2.5	PASS	
			2472	30~500	431.85	-56.34	≤-26	0.00232	≤2.5	PASS
				500~1000	786.75	-54.77	≤-26	0.00333	≤2.5	PASS
				1000~2387	2163.00	-32.79	≤-26	0.52602	≤2.5	PASS
	2387~2400	2396.22		-43.27	≤-16	0.04710	≤25	PASS		
	2483.5~2496.5	2483.51		-20.80	≤-16	8.31764	≤25	PASS		
	2496.5~13000	2781.14	-42.15	≤-26	0.06095	≤2.5	PASS			
	11N20SISO	Ant1	2412	30~500	468.28	-55.49	≤-26	0.00282	≤2.5	PASS
				500~1000	775.63	-54.41	≤-26	0.00362	≤2.5	PASS
				1000~2387	2110.64	-32.23	≤-26	0.59841	≤2.5	PASS
				2387~2400	2399.97	-22.32	≤-16	5.86138	≤25	PASS
				2483.5~2496.5	2493.61	-42.81	≤-16	0.05236	≤25	PASS
			2496.5~13000	2713.40	-39.61	≤-26	0.10940	≤2.5	PASS	
			2442	30~500	487.55	-55.76	≤-26	0.00265	≤2.5	PASS
				500~1000	803.63	-54.68	≤-26	0.00340	≤2.5	PASS
				1000~2387	2136.99	-31.93	≤-26	0.64121	≤2.5	PASS
2387~2400				2397.36	-38.14	≤-16	0.15346	≤25	PASS	
2483.5~2496.5				2483.64	-41.23	≤-16	0.07534	≤25	PASS	
2496.5~13000			2747.53	-39.84	≤-26	0.10375	≤2.5	PASS		
2472			30~500	489.31	-55.12	≤-26	0.00308	≤2.5	PASS	
			500~1000	895.63	-51.91	≤-26	0.00644	≤2.5	PASS	
			1000~2387	2163.00	-31.28	≤-26	0.74473	≤2.5	PASS	
	2387~2400	2398.25	-43.17	≤-16	0.04819	≤25	PASS			
	2483.5~2496.5	2483.56	-19.11	≤-16	12.27439	≤25	PASS			
2496.5~13000	2780.62	-40.74	≤-26	0.08433	≤2.5	PASS				
11AX20SI	Ant1	2412	30~500	464.99	-54.61	≤-26	0.00346	≤2.5	PASS	

Appendix B

CN26JBMG 001



Prüfbericht - Produkte
Test Report - Products

Page 38 of 153

NTLV	SO			500~1000	574.75	-54.54	≤-26	0.00352	≤2.5	PASS
				1000~2387	2110.64	-32.03	≤-26	0.62661	≤2.5	PASS
				2387~2400	2399.98	-21.72	≤-16	6.72977	≤25	PASS
				2483.5~2496.5	2494.30	-43.17	≤-16	0.04819	≤25	PASS
				2496.5~13000	2713.40	-39.34	≤-26	0.11641	≤2.5	PASS
			2442	30~500	448.30	-55.40	≤-26	0.00288	≤2.5	PASS
				500~1000	867.75	-55.03	≤-26	0.00314	≤2.5	PASS
				1000~2387	2136.99	-31.85	≤-26	0.65313	≤2.5	PASS
				2387~2400	2399.44	-41.53	≤-16	0.07031	≤25	PASS
				2483.5~2496.5	2485.37	-42.08	≤-16	0.06194	≤25	PASS
			2472	2496.5~13000	2747.53	-39.67	≤-26	0.10789	≤2.5	PASS
				30~500	435.85	-55.50	≤-26	0.00282	≤2.5	PASS
				500~1000	812.38	-54.35	≤-26	0.00367	≤2.5	PASS
				1000~2387	2163.00	-31.27	≤-26	0.74645	≤2.5	PASS
				2387~2400	2398.11	-42.97	≤-16	0.05047	≤25	PASS
	11B	Ant1	2412	2483.5~2496.5	2483.58	-16.79	≤-16	20.9411 2	≤25	PASS
				2496.5~13000	2781.14	-40.64	≤-26	0.08630	≤2.5	PASS
				30~500	473.68	-56.21	≤-26	0.00239	≤2.5	PASS
				500~1000	690.38	-55.02	≤-26	0.00315	≤2.5	PASS
				1000~2387	2385.27	-42.51	≤-26	0.05610	≤2.5	PASS
			2442	2387~2400	2395.46	-30.54	≤-16	0.88308	≤25	PASS
				2483.5~2496.5	2490.59	-43.14	≤-16	0.04853	≤25	PASS
				2496.5~13000	6974.67	-49.64	≤-26	0.01086	≤2.5	PASS
				30~500	450.53	-56.09	≤-26	0.00246	≤2.5	PASS
				500~1000	897.50	-52.97	≤-26	0.00505	≤2.5	PASS
	11G	Ant1	2412	1000~2387	2368.62	-44.48	≤-26	0.03565	≤2.5	PASS
				2387~2400	2391.32	-42.70	≤-16	0.05370	≤25	PASS
				2483.5~2496.5	2492.62	-42.54	≤-16	0.05572	≤25	PASS
				2496.5~13000	6355.49	-49.39	≤-26	0.01151	≤2.5	PASS
				30~500	78.53	-55.82	≤-26	0.00262	≤2.5	PASS
			2442	500~1000	817.25	-54.76	≤-26	0.00334	≤2.5	PASS
				1000~2387	2180.68	-44.74	≤-26	0.03357	≤2.5	PASS
				2387~2400	2392.00	-43.25	≤-16	0.04732	≤25	PASS
				2483.5~2496.5	2488.31	-29.88	≤-16	1.02802	≤25	PASS
				2496.5~13000	2500.70	-47.72	≤-26	0.01690	≤2.5	PASS
	11N20SIS O	Ant1	2412	30~500	495.65	-55.38	≤-26	0.00290	≤2.5	PASS
				500~1000	825.50	-54.82	≤-26	0.00330	≤2.5	PASS
				1000~2387	2110.64	-32.03	≤-26	0.62661	≤2.5	PASS
				2387~2400	2399.96	-24.70	≤-16	3.38844	≤25	PASS
				2483.5~2496.5	2488.94	-43.10	≤-16	0.04898	≤25	PASS
			2442	2496.5~13000	2713.40	-39.54	≤-26	0.11117	≤2.5	PASS
				30~500	479.91	-55.69	≤-26	0.00270	≤2.5	PASS
				500~1000	895.13	-42.17	≤-26	0.06067	≤2.5	PASS
				1000~2387	2136.99	-32.52	≤-26	0.55976	≤2.5	PASS
				2387~2400	2399.53	-36.75	≤-16	0.21135	≤25	PASS
2472			2483.5~2496.5	2484.04	-39.67	≤-16	0.10789	≤25	PASS	
			2496.5~13000	2747.53	-41.00	≤-26	0.07943	≤2.5	PASS	
			30~500	329.63	-55.83	≤-26	0.00261	≤2.5	PASS	
			500~1000	987.63	-54.31	≤-26	0.00371	≤2.5	PASS	
			1000~2387	2163.35	-32.16	≤-26	0.60814	≤2.5	PASS	
11N20SIS O	Ant1	2412	2387~2400	2393.06	-43.28	≤-16	0.04699	≤25	PASS	
			2483.5~2496.5	2484.46	-19.81	≤-16	10.4472 0	≤25	PASS	
			2496.5~13000	2780.62	-42.39	≤-26	0.05768	≤2.5	PASS	
			30~500	180.05	-55.80	≤-26	0.00263	≤2.5	PASS	
			500~1000	980.75	-54.82	≤-26	0.00330	≤2.5	PASS	
11N20SIS O	Ant1	2412	1000~2387	2110.64	-32.05	≤-26	0.62373	≤2.5	PASS	
			2387~2400	2399.99	-22.85	≤-16	5.18800	≤25	PASS	
			2483.5~2496.5	2495.44	-42.09	≤-16	0.06180	≤25	PASS	
			2496.5~13000	2713.40	-39.48	≤-26	0.11272	≤2.5	PASS	
			30~500	272.99	-55.26	≤-26	0.00298	≤2.5	PASS	
11N20SIS O	Ant1	2442	500~1000	894.50	-46.07	≤-26	0.02472	≤2.5	PASS	


	11AX20SI SO	Ant1		1000~2387	2136.99	-32.00	≤-26	0.63096	≤2.5	PASS
				2387~2400	2398.26	-41.24	≤-16	0.07516	≤25	PASS
				2483.5~2496.5	2484.20	-40.35	≤-16	0.09226	≤25	PASS
				2496.5~13000	2747.53	-39.58	≤-26	0.11015	≤2.5	PASS
			2472	30~500	478.38	-55.60	≤-26	0.00275	≤2.5	PASS
				500~1000	960.13	-54.37	≤-26	0.00366	≤2.5	PASS
				1000~2387	2163.00	-31.26	≤-26	0.74817	≤2.5	PASS
				2387~2400	2387.02	-43.36	≤-16	0.04613	≤25	PASS
			2412	2483.5~2496.5	2483.55	-19.08	≤-16	12.3594 7	≤25	PASS
				2496.5~13000	2780.62	-40.45	≤-26	0.09016	≤2.5	PASS
				30~500	483.20	-55.57	≤-26	0.00277	≤2.5	PASS
				500~1000	887.75	-54.43	≤-26	0.00361	≤2.5	PASS
	11B	Ant1	2412	1000~2387	2110.64	-31.79	≤-26	0.66222	≤2.5	PASS
				2387~2400	2399.97	-22.40	≤-16	5.75440	≤25	PASS
				2483.5~2496.5	2496.45	-43.40	≤-16	0.04571	≤25	PASS
				2496.5~13000	2713.40	-39.25	≤-26	0.11885	≤2.5	PASS
			2442	30~500	480.61	-55.39	≤-26	0.00289	≤2.5	PASS
				500~1000	893.88	-52.87	≤-26	0.00516	≤2.5	PASS
				1000~2387	2136.99	-31.87	≤-26	0.65013	≤2.5	PASS
				2387~2400	2395.83	-42.35	≤-16	0.05821	≤25	PASS
				2483.5~2496.5	2485.24	-42.01	≤-16	0.06295	≤25	PASS
				2496.5~13000	2747.53	-39.95	≤-26	0.10116	≤2.5	PASS
			2472	30~500	479.91	-55.53	≤-26	0.00280	≤2.5	PASS
				500~1000	933.00	-54.46	≤-26	0.00358	≤2.5	PASS
				1000~2387	2163.00	-31.15	≤-26	0.76736	≤2.5	PASS
				2387~2400	2391.78	-43.40	≤-16	0.04571	≤25	PASS
			2412	2483.5~2496.5	2483.64	-16.98	≤-16	20.0447 2	≤25	PASS
				2496.5~13000	2781.14	-40.36	≤-26	0.09204	≤2.5	PASS
				30~500	481.32	-56.08	≤-26	0.00247	≤2.5	PASS
				500~1000	999.13	-54.61	≤-26	0.00346	≤2.5	PASS
			2442	1000~2387	2386.65	-42.65	≤-26	0.05433	≤2.5	PASS
				2387~2400	2395.27	-30.60	≤-16	0.87096	≤25	PASS
				2483.5~2496.5	2483.94	-43.07	≤-16	0.04932	≤25	PASS
				2496.5~13000	6983.07	-49.85	≤-26	0.01035	≤2.5	PASS
			2472	30~500	462.52	-54.90	≤-26	0.00324	≤2.5	PASS
				500~1000	896.00	-53.29	≤-26	0.00469	≤2.5	PASS
				1000~2387	2276.04	-43.84	≤-26	0.04130	≤2.5	PASS
				2387~2400	2391.48	-42.75	≤-16	0.05309	≤25	PASS
	11G	Ant1	2412	2483.5~2496.5	2484.14	-42.83	≤-16	0.05212	≤25	PASS
				2496.5~13000	5421.20	-49.86	≤-26	0.01033	≤2.5	PASS
				30~500	498.12	-55.65	≤-26	0.00272	≤2.5	PASS
				500~1000	934.38	-54.84	≤-26	0.00328	≤2.5	PASS
			2442	1000~2387	2160.23	-43.74	≤-26	0.04227	≤2.5	PASS
				2387~2400	2391.69	-43.38	≤-16	0.04592	≤25	PASS
				2483.5~2496.5	2488.48	-30.08	≤-16	0.98175	≤25	PASS
				2496.5~13000	2499.13	-47.28	≤-26	0.01871	≤2.5	PASS
			2472	30~500	472.39	-56.06	≤-26	0.00248	≤2.5	PASS
				500~1000	829.00	-54.52	≤-26	0.00353	≤2.5	PASS
				1000~2387	2110.64	-31.98	≤-26	0.63387	≤2.5	PASS
				2387~2400	2400.00	-23.60	≤-16	4.36516	≤25	PASS
			2412	2483.5~2496.5	2486.37	-42.98	≤-16	0.05035	≤25	PASS
				2496.5~13000	2713.40	-39.46	≤-26	0.11324	≤2.5	PASS
			2442	30~500	331.39	-55.94	≤-26	0.00255	≤2.5	PASS
				500~1000	849.88	-54.90	≤-26	0.00324	≤2.5	PASS
				1000~2387	2136.99	-34.23	≤-26	0.37757	≤2.5	PASS
				2387~2400	2399.23	-37.04	≤-16	0.19770	≤25	PASS
			2472	2483.5~2496.5	2486.31	-40.08	≤-16	0.09817	≤25	PASS
				2496.5~13000	2747.53	-41.34	≤-26	0.07345	≤2.5	PASS
				30~500	473.09	-55.69	≤-26	0.00270	≤2.5	PASS
				500~1000	895.63	-51.85	≤-26	0.00653	≤2.5	PASS
			2412	1000~2387	2163.35	-32.37	≤-26	0.57943	≤2.5	PASS




				2387~2400	2393.40	-43.26	≤-16	0.04721	≤25	PASS
				2483.5~2496.5	2483.50	-20.57	≤-16	8.77001	≤25	PASS
				2496.5~13000	2780.62	-42.43	≤-26	0.05715	≤2.5	PASS
			2412	30~500	215.77	-55.63	≤-26	0.00274	≤2.5	PASS
				500~1000	965.88	-54.59	≤-26	0.00348	≤2.5	PASS
				1000~2387	2110.64	-32.17	≤-26	0.60674	≤2.5	PASS
				2387~2400	2399.92	-23.20	≤-16	4.78630	≤25	PASS
				2483.5~2496.5	2494.76	-42.94	≤-16	0.05082	≤25	PASS
				2496.5~13000	2713.40	-39.27	≤-26	0.11830	≤2.5	PASS
			2442	30~500	499.18	-55.57	≤-26	0.00277	≤2.5	PASS
				500~1000	895.25	-50.74	≤-26	0.00843	≤2.5	PASS
				1000~2387	2136.99	-32.12	≤-26	0.61376	≤2.5	PASS
				2387~2400	2399.64	-40.90	≤-16	0.08128	≤25	PASS
				2483.5~2496.5	2485.16	-41.36	≤-16	0.07311	≤25	PASS
			2472	2496.5~13000	2747.53	-39.67	≤-26	0.10789	≤2.5	PASS
				30~500	396.95	-55.25	≤-26	0.00299	≤2.5	PASS
				500~1000	893.50	-48.04	≤-26	0.01570	≤2.5	PASS
				1000~2387	2163.35	-31.26	≤-26	0.74817	≤2.5	PASS
				2387~2400	2392.19	-42.54	≤-16	0.05572	≤25	PASS
				2483.5~2496.5	2483.52	-18.69	≤-16	13.5207 3	≤25	PASS
				2496.5~13000	2780.62	-40.43	≤-26	0.09057	≤2.5	PASS
	11N20SIS O	Ant1	2412	30~500	47.04	-55.85	≤-26	0.00260	≤2.5	PASS
				500~1000	854.63	-54.47	≤-26	0.00357	≤2.5	PASS
				1000~2387	2110.64	-32.08	≤-26	0.61944	≤2.5	PASS
				2387~2400	2399.99	-22.40	≤-16	5.75440	≤25	PASS
				2483.5~2496.5	2486.52	-43.11	≤-16	0.04887	≤25	PASS
				2496.5~13000	2713.40	-39.45	≤-26	0.11350	≤2.5	PASS
			2442	30~500	493.30	-55.53	≤-26	0.00280	≤2.5	PASS
				500~1000	810.88	-54.33	≤-26	0.00369	≤2.5	PASS
				1000~2387	2136.65	-31.72	≤-26	0.67298	≤2.5	PASS
				2387~2400	2399.49	-42.35	≤-16	0.05821	≤25	PASS
				2483.5~2496.5	2484.98	-42.35	≤-16	0.05821	≤25	PASS
				2496.5~13000	2747.53	-39.61	≤-26	0.10940	≤2.5	PASS
			2472	30~500	134.69	-55.80	≤-26	0.00263	≤2.5	PASS
				500~1000	729.75	-53.75	≤-26	0.00422	≤2.5	PASS
				1000~2387	2163.35	-31.41	≤-26	0.72277	≤2.5	PASS
				2387~2400	2391.90	-43.22	≤-16	0.04764	≤25	PASS
				2483.5~2496.5	2483.51	-16.31	≤-16	23.3883 7	≤25	PASS
				2496.5~13000	2780.62	-40.48	≤-26	0.08954	≤2.5	PASS

Test Graphs


NTNV 11B Ant1 2412 30~500




NTNV 11B Ant1 2412 500~1000




NTNV 11B Ant1 2412 1000~2387




NTNV_11B_Ant1_2412_2387~2400




NTNV_11B_Ant1_2412_2483.5~2496.5




NTNV_11B_Ant1_2412_2496.5~13000




NTNV 11B Ant1 2442 30~500




NTNV 11B Ant1 2442 500~1000




NTNV 11B Ant1 2442 1000~2387




NTNV_11B_Ant1_2442_2387~2400




NTNV_11B_Ant1_2442_2483.5~2496.5




NTNV_11B_Ant1_2442_2496.5~13000




NTNV 11B Ant1 2472 30~500



NTNV 11B Ant1 2472 500~1000



NTNV 11B Ant1 2472 1000~2387




NTNV_11B_Ant1_2472_2387~2400




NTNV_11B_Ant1_2472_2483.5~2496.5




NTNV_11B_Ant1_2472_2496.5~13000




NTNV_11G Ant1 2412 30~500




NTNV_11G Ant1 2412 500~1000




NTNV_11G Ant1 2412 1000~2387




NTNV_11G_Ant1_2412_2387~2400




NTNV_11G_Ant1_2412_2483.5~2496.5




NTNV_11G_Ant1_2412_2496.5~13000




NTNV_11G Ant1 2442 30~500




NTNV_11G Ant1 2442 500~1000




NTNV_11G Ant1 2442 1000~2387




NTNV_11G_Ant1_2442_2387~2400




NTNV_11G_Ant1_2442_2483.5~2496.5




NTNV_11G_Ant1_2442_2496.5~13000




NTNV_11G Ant1 2472 30~500




NTNV_11G Ant1 2472 500~1000




NTNV_11G Ant1 2472 1000~2387




NTNV_11G_Ant1_2472_2387~2400




NTNV_11G_Ant1_2472_2483.5~2496.5




NTNV_11G_Ant1_2472_2496.5~13000




NTNV 11N20SISO_Ant1_2412_30~500




NTNV 11N20SISO_Ant1_2412_500~1000




NTNV 11N20SISO_Ant1_2412_1000~2387




NTNV 11N20SISO Ant1 2412 2387~2400




NTNV 11N20SISO Ant1 2412 2483.5~2496.5




NTNV 11N20SISO Ant1 2412 2496.5~13000




NTNV 11N20SISO Ant1 2442 30~500




NTNV 11N20SISO Ant1 2442 500~1000




NTNV 11N20SISO Ant1 2442 1000~2387




NTNV 11N20SISO Ant1 2442 2387~2400




NTNV 11N20SISO Ant1 2442 2483.5~2496.5




NTNV 11N20SISO Ant1 2442 2496.5~13000




NTNV 11N20SISO Ant1 2472 30~500




NTNV 11N20SISO Ant1 2472 500~1000




NTNV 11N20SISO Ant1 2472 1000~2387




NTNV 11N20SISO Ant1 2472 2387~2400




NTNV 11N20SISO Ant1 2472 2483.5~2496.5




NTNV 11N20SISO Ant1 2472 2496.5~13000




NTNV 11AX20SISO Ant1 2412 30~500




NTNV 11AX20SISO Ant1 2412 500~1000




NTNV 11AX20SISO Ant1 2412 1000~2387




NTNV_11AX20SISO_Ant1_2412_2387~2400




NTNV_11AX20SISO_Ant1_2412_2483.5~2496.5




NTNV_11AX20SISO_Ant1_2412_2496.5~13000




NTNV 11AX20SISO Ant1 2442 30~500




NTNV 11AX20SISO Ant1 2442 500~1000




NTNV 11AX20SISO Ant1 2442 1000~2387




NTNV_11AX20SISO_Ant1_2442_2387~2400




NTNV_11AX20SISO_Ant1_2442_2483.5~2496.5




NTNV_11AX20SISO_Ant1_2442_2496.5~13000




NTNV 11AX20SISO Ant1 2472 30~500




NTNV 11AX20SISO Ant1 2472 500~1000




NTNV 11AX20SISO Ant1 2472 1000~2387




NTNV_11AX20SISO_Ant1_2472_2387~2400




NTNV_11AX20SISO_Ant1_2472_2483.5~2496.5




NTNV_11AX20SISO_Ant1_2472_2496.5~13000




NTLV 11B Ant1 2412 30~500




NTLV 11B Ant1 2412 500~1000




NTLV 11B Ant1 2412 1000~2387




NTLV_11B_Ant1_2412_2387~2400




NTLV_11B_Ant1_2412_2483.5~2496.5




NTLV_11B_Ant1_2412_2496.5~13000




NTLV 11B Ant1 2442 30~500




NTLV 11B Ant1 2442 500~1000




NTLV 11B Ant1 2442 1000~2387




NTLV_11B_Ant1_2442_2387~2400




NTLV_11B_Ant1_2442_2483.5~2496.5




NTLV_11B_Ant1_2442_2496.5~13000




NTLV 11B Ant1 2472 30~500




NTLV 11B Ant1 2472 500~1000




NTLV 11B Ant1 2472 1000~2387




NTLV_11B_Ant1_2472_2387~2400




NTLV_11B_Ant1_2472_2483.5~2496.5




NTLV_11B_Ant1_2472_2496.5~13000




NTLV_11G Ant1_2412_30~500




NTLV_11G Ant1_2412_500~1000




NTLV_11G Ant1_2412_1000~2387




NTLV_11G_Ant1_2412_2387~2400




NTLV_11G_Ant1_2412_2483.5~2496.5




NTLV_11G_Ant1_2412_2496.5~13000




NTLV_11G Ant1 2442 30~500




NTLV_11G Ant1 2442 500~1000




NTLV_11G Ant1 2442 1000~2387




NTLV_11G_Ant1_2442_2387~2400




NTLV_11G_Ant1_2442_2483.5~2496.5




NTLV_11G_Ant1_2442_2496.5~13000




NTLV_11G Ant1 2472 30~500




NTLV_11G Ant1 2472 500~1000




NTLV_11G Ant1 2472 1000~2387




NTLV_11G_Ant1_2472_2387~2400




NTLV_11G_Ant1_2472_2483.5~2496.5




NTLV_11G_Ant1_2472_2496.5~13000




NTLV 11N20SISO Ant1 2412 30~500




NTLV 11N20SISO Ant1 2412 500~1000




NTLV 11N20SISO Ant1 2412 1000~2387




NTLV 11N20SISO Ant1 2412 2387~2400




NTLV 11N20SISO Ant1 2412 2483.5~2496.5




NTLV 11N20SISO Ant1 2412 2496.5~13000




NTLV 11N20SISO Ant1 2442 30~500




NTLV 11N20SISO Ant1 2442 500~1000




NTLV 11N20SISO Ant1 2442 1000~2387



NTLV 11N20SISO Ant1 2442 2387~2400



NTLV 11N20SISO Ant1 2442 2483.5~2496.5



NTLV 11N20SISO Ant1 2442 2496.5~13000