

802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




Burst No.	1	2	3	4	5
Length (ms)	0.953	0.953	0.953	**0.953**	0.953
Power(dBm)	-3.22	-3.26	-3.27	**-3.21**	-3.25
Power(mW)	0.476	0.472	0.472	**0.477**	0.473
Remark	/	/	/	**Max**	/

802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




Burst No.	1	2	3	4
Length (ms)	0.952	0.952	**0.952**	0.954
Power(dBm)	-3.36	-3.34	**-3.34**	-3.36
Power(mW)	0.462	0.463	**0.464**	0.461
Remark	/	/	**Max**	/

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




Burst No.	1	2	3	4	5
Length (ms)	0.953	0.953	0.953	**0.953**	0.953
Power(dBm)	-2.48	-2.47	-2.47	**-2.44**	-2.48
Power(mW)	0.566	0.566	0.566	**0.571**	0.565
Remark	/	/	/	**Max**	/

802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




Burst No.	1	2	3	4
Length (ms)	**0.953**	0.953	0.953	0.953
Power(dBm)	**-2.24**	-2.24	-2.26	-2.27
Power(mW)	**0.597**	0.597	0.595	0.593
Remark	**Max**	/	/	/

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




Burst No.	1	2	3	4	5
Length (ms)	0.461	0.463	0.463	0.461	**0.461**
Power(dBm)	-5.59	-5.62	-5.64	-5.61	**-5.59**
Power(mW)	0.276	0.274	0.273	0.275	**0.276**
Remark	/	/	/	/	**Max**

802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




Burst No.	1	2	3	4	5
Length (ms)	0.461	0.461	0.461	**0.461**	0.461
Power(dBm)	-5.61	-5.61	-5.60	**-5.60**	-5.61
Power(mW)	0.275	0.274	0.275	**0.276**	0.275
Remark	/	/	/	**Max**	/

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5180	Ant1	16.384	20	Pass
NVNT	a	5200	Ant1	16.384	20	Pass
NVNT	a	5240	Ant1	16.384	20	Pass
NVNT	a	5180	Ant2	16.384	20	Pass
NVNT	a	5200	Ant2	16.384	20	Pass
NVNT	a	5240	Ant2	16.384	20	Pass
NVNT	n20	5180	Ant1	16.424	20	Pass
NVNT	n20	5200	Ant1	16.344	20	Pass
NVNT	n20	5240	Ant1	16.384	20	Pass
NVNT	n20	5180	Ant2	16.424	20	Pass
NVNT	n20	5200	Ant2	16.384	20	Pass
NVNT	n20	5240	Ant2	16.384	20	Pass
NVNT	n40	5190	Ant1	35.964	40	Pass
NVNT	n40	5230	Ant1	35.964	40	Pass
NVNT	n40	5190	Ant2	35.964	40	Pass
NVNT	n40	5230	Ant2	35.964	40	Pass
NVNT	ac20	5180	Ant1	17.542	20	Pass
NVNT	ac20	5200	Ant1	17.542	20	Pass
NVNT	ac20	5240	Ant1	17.542	20	Pass
NVNT	ac20	5180	Ant2	17.542	20	Pass
NVNT	ac20	5200	Ant2	17.542	20	Pass
NVNT	ac20	5240	Ant2	17.542	20	Pass
NVNT	ac40	5190	Ant1	35.964	40	Pass
NVNT	ac40	5230	Ant1	35.964	40	Pass
NVNT	ac40	5190	Ant2	36.044	40	Pass
NVNT	ac40	5230	Ant2	35.884	40	Pass
NVNT	ac80	5210	Ant1	74.645	80	Pass
NVNT	ac80	5210	Ant2	74.645	80	Pass

Test Graphs


OBW NVNT a 5180MHz Ant1



OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




Date: 6.FEB.2026 15:44:36

OBW NVNT a 5180MHz Ant2




Date: 6.FEB.2026 15:45:02

OBW NVNT a 5200MHz Ant2




Date: 6.FEB.2026 15:45:33

OBW NVNT a 5240MHz Ant2




Date: 6.FEB.2026 15:45:50

OBW NVNT n20 5180MHz Ant1




Date: 6.FEB.2026 15:47:05

OBW NVNT n20 5200MHz Ant1




Date: 6.FEB.2026 15:47:30

OBW NVNT n20 5240MHz Ant1




Date: 6.FEB.2026 15:47:48

OBW NVNT n20 5180MHz Ant2




Date: 6.FEB.2026 15:48.11

OBW NVNT n20 5200MHz Ant2




Date: 6.FEB.2026 15:48:41

OBW NVNT n20 5240MHz Ant2




Date: 6.FEB.2026 15:49:01

OBW NVNT n40 5190MHz Ant1




Date: 6.FEB.2026 15:58:26

OBW NVNT n40 5230MHz Ant1




Date: 6.FEB.2026 15:58:56

OBW NVNT n40 5190MHz Ant2




Date: 6.FEB.2026 15:57:55

OBW NVNT n40 5230MHz Ant2




Date: 6.FEB.2026 15:58:10

OBW NVNT ac20 5180MHz Ant1




Date: 6.FEB.2026 15:50:33

OBW NVNT ac20 5200MHz Ant1




Date: 6.FEB.2026 15:52:10

OBW NVNT ac20 5240MHz Ant1




Date: 6.FEB.2026 15:52:37

OBW NVNT ac20 5180MHz Ant2




Date: 7.FEB.2026 12:13:45

OBW NVNT ac20 5200MHz Ant2




Date: 6.FEB.2026 15:54:59

OBW NVNT ac20 5240MHz Ant2




Date: 6.FEB.2026 15:57:03

OBW NVNT ac40 5190MHz Ant1




Date: 6.FEB.2026 16:02:09

OBW NVNT ac40 5230MHz Ant1




Date: 6.FEB.2026 16:10.23

OBW NVNT ac40 5190MHz Ant2




Date: 6.FEB.2026 16:01:27

OBW NVNT ac40 5230MHz Ant2




Date: 6.FEB.2026 16:01:45

OBW NVNT ac80 5210MHz Ant1



Date: 6.FEB.2026 16:13:04

OBW NVNT ac80 5210MHz Ant2




Date: 6.FEB.2026 16:13.21

Spreading Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5180	Ant1	14.585	0.5	Pass
NVNT	a	5200	Ant1	14.585	0.5	Pass
NVNT	a	5240	Ant1	14.585	0.5	Pass
NVNT	a	5180	Ant2	14.585	0.5	Pass
NVNT	a	5200	Ant2	14.386	0.5	Pass
NVNT	a	5240	Ant2	14.505	0.5	Pass
NVNT	n20	5180	Ant1	15.624	0.5	Pass
NVNT	n20	5200	Ant1	15.624	0.5	Pass
NVNT	n20	5240	Ant1	15.624	0.5	Pass
NVNT	n20	5180	Ant2	15.544	0.5	Pass
NVNT	n20	5200	Ant2	15.504	0.5	Pass
NVNT	n20	5240	Ant2	15.584	0.5	Pass
NVNT	n40	5190	Ant1	31.249	0.5	Pass
NVNT	n40	5230	Ant1	31.249	0.5	Pass
NVNT	n40	5190	Ant2	31.409	0.5	Pass
NVNT	n40	5230	Ant2	31.169	0.5	Pass
NVNT	ac20	5180	Ant1	15.544	0.5	Pass
NVNT	ac20	5200	Ant1	15.544	0.5	Pass
NVNT	ac20	5240	Ant1	15.504	0.5	Pass
NVNT	ac20	5180	Ant2	15.624	0.5	Pass
NVNT	ac20	5200	Ant2	15.465	0.5	Pass
NVNT	ac20	5240	Ant2	15.425	0.5	Pass
NVNT	ac40	5190	Ant1	31.249	0.5	Pass
NVNT	ac40	5230	Ant1	31.249	0.5	Pass
NVNT	ac40	5190	Ant2	31.409	0.5	Pass
NVNT	ac40	5230	Ant2	31.009	0.5	Pass
NVNT	ac80	5210	Ant1	62.178	0.5	Pass
NVNT	ac80	5210	Ant2	61.858	0.5	Pass


Test Graphs

Spreading Bandwidth NVNT a 5180MHz Ant1




Date: 4.FEB.2026 13:24:13

Spreading Bandwidth NVNT a 5200MHz Ant1




Date: 4.FEB.2026 13:28:32

Spreading Bandwidth NVNT a 5240MHz Ant1




Date: 4.FEB.2026 13:35:25

Spreading Bandwidth NVNT a 5180MHz Ant2




Date: 4.FEB.2026 14:05:46

Spreading Bandwidth NVNT a 5200MHz Ant2




Date: 4.FEB.2026 14:07:45

Spreading Bandwidth NVNT a 5240MHz Ant2




Date: 4.FEB.2026 14:12:04

Spreading Bandwidth NVNT n20 5180MHz Ant1




Date: 4.FEB.2026 13:45:19

Spreading Bandwidth NVNT n20 5200MHz Ant1




Date: 4.FEB.2026 13:48:25

Spreading Bandwidth NVNT n20 5240MHz Ant1




Date: 4.FEB.2026 13:50:43

Spreading Bandwidth NVNT n20 5180MHz Ant2




Date: 4.FEB.2026 14:13:51

Spreading Bandwidth NVNT n20 5200MHz Ant2




Date: 4.FEB.2026 14:16:23

Spreading Bandwidth NVNT n20 5240MHz Ant2




Date: 4.FEB.2026 14:19:21

Spreading Bandwidth NVNT n40 5190MHz Ant1




Date: 4.FEB.2026 14:57:26

Spreading Bandwidth NVNT n40 5230MHz Ant1




Date: 4.FEB.2026 14:59:10

Spreading Bandwidth NVNT n40 5190MHz Ant2




Date: 4.FEB.2026 15:10:33

Spreading Bandwidth NVNT n40 5230MHz Ant2




Date: 4.FEB.2026 15:13:05

Spreading Bandwidth NVNT ac20 5180MHz Ant1




Date: 4.FEB.2026 13:55:38

Spreading Bandwidth NVNT ac20 5200MHz Ant1




Date: 4.FEB.2026 13:58:04

Spreading Bandwidth NVNT ac20 5240MHz Ant1




Date: 4.FEB.2026 14:00:05

Spreading Bandwidth NVNT ac20 5180MHz Ant2




Date: 4.FEB.2026 14:22:13

Spreading Bandwidth NVNT ac20 5200MHz Ant2




Date: 4.FEB.2026 14:25:07

Spreading Bandwidth NVNT ac20 5240MHz Ant2




Date: 4.FEB.2026 14:28:06

Spreading Bandwidth NVNT ac40 5190MHz Ant1




Date: 4.FEB.2026 15:03:20

Spreading Bandwidth NVNT ac40 5230MHz Ant1




Date: 4.FEB.2026 15:07:10

Spreading Bandwidth NVNT ac40 5190MHz Ant2




Date: 4.FEB.2026 15:16:24

Spreading Bandwidth NVNT ac40 5230MHz Ant2




Date: 4.FEB.2026 15:18:49

Spreading Bandwidth NVNT ac80 5210MHz Ant1



Date: 4.FEB.2026 16:02:49

Spreading Bandwidth NVNT ac80 5210MHz Ant2



Date: 4.FEB.2026 16:06:39

Unwanted Emission Strength

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm/MHz)	Max Value (uW/MHz)	Limit Start(uW/MHz)	Limit Stop (uW/MHz)	Verdict
NVNT	a	5180	Ant1	30-5142	4266.2	-37.03	0.1982	2.5	2.5	Pass
NVNT	a	5180	Ant1	5142-5150	5149.67	-34.93	0.3214	15	15	Pass
NVNT	a	5180	Ant1	5250-5251	5250.21	-36.91	0.2037	1000	100	Pass
NVNT	a	5180	Ant1	5251-5260	5255.47	-36.94	0.2023	100	15.85	Pass
NVNT	a	5180	Ant1	5260-5266.7	5262.1	-37.19	0.191	15.85	2.49	Pass
NVNT	a	5180	Ant1	5266.7-26000	6954.7	-35.28	0.2965	2.5	2.5	Pass
NVNT	a	5200	Ant1	30-5142	4174.2	-37.26	0.1879	2.5	2.5	Pass
NVNT	a	5200	Ant1	5142-5150	5144.05	-37.94	0.1607	15	15	Pass
NVNT	a	5200	Ant1	5250-5251	5250.85	-37.89	0.1626	1000	100	Pass
NVNT	a	5200	Ant1	5251-5260	5252.47	-37.86	0.1637	100	15.85	Pass
NVNT	a	5200	Ant1	5260-5266.7	5262.6	-38.04	0.157	15.85	2.49	Pass
NVNT	a	5200	Ant1	5266.7-26000	6809.7	-35.03	0.3141	2.5	2.5	Pass
NVNT	a	5240	Ant1	30-5142	5022	-37.8	0.166	2.5	2.5	Pass
NVNT	a	5240	Ant1	5142-5150	5145.62	-39.08	0.1236	15	15	Pass
NVNT	a	5240	Ant1	5250-5251	5250.01	-12.45	56.8853	1000	100	Pass
NVNT	a	5240	Ant1	5251-5260	5253.8	-19.5	11.2202	100	15.85	Pass
NVNT	a	5240	Ant1	5260-5266.7	5260.04	-25.15	3.0549	15.85	2.49	Pass
NVNT	a	5240	Ant1	5266.7-26000	5711.7	-35.27	0.2972	2.5	2.5	Pass
NVNT	a	5180	Ant2	30-5142	5042.4	-37.19	0.191	2.5	2.5	Pass
NVNT	a	5180	Ant2	5142-5150	5148.89	-36.52	0.2228	15	15	Pass
NVNT	a	5180	Ant2	5250-5251	5250.59	-37.89	0.1626	1000	100	Pass
NVNT	a	5180	Ant2	5251-5260	5252.46	-38.01	0.1581	100	15.85	Pass
NVNT	a	5180	Ant2	5260-5266.7	5265.32	-38.69	0.1352	15.85	2.49	Pass
NVNT	a	5180	Ant2	5266.7-26000	6975.7	-35.26	0.2979	2.5	2.5	Pass
NVNT	a	5200	Ant2	30-5142	5083.3	-37.87	0.1633	2.5	2.5	Pass
NVNT	a	5200	Ant2	5142-5150	5149.24	-37.47	0.1791	15	15	Pass
NVNT	a	5200	Ant2	5250-5251	5250.66	-37.76	0.1675	1000	100	Pass
NVNT	a	5200	Ant2	5251-5260	5254.12	-37.92	0.1614	100	15.85	Pass
NVNT	a	5200	Ant2	5260-5266.7	5263.14	-38.15	0.1531	15.85	2.49	Pass
NVNT	a	5200	Ant2	5266.7-26000	6768.7	-34.94	0.3206	2.5	2.5	Pass
NVNT	a	5240	Ant2	30-5142	5093.5	-38.31	0.1476	2.5	2.5	Pass
NVNT	a	5240	Ant2	5142-5150	5142.98	-38.95	0.1274	15	15	Pass
NVNT	a	5240	Ant2	5250-5251	5250.02	-14.67	34.1193	1000	100	Pass
NVNT	a	5240	Ant2	5251-5260	5252.41	-21.27	7.4645	100	15.85	Pass
NVNT	a	5240	Ant2	5260-5266.7	5262.09	-28.96	1.2706	15.85	2.49	Pass
NVNT	a	5240	Ant2	5266.7-26000	6996.7	-35.59	0.2761	2.5	2.5	Pass

NVNT	n20	5180	Ant1	30-5142	4347.9	-37.96	0.16	2.5	2.5	Pass
NVNT	n20	5180	Ant1	5142-5150	5148.75	-36.87	0.2056	15	15	Pass
NVNT	n20	5180	Ant1	5250-5251	5250.78	-36.88	0.2051	1000	100	Pass
NVNT	n20	5180	Ant1	5251-5260	5259.96	-36.55	0.2213	100	15.85	Pass
NVNT	n20	5180	Ant1	5260-5266.7	5263.48	-35.98	0.2523	15.85	2.49	Pass
NVNT	n20	5180	Ant1	5266.7-26000	6851.7	-35.03	0.3141	2.5	2.5	Pass
NVNT	n20	5200	Ant1	30-5142	4935.2	-37.52	0.177	2.5	2.5	Pass
NVNT	n20	5200	Ant1	5142-5150	5145.35	-38.28	0.1486	15	15	Pass
NVNT	n20	5200	Ant1	5250-5251	5250.69	-37.08	0.1959	1000	100	Pass
NVNT	n20	5200	Ant1	5251-5260	5258.04	-37.81	0.1656	100	15.85	Pass
NVNT	n20	5200	Ant1	5260-5266.7	5263.83	-38.1	0.1549	15.85	2.49	Pass
NVNT	n20	5200	Ant1	5266.7-26000	19920.7	-35.76	0.2655	2.5	2.5	Pass
NVNT	n20	5240	Ant1	30-5142	4751.3	-37.3	0.1862	2.5	2.5	Pass
NVNT	n20	5240	Ant1	5142-5150	5142.49	-37.83	0.1648	15	15	Pass
NVNT	n20	5240	Ant1	5250-5251	5250.01	-7.36	183.6538	1000	100	Pass
NVNT	n20	5240	Ant1	5251-5260	5251.35	-20.28	9.3756	100	15.85	Pass
NVNT	n20	5240	Ant1	5260-5266.7	5261.32	-25.07	3.1117	15.85	2.49	Pass
NVNT	n20	5240	Ant1	5266.7-26000	6975.7	-35.39	0.2891	2.5	2.5	Pass
NVNT	n20	5180	Ant2	30-5142	4996.5	-38.18	0.1521	2.5	2.5	Pass
NVNT	n20	5180	Ant2	5142-5150	5148.96	-36.03	0.2495	15	15	Pass
NVNT	n20	5180	Ant2	5250-5251	5250.1	-38.13	0.1538	1000	100	Pass
NVNT	n20	5180	Ant2	5251-5260	5252.49	-38.51	0.1409	100	15.85	Pass
NVNT	n20	5180	Ant2	5260-5266.7	5260.38	-38.61	0.1377	15.85	2.49	Pass
NVNT	n20	5180	Ant2	5266.7-26000	6851.7	-35.76	0.2655	2.5	2.5	Pass
NVNT	n20	5200	Ant2	30-5142	4347.9	-38.54	0.14	2.5	2.5	Pass
NVNT	n20	5200	Ant2	5142-5150	5143.55	-38.73	0.134	15	15	Pass
NVNT	n20	5200	Ant2	5250-5251	5250.31	-37.03	0.1982	1000	100	Pass
NVNT	n20	5200	Ant2	5251-5260	5254.7	-38.22	0.1507	100	15.85	Pass
NVNT	n20	5200	Ant2	5260-5266.7	5264.26	-38.18	0.1521	15.85	2.49	Pass
NVNT	n20	5200	Ant2	5266.7-26000	6788.7	-34.69	0.3396	2.5	2.5	Pass
NVNT	n20	5240	Ant2	30-5142	3913.8	-37.86	0.1637	2.5	2.5	Pass
NVNT	n20	5240	Ant2	5142-5150	5144.89	-38.77	0.1327	15	15	Pass
NVNT	n20	5240	Ant2	5250-5251	5250.04	-7.41	181.5516	1000	100	Pass
NVNT	n20	5240	Ant2	5251-5260	5252.03	-19.89	10.2565	100	15.85	Pass
NVNT	n20	5240	Ant2	5260-5266.7	5260.83	-23.2	4.7863	15.85	2.49	Pass
NVNT	n20	5240	Ant2	5266.7-26000	6685.7	-35.15	0.3055	2.5	2.5	Pass
NVNT	n40	5190	Ant1	30-5141.6	5133.9	-35.51	0.2812	2.5	2.5	Pass
NVNT	n40	5190	Ant1	5141.6-5150	5148.49	-31.98	0.6339	15	15	Pass
NVNT	n40	5190	Ant1	5250-5251	5250.31	-36.27	0.236	500	50	Pass
NVNT	n40	5190	Ant1	5251-5270	5253.65	-34.82	0.3296	50	7.92	Pass
NVNT	n40	5190	Ant1	5270-5278.4	5271.53	-36.2	0.2399	7.92	2.48	Pass
NVNT	n40	5190	Ant1	5278.4-26000	5847.4	-35.67	0.271	2.5	2.5	Pass

NVNT	n40	5230	Ant1	30-5141.6	4133.1	-37.58	0.1746	2.5	2.5	Pass
NVNT	n40	5230	Ant1	5141.6-5150	5147.25	-38.08	0.1556	15	15	Pass
NVNT	n40	5230	Ant1	5250-5251	5250	-12.23	59.8412	500	50	Pass
NVNT	n40	5230	Ant1	5251-5270	5251.1	-18.75	13.3352	50	7.92	Pass
NVNT	n40	5230	Ant1	5270-5278.4	5274.77	-34.4	0.3631	7.92	2.48	Pass
NVNT	n40	5230	Ant1	5278.4-26000	6944.4	-34.15	0.3846	2.5	2.5	Pass
NVNT	n40	5190	Ant2	30-5141.6	5001.2	-38.74	0.1337	2.5	2.5	Pass
NVNT	n40	5190	Ant2	5141.6-5150	5148.51	-32.9	0.5129	15	15	Pass
NVNT	n40	5190	Ant2	5250-5251	5250.76	-34.98	0.3177	500	50	Pass
NVNT	n40	5190	Ant2	5251-5270	5253.69	-35.19	0.3027	50	7.92	Pass
NVNT	n40	5190	Ant2	5270-5278.4	5274.96	-37.91	0.1618	7.92	2.48	Pass
NVNT	n40	5190	Ant2	5278.4-26000	7007.4	-35.12	0.3076	2.5	2.5	Pass
NVNT	n40	5230	Ant2	30-5141.6	4255.6	-38.2	0.1514	2.5	2.5	Pass
NVNT	n40	5230	Ant2	5141.6-5150	5145.32	-38.36	0.1459	15	15	Pass
NVNT	n40	5230	Ant2	5250-5251	5250.01	-13.89	40.8319	500	50	Pass
NVNT	n40	5230	Ant2	5251-5270	5251.03	-18.84	13.0617	50	7.92	Pass
NVNT	n40	5230	Ant2	5270-5278.4	5274.23	-31.66	0.6823	7.92	2.48	Pass
NVNT	n40	5230	Ant2	5278.4-26000	6924.4	-35.67	0.271	2.5	2.5	Pass
NVNT	ac20	5180	Ant1	30-5142	4169.1	-37.43	0.1807	2.5	2.5	Pass
NVNT	ac20	5180	Ant1	5142-5150	5149.73	-32.06	0.6223	15	15	Pass
NVNT	ac20	5180	Ant1	5250-5251	5250.91	-37.62	0.173	1000	100	Pass
NVNT	ac20	5180	Ant1	5251-5260	5256.48	-35.98	0.2523	100	15.85	Pass
NVNT	ac20	5180	Ant1	5260-5266.7	5266.64	-36.09	0.246	15.85	2.49	Pass
NVNT	ac20	5180	Ant1	5266.7-26000	6871.7	-35.29	0.2958	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	30-5142	4210	-38.04	0.157	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	5142-5150	5149.24	-38.17	0.1524	15	15	Pass
NVNT	ac20	5200	Ant1	5250-5251	5250.79	-37.5	0.1778	1000	100	Pass
NVNT	ac20	5200	Ant1	5251-5260	5255.13	-37.84	0.1644	100	15.85	Pass
NVNT	ac20	5200	Ant1	5260-5266.7	5261.08	-37.99	0.1589	15.85	2.49	Pass
NVNT	ac20	5200	Ant1	5266.7-26000	6954.7	-35.49	0.2825	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	30-5142	4087.4	-37.21	0.1901	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	5142-5150	5147.48	-39.02	0.1253	15	15	Pass
NVNT	ac20	5240	Ant1	5250-5251	5250.03	-7.03	198.1527	1000	100	Pass
NVNT	ac20	5240	Ant1	5251-5260	5255.9	-16.31	23.3884	100	15.85	Pass
NVNT	ac20	5240	Ant1	5260-5266.7	5260.03	-26.25	2.3714	15.85	2.49	Pass
NVNT	ac20	5240	Ant1	5266.7-26000	6788.7	-35.09	0.3097	2.5	2.5	Pass
NVNT	ac20	5180	Ant2	30-5142	4317.2	-38.57	0.139	2.5	2.5	Pass
NVNT	ac20	5180	Ant2	5142-5150	5149.92	-36.37	0.2307	15	15	Pass
NVNT	ac20	5180	Ant2	5250-5251	5250.46	-38.16	0.1528	1000	100	Pass
NVNT	ac20	5180	Ant2	5251-5260	5252.93	-38.13	0.1538	100	15.85	Pass
NVNT	ac20	5180	Ant2	5260-5266.7	5265.65	-38.74	0.1337	15.85	2.49	Pass
NVNT	ac20	5180	Ant2	5266.7-26000	6954.7	-35.11	0.3083	2.5	2.5	Pass

NVNT	ac20	5200	Ant2	30-5142	5062.8	-37.75	0.1679	2.5	2.5	Pass
NVNT	ac20	5200	Ant2	5142-5150	5144.83	-38.56	0.1393	15	15	Pass
NVNT	ac20	5200	Ant2	5250-5251	5250.44	-38.21	0.151	1000	100	Pass
NVNT	ac20	5200	Ant2	5251-5260	5258.44	-38.68	0.1355	100	15.85	Pass
NVNT	ac20	5200	Ant2	5260-5266.7	5262.18	-38.09	0.1552	15.85	2.49	Pass
NVNT	ac20	5200	Ant2	5266.7-26000	6996.7	-35	0.3162	2.5	2.5	Pass
NVNT	ac20	5240	Ant2	30-5142	4153.8	-37.2	0.1905	2.5	2.5	Pass
NVNT	ac20	5240	Ant2	5142-5150	5143.34	-39.11	0.1227	15	15	Pass
NVNT	ac20	5240	Ant2	5250-5251	5250	-7.97	159.5879	1000	100	Pass
NVNT	ac20	5240	Ant2	5251-5260	5251.47	-20.28	9.3756	100	15.85	Pass
NVNT	ac20	5240	Ant2	5260-5266.7	5260.3	-26.09	2.4604	15.85	2.49	Pass
NVNT	ac20	5240	Ant2	5266.7-26000	6871.7	-35.32	0.2938	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	30-5141.6	5139	-32.28	0.5916	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	5141.6-5150	5148.84	-32.42	0.5728	15	15	Pass
NVNT	ac40	5190	Ant1	5250-5251	5250.17	-36.64	0.2168	500	50	Pass
NVNT	ac40	5190	Ant1	5251-5270	5256.19	-37.03	0.1982	50	7.92	Pass
NVNT	ac40	5190	Ant1	5270-5278.4	5271.47	-37.07	0.1963	7.92	2.48	Pass
NVNT	ac40	5190	Ant1	5278.4-26000	6054.4	-35.08	0.3105	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	30-5141.6	4260.7	-36.99	0.2	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	5141.6-5150	5147.85	-38.23	0.1503	15	15	Pass
NVNT	ac40	5230	Ant1	5250-5251	5250.01	-12.85	51.88	500	50	Pass
NVNT	ac40	5230	Ant1	5251-5270	5251.18	-19.47	11.298	50	7.92	Pass
NVNT	ac40	5230	Ant1	5270-5278.4	5271.72	-32.67	0.5408	7.92	2.48	Pass
NVNT	ac40	5230	Ant1	5278.4-26000	6800.4	-35.35	0.2917	2.5	2.5	Pass
NVNT	ac40	5190	Ant2	30-5141.6	4888.8	-38.15	0.1531	2.5	2.5	Pass
NVNT	ac40	5190	Ant2	5141.6-5150	5148.77	-31.6	0.6918	15	15	Pass
NVNT	ac40	5190	Ant2	5250-5251	5250.41	-35.71	0.2685	500	50	Pass
NVNT	ac40	5190	Ant2	5251-5270	5253.52	-34.35	0.3673	50	7.92	Pass
NVNT	ac40	5190	Ant2	5270-5278.4	5276.64	-37.94	0.1607	7.92	2.48	Pass
NVNT	ac40	5190	Ant2	5278.4-26000	6717.4	-35.43	0.2864	2.5	2.5	Pass
NVNT	ac40	5230	Ant2	30-5141.6	4311.8	-37.17	0.1919	2.5	2.5	Pass
NVNT	ac40	5230	Ant2	5141.6-5150	5149.64	-38.47	0.1422	15	15	Pass
NVNT	ac40	5230	Ant2	5250-5251	5250.02	-12.62	54.7016	500	50	Pass
NVNT	ac40	5230	Ant2	5251-5270	5251.2	-19.05	12.4451	50	7.92	Pass
NVNT	ac40	5230	Ant2	5270-5278.4	5274.57	-32.62	0.547	7.92	2.48	Pass
NVNT	ac40	5230	Ant2	5278.4-26000	20338.4	-35.64	0.2729	2.5	2.5	Pass
NVNT	ac80	5210	Ant1	30-5123.2	4718.7	-37.79	0.1663	2.5	2.5	Pass
NVNT	ac80	5210	Ant1	5123.2-5150	5147.58	-35.68	0.2704	15	15	Pass
NVNT	ac80	5210	Ant1	5250-5251	5250.09	-14.99	31.6957	250	25	Pass
NVNT	ac80	5210	Ant1	5251-5290	5251.57	-22.61	5.4828	25	3.96	Pass
NVNT	ac80	5210	Ant1	5290-5296.7	5292.29	-35.98	0.2523	3.96	2.49	Pass
NVNT	ac80	5210	Ant1	5296.7-26000	6940.7	-35.25	0.2985	2.5	2.5	Pass

NVNT	ac80	5210	Ant2	30-5123.2	5115.6	-37.88	0.1629	2.5	2.5	Pass
NVNT	ac80	5210	Ant2	5123.2-5150	5143	-33.14	0.4853	15	15	Pass
NVNT	ac80	5210	Ant2	5250-5251	5250.13	-14.27	37.4111	250	25	Pass
NVNT	ac80	5210	Ant2	5251-5290	5251.72	-21.08	7.7983	25	3.96	Pass
NVNT	ac80	5210	Ant2	5290-5296.7	5291.04	-35.79	0.2636	3.96	2.49	Pass
NVNT	ac80	5210	Ant2	5296.7-26000	6485.7	-36.24	0.2377	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Ant1	30-5142	4077.2	-37.74	0.1683	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Ant1	5142-5150	5142.52	-38.95	0.1274	15	15	Pass
NVNT	ac20MIMO	5180	Ant1	5250-5251	5250.33	-38.33	0.1469	1000	100	Pass
NVNT	ac20MIMO	5180	Ant1	5251-5260	5259.05	-36.94	0.2023	100	15.85	Pass
NVNT	ac20MIMO	5180	Ant1	5260-5266.7	5265.42	-37.33	0.1849	15.85	2.49	Pass
NVNT	ac20MIMO	5180	Ant1	5266.7-26000	6788.7	-35.33	0.2931	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Ant2	30-5142	4184.5	-38.23	0.1503	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Ant2	5142-5150	5149.25	-36.9	0.2042	15	15	Pass
NVNT	ac20MIMO	5180	Ant2	5250-5251	5250.2	-38.08	0.1556	1000	100	Pass
NVNT	ac20MIMO	5180	Ant2	5251-5260	5256.23	-37.72	0.169	100	15.85	Pass
NVNT	ac20MIMO	5180	Ant2	5260-5266.7	5263.46	-38.52	0.1406	15.85	2.49	Pass
NVNT	ac20MIMO	5180	Ant2	5266.7-26000	6996.7	-35.16	0.3048	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Sum	30-5142	-	-	0.3186	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Sum	5142-5150	-	-	0.3316	15	15	Pass
NVNT	ac20MIMO	5180	Sum	5250-5251	-	-	0.3025	1000	100	Pass
NVNT	ac20MIMO	5180	Sum	5251-5260	-	-	0.3713	100	15.85	Pass
NVNT	ac20MIMO	5180	Sum	5260-5266.7	-	-	0.3255	15.85	2.49	Pass
NVNT	ac20MIMO	5180	Sum	5266.7-26000	-	-	0.5979	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Ant2	30-5142	4184.5	-38.23	0.1503	2.5	2.5	Pass
NVNT	ac20MIMO	5180	Ant2	5142-5150	5149.25	-36.9	0.2042	15	15	Pass
NVNT	ac20MIMO	5180	Ant2	5250-5251	5250.2	-38.08	0.1556	1000	100	Pass
NVNT	ac20MIMO	5180	Ant2	5251-5260	5256.23	-37.72	0.169	100	15.85	Pass
NVNT	ac20MIMO	5180	Ant2	5260-5266.7	5263.46	-38.52	0.1406	15.85	2.49	Pass
NVNT	ac20MIMO	5180	Ant2	5266.7-26000	6996.7	-35.16	0.3048	2.5	2.5	Pass
NVNT	ac20MIMO	5200	Ant2	30-5142	5083.3	-38.11	0.1545	2.5	2.5	Pass
NVNT	ac20MIMO	5200	Ant2	5142-5150	5144.46	-39.49	0.1125	15	15	Pass
NVNT	ac20MIMO	5200	Ant2	5250-5251	5250.47	-38.64	0.1368	1000	100	Pass
NVNT	ac20MIMO	5200	Ant2	5251-5260	5257.92	-38.28	0.1486	100	15.85	Pass
NVNT	ac20MIMO	5200	Ant2	5260-5266.7	5261.68	-38.14	0.1535	15.85	2.49	Pass
NVNT	ac20MIMO	5200	Ant2	5266.7-26000	5815.7	-36.02	0.25	2.5	2.5	Pass
NVNT	ac20MIMO	5200	Sum	30-5142	-	-	0.3048	2.5	2.5	Pass
NVNT	ac20MIMO	5200	Sum	5142-5150	-	-	0.3167	15	15	Pass
NVNT	ac20MIMO	5200	Sum	5250-5251	-	-	0.2924	1000	100	Pass
NVNT	ac20MIMO	5200	Sum	5251-5260	-	-	0.3176	100	15.85	Pass
NVNT	ac20MIMO	5200	Sum	5260-5266.7	-	-	0.2941	15.85	2.49	Pass
NVNT	ac20MIMO	5200	Sum	5266.7-26000	-	-	0.5548	2.5	2.5	Pass

NVNT	ac20MIMO	5240	Ant1	30-5142	4409.2	-37.86	0.1637	2.5	2.5	Pass
NVNT	ac20MIMO	5240	Ant1	5142-5150	5143.8	-38.18	0.1521	15	15	Pass
NVNT	ac20MIMO	5240	Ant1	5250-5251	5250.02	-9.41	114.5513	1000	100	Pass
NVNT	ac20MIMO	5240	Ant1	5251-5260	5252.44	-24.19	3.8107	100	15.85	Pass
NVNT	ac20MIMO	5240	Ant1	5260-5266.7	5263.05	-35.96	0.2535	15.85	2.49	Pass
NVNT	ac20MIMO	5240	Ant1	5266.7-26000	6768.7	-34.99	0.317	2.5	2.5	Pass
NVNT	ac20MIMO	5240	Ant2	30-5142	4087.4	-38.23	0.1503	2.5	2.5	Pass
NVNT	ac20MIMO	5240	Ant2	5142-5150	5143.86	-38.91	0.1285	15	15	Pass
NVNT	ac20MIMO	5240	Ant2	5250-5251	5250.02	-10.58	87.4984	1000	100	Pass
NVNT	ac20MIMO	5240	Ant2	5251-5260	5251.07	-28.59	1.3836	100	15.85	Pass
NVNT	ac20MIMO	5240	Ant2	5260-5266.7	5264.12	-37.46	0.1795	15.85	2.49	Pass
NVNT	ac20MIMO	5240	Ant2	5266.7-26000	6996.7	-35.82	0.2618	2.5	2.5	Pass
NVNT	ac20MIMO	5240	Sum	30-5142	-	-	0.314	2.5	2.5	Pass
NVNT	ac20MIMO	5240	Sum	5142-5150	-	-	0.2806	15	15	Pass
NVNT	ac20MIMO	5240	Sum	5250-5251	-	-	202.0497	1000	100	Pass
NVNT	ac20MIMO	5240	Sum	5251-5260	-	-	5.1943	100	15.85	Pass
NVNT	ac20MIMO	5240	Sum	5260-5266.7	-	-	0.433	15.85	2.49	Pass
NVNT	ac20MIMO	5240	Sum	5266.7-26000	-	-	0.5788	2.5	2.5	Pass
NVNT	ac40MIMO	5190	Ant1	30-5141.6	4112.6	-37.97	0.1596	2.5	2.5	Pass
NVNT	ac40MIMO	5190	Ant1	5141.6-5150	5148.28	-35.14	0.3062	15	15	Pass
NVNT	ac40MIMO	5190	Ant1	5250-5251	5250.04	-38.25	0.1496	500	50	Pass
NVNT	ac40MIMO	5190	Ant1	5251-5270	5265.83	-38.06	0.1563	50	7.92	Pass
NVNT	ac40MIMO	5190	Ant1	5270-5278.4	5278.23	-37.53	0.1766	7.92	2.48	Pass
NVNT	ac40MIMO	5190	Ant1	5278.4-26000	6820.4	-33.31	0.4667	2.5	2.5	Pass
NVNT	ac40MIMO	5190	Ant2	30-5141.6	4459.9	-37.97	0.1596	2.5	2.5	Pass
NVNT	ac40MIMO	5190	Ant2	5141.6-5150	5149.87	-36.81	0.2084	15	15	Pass
NVNT	ac40MIMO	5190	Ant2	5250-5251	5250.25	-38.27	0.1489	500	50	Pass
NVNT	ac40MIMO	5190	Ant2	5251-5270	5257.92	-38.47	0.1422	50	7.92	Pass
NVNT	ac40MIMO	5190	Ant2	5270-5278.4	5272.21	-38.74	0.1337	7.92	2.48	Pass
NVNT	ac40MIMO	5190	Ant2	5278.4-26000	6924.4	-35.15	0.3055	2.5	2.5	Pass
NVNT	ac40MIMO	5190	Sum	30-5141.6	-	-	0.3192	2.5	2.5	Pass
NVNT	ac40MIMO	5190	Sum	5141.6-5150	-	-	0.5146	15	15	Pass
NVNT	ac40MIMO	5190	Sum	5250-5251	-	-	0.2985	500	50	Pass
NVNT	ac40MIMO	5190	Sum	5251-5270	-	-	0.2985	50	7.92	Pass
NVNT	ac40MIMO	5190	Sum	5270-5278.4	-	-	0.3103	7.92	2.48	Pass
NVNT	ac40MIMO	5190	Sum	5278.4-26000	-	-	0.7722	2.5	2.5	Pass
NVNT	ac40MIMO	5230	Ant1	30-5141.6	4240.3	-37.01	0.1991	2.5	2.5	Pass
NVNT	ac40MIMO	5230	Ant1	5141.6-5150	5143.98	-38.13	0.1538	15	15	Pass
NVNT	ac40MIMO	5230	Ant1	5250-5251	5250.02	-15.19	30.2691	500	50	Pass
NVNT	ac40MIMO	5230	Ant1	5251-5270	5251.07	-20.6	8.7096	50	7.92	Pass
NVNT	ac40MIMO	5230	Ant1	5270-5278.4	5272.89	-35.03	0.3141	7.92	2.48	Pass
NVNT	ac40MIMO	5230	Ant1	5278.4-26000	6800.4	-35.36	0.2911	2.5	2.5	Pass

NVNT	ac40MIMO	5230	Ant2	30-5141.6	4117.7	-37.85	0.1641	2.5	2.5	Pass
NVNT	ac40MIMO	5230	Ant2	5141.6-5150	5148.26	-37.16	0.1923	15	15	Pass
NVNT	ac40MIMO	5230	Ant2	5250-5251	5250.08	-16.3	23.4423	500	50	Pass
NVNT	ac40MIMO	5230	Ant2	5251-5270	5251.1	-23.23	4.7534	50	7.92	Pass
NVNT	ac40MIMO	5230	Ant2	5270-5278.4	5273.62	-36.28	0.2355	7.92	2.48	Pass
NVNT	ac40MIMO	5230	Ant2	5278.4-26000	6800.4	-35.88	0.2582	2.5	2.5	Pass
NVNT	ac40MIMO	5230	Sum	30-5141.6	-	-	0.3632	2.5	2.5	Pass
NVNT	ac40MIMO	5230	Sum	5141.6-5150	-	-	0.3461	15	15	Pass
NVNT	ac40MIMO	5230	Sum	5250-5251	-	-	53.7114	500	50	Pass
NVNT	ac40MIMO	5230	Sum	5251-5270	-	-	13.463	50	7.92	Pass
NVNT	ac40MIMO	5230	Sum	5270-5278.4	-	-	0.5496	7.92	2.48	Pass
NVNT	ac40MIMO	5230	Sum	5278.4-26000	-	-	0.5493	2.5	2.5	Pass
NVNT	ac80MIMO	5210	Ant1	30-5123.2	4240.3	-37.01	0.1991	2.5	2.5	Pass
NVNT	ac80MIMO	5210	Ant1	5123.2-5150	5149.64	-34.73	0.3365	15	15	Pass
NVNT	ac80MIMO	5210	Ant1	5250-5251	5250.03	-15.65	27.227	250	25	Pass
NVNT	ac80MIMO	5210	Ant1	5251-5290	5251.25	-20.98	7.9799	25	3.96	Pass
NVNT	ac80MIMO	5210	Ant1	5290-5296.7	5295.31	-35.87	0.2588	3.96	2.49	Pass
NVNT	ac80MIMO	5210	Ant1	5296.7-26000	6733.7	-35.15	0.3055	2.5	2.5	Pass
NVNT	ac80MIMO	5210	Ant2	30-5123.2	4281.1	-38.43	0.1435	2.5	2.5	Pass
NVNT	ac80MIMO	5210	Ant2	5123.2-5150	5149.21	-35.06	0.3119	15	15	Pass
NVNT	ac80MIMO	5210	Ant2	5250-5251	5250.01	-16.32	23.3346	250	25	Pass
NVNT	ac80MIMO	5210	Ant2	5251-5290	5251.49	-24.74	3.3574	25	3.96	Pass
NVNT	ac80MIMO	5210	Ant2	5290-5296.7	5291.46	-37.09	0.1954	3.96	2.49	Pass
NVNT	ac80MIMO	5210	Ant2	5296.7-26000	6547.7	-35.94	0.2547	2.5	2.5	Pass
NVNT	ac80MIMO	5210	Sum	30-5123.2	-	-	0.3426	2.5	2.5	Pass
NVNT	ac80MIMO	5210	Sum	5123.2-5150	-	-	0.6484	15	15	Pass
NVNT	ac80MIMO	5210	Sum	5250-5251	-	-	50.5616	250	25	Pass
NVNT	ac80MIMO	5210	Sum	5251-5290	-	-	11.3373	25	3.96	Pass
NVNT	ac80MIMO	5210	Sum	5290-5296.7	-	-	0.4542	3.96	2.49	Pass
NVNT	ac80MIMO	5210	Sum	5296.7-26000	-	-	0.5602	2.5	2.5	Pass
NVNT	n20MIMO	5180	Ant1	30-5142	4148.7	-37.33	0.1849	2.5	2.5	Pass
NVNT	n20MIMO	5180	Ant1	5142-5150	5142.31	-38.24	0.15	15	15	Pass
NVNT	n20MIMO	5180	Ant1	5250-5251	5250.78	-37.32	0.1854	1000	100	Pass
NVNT	n20MIMO	5180	Ant1	5251-5260	5259.4	-37.06	0.1968	100	15.85	Pass
NVNT	n20MIMO	5180	Ant1	5260-5266.7	5266.11	-37.36	0.1837	15.85	2.49	Pass
NVNT	n20MIMO	5180	Ant1	5266.7-26000	6996.7	-35.29	0.2958	2.5	2.5	Pass
NVNT	n20MIMO	5180	Ant2	30-5142	5027.1	-38.39	0.1449	2.5	2.5	Pass
NVNT	n20MIMO	5180	Ant2	5142-5150	5143.03	-38.37	0.1455	15	15	Pass
NVNT	n20MIMO	5180	Ant2	5250-5251	5250.67	-38.3	0.1479	1000	100	Pass
NVNT	n20MIMO	5180	Ant2	5251-5260	5259.2	-38.53	0.1403	100	15.85	Pass
NVNT	n20MIMO	5180	Ant2	5260-5266.7	5260.72	-37.49	0.1782	15.85	2.49	Pass
NVNT	n20MIMO	5180	Ant2	5266.7-26000	6519.7	-34.41	0.3622	2.5	2.5	Pass


NVNT	n20MIMO	5180	Sum	30-5142	-	-	0.3298	2.5	2.5	Pass
NVNT	n20MIMO	5180	Sum	5142-5150	-	-	0.2955	15	15	Pass
NVNT	n20MIMO	5180	Sum	5250-5251	-	-	0.3333	1000	100	Pass
NVNT	n20MIMO	5180	Sum	5251-5260	-	-	0.3371	100	15.85	Pass
NVNT	n20MIMO	5180	Sum	5260-5266.7	-	-	0.3619	15.85	2.49	Pass
NVNT	n20MIMO	5180	Sum	5266.7-26000	-	-	0.658	2.5	2.5	Pass
NVNT	n20MIMO	5200	Ant1	30-5142	4204.9	-37.35	0.1841	2.5	2.5	Pass
NVNT	n20MIMO	5200	Ant1	5142-5150	5145.03	-38.64	0.1368	15	15	Pass
NVNT	n20MIMO	5200	Ant1	5250-5251	5250.66	-37.48	0.1786	1000	100	Pass
NVNT	n20MIMO	5200	Ant1	5251-5260	5258.65	-38.05	0.1567	100	15.85	Pass
NVNT	n20MIMO	5200	Ant1	5260-5266.7	5262.11	-37.3	0.1862	15.85	2.49	Pass
NVNT	n20MIMO	5200	Ant1	5266.7-26000	6788.7	-34.31	0.3707	2.5	2.5	Pass
NVNT	n20MIMO	5200	Ant2	30-5142	3949.5	-37.88	0.1629	2.5	2.5	Pass
NVNT	n20MIMO	5200	Ant2	5142-5150	5144.04	-38.54	0.14	15	15	Pass
NVNT	n20MIMO	5200	Ant2	5250-5251	5250.67	-38.14	0.1535	1000	100	Pass
NVNT	n20MIMO	5200	Ant2	5251-5260	5251.11	-38.96	0.1271	100	15.85	Pass
NVNT	n20MIMO	5200	Ant2	5260-5266.7	5261.08	-38.01	0.1581	15.85	2.49	Pass
NVNT	n20MIMO	5200	Ant2	5266.7-26000	6416.7	-36.14	0.2432	2.5	2.5	Pass
NVNT	n20MIMO	5200	Sum	30-5142	-	-	0.347	2.5	2.5	Pass
NVNT	n20MIMO	5200	Sum	5142-5150	-	-	0.2768	15	15	Pass
NVNT	n20MIMO	5200	Sum	5250-5251	-	-	0.3321	1000	100	Pass
NVNT	n20MIMO	5200	Sum	5251-5260	-	-	0.2838	100	15.85	Pass
NVNT	n20MIMO	5200	Sum	5260-5266.7	-	-	0.3443	15.85	2.49	Pass
NVNT	n20MIMO	5200	Sum	5266.7-26000	-	-	0.6139	2.5	2.5	Pass
NVNT	n20MIMO	5240	Ant1	30-5142	4291.7	-38.16	0.1528	2.5	2.5	Pass
NVNT	n20MIMO	5240	Ant1	5142-5150	5144.85	-38.74	0.1337	15	15	Pass
NVNT	n20MIMO	5240	Ant1	5250-5251	5250	-10.23	94.8418	1000	100	Pass
NVNT	n20MIMO	5240	Ant1	5251-5260	5253.32	-24.29	3.7239	100	15.85	Pass
NVNT	n20MIMO	5240	Ant1	5260-5266.7	5260.49	-35.69	0.2698	15.85	2.49	Pass
NVNT	n20MIMO	5240	Ant1	5266.7-26000	6996.7	-34.95	0.3199	2.5	2.5	Pass
NVNT	n20MIMO	5240	Ant2	30-5142	4378.5	-38.88	0.1294	2.5	2.5	Pass
NVNT	n20MIMO	5240	Ant2	5142-5150	5146.4	-38.87	0.1297	15	15	Pass
NVNT	n20MIMO	5240	Ant2	5250-5251	5250	-10.71	84.918	1000	100	Pass
NVNT	n20MIMO	5240	Ant2	5251-5260	5251.11	-28.26	1.4928	100	15.85	Pass
NVNT	n20MIMO	5240	Ant2	5260-5266.7	5261.18	-36.02	0.25	15.85	2.49	Pass
NVNT	n20MIMO	5240	Ant2	5266.7-26000	6851.7	-35.68	0.2704	2.5	2.5	Pass
NVNT	n20MIMO	5240	Sum	30-5142	-	-	0.2822	2.5	2.5	Pass
NVNT	n20MIMO	5240	Sum	5142-5150	-	-	0.2634	15	15	Pass
NVNT	n20MIMO	5240	Sum	5250-5251	-	-	179.7598	1000	100	Pass
NVNT	n20MIMO	5240	Sum	5251-5260	-	-	5.2167	100	15.85	Pass
NVNT	n20MIMO	5240	Sum	5260-5266.7	-	-	0.5198	15.85	2.49	Pass
NVNT	n20MIMO	5240	Sum	5266.7-26000	-	-	0.5903	2.5	2.5	Pass

NVNT	n40MIMO	5190	Ant1	30-5141.6	4296.5	-38.01	0.1581	2.5	2.5	Pass
NVNT	n40MIMO	5190	Ant1	5141.6-5150	5149.15	-36	0.2512	15	15	Pass
NVNT	n40MIMO	5190	Ant1	5250-5251	5250.26	-37.6	0.1738	500	50	Pass
NVNT	n40MIMO	5190	Ant1	5251-5270	5268.38	-37.85	0.1641	50	7.92	Pass
NVNT	n40MIMO	5190	Ant1	5270-5278.4	5278.21	-37.85	0.1641	7.92	2.48	Pass
NVNT	n40MIMO	5190	Ant1	5278.4-26000	6882.4	-35.11	0.3083	2.5	2.5	Pass
NVNT	n40MIMO	5190	Ant2	30-5141.6	4924.6	-38.11	0.1545	2.5	2.5	Pass
NVNT	n40MIMO	5190	Ant2	5141.6-5150	5146.22	-37.87	0.1633	15	15	Pass
NVNT	n40MIMO	5190	Ant2	5250-5251	5250.78	-38.53	0.1403	500	50	Pass
NVNT	n40MIMO	5190	Ant2	5251-5270	5258.13	-37.22	0.1897	50	7.92	Pass
NVNT	n40MIMO	5190	Ant2	5270-5278.4	5274.9	-38.62	0.1374	7.92	2.48	Pass
NVNT	n40MIMO	5190	Ant2	5278.4-26000	6944.4	-35.51	0.2812	2.5	2.5	Pass
NVNT	n40MIMO	5190	Sum	30-5142	-	-	0.3126	2.5	2.5	Pass
NVNT	n40MIMO	5190	Sum	5142-5150	-	-	0.4145	15	15	Pass
NVNT	n40MIMO	5190	Sum	5250-5251	-	-	0.3141	1000	100	Pass
NVNT	n40MIMO	5190	Sum	5251-5260	-	-	0.3538	100	15.85	Pass
NVNT	n40MIMO	5190	Sum	5260-5266.7	-	-	0.3015	15.85	2.49	Pass
NVNT	n40MIMO	5190	Sum	5266.7-26000	-	-	0.5895	2.5	2.5	Pass
NVNT	n40MIMO	5230	Ant1	30-5141.6	4342.4	-37.38	0.1828	2.5	2.5	Pass
NVNT	n40MIMO	5230	Ant1	5141.6-5150	5141.95	-38.45	0.1429	15	15	Pass
NVNT	n40MIMO	5230	Ant1	5250-5251	5250.05	-15.42	28.7078	500	50	Pass
NVNT	n40MIMO	5230	Ant1	5251-5270	5251.39	-22.6	5.4954	50	7.92	Pass
NVNT	n40MIMO	5230	Ant1	5270-5278.4	5271.86	-34.67	0.3412	7.92	2.48	Pass
NVNT	n40MIMO	5230	Ant1	5278.4-26000	6944.4	-34.43	0.3606	2.5	2.5	Pass
NVNT	n40MIMO	5230	Ant2	30-5141.6	4209.7	-38.3	0.1479	2.5	2.5	Pass
NVNT	n40MIMO	5230	Ant2	5141.6-5150	5149.01	-39.05	0.1245	15	15	Pass
NVNT	n40MIMO	5230	Ant2	5250-5251	5250.03	-16.1	24.5471	500	50	Pass
NVNT	n40MIMO	5230	Ant2	5251-5270	5251.03	-21.41	7.2277	50	7.92	Pass
NVNT	n40MIMO	5230	Ant2	5270-5278.4	5274.19	-36.48	0.2249	7.92	2.48	Pass
NVNT	n40MIMO	5230	Ant2	5278.4-26000	6800.4	-35.72	0.2679	2.5	2.5	Pass
NVNT	n40MIMO	5230	Sum	30-5142	-	-	0.3307	2.5	2.5	Pass
NVNT	n40MIMO	5230	Sum	5142-5150	-	-	0.2674	15	15	Pass
NVNT	n40MIMO	5230	Sum	5250-5251	-	-	53.2549	1000	100	Pass
NVNT	n40MIMO	5230	Sum	5251-5260	-	-	12.7231	100	15.85	Pass
NVNT	n40MIMO	5230	Sum	5260-5266.7	-	-	0.5661	15.85	2.49	Pass
NVNT	n40MIMO	5230	Sum	5266.7-26000	-	-	0.6285	2.5	2.5	Pass

Note: The testing system has added antenna gain.


Test Graphs

Tx. Spurious NVNT a 5180MHz Ant1 @ 30MHz-5142MHz




Date: 4.FEB.2026 13:26:12

Tx. Spurious NVNT a 5180MHz Ant1 @ 5142MHz-5150MHz




Date: 4.FEB.2026 13:26:13

Tx. Spurious NVNT a 5180MHz Ant1 @ 5250MHz-5251MHz




Date: 4.FEB.2026 13:26:14

Tx. Spurious NVNT a 5180MHz Ant1 @ 5251MHz-5260MHz




Date: 4.FEB.2026 13:26:16

Tx. Spurious NVNT a 5180MHz Ant1 @ 5260MHz-5266.7MHz




Date: 4.FEB.2026 13:26:17

Tx. Spurious NVNT a 5180MHz Ant1 @ 5266.7MHz-26000MHz




Date: 4.FEB.2026 13:26:26

Tx. Spurious NVNT a 5200MHz Ant1 @ 30MHz-5142MHz



Date: 4.FEB.2026 13:33:01

Tx. Spurious NVNT a 5200MHz Ant1 @ 5142MHz-5150MHz



Date: 4.FEB.2026 13:33:02