



Appendix D: Test Results of Radiated Spurious Emission_Right Ear Band Edges, 2.31GHz ~ 2.9GHz


BLE_1M

Low Channel (Horizontal) Peak



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.73	53.06	15.96	37.10	74.00	-20.94	296	299	Peak	Horizontal		
2 *	2402.00	96.51	59.14	37.37	74.00	22.51	296	299	Peak	Horizontal		
3	2815.28	54.80	16.84	37.96	74.00	-19.20	296	299	Peak	Horizontal		

Low Channel (Vertical) Peak




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2337.61	52.24	15.07	37.17	74.00	-21.76	304	342	Peak	Vertical		
2 *	2402.00	94.66	57.29	37.37	74.00	20.66	304	342	Peak	Vertical		
3	2518.51	54.13	16.46	37.67	74.00	-19.87	304	342	Peak	Vertical		

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2328.17	39.54	2.40	37.14	54.00	-14.46	296	299	Average	Horizontal	
2 *	2402.00	95.53	58.16	37.37	54.00	41.53	296	299	Average	Horizontal	
3	2801.47	41.07	3.16	37.91	54.00	-12.93	296	299	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2334.43	39.50	2.34	37.16	54.00	-14.50	304	342	Average	Vertical	
2 *	2402.00	93.64	56.27	37.37	54.00	39.64	304	342	Average	Vertical	
3	2898.23	41.03	2.72	38.31	54.00	-12.97	304	342	Average	Vertical	

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2363.69	52.89	15.64	37.25	74.00	-21.11	185	265	Peak	Horizontal	
2 *	2480.00	93.68	56.12	37.56	74.00	19.68	185	265	Peak	Horizontal	
3	2649.84	53.94	16.10	37.84	74.00	-20.06	185	265	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2332.42	53.15	16.00	37.15	74.00	-20.85	180	249	Peak	Vertical	
2 *	2480.00	92.78	55.22	37.56	74.00	18.78	180	249	Peak	Vertical	
3	2820.47	53.85	15.88	37.97	74.00	-20.15	180	249	Peak	Vertical	

BLE_1M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2317.91	39.66	2.55	37.11	54.00	-14.34	185	265	Average	Horizontal	
2 *	2480.00	92.67	55.11	37.56	54.00	38.67	185	265	Average	Horizontal	
3	2813.62	41.25	3.38	37.95	54.00	-12.75	185	265	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2320.03	39.63	2.52	37.11	54.00	-14.37	180	249	Average	Vertical	
2 *	2480.00	91.75	54.19	37.56	54.00	37.75	180	249	Average	Vertical	
3	2899.29	41.25	2.93	38.32	54.00	-12.75	180	249	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	84.64	5.52	79.12	127.81	-43.17	100	0 QP		vertical		
2	0.04	66.44	-0.08	66.52	114.70	-48.26	100	184 QP		vertical		
3	0.07	61.99	-0.90	62.89	111.22	-49.23	100	322 QP		vertical		
4	0.09	58.95	-1.78	60.73	108.86	-49.91	100	60 QP		vertical		
5	0.12	57.21	-0.87	58.08	106.01	-48.80	100	21 QP		vertical		
6	0.14	55.04	-2.15	57.19	104.96	-49.92	100	18 QP		vertical		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.61	58.29	13.25	45.04	71.94	-13.65	100	43 QP		vertical		
2	3.53	51.34	13.07	38.27	69.50	-18.16	100	62 QP		vertical		
3	7.52	50.13	11.92	38.21	69.50	-19.37	100	240 QP		vertical		
4	13.10	49.81	12.38	37.43	69.50	-19.69	100	62 QP		vertical		
5	17.59	49.31	12.35	36.96	69.50	-20.19	100	15 QP		vertical		
6	23.11	49.04	13.54	35.50	69.50	-20.46	100	245 QP		vertical		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	54.44	21.30	28.93	-7.63	40.00	-18.70	300	107	QP	horizontal		
2	163.67	21.92	29.22	-7.30	43.50	-21.58	100	307	QP	horizontal		
3	312.08	25.99	32.21	-6.22	46.00	-20.01	100	206	QP	horizontal		
4	398.02	35.71	40.44	-4.73	46.00	-10.29	100	160	QP	horizontal		
5	620.05	29.52	30.34	-0.82	46.00	-16.48	100	360	QP	horizontal		
6	765.65	31.91	30.52	1.39	46.00	-14.09	190	360	QP	horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	56.58	21.42	29.24	-7.82	40.00	-18.58	200	120	QP	vertical		
2	175.40	21.53	29.36	-7.83	43.50	-21.97	100	337	QP	vertical		
3	396.18	25.21	29.97	-4.76	46.00	-20.79	100	78	QP	vertical		
4	482.99	26.06	29.58	-3.52	46.00	-19.94	200	355	QP	vertical		
5	653.81	29.55	30.13	-0.58	46.00	-16.45	100	305	QP	vertical		
6	703.37	30.51	30.33	0.18	46.00	-15.49	200	360	QP	vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	42.22	52.42	-10.20	54.00	-11.78	115	205	Average	horizontal	
2	4894.00	51.24	61.44	-10.20	74.00	-22.76	115	205	Peak	horizontal	
3	7206.00	44.17	51.82	-7.65	54.00	-9.83	230	314	Average	horizontal	
4	7206.00	56.98	64.63	-7.65	74.00	-17.02	230	314	Peak	horizontal	
5	9608.00	45.39	50.68	-5.29	74.00	-28.61	100	244	Peak	horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	46.62	56.82	-10.20	74.00	-27.38	200	294	Peak	vertical	
2	7206.00	43.54	51.19	-7.65	54.00	-10.46	223	12	Average	vertical	
3	7206.00	56.46	64.11	-7.65	74.00	-17.54	223	12	Peak	vertical	
4	9608.00	46.89	52.18	-5.29	74.00	-27.11	211	48	Peak	vertical	

BLE_1M

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	41.91	51.97	-10.06	54.00	-12.09	180	203	Average	horizontal		
2	4880.00	50.69	60.75	-10.06	74.00	-23.31	180	203	Peak	horizontal		
3	7320.00	42.00	49.78	-7.78	54.00	-12.00	122	208	Average	horizontal		
4	7320.00	55.00	62.78	-7.78	74.00	-19.00	122	208	Peak	horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	45.99	56.05	-10.06	74.00	-28.01	180	164	Peak	vertical		
2	7320.00	41.94	49.72	-7.78	54.00	-12.06	217	196	Average	vertical		
3	7320.00	54.67	62.45	-7.78	74.00	-19.33	217	196	Peak	vertical		
4	9760.00	45.87	50.83	-4.96	74.00	-28.13	180	296	Peak	vertical		

BLE_1M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	46.74	56.50	-9.76	74.00	-27.26	100	200	Peak	horizontal	
2	7440.00	54.15	61.87	-7.72	74.00	-19.85	100	270	Peak	horizontal	
3	9920.00	36.83	41.51	-4.68	54.00	-17.17	106	235	Average	horizontal	
4	9920.00	50.19	54.87	-4.68	74.00	-23.81	106	235	Peak	horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	45.02	54.78	-9.76	74.00	-28.98	133	60	Peak	vertical	
2	7440.00	42.09	49.81	-7.72	54.00	-11.91	115	272	Average	vertical	
3	7440.00	54.82	62.54	-7.72	74.00	-19.18	115	272	Peak	vertical	
4	9920.00	37.62	42.30	-4.68	54.00	-16.38	107	297	Average	vertical	
5	9920.00	50.91	55.59	-4.68	74.00	-23.09	107	297	Peak	vertical	


Spurious Emissions, Rx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	80.38	3.81	76.57	124.91	-44.53	100	70	QP	vertical		
2	0.03	71.03	1.78	69.25	116.79	-45.76	100	157	QP	vertical		
3	0.05	64.18	-0.17	64.35	112.79	-48.61	100	319	QP	vertical		
4	0.09	60.22	-0.50	60.72	108.85	-48.63	100	244	QP	vertical		
5	0.12	56.55	-1.66	58.21	106.17	-49.62	100	29	QP	vertical		
6	0.14	53.93	-3.17	57.10	104.86	-50.93	100	317	QP	vertical		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.42	61.74	13.67	48.07	95.17	-33.43	100	174	QP	vertical		
2	4.16	50.59	12.26	38.33	69.50	-18.91	100	351	QP	vertical		
3	10.51	50.52	13.13	37.39	69.50	-18.98	100	86	QP	vertical		
4	14.85	49.87	12.17	37.70	69.50	-19.63	100	47	QP	vertical		
5	21.97	48.85	12.97	35.88	69.50	-20.65	100	217	QP	vertical		
6	29.56	50.91	12.22	38.69	69.50	-18.59	100	26	QP	vertical		


Spurious Emissions, Rx Mode, 30MHz ~ 1GHz

BLE_1M

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	50.06	21.59	29.05	-7.46	40.00	-18.41	300	119	QP	horizontal		
2	163.38	22.38	29.71	-7.33	43.50	-21.12	300	201	QP	horizontal		
3	375.22	23.60	28.69	-5.09	46.00	-22.40	200	336	QP	horizontal		
4	553.00	28.14	30.45	-2.31	46.00	-17.86	300	30	QP	horizontal		
5	639.16	30.01	30.68	-0.67	46.00	-15.99	300	172	QP	horizontal		
6	775.15	31.26	29.78	1.48	46.00	-14.74	200	222	QP	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	49.40	21.62	29.29	-7.47	40.00	-18.18	113	360	QP	vertical		
2	168.61	21.62	28.85	-7.23	43.50	-21.88	300	0	QP	vertical		
3	343.02	23.98	29.67	-5.69	46.00	-22.02	134	360	QP	vertical		
4	528.10	27.96	30.67	-2.71	46.00	-18.04	100	48	QP	vertical		
5	678.78	29.69	30.10	-0.41	46.00	-16.31	300	254	QP	vertical		
6	814.25	31.74	29.74	2.00	46.00	-14.26	300	344	QP	vertical		


Spurious Emissions, Rx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4016.00	41.39	52.94	-11.55	74.00	-32.61	380	238	Peak	horizontal	
2	5175.00	41.31	50.60	-9.29	74.00	-32.69	289	0	Peak	horizontal	
3	6619.00	42.26	50.37	-8.11	74.00	-31.74	133	20	Peak	horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	45.34	59.65	-14.31	74.00	-28.66	122	85	Peak	vertical	
2	4800.00	41.77	51.98	-10.21	74.00	-32.23	100	94	Peak	vertical	
3	7338.00	42.63	50.45	-7.82	74.00	-31.37	268	0	Peak	vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Charging Mode

(Line)

(Neutral)




TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Factor	Level	Limit	Over			
Freq	Level			Line	Limit	Remark	Pol/Phase	Note
MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.154	30.09	10.11	40.20	65.77	-25.57 QP	line1	
2	0.154	8.82	10.11	18.93	55.77	-36.84 Average	line1	
3	0.195	28.85	10.11	38.96	63.83	-24.87 QP	line1	
4	0.195	7.90	10.11	18.01	53.83	-35.82 Average	line1	
5	0.342	20.01	10.11	30.12	59.14	-29.02 QP	line1	
6	0.342	2.48	10.11	12.59	49.14	-36.55 Average	line1	
7	0.659	17.78	10.13	27.91	56.00	-28.09 QP	line1	
8	0.659	9.17	10.13	19.30	46.00	-26.70 Average	line1	
9	1.293	4.45	10.15	14.60	56.00	-41.40 QP	line1	
10	1.293	-2.94	10.15	7.21	46.00	-38.79 Average	line1	
11	13.648	-0.70	10.46	9.76	60.00	-50.24 QP	line1	
12	13.648	-3.73	10.46	6.73	50.00	-43.27 Average	line1	



TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Factor	Level	Limit	Over			
Freq	Level			Line	Limit	Remark	Pol/Phase	Note
MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.153	29.12	10.11	39.23	65.84	-26.61 QP	neutral	
2	0.153	8.69	10.11	18.80	55.84	-37.04 Average	neutral	
3	0.170	30.14	10.11	40.25	64.95	-24.70 QP	neutral	
4	0.170	10.04	10.11	20.15	54.95	-34.80 Average	neutral	
5	0.195	27.99	10.11	38.10	63.81	-25.71 QP	neutral	
6	0.195	7.72	10.11	17.83	53.81	-35.98 Average	neutral	
7	0.317	19.36	10.10	29.46	59.77	-30.31 QP	neutral	
8	0.317	2.03	10.10	12.13	49.77	-37.64 Average	neutral	
9	0.658	20.08	10.12	30.20	56.00	-25.80 QP	neutral	
10	0.658	11.92	10.12	22.04	46.00	-23.96 Average	neutral	
11	0.860	4.48	10.14	14.62	56.00	-41.38 QP	neutral	
12	0.860	-2.14	10.14	8.00	46.00	-38.00 Average	neutral	