

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ac20	5720	16.1	0.5	Pass
NVNT	ac40	5190	32.258	0.5	Pass
NVNT	ac40	5230	32.223	0.5	Pass
NVNT	ac40	5270	32.622	0.5	Pass
NVNT	ac40	5310	32.016	0.5	Pass
NVNT	ac40	5510	32.934	0.5	Pass
NVNT	ac40	5670	32.974	0.5	Pass
NVNT	ac40	5710	32.83	0.5	Pass
NVNT	ac80	5210	66.983	0.5	Pass
NVNT	ac80	5290	67.371	0.5	Pass
NVNT	ac80	5530	68.81	0.5	Pass
NVNT	ac80	5610	69.658	0.5	Pass
NVNT	ac80	5690	68.858	0.5	Pass
NVNT	ax20	5180	16.742	0.5	Pass
NVNT	ax20	5240	16.895	0.5	Pass
NVNT	ax20	5260	17.112	0.5	Pass
NVNT	ax20	5320	16.767	0.5	Pass
NVNT	ax20	5500	17.425	0.5	Pass
NVNT	ax20	5600	17.179	0.5	Pass
NVNT	ax20	5720	17.421	0.5	Pass
NVNT	ax40	5190	33.284	0.5	Pass
NVNT	ax40	5230	33.162	0.5	Pass
NVNT	ax40	5270	33.795	0.5	Pass
NVNT	ax40	5310	33.407	0.5	Pass
NVNT	ax40	5510	34.817	0.5	Pass
NVNT	ax40	5670	34.839	0.5	Pass
NVNT	ax40	5710	34.369	0.5	Pass
NVNT	ax80	5210	68.923	0.5	Pass
NVNT	ax80	5290	67.407	0.5	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None


NVNT	ax80	5530	68.571	0.5	Pass
NVNT	ax80	5610	69.165	0.5	Pass
NVNT	ax80	5690	68.559	0.5	Pass




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Test Graphs

Spreading Bandwidth NVNT a 5180MHz




Spreading Bandwidth NVNT a 5240MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT a 5260MHz




Spreading Bandwidth NVNT a 5320MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None


Spreading Bandwidth NVNT a 5500MHz




Spreading Bandwidth NVNT a 5600MHz



Spreading Bandwidth NVNT a 5720MHz




Spreading Bandwidth NVNT n20 5180MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT n20 5240MHz




Spreading Bandwidth NVNT n20 5260MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT n20 5320MHz




Spreading Bandwidth NVNT n20 5500MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT n20 5600MHz




Spreading Bandwidth NVNT n20 5720MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT n40 5190MHz




Spreading Bandwidth NVNT n40 5230MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None


Spreading Bandwidth NVNT n40 5270MHz




Spreading Bandwidth NVNT n40 5310MHz



Spreading Bandwidth NVNT n40 5510MHz




Spreading Bandwidth NVNT n40 5670MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT n40 5710MHz




Spreading Bandwidth NVNT ac20 5180MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac20 5240MHz




Spreading Bandwidth NVNT ac20 5260MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac20 5320MHz




Spreading Bandwidth NVNT ac20 5500MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac20 5600MHz




Spreading Bandwidth NVNT ac20 5720MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac40 5190MHz




Spreading Bandwidth NVNT ac40 5230MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac40 5270MHz




Spreading Bandwidth NVNT ac40 5310MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac40 5510MHz




Spreading Bandwidth NVNT ac40 5670MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac40 5710MHz




Spreading Bandwidth NVNT ac80 5210MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac80 5290MHz




Spreading Bandwidth NVNT ac80 5530MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ac80 5610MHz




Spreading Bandwidth NVNT ac80 5690MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax20 5180MHz




Spreading Bandwidth NVNT ax20 5240MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax20 5260MHz




Spreading Bandwidth NVNT ax20 5320MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax20 5500MHz




Spreading Bandwidth NVNT ax20 5600MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax20 5720MHz



Spreading Bandwidth NVNT ax40 5190MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax40 5230MHz




Spreading Bandwidth NVNT ax40 5270MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax40 5310MHz




Spreading Bandwidth NVNT ax40 5510MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax40 5670MHz




Spreading Bandwidth NVNT ax40 5710MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None


Spreading Bandwidth NVNT ax80 5210MHz




Spreading Bandwidth NVNT ax80 5290MHz



Spreading Bandwidth NVNT ax80 5530MHz




Spreading Bandwidth NVNT ax80 5610MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Spreading Bandwidth NVNT ax80 5690MHz



6. SPURIOUS AND UNWANTED EMISSIONS

6.1. Test Equipment

Same as 3.6

6.2. Limit

5.2 GHz Band			
20 MHz		40 MHz	80 MHz
OBW: 18 MHz or less	OBW: 18-20 MHz		
5142 MHz or less: 2.5 μ W/MHz	5142 MHz or less: 2.5 μ W/MHz	5141.6 MHz or less: 2.5 μ W/MHz	5123.2 MHz or less: 2.5 μ W/MHz
5142-5150 MHz: 15 μ W/MHz	5142-5150 MHz: 15 μ W/MHz	5141.6-5150 MHz: 15 μ W/MHz	5123.2-5150 MHz: 15 μ W/MHz
--	5250-5250.2 MHz: $10^{1-(8/3)(f-9.75)}$ mW/MHz	--	--
5250-5251 MHz: $10^{1-(f-9)}$ mW/MHz	5250.2-5251 MHz: $10^{1-(f-9)}$ mW/MHz	5250-5251 MHz: $10^{-(f-20)+\log(1/2)}$ mW/MHz	5150-5251 MHz: $10^{-(f-40)+\log(1/4)}$ mW/MHz
5251-5260 MHz: $10^{1-(8/90)(f-11)}$ mW/MHz	5251-5260 MHz: $10^{1-(8/90)(f-11)}$ mW/MHz	5251-5270 MHz: $10^{(8/190)(f-21)-1+\log(1/2)}$ mW/MHz	5251-5290 MHz: $10^{(8/390)(f-41)-1+\log(1/4)}$ mW/MHz
5260-5266.7 MHz: $10^{1.8-(6/50)(f-20)}$ mW/MHz	5260-5266.7 MHz: $10^{1.8-(6/50)(f-20)}$ mW/MHz	5270-5278.4 MHz: $10^{-(3/50)(f-40)+1.8+\log(1/2)}$ mW/MHz	5290-5296.7 MHz: $10^{(3/100)(f-80)-1.8+\log(1/4)}$ mW/MHz
5266.7 MHz or more: 2.5 μ W/MHz	5266.7 MHz or more: 2.5 μ W/MHz	5278.4 MHz or more: 2.5 mW/MHz	5296.7 MHz or more: 2.5 mW/MHz
F=MHz, difference from 5240(MHz)	F=MHz, difference from 5240(MHz)	F=MHz, difference from 5230(MHz)	F=MHz, difference from 5210(MHz)

5.3 GHz Band			
20 MHz		40 MHz	80 MHz
OBW: 18 MHz or less	OBW: 18-20 MHz		
5233.3 MHz or less: 2.5 μ W/MHz	5233.3 MHz or less: 2.5 μ W/MHz	5221.6 MHz or less: 2.5 μ W/MHz	5203.3 MHz or less: 2.5 μ W/MHz
5233.3-5240 MHz: $10^{-1.8-(6/50)(f-20)}$ mW/MHz	5233.3-5240 MHz: $10^{-1.8-(6/50)(f-20)}$ mW/MHz	5221.6-5230 MHz: $10^{-(3/50)(f-40)-1.8+\log(1/2)}$ mW/MHz	5203.3-5210 MHz: $10^{-(3/100)(f-80)-1.8+\log(1/4)}$ mW/MHz
5240-5249 MHz: $10^{-1-(8/90)(f-11)}$ mW/MHz	5240-5249 MHz: $10^{-1-(8/90)(f-11)}$ mW/MHz	5230-5249 MHz: $10^{-(8/190)(f-21)-1+\log(1/2)}$ mW/MHz	5210-5249 MHz: $10^{-(8/390)(f-41)-1+\log(1/4)}$ mW/MHz
5249-5250 MHz: $10^{-1-(f-9)}$ mW/MHz	5249-5249.8 MHz: $10^{-(f-9)}$ mW/MHz	5249-5250 MHz: $10^{-(f-20)+\log(1/2)}$ mW/MHz	5249-5250 MHz: $10^{-(f-40)+\log(1/4)}$ mW/MHz
5350 MHz or more: 2.5 μ W/MHz	5249.8-5250 MHz: $10^{-1-(8/3)(f-9.75)}$ mW/MHz	5350-5358.4 MHz: 15 μ W/MHz	5350-5376.8 MHz: 15 μ W/MHz
	5350 MHz or more: 2.5 μ W/MHz	5358.4 MHz or more: 2.5 μ W/MHz	5376.8 MHz or more: 2.5 μ W/MHz
F=MHz, difference from 5260(MHz)	F=MHz, difference from 5260(MHz)	F=MHz, difference from 5270(MHz)	F=MHz, difference from 5290(MHz)

5.6 GHz Band			
20 MHz		40 MHz	80 MHz
DSSS	OFDM		
5470 MHz or less: 12.5 μ W/MHz	5460 MHz or less: 2.5 μ W/MHz	5460 MHz or less: 12.5 μ W/MHz	5460 MHz or less: 12.5 μ W/MHz
	5460-5470 MHz: 12.5 μ W/MHz	5460-5470 MHz: 50 μ W/MHz	5460-5469.5 MHz: 50 μ W/MHz
5730 MHz or more: 12.5 μ W/MHz	5745-5765 MHz: 12.5 μ W/MHz	5770 MHz or more: 12.5 μ W/MHz	5469.5-5470 MHz: 51.2 μ W/MHz
	Over 5765 MHz: 2.5 μ W/MHz		5770 MHz or more: 12.5 μ W/MHz

6.3. Test Configuration

Any emissions above the limit from the initial peak scan (RB=VB=1MHz, peak detector) are measured by tuning to that signal, setting RB=VB=1MHz, span=0Hz and using a sample detector. The average power over a transmission burst is calculated if the highest signal level still exceeds the limit. If the system uses burst transmissions during testing the threshold for requiring individual measurements becomes limit -3dB relative to the limit.

The device transmits in a burst mode, sweep time is calculated for each band tested as shown below. The plots are composite plots of the individual frequency bands.

Frequency (MHz)		Bandwidth (MHz)	
Start	Stop	RB	VB
30	5142	1	1
5142	5150	1	1
5250	5251	1	1

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

5251	5260	1	1
5260	5266.7	1	1
5266.7	26000	1	1

The device transmits continuously so the analyzer sweep time is auto-coupled.

6.4. Test Procedure

1. Set the spectrum analyzer according to spectrum analyzer settings and search for unwanted emissions by sweeping. When amplitude level of the searched emission is within the tolerance ("tolerance - 3 dB" in case of Note 3 in analyzer settings), the amplitude level is used as the measured value and the measurement in spectrum analyzer settings is not necessary.
2. When amplitude level of the searched emission exceeds the tolerance ("tolerance - 3 dB" in case of Note 3 in analyzer settings), narrow down the frequency sweep width sequentially from 100 MHz in order to raise frequency accuracy of the spectrum analyzer and measure frequency of the unwanted emission precisely. Set the spectrum analyzer according to spectrum analyzer settings and obtain the mean value of amplitude levels of the unwanted emission. In case of burst wave, obtain the mean value within each burst.
3. When EUT has plural antenna terminals, perform above measurement for each antenna terminal.

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

6.5. Test Results

Condition	Mode	Frequency (MHz)	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm)	Limit Start(dBm)	Limit Stop (dBm)	Verdict
NVNT	a	5180	30-5142	5142	-34.23	-26	-26	Pass
NVNT	a	5180	5142-5150	5147.98	-30.15	-18	-18	Pass
NVNT	a	5180	5250-5251	5250.36	-44.29	0	-10	Pass
NVNT	a	5180	5251-5260	5252.93	-43.64	-10	-18	Pass
NVNT	a	5180	5260-5266.7	5266.67	-45.71	-18	-26	Pass
NVNT	a	5180	5266.7-26000	25896.33	-39.3	-26	-26	Pass
NVNT	a	5240	30-5142	3812.88	-43.79	-26	-26	Pass
NVNT	a	5240	5142-5150	5142.77	-45.23	-18	-18	Pass
NVNT	a	5240	5250-5251	5250.04	-7.92	0	-10	Pass
NVNT	a	5240	5251-5260	5252.53	-13.27	-10	-18	Pass
NVNT	a	5240	5260-5266.7	5261.6	-26.11	-18	-26	Pass
NVNT	a	5240	5266.7-26000	5266.7	-30.72	-26	-26	Pass
NVNT	a	5260	30-5233.3	5212.49	-36.53	-26	-26	Pass
NVNT	a	5260	5233.3-5240	5236.31	-26.23	-26	-18	Pass
NVNT	a	5260	5240-5249	5248.87	-12.5	-18	-10	Pass
NVNT	a	5260	5249-5250	5249.43	-8.32	-10	0	Pass
NVNT	a	5260	5350-26000	25772.85	-40.58	-26	-26	Pass
NVNT	a	5320	30-5233.3	3791.99	-42.21	-26	-26	Pass
NVNT	a	5320	5233.3-5237.01	5237.01	-46.06	-26	-18	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

			5240					
NVNT	a	5320	5240-5249	5247.14	-44.23	-18	-10	Pass
NVNT	a	5320	5249-5250	5249.9	-42.12	-10	0	Pass
NVNT	a	5320	5350-26000	5350	-29.2	-26	-26	Pass
NVNT	a	5500	30-5460	5454.57	-31.82	-26	-26	Pass
NVNT	a	5500	5460-5470	5468.16	-26.96	-19	-19	Pass
NVNT	a	5500	5745-5765	5759.56	-44.71	-19	-19	Pass
NVNT	a	5500	5765-26000	25494.13	-40.06	-26	-26	Pass
NVNT	a	5600	30-5460	3814.71	-42.96	-26	-26	Pass
NVNT	a	5600	5460-5470	5463.65	-45.38	-19	-19	Pass
NVNT	a	5600	5745-5765	5753.36	-45.27	-19	-19	Pass
NVNT	a	5600	5765-26000	25494.13	-40.36	-26	-26	Pass
NVNT	a	5720	30-5460	3814.71	-42.71	-26	-26	Pass
NVNT	a	5720	5460-5470	5469.27	-45.64	-19	-19	Pass
NVNT	a	5720	5745-5765	5745.76	-23.29	-19	-19	Pass
NVNT	a	5720	5765-26000	5765	-37.06	-26	-26	Pass
NVNT	n20	5180	30-5142	5142	-39.95	-26	-26	Pass
NVNT	n20	5180	5142-5150	5149.43	-29.08	-18	-18	Pass
NVNT	n20	5180	5250-5251	5250.49	-43.09	0	-10	Pass
NVNT	n20	5180	5251-5260	5259.15	-42.79	-10	-18	Pass
NVNT	n20	5180	5260-5266.7	5264.64	-44	-18	-26	Pass



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	n20	5180	5266.7-26000	25606.07	-40.5	-26	-26	Pass
NVNT	n20	5240	30-5142	3858.89	-44.65	-26	-26	Pass
NVNT	n20	5240	5142-5150	5144.44	-45.72	-18	-18	Pass
NVNT	n20	5240	5250-5251	5250.28	-5.23	0	-10	Pass
NVNT	n20	5240	5251-5260	5251.55	-10.74	-10	-18	Pass
NVNT	n20	5240	5260-5266.7	5261.89	-28.12	-18	-26	Pass
NVNT	n20	5240	5266.7-26000	5266.7	-29.41	-26	-26	Pass
NVNT	n20	5260	30-5233.3	5233.3	-34.12	-26	-26	Pass
NVNT	n20	5260	5233.3-5240	5237.56	-25.49	-26	-18	Pass
NVNT	n20	5260	5240-5249	5248.79	-10.77	-18	-10	Pass
NVNT	n20	5260	5249-5250	5249.95	-5.9	-10	0	Pass
NVNT	n20	5260	5350-26000	25587	-42.08	-26	-26	Pass
NVNT	n20	5320	30-5233.3	3797.19	-42.32	-26	-26	Pass
NVNT	n20	5320	5233.3-5240	5236.58	-45.6	-26	-18	Pass
NVNT	n20	5320	5240-5249	5248.52	-45.08	-18	-10	Pass
NVNT	n20	5320	5249-5250	5249.12	-43.11	-10	0	Pass
NVNT	n20	5320	5350-26000	5350	-27.19	-26	-26	Pass
NVNT	n20	5500	30-5460	5460	-31.15	-26	-26	Pass
NVNT	n20	5500	5460-5470	5469.9	-26.03	-19	-19	Pass
NVNT	n20	5500	5745-5765	5745.24	-45.49	-19	-19	Pass
NVNT	n20	5500	5765-26000	25676.24	-40.16	-26	-26	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	n20	5600	30-5460	3901.59	-43.05	-26	-26	Pass
NVNT	n20	5600	5460-5470	5469.48	-45.82	-19	-19	Pass
NVNT	n20	5600	5745-5765	5763.18	-43.86	-19	-19	Pass
NVNT	n20	5600	5765-26000	25696.48	-39.67	-26	-26	Pass
NVNT	n20	5720	30-5460	3836.43	-42.6	-26	-26	Pass
NVNT	n20	5720	5460-5470	5466.45	-44.79	-19	-19	Pass
NVNT	n20	5720	5745-5765	5745.4	-25.46	-19	-19	Pass
NVNT	n20	5720	5765-26000	5765	-34.98	-26	-26	Pass
NVNT	n40	5190	30-5141.6	5141.6	-28.22	-26	-26	Pass
NVNT	n40	5190	5141.6-5150	5144.85	-23.95	-18	-18	Pass
NVNT	n40	5190	5250-5251	5250.42	-30.86	-3	-13	Pass
NVNT	n40	5190	5251-5270	5257.71	-30.9	-13	-21	Pass
NVNT	n40	5190	5270-5278.4	5271.43	-37.24	-21	-26	Pass
NVNT	n40	5190	5278.4-26000	25792.78	-35.85	-26	-26	Pass
NVNT	n40	5230	30-5141.6	3797.25	-43.49	-26	-26	Pass
NVNT	n40	5230	5141.6-5150	5145.49	-39.55	-18	-18	Pass
NVNT	n40	5230	5250-5251	5250.17	-12.44	-3	-13	Pass
NVNT	n40	5230	5251-5270	5251	-15.55	-13	-21	Pass
NVNT	n40	5230	5270-5278.4	5273.56	-30.52	-21	-26	Pass
NVNT	n40	5230	5278.4-26000	5278.4	-29.94	-26	-26	Pass
NVNT	n40	5270	30-5221.6	5221.6	-35.42	-26	-26	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	n40	5270	5221.6-5230	5227.4	-27.08	-26	-21	Pass
NVNT	n40	5270	5230-5249	5248.96	-15.28	-21	-13	Pass
NVNT	n40	5270	5249-5250	5249.94	-10.11	-13	-3	Pass
NVNT	n40	5270	5350-5358.4	5350.24	-40.64	-18	-18	Pass
NVNT	n40	5270	5358.4-26000	5358.4	-40.72	-26	-26	Pass
NVNT	n40	5310	30-5221.6	3741.99	-40.08	-26	-26	Pass
NVNT	n40	5310	5221.6-5230	5226.61	-35	-26	-21	Pass
NVNT	n40	5310	5230-5249	5248.37	-31.93	-21	-13	Pass
NVNT	n40	5310	5249-5250	5249.96	-28.45	-13	-3	Pass
NVNT	n40	5310	5350-5358.4	5353.57	-21.17	-18	-18	Pass
NVNT	n40	5310	5358.4-26000	5358.4	-28.69	-26	-26	Pass
NVNT	n40	5510	30-5460	5454.57	-24.78	-19	-19	Pass
NVNT	n40	5510	5460-5470	5469.94	-18.83	-13	-13	Pass
NVNT	n40	5510	5770-26000	25696.55	-36.29	-19	-19	Pass
NVNT	n40	5670	30-5460	3814.71	-38.48	-19	-19	Pass
NVNT	n40	5670	5460-5470	5462.82	-42.11	-13	-13	Pass
NVNT	n40	5670	5770-26000	25656.09	-36.23	-19	-19	Pass
NVNT	n40	5710	30-5460	3754.98	-39.31	-19	-19	Pass
NVNT	n40	5710	5460-5470	5467.29	-41.2	-13	-13	Pass
NVNT	n40	5710	5770-26000	5770	-28.97	-19	-19	Pass
NVNT	ac20	5180	30-5142	5142	-37.92	-26	-26	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ac20	5180	5142-5150	5147.1	-28.91	-18	-18	Pass
NVNT	ac20	5180	5250-5251	5250.09	-44.12	0	-10	Pass
NVNT	ac20	5180	5251-5260	5251.69	-45.06	-10	-18	Pass
NVNT	ac20	5180	5260-5266.7	5260.72	-45.47	-18	-26	Pass
NVNT	ac20	5180	5266.7-26000	25502.4	-40.78	-26	-26	Pass
NVNT	ac20	5240	30-5142	3843.55	-37.62	-26	-26	Pass
NVNT	ac20	5240	5142-5150	5144.23	-39.77	-18	-18	Pass
NVNT	ac20	5240	5250-5251	5250.12	-21.23	0	-10	Pass
NVNT	ac20	5240	5251-5260	5251.05	-24.25	-10	-18	Pass
NVNT	ac20	5240	5260-5266.7	5260.78	-39.39	-18	-26	Pass
NVNT	ac20	5240	5266.7-26000	5266.7	-33.33	-26	-26	Pass
NVNT	ac20	5260	30-5233.3	3797.19	-39.36	-26	-26	Pass
NVNT	ac20	5260	5233.3-5240	5239.97	-36.49	-26	-18	Pass
NVNT	ac20	5260	5240-5249	5248.94	-25.81	-18	-10	Pass
NVNT	ac20	5260	5249-5250	5249.86	-19.18	-10	0	Pass
NVNT	ac20	5260	5350-26000	25628.3	-33.84	-26	-26	Pass
NVNT	ac20	5320	30-5233.3	3828.41	-35.79	-26	-26	Pass
NVNT	ac20	5320	5233.3-5240	5234.99	-40.32	-26	-18	Pass
NVNT	ac20	5320	5240-5249	5240.81	-40.85	-18	-10	Pass
NVNT	ac20	5320	5249-5250	5249.96	-40.05	-10	0	Pass
NVNT	ac20	5320	5350-26000	23749.15	-34.76	-26	-26	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ac20	5500	30-5460	5454.57	-34.14	-26	-26	Pass
NVNT	ac20	5500	5460-5470	5469.65	-25.92	-19	-19	Pass
NVNT	ac20	5500	5745-5765	5749.86	-45.29	-19	-19	Pass
NVNT	ac20	5500	5765-26000	25514.36	-40.21	-26	-26	Pass
NVNT	ac20	5600	30-5460	3776.7	-42.3	-26	-26	Pass
NVNT	ac20	5600	5460-5470	5468.78	-45.93	-19	-19	Pass
NVNT	ac20	5600	5745-5765	5746.18	-44.46	-19	-19	Pass
NVNT	ac20	5600	5765-26000	25979.77	-39.37	-26	-26	Pass
NVNT	ac20	5720	30-5460	3825.57	-42.58	-26	-26	Pass
NVNT	ac20	5720	5460-5470	5464.34	-46.06	-19	-19	Pass
NVNT	ac20	5720	5745-5765	5745.52	-25.72	-19	-19	Pass
NVNT	ac20	5720	5765-26000	5765	-34.07	-26	-26	Pass
NVNT	ac40	5190	30-5141.6	5136.49	-35.94	-26	-26	Pass
NVNT	ac40	5190	5141.6-5150	5149.34	-26.31	-18	-18	Pass
NVNT	ac40	5190	5250-5251	5250.17	-33.16	-3	-13	Pass
NVNT	ac40	5190	5251-5270	5258.64	-37.29	-13	-21	Pass
NVNT	ac40	5190	5270-5278.4	5274.25	-38.31	-21	-26	Pass
NVNT	ac40	5190	5278.4-26000	25979.28	-37.18	-26	-26	Pass
NVNT	ac40	5230	30-5141.6	3817.7	-44.1	-26	-26	Pass
NVNT	ac40	5230	5141.6-5150	5149.45	-40.84	-18	-18	Pass
NVNT	ac40	5230	5250-5251	5250.45	-12.38	-3	-13	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ac40	5230	5251-5270	5251.02	-16.8	-13	-21	Pass
NVNT	ac40	5230	5270-5278.4	5274.07	-30.42	-21	-26	Pass
NVNT	ac40	5230	5278.4-26000	5278.4	-31.98	-26	-26	Pass
NVNT	ac40	5270	30-5221.6	5221.6	-36.12	-26	-26	Pass
NVNT	ac40	5270	5221.6-5230	5226.13	-25.12	-26	-21	Pass
NVNT	ac40	5270	5230-5249	5248.87	-17.32	-21	-13	Pass
NVNT	ac40	5270	5249-5250	5249.91	-9.74	-13	-3	Pass
NVNT	ac40	5270	5350-5358.4	5352.31	-40.89	-18	-18	Pass
NVNT	ac40	5270	5358.4-26000	22511.57	-41.83	-26	-26	Pass
NVNT	ac40	5310	30-5221.6	3783.53	-40.08	-26	-26	Pass
NVNT	ac40	5310	5221.6-5230	5228.43	-35.4	-26	-21	Pass
NVNT	ac40	5310	5230-5249	5246.68	-29.64	-21	-13	Pass
NVNT	ac40	5310	5249-5250	5249.59	-28.08	-13	-3	Pass
NVNT	ac40	5310	5350-5358.4	5350.81	-23.84	-18	-18	Pass
NVNT	ac40	5310	5358.4-26000	5358.4	-29.59	-26	-26	Pass
NVNT	ac40	5510	30-5460	5460	-22.44	-19	-19	Pass
NVNT	ac40	5510	5460-5470	5467.79	-18.23	-13	-13	Pass
NVNT	ac40	5510	5770-26000	25979.77	-35.84	-19	-19	Pass
NVNT	ac40	5670	30-5460	3771.27	-38.81	-19	-19	Pass
NVNT	ac40	5670	5460-5470	5461.03	-42.04	-13	-13	Pass
NVNT	ac40	5670	5770-26000	25757.24	-36.25	-19	-19	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ac40	5710	30-5460	3863.58	-38.22	-19	-19	Pass
NVNT	ac40	5710	5460-5470	5460.78	-42.32	-13	-13	Pass
NVNT	ac40	5710	5770-26000	5770	-26.18	-19	-19	Pass
NVNT	ac80	5210	30-5123.2	3798.97	-37.56	-26	-26	Pass
NVNT	ac80	5210	5123.2-5150	5133.2	-37.88	-18	-18	Pass
NVNT	ac80	5210	5250-5251	5250.12	-26.9	-6	-16	Pass
NVNT	ac80	5210	5251-5290	5251.55	-31.27	-16	-24	Pass
NVNT	ac80	5210	5290-5296.7	5291.47	-37.55	-24	-26	Pass
NVNT	ac80	5210	5296.7-26000	25813.67	-35.71	-26	-26	Pass
NVNT	ac80	5290	30-5203.3	3816.86	-37.2	-26	-26	Pass
NVNT	ac80	5290	5203.3-5210	5205.99	-39.22	-26	-24	Pass
NVNT	ac80	5290	5210-5249	5248.49	-36.54	-24	-16	Pass
NVNT	ac80	5290	5249-5250	5249.44	-32.33	-16	-6	Pass
NVNT	ac80	5290	5350-5376.8	5361.1	-38.47	-18	-18	Pass
NVNT	ac80	5290	5376.8-26000	25814.39	-35.07	-26	-26	Pass
NVNT	ac80	5530	30-5460	5443.71	-19.13	-19	-19	Pass
NVNT	ac80	5530	5460-5469.5	5466.97	-19.6	-13	-13	Pass
NVNT	ac80	5530	5469.5-5470	5469.78	-17.45	-13	-13	Pass
NVNT	ac80	5530	5770-26000	25797.7	-36.32	-19	-19	Pass
NVNT	ac80	5610	30-5460	3754.98	-39.78	-19	-19	Pass
NVNT	ac80	5610	5460-5469.5	5460.89	-34.91	-13	-13	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ac80	5610	5469.5-5470	5469.76	-35.96	-13	-13	Pass
NVNT	ac80	5610	5770-26000	25737.01	-36.7	-19	-19	Pass
NVNT	ac80	5690	30-5460	3841.86	-39.56	-19	-19	Pass
NVNT	ac80	5690	5460-5469.5	5463.49	-42.39	-13	-13	Pass
NVNT	ac80	5690	5469.5-5470	5469.78	-42.14	-13	-13	Pass
NVNT	ac80	5690	5770-26000	5770	-27.58	-19	-19	Pass
NVNT	ax20	5180	30-5142	5142	-36.31	-26	-26	Pass
NVNT	ax20	5180	5142-5150	5149.85	-28.21	-18	-18	Pass
NVNT	ax20	5180	5250-5250.2	5250.14	-42.88	3	-2	Pass
NVNT	ax20	5180	5250.2-5251	5250.69	-43.93	-2	-10	Pass
NVNT	ax20	5180	5251-5260	5252.97	-43.03	-10	-18	Pass
NVNT	ax20	5180	5260-5266.7	5266.39	-45.25	-18	-26	Pass
NVNT	ax20	5180	5266.7-26000	23512	-40.1	-26	-26	Pass
NVNT	ax20	5240	30-5142	3792.43	-38.13	-26	-26	Pass
NVNT	ax20	5240	5142-5150	5149.67	-39.9	-18	-18	Pass
NVNT	ax20	5240	5250-5250.2	5250	-19.35	3	-2	Pass
NVNT	ax20	5240	5250.2-5251	5250.41	-19.05	-2	-10	Pass
NVNT	ax20	5240	5251-5260	5251.41	-25.5	-10	-18	Pass
NVNT	ax20	5240	5260-5266.7	5262.22	-36.77	-18	-26	Pass
NVNT	ax20	5240	5266.7-26000	25647.53	-35.25	-26	-26	Pass
NVNT	ax20	5260	30-5233.3	3807.6	-37.93	-26	-26	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ax20	5260	5233.3-5240	5238.22	-38.99	-26	-18	Pass
NVNT	ax20	5260	5240-5249	5246.87	-30.55	-18	-10	Pass
NVNT	ax20	5260	5249-5249.8	5249.71	-20.32	-10	-2	Pass
NVNT	ax20	5260	5249.8-5250	5249.98	-20.23	-2	3	Pass
NVNT	ax20	5260	5350-26000	25463.1	-35.93	-26	-26	Pass
NVNT	ax20	5320	30-5233.3	3797.19	-42.5	-26	-26	Pass
NVNT	ax20	5320	5233.3-5240	5233.95	-46.35	-26	-18	Pass
NVNT	ax20	5320	5240-5249	5247.01	-44.67	-18	-10	Pass
NVNT	ax20	5320	5249-5249.8	5249.61	-44.92	-10	-2	Pass
NVNT	ax20	5320	5249.8-5250	5249.9	-43.95	-2	3	Pass
NVNT	ax20	5320	5350-26000	5350	-26.43	-26	-26	Pass
NVNT	ax20	5500	30-5460	5460	-30.66	-26	-26	Pass
NVNT	ax20	5500	5460-5470	5467.5	-24.47	-19	-19	Pass
NVNT	ax20	5500	5745-5765	5749.18	-45.09	-19	-19	Pass
NVNT	ax20	5500	5765-26000	25615.54	-39.45	-26	-26	Pass
NVNT	ax20	5600	30-5460	3836.43	-42.2	-26	-26	Pass
NVNT	ax20	5600	5460-5470	5465.44	-45.48	-19	-19	Pass
NVNT	ax20	5600	5745-5765	5753.34	-44.81	-19	-19	Pass
NVNT	ax20	5600	5765-26000	25656	-39.83	-26	-26	Pass
NVNT	ax20	5720	30-5460	3510.63	-40.08	-26	-26	Pass
NVNT	ax20	5720	5460-5470	5466.07	-46.3	-19	-19	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ax20	5720	5745-5765	5745.24	-25.43	-19	-19	Pass
NVNT	ax20	5720	5765-26000	5765	-35.28	-26	-26	Pass
NVNT	ax40	5190	30-5141.6	5141.6	-29.92	-26	-26	Pass
NVNT	ax40	5190	5141.6-5150	5144.8	-25.05	-18	-18	Pass
NVNT	ax40	5190	5250-5251	5250.27	-31.67	-3	-13	Pass
NVNT	ax40	5190	5251-5270	5260.58	-32.83	-13	-21	Pass
NVNT	ax40	5190	5270-5278.4	5273.2	-35.1	-21	-26	Pass
NVNT	ax40	5190	5278.4-26000	25751.34	-35.64	-26	-26	Pass
NVNT	ax40	5230	30-5141.6	4185.73	-43.18	-26	-26	Pass
NVNT	ax40	5230	5141.6-5150	5149	-39.96	-18	-18	Pass
NVNT	ax40	5230	5250-5251	5250.36	-12.42	-3	-13	Pass
NVNT	ax40	5230	5251-5270	5251.11	-16.85	-13	-21	Pass
NVNT	ax40	5230	5270-5278.4	5270.09	-29.19	-21	-26	Pass
NVNT	ax40	5230	5278.4-26000	5278.4	-34.66	-26	-26	Pass
NVNT	ax40	5270	30-5221.6	5221.6	-33	-26	-26	Pass
NVNT	ax40	5270	5221.6-5230	5229.91	-25.79	-26	-21	Pass
NVNT	ax40	5270	5230-5249	5248.83	-18.5	-21	-13	Pass
NVNT	ax40	5270	5249-5250	5249.96	-11.45	-13	-3	Pass
NVNT	ax40	5270	5350-5358.4	5357.28	-40.91	-18	-18	Pass
NVNT	ax40	5270	5358.4-26000	25814.23	-40.92	-26	-26	Pass
NVNT	ax40	5310	30-5221.6	3887.36	-43.49	-26	-26	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

NVNT	ax40	5310	5221.6-5230	5222.16	-37.92	-26	-21	Pass
NVNT	ax40	5310	5230-5249	5244.71	-34.59	-21	-13	Pass
NVNT	ax40	5310	5249-5250	5249.75	-32.92	-13	-3	Pass
NVNT	ax40	5310	5350-5358.4	5354.38	-29.38	-18	-18	Pass
NVNT	ax40	5310	5358.4-26000	5358.4	-30.31	-26	-26	Pass
NVNT	ax40	5510	30-5460	5460	-21.93	-19	-19	Pass
NVNT	ax40	5510	5460-5470	5469.15	-14.23	-13	-13	Pass
NVNT	ax40	5510	5770-26000	25372.87	-36.21	-19	-19	Pass
NVNT	ax40	5670	30-5460	3820.14	-37.89	-19	-19	Pass
NVNT	ax40	5670	5460-5470	5468.03	-42.01	-13	-13	Pass
NVNT	ax40	5670	5770-26000	25696.55	-36.09	-19	-19	Pass
NVNT	ax40	5710	30-5460	3782.13	-38.75	-19	-19	Pass
NVNT	ax40	5710	5460-5470	5461.85	-41.9	-13	-13	Pass
NVNT	ax40	5710	5770-26000	5770	-24.79	-19	-19	Pass
NVNT	ax80	5210	30-5123.2	3834.62	-36.09	-26	-26	Pass
NVNT	ax80	5210	5123.2-5150	5147.37	-36.08	-18	-18	Pass
NVNT	ax80	5210	5250-5251	5250.23	-26.98	-6	-16	Pass
NVNT	ax80	5210	5251-5290	5251.59	-33.23	-16	-24	Pass
NVNT	ax80	5210	5290-5296.7	5291.23	-36.72	-24	-26	Pass
NVNT	ax80	5210	5296.7-26000	22439.03	-35.28	-26	-26	Pass
NVNT	ax80	5290	30-5203.3	2456.28	-38.19	-26	-26	Pass

Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None


NVNT	ax80	5290	5203.3-5210	5206.08	-38.09	-26	-24	Pass
NVNT	ax80	5290	5210-5249	5246.66	-36.83	-24	-16	Pass
NVNT	ax80	5290	5249-5250	5249.87	-32.08	-16	-6	Pass
NVNT	ax80	5290	5350-5376.8	5351.77	-38.51	-18	-18	Pass
NVNT	ax80	5290	5376.8-26000	25979.38	-34.82	-26	-26	Pass
NVNT	ax80	5530	30-5460	5460	-21.8	-19	-19	Pass
NVNT	ax80	5530	5460-5469.5	5460.39	-15.63	-13	-13	Pass
NVNT	ax80	5530	5469.5-5470	5469.57	-17.92	-13	-13	Pass
NVNT	ax80	5530	5770-26000	25393.1	-35.28	-19	-19	Pass
NVNT	ax80	5610	30-5460	5460	-33.55	-19	-19	Pass
NVNT	ax80	5610	5460-5469.5	5464.44	-31.94	-13	-13	Pass
NVNT	ax80	5610	5469.5-5470	5469.98	-32.2	-13	-13	Pass
NVNT	ax80	5610	5770-26000	25716.78	-34.28	-19	-19	Pass
NVNT	ax80	5690	30-5460	3917.88	-38.39	-19	-19	Pass
NVNT	ax80	5690	5460-5469.5	5461	-40.11	-13	-13	Pass
NVNT	ax80	5690	5469.5-5470	5469.73	-40.4	-13	-13	Pass
NVNT	ax80	5690	5770-26000	5770	-23.45	-19	-19	Pass




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Test Graphs

Tx. Spurious NVNT a 5180MHz @ 30MHz-5142MHz




Tx. Spurious NVNT a 5180MHz @ 5142MHz-5150MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5180MHz @ 5250MHz-5251MHz




Tx. Spurious NVNT a 5180MHz @ 5251MHz-5260MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5180MHz @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5180MHz @ 5266.7MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5240MHz @ 30MHz-5142MHz




Tx. Spurious NVNT a 5240MHz @ 5142MHz-5150MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5240MHz @ 5250MHz-5251MHz




Tx. Spurious NVNT a 5240MHz @ 5251MHz-5260MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5240MHz @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5240MHz @ 5266.7MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5260MHz @ 30MHz-5233.3MHz




Tx. Spurious NVNT a 5260MHz @ 5233.3MHz-5240MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5260MHz @ 5240MHz-5249MHz




Tx. Spurious NVNT a 5260MHz @ 5249MHz-5250MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5260MHz @ 5350MHz-26000MHz




Tx. Spurious NVNT a 5320MHz @ 30MHz-5233.3MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5320MHz @ 5233.3MHz-5240MHz




Tx. Spurious NVNT a 5320MHz @ 5240MHz-5249MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5320MHz @ 5249MHz-5250MHz




Tx. Spurious NVNT a 5320MHz @ 5350MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5500MHz @ 30MHz-5460MHz




Tx. Spurious NVNT a 5500MHz @ 5460MHz-5470MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5500MHz @ 5745MHz-5765MHz




Tx. Spurious NVNT a 5500MHz @ 5765MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5600MHz @ 30MHz-5460MHz




Tx. Spurious NVNT a 5600MHz @ 5460MHz-5470MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5600MHz @ 5745MHz-5765MHz




Tx. Spurious NVNT a 5600MHz @ 5765MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5720MHz @ 30MHz-5460MHz




Tx. Spurious NVNT a 5720MHz @ 5460MHz-5470MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT a 5720MHz @ 5745MHz-5765MHz




Tx. Spurious NVNT a 5720MHz @ 5765MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5180MHz @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5180MHz @ 5142MHz-5150MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5180MHz @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5180MHz @ 5251MHz-5260MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5180MHz @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5180MHz @ 5266.7MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5240MHz @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5240MHz @ 5142MHz-5150MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5240MHz @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5240MHz @ 5251MHz-5260MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5240MHz @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5240MHz @ 5266.7MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5260MHz @ 30MHz-5233.3MHz




Tx. Spurious NVNT n20 5260MHz @ 5233.3MHz-5240MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5260MHz @ 5240MHz-5249MHz




Tx. Spurious NVNT n20 5260MHz @ 5249MHz-5250MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5260MHz @ 5350MHz-26000MHz




Tx. Spurious NVNT n20 5320MHz @ 30MHz-5233.3MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5320MHz @ 5233.3MHz-5240MHz




Tx. Spurious NVNT n20 5320MHz @ 5240MHz-5249MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5320MHz @ 5249MHz-5250MHz




Tx. Spurious NVNT n20 5320MHz @ 5350MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5500MHz @ 30MHz-5460MHz




Tx. Spurious NVNT n20 5500MHz @ 5460MHz-5470MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5500MHz @ 5745MHz-5765MHz




Tx. Spurious NVNT n20 5500MHz @ 5765MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5600MHz @ 30MHz-5460MHz




Tx. Spurious NVNT n20 5600MHz @ 5460MHz-5470MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5600MHz @ 5745MHz-5765MHz




Tx. Spurious NVNT n20 5600MHz @ 5765MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5720MHz @ 30MHz-5460MHz




Tx. Spurious NVNT n20 5720MHz @ 5460MHz-5470MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n20 5720MHz @ 5745MHz-5765MHz




Tx. Spurious NVNT n20 5720MHz @ 5765MHz-26000MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n40 5190MHz @ 30MHz-5141.6MHz




Tx. Spurious NVNT n40 5190MHz @ 5141.6MHz-5150MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n40 5190MHz @ 5250MHz-5251MHz




Tx. Spurious NVNT n40 5190MHz @ 5251MHz-5270MHz




Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n40 5190MHz @ 5270MHz-5278.4MHz




Tx. Spurious NVNT n40 5190MHz @ 5278.4MHz-26000MHz



Report No.: WSCT-R&E250900604A-Wi-Fi5G Issued: 17 September 2025 Revised: None

Tx. Spurious NVNT n40 5230MHz @ 30MHz-5141.6MHz



Tx. Spurious NVNT n40 5230MHz @ 5141.6MHz-5150MHz

