

附件 12 (CCAH17LP2590T7 第十六次增列)

本公司依申請者於109年02月04日販賣用電信管制射頻器材型式認證申請書，同意增列天線共40組 (PIFA Antenna，第十六次同意增列日期: 109年02月07日)，其廠牌/型號如下：

- (1) WNC / 81.EEW15.GMK (Main), 81.EEW15.GMY (Aux)
天線增益: 2400-2500MHz: -0.83dBi, 5150-5250MHz: 3.01dBi, 5250-5350MHz: 3.01dBi,
5470-5725 MHz: 3.19dBi, 5725-5850MHz: 3.22dBi
- (2) Luxshare-ICT Corporation / L01RF123-DT-H (Main), L01RF116-DT-H (Aux)
天線增益: 2400-2500MHz: 2.80dBi, 5150-5250MHz: 3.00dBi, 5250-5350MHz: 3.00dBi,
5470-5725 MHz: 2.90dBi, 5725-5850MHz: 2.90dBi
- (3) Luxshare-ICT Corporation / L01RF066-DT-R (Main), L01RF117-DT-H (Aux)
天線增益: 2400-2500MHz: 1.60dBi, 5150-5250MHz: 3.00dBi, 5250-5350MHz: 3.00dBi,
5470-5725 MHz: 3.00dBi, 5725-5850MHz: 2.90dBi
- (4) Luxshare-ICT Corporation / L01RF031-DT-R + L01RF062-DT-R (Main), L01RF115-DT-H (Aux)
天線增益: 2400-2500MHz: 3.00dBi, 5150-5250MHz: 3.00dBi, 5250-5350MHz: 2.90dBi,
5470-5725 MHz: 2.90dBi, 5725-5850MHz: 2.90dBi
- (5) WNC / 025.901EW.0001(81EAA815.G23) (Main), 025.901EW.0001(81EAA815.G23) (Aux)
天線增益: 2400-2500MHz: 2.16dBi, 5150-5250MHz: 0.54dBi, 5250-5350MHz: 1.63dBi,
5470-5725 MHz: 0.49dBi, 5725-5850MHz: 1.16dBi
- (6) SPEED / 025.901EW.0011(F.0G.FS-6066-001-00 (Main), 025.901EW.0011(F.0G.FS-6066-001-00)
(Aux)
天線增益: 2400-2500MHz: 2.16dBi, 5150-5250MHz: 0.54dBi, 5250-5350MHz: 1.63dBi,
5470-5725 MHz: 0.49dBi, 5725-5850MHz: 1.16dBi
- (7) WNC / 025.901MR.0011 (Main), 025.901MR.0011 (Aux)
天線增益: 2400-2500MHz: 0.40dBi, 5150-5250MHz: 1.53dBi, 5250-5350MHz: 2.53dBi,
5470-5725 MHz: 2.77dBi, 5725-5850MHz: 0.56dBi
- (8) HongBO / 025.901MR.0001 (Main), 025.901MR.0001 (Aux)
天線增益: 2400-2500MHz: -0.99dBi, 5150-5250MHz: 0.38dBi, 5250-5350MHz: 0.98dBi,
5470-5725 MHz: 3.10dBi, 5725-5850MHz: 1.59dBi
- (9) WNC / 025.901MT.0011 (Main), 025.901MT.0011 (Aux)
天線增益: 2400-2500MHz: -0.11dBi, 5150-5250MHz: 0.72dBi, 5250-5350MHz: 0.72dBi,
5470-5725 MHz: -1.39dBi, 5725-5850MHz: -1.49dBi
- (10) HongBO / 025.901MT.0001 (Main), 025.901MT.0001 (Aux)
天線增益: 2400-2500MHz: -2.62dBi, 5150-5250MHz: -0.47dBi, 5250-5350MHz: -0.47dBi,
5470-5725 MHz: -1.63dBi, 5725-5850MHz: -1.59dBi

- (11) WNC / 025.901MS.0011 (Main), 025.901MS.0011 (Aux)
天線增益: 2400-2500MHz: 1.94dBi, 5150-5250MHz: 2.29dBi, 5250-5350MHz: 2.61dBi,
5470-5725 MHz: 2.46dBi, 5725-5850MHz: 2.57dBi
- (12) HongBO / 025.901MS.0001 (Main), 025.901MS.0001 (Aux)
天線增益: 2400-2500MHz: 1.03dBi, 5150-5250MHz: -0.22dBi, 5250-5350MHz: -0.71dBi,
5470-5725 MHz: 1.52dBi, 5725-5850MHz: 2.22dBi
- (13) Hong Bo Co., Ltd / 025.901ME.0001(260-27416) (Main), 025.901MF.0001(260-27415) (Aux)
天線增益: 2400-2500MHz: 0.21dBi, 5150-5250MHz: 0.40dBi, 5250-5350MHz: 0.40dBi,
5470-5725 MHz: -1.25dBi, 5725-5850MHz: -2.74dBi
- (14) SPEED / 025.901ME.0011(F.0G.FS-6095-001-00) (Main), 025.901MF.0011(F.0G.FS-6095-002-00) (Aux)
天線增益: 2400-2500MHz: 1.90dBi, 5150-5250MHz: 1.94dBi, 5250-5350MHz: 1.94dBi,
5470-5725 MHz: 0.64dBi, 5725-5850MHz: -0.06dBi
- (15) AWAN / 6036B0261901(AUP6Y-100048) (Main), 6036B0262201(AUP6Y-100047) (Aux)
天線增益: 2400-2500MHz: 0.36dBi, 5150-5250MHz: 0.66dBi, 5250-5350MHz: 0.00dBi,
5470-5725 MHz: 1.18dBi, 5725-5850MHz: -0.14dBi
- (16) AWAN / 6036B0261901(AUP6Y-100048) (Main), 6036B0262201(AUP6Y-100047) (Aux)
天線增益: 2400-2500MHz: -2.93dBi, 5150-5250MHz: 1.30dBi, 5250-5350MHz: -0.22dBi,
5470-5725 MHz: -0.11dBi, 5725-5850MHz: -0.68dBi
- (17) Hong-bo / 6036B0262001(260-27404) (Main), 6036B0262301(260-27403) (Aux)
天線增益: 2400-2500MHz: 1.56dBi, 5150-5250MHz: 0.07dBi, 5250-5350MHz: 0.21dBi,
5470-5725 MHz: 2.60dBi, 5725-5850MHz: 0.76dBi
- (18) Hong-bo / 6036B0262001(260-27404) (Main), 6036B0262301(260-27403) (Aux)
天線增益: 2400-2500MHz: -0.59dBi, 5150-5250MHz: 1.72dBi, 5250-5350MHz: 2.19dBi,
5470-5725 MHz: 2.37dBi, 5725-5850MHz: 2.17dBi
- (19) INPAQ / 6036B0262101(WA-P-LB-02-730) (Main), 6036B0261801(WA-P-LB-02-729) (Aux)
天線增益: 2400-2500MHz: 2.21dBi, 5150-5250MHz: -0.01dBi, 5250-5350MHz: 2.61dBi,
5470-5725 MHz: 1.84dBi, 5725-5850MHz: -1.96dBi
- (20) INPAQ / 6036B0262101(WA-P-LB-02-730) (Main), 6036B0261801(WA-P-LB-02-729) (Aux)
天線增益: 2400-2500MHz: -0.82dBi, 5150-5250MHz: 1.38dBi, 5250-5350MHz: 2.38dBi,
5470-5725 MHz: 1.13dBi, 5725-5850MHz: -1.42dBi
- (21) Speed / F.0G.CC-6021-001-00 (350508A00-HY0) (Main), F.0G.CC-6021-001-00 (350508A00-HY0) (Aux)
天線增益: 2400-2500MHz: 0.70dBi, 5150-5250MHz: 2.78dBi, 5250-5350MHz: 2.68dBi,
5470-5725 MHz: 2.25dBi, 5725-5850MHz: 2.29dBi

(22) Hong-Bo / 260-33031(350508800-H0B) (Main), 260-33031(350508800-H0B) (Aux)
天線增益: 2400-2500MHz: -0.02dBi, 5150-5250MHz: 3.63dBi, 5250-5350MHz: 3.58dBi,
5470-5725 MHz: 3.46dBi, 5725-5850MHz: 3.49dBi

(23) MAG.LAYERS scientific-technics co, LTD / PCA-3009-25GC1-A11(DC33002FF00) (Main), PCA-3009-25GC1-A12(DC33002FF10) (Aux)
天線增益: 2400-2500MHz: 1.06dBi, 5150-5250MHz: 0.85dBi, 5250-5350MHz: 0.09dBi,
5470-5725 MHz: 1.04dBi, 5725-5850MHz: 0.35dBi

(24) High-Tek Electronics Co., Ltd / 0ACCN019011N(DC33002FE00) (Main),
0ACCN019012N(DC33002FE10) (Aux)
天線增益: 2400-2500MHz: 2.03dBi, 5150-5250MHz: -0.60dBi, 5250-5350MHz: -0.90dBi,
5470-5725 MHz: 0.84dBi, 5725-5850MHz: 0.84dBi

(25) SPEEDWIRE / DC33001JJ20 (Main), DC33001JJ30 (Aux)
天線增益: 2400-2500MHz: 0.47dBi, 5150-5250MHz: -0.53dBi, 5250-5350MHz: -1.47dBi,
5470-5725 MHz: -0.55dBi, 5725-5850MHz: -0.55dBi

(26) SPEEDWIRE / DC33001JJ00 (Main), DC33001JJ10 (Aux)
天線增益: 2400-2500MHz: 0.47dBi, 5150-5250MHz: -0.53dBi, 5250-5350MHz: -1.47dBi,
5470-5725 MHz: -0.55dBi, 5725-5850MHz: -0.55dBi

(27) LUXSHARE-ICT / DC33001JK20 (Main), DC33001JK30 (Aux)
天線增益: 2400-2500MHz: 0.50dBi, 5150-5250MHz: 1.80dBi, 5250-5350MHz: -0.10dBi,
5470-5725 MHz: 0.20dBi, 5725-5850MHz: -0.20dBi

(28) LUXSHARE-ICT / DC33001JK00 (Main), DC33001JK10 (Aux)
天線增益: 2400-2500MHz: 0.50dBi, 5150-5250MHz: 1.80dBi, 5250-5350MHz: -0.10dBi,
5470-5725 MHz: 0.20dBi, 5725-5850MHz: -0.20dBi

(29) Amphenol Taiwan Corporation / DC33001JL20 (Main), DC33001JL30 (Aux)
天線增益: 2400-2500MHz: -2.87dBi, 5150-5250MHz: -0.76dBi, 5250-5350MHz: -0.33dBi,
5470-5725 MHz: -0.30dBi, 5725-5850MHz: -0.36dBi

(30) Amphenol Taiwan Corporation / DC33001JL00 (Main), DC33001JL10 (Aux)
天線增益: 2400-2500MHz: -2.87dBi, 5150-5250MHz: -0.76dBi, 5250-5350MHz: -0.33dBi,
5470-5725 MHz: -0.30dBi, 5725-5850MHz: -0.36dBi

(31) Luxshare-ICT / DC33001KU30 (Main), DC33001KU20 (Aux)
天線增益: 2400-2500MHz: 1.50dBi, 5150-5250MHz: -1.20dBi, 5250-5350MHz: -1.20dBi,
5470-5725 MHz: -1.20dBi, 5725-5850MHz: -1.40dBi

(32) Luxshare-ICT / DC33001KU10 (Main), DC33001KU00 (Aux)
天線增益: 2400-2500MHz: 1.50dBi, 5150-5250MHz: -1.20dBi, 5250-5350MHz: -1.20dBi,
5470-5725 MHz: -1.20dBi, 5725-5850MHz: -1.40dBi

(33) Speedwire / DC33001KQ30 (Main), DC33001KQ20 (Aux)

天線增益: 2400-2500MHz: 1.20dBi, 5150-5250MHz: -1.54dBi, 5250-5350MHz: -1.23dBi,
5470-5725 MHz: -1.56dBi, 5725-5850MHz: -3.09dBi

(34) Speedwire / DC33001KQ10 (Main), DC33001KQ00 (Aux)

天線增益: 2400-2500MHz: 1.20dBi, 5150-5250MHz: -1.54dBi, 5250-5350MHz: -1.23dBi,
5470-5725 MHz: -1.56dBi, 5725-5850MHz: -3.09dBi

(35) Luxshare-ICT / DC33001LL30 (Main), DC33001LL20 (Aux)

天線增益: 2400-2500MHz: -0.30dBi, 5150-5250MHz: -1.40dBi, 5250-5350MHz: -1.80dBi,
5470-5725 MHz: -1.60dBi, 5725-5850MHz: -1.60dBi

(36) Luxshare-ICT / DC33001LL10 (Main), DC33001LL00 (Aux)

天線增益: 2400-2500MHz: -0.30dBi, 5150-5250MHz: -1.40dBi, 5250-5350MHz: -1.80dBi,
5470-5725 MHz: -1.60dBi, 5725-5850MHz: -1.60dBi

(37) Luxshare-ICT / DC33001LL50 (Main), DC33001LL40 (Aux)

天線增益: 2400-2500MHz: -0.30dBi, 5150-5250MHz: -1.40dBi, 5250-5350MHz: -1.80dBi,
5470-5725 MHz: -1.60dBi, 5725-5850MHz: -1.60dBi

(38) Speedwire / DC33001LK30 (Main), DC33001LK20 (Aux)

天線增益: 2400-2500MHz: 0.69dBi, 5150-5250MHz: -0.06dBi, 5250-5350MHz: -0.66dBi,
5470-5725 MHz: -1.06dBi, 5725-5850MHz: -2.09dBi

(39) Speedwire / DC33001LK10 (Main), DC33001LK00 (Aux)

天線增益: 2400-2500MHz: 0.69dBi, 5150-5250MHz: -0.06dBi, 5250-5350MHz: -0.66dBi,
5470-5725 MHz: 1.24dBi, 5725-5850MHz: -2.09dBi

(40) Speedwire / DC33001LK50 (Main), DC33001LK40 (Aux)

天線增益: 2400-2500MHz: 0.69dBi, 5150-5250MHz: -0.06dBi, 5250-5350MHz: -0.66dBi,
5470-5725 MHz: -1.06dBi, 5725-5850MHz: -2.09dBi

(以下空白)