

17.4.2 諧波及本地震盪 (1000 MHz - 主波之十倍諧波)


測試頻道: IEEE 802.11b / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	61.23	-7.60	53.63	74.00	-20.37	Peak	
2	2390.0000	51.07	-7.60	43.47	54.00	-10.53	AVG	
3 *	2412.8000	112.96	-7.51	105.45	54.00	51.45	AVG	主波訊號不予判定
4	2413.2000	116.38	-7.51	108.87	74.00	34.87	Peak	主波訊號不予判定

測試頻道: IEEE 802.11b / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4824.2000	65.19	-11.48	53.71	54.00	-0.29	AVG	
2	4824.0000	69.29	-11.48	57.81	74.00	-16.19	Peak	


測試頻道: IEEE 802.11b / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	55.76	-7.60	48.16	74.00	-25.84	Peak	
2	2390.0000	45.83	-7.60	38.23	54.00	-15.77	AVG	
3 *	2411.2000	98.49	-7.52	90.97	54.00	36.97	AVG	主波訊號不予判定
4	2413.1000	101.90	-7.51	94.39	74.00	20.39	Peak	主波訊號不予判定

測試頻道: IEEE 802.11b / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4822.6600	61.65	-11.48	50.17	74.00	-23.83	Peak	
2 *	4823.9900	57.52	-11.48	46.04	54.00	-7.96	AVG	


測試頻道: IEEE 802.11b / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2435.8000	116.83	-7.42	109.41	74.00	35.41	Peak	主波訊號不予判定
2 *	2436.3000	113.39	-7.42	105.97	54.00	51.97	AVG	主波訊號不予判定


測試頻道: IEEE 802.11b / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4873.9400	67.73	-11.43	56.30	74.00	-17.70	Peak	
2 *	4874.3000	64.83	-11.43	53.40	54.00	-0.60	AVG	


測試頻道: IEEE 802.11b / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2436.2000	100.80	-7.42	93.38	54.00	39.38	AVG	主波訊號不予判定
2	2438.2000	104.15	-7.41	96.74	74.00	22.74	Peak	主波訊號不予判定


測試頻道: IEEE 802.11b / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4874.0350	62.24	-11.43	50.81	74.00	-23.19	Peak	
2 *	4874.0400	58.35	-11.43	46.92	54.00	-7.08	AVG	


測試頻道: IEEE 802.11b / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AVG

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2460.9000	115.69	-7.32	108.37	74.00	34.37	Peak	主波訊號不予判定
2 *	2461.3000	111.40	-7.32	104.08	54.00	50.08	AVG	主波訊號不予判定
3	2483.5000	59.37	-7.23	52.14	74.00	-21.86	Peak	
4	2483.5000	47.72	-7.23	40.49	54.00	-13.51	AVG	


測試頻道: IEEE 802.11b / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4924.0099	68.12	-11.38	56.74	74.00	-17.26	Peak	
2 *	4924.2799	64.38	-11.38	53.00	54.00	-1.00	AVG	


測試頻道: IEEE 802.11b / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AVG

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2460.9000	104.20	-7.32	96.88	74.00	22.88	Peak	主波訊號不予判定
2 *	2461.3000	101.02	-7.32	93.70	54.00	39.70	AVG	主波訊號不予判定
3	2483.5000	57.31	-7.23	50.08	74.00	-23.92	Peak	
4	2483.5000	46.11	-7.23	38.88	54.00	-15.12	AVG	

測試頻道: IEEE 802.11b / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4923.9800	59.17	-11.38	47.79	54.00	-6.21	AVG	
2	4924.0350	62.81	-11.38	51.43	74.00	-22.57	Peak	


測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AVG

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	76.60	-7.60	69.00	74.00	-5.00	Peak	
2	2390.0000	61.18	-7.60	53.58	54.00	-0.42	AVG	
3	2410.6000	119.93	-7.52	112.41	74.00	38.41	Peak	主波訊號不予判定
4 *	2410.8000	110.51	-7.52	102.99	54.00	48.99	AVG	主波訊號不予判定

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4821.5700	77.25	-11.48	65.77	74.00	-8.23	Peak	
2 *	4826.1000	64.96	-11.47	53.49	54.00	-0.51	AVG	


測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AVG

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	59.33	-7.60	51.73	74.00	-22.27	Peak	
2	2390.0000	48.13	-7.60	40.53	54.00	-13.47	AVG	
3 *	2412.5000	95.64	-7.51	88.13	54.00	34.13	AVG	主波訊號不予判定
4	2417.3000	104.38	-7.49	96.89	74.00	22.89	Peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4823.4400	49.79	-11.48	38.31	54.00	-15.69	AVG	
2	4824.5600	64.31	-11.48	52.83	74.00	-21.17	Peak	

測試頻道: IEEE 802.11g / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2437.9000	124.18	-7.41	116.77	74.00	42.77	Peak	主波訊號不予判定
2 *	2437.9000	114.81	-7.41	107.40	54.00	53.40	AVG	主波訊號不予判定

測試頻道: IEEE 802.11g / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4871.2300	78.85	-11.43	67.42	74.00	-6.58	Peak	
2 *	4876.2100	65.12	-11.42	53.70	54.00	-0.30	AVG	


測試頻道: IEEE 802.11g / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2437.9000	103.91	-7.41	96.50	54.00	42.50	AVG	主波訊號不予判定
2	2438.0000	113.11	-7.41	105.70	74.00	31.70	Peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4875.6900	74.85	-11.42	63.43	74.00	-10.57	Peak	
2 *	4876.2150	61.32	-11.42	49.90	54.00	-4.10	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AVG

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2462.6000	111.57	-7.31	104.26	54.00	50.26	AVG	主波訊號不予判定
2	2462.9000	120.68	-7.31	113.37	74.00	39.37	Peak	主波訊號不予判定
3	2483.5000	75.05	-7.23	67.82	74.00	-6.18	Peak	
4	2483.5000	60.69	-7.23	53.46	54.00	-0.54	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4926.4200	77.35	-11.37	65.98	74.00	-8.02	Peak	
2 *	4926.9200	65.16	-11.37	53.79	54.00	-0.21	AVG	


測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AVG

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2463.0000	100.69	-7.31	93.38	54.00	39.38	AVG	主波訊號不予判定
2	2463.2000	109.78	-7.31	102.47	74.00	28.47	Peak	主波訊號不予判定
3	2483.5000	66.73	-7.23	59.50	74.00	-14.50	Peak	
4	2483.5000	52.87	-7.23	45.64	54.00	-8.36	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4922.9200	67.60	-11.38	56.22	74.00	-17.78	Peak	
2 *	4924.1500	53.38	-11.38	42.00	54.00	-12.00	AVG	


測試頻道: IEEE 802.11n (HT20) /
2412 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2389.4000	78.31	-7.61	70.70	74.00	-3.30	Peak	
2	2389.4000	61.09	-7.61	53.48	54.00	-0.52	AVG	
3	2390.0000	75.99	-7.60	68.39	74.00	-5.61	Peak	
4	2390.0000	61.27	-7.60	53.67	54.00	-0.33	AVG	
5	2411.4000	116.68	-7.52	109.16	74.00	35.16	Peak	主波訊號不予判定
6 *	2413.7000	107.75	-7.51	100.24	54.00	46.24	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2412 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4822.4800	60.65	-11.48	49.17	54.00	-4.83	AVG	
2	4825.4400	72.67	-11.47	61.20	74.00	-12.80	Peak	


測試頻道: IEEE 802.11n (HT20) /
2412 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	61.20	-7.60	53.60	74.00	-20.40	Peak	
2	2390.0000	48.17	-7.60	40.57	54.00	-13.43	AVG	
3	2414.5000	102.99	-7.51	95.48	74.00	21.48	Peak	主波訊號不予判定
4 *	2414.7000	93.94	-7.50	86.44	54.00	32.44	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2412 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4824.6600	66.35	-11.48	54.87	74.00	-19.13	Peak	
2 *	4827.7000	51.03	-11.47	39.56	54.00	-14.44	AVG	

測試頻道: IEEE 802.11n (HT20) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2436.2000	120.96	-7.42	113.54	74.00	39.54	Peak	主波訊號不予判定
2 *	2436.5000	111.63	-7.42	104.21	54.00	50.21	AVG	主波訊號不予判定


測試頻道: IEEE 802.11n (HT20) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4871.3700	73.93	-11.43	62.50	74.00	-11.50	Peak	
2 *	4872.5800	60.77	-11.43	49.34	54.00	-4.66	AVG	


測試頻道: IEEE 802.11n (HT20) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2434.9000	100.96	-7.42	93.54	54.00	39.54	AVG	主波訊號不予判定
2	2440.0000	110.08	-7.40	102.68	74.00	28.68	Peak	主波訊號不予判定


測試頻道: IEEE 802.11n (HT20) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4874.4800	74.59	-11.43	63.16	74.00	-10.84	Peak	
2 *	4875.6400	60.55	-11.42	49.13	54.00	-4.87	AVG	


測試頻道: IEEE 802.11n (HT20) /
2462 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2459.2000	114.69	-7.32	107.37	74.00	33.37	Peak	主波訊號不予判定
2 *	2461.5000	106.34	-7.32	99.02	54.00	45.02	AVG	主波訊號不予判定
3	2483.5000	76.17	-7.23	68.94	74.00	-5.06	Peak	
4	2483.5000	60.69	-7.23	53.46	54.00	-0.54	AVG	


測試頻道: IEEE 802.11n (HT20) /
2462 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4921.5600	72.72	-11.38	61.34	74.00	-12.66	Peak	
2 *	4922.8200	60.70	-11.38	49.32	54.00	-4.68	AVG	


測試頻道: IEEE 802.11n (HT20) /
2462 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2462.4000	97.11	-7.31	89.80	54.00	35.80	AVG	主波訊號不予判定
2	2464.6000	106.44	-7.30	99.14	74.00	25.14	Peak	主波訊號不予判定
3	2483.5000	65.76	-7.23	58.53	74.00	-15.47	Peak	
4	2483.5000	50.61	-7.23	43.38	54.00	-10.62	AVG	

測試頻道: IEEE 802.11n (HT20) /
2462 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4923.3800	52.67	-11.38	41.29	54.00	-12.71	AVG	
2	4925.2799	67.88	-11.37	56.51	74.00	-17.49	Peak	


測試頻道: IEEE 802.11n (HT40) /
2422 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2388.8000	75.60	-7.61	67.99	74.00	-6.01	Peak	
2	2388.8000	61.23	-7.61	53.62	54.00	-0.38	AVG	
3	2390.0000	75.32	-7.60	67.72	74.00	-6.28	Peak	
4	2390.0000	60.24	-7.60	52.64	54.00	-1.36	AVG	
5 *	2423.6000	101.14	-7.47	93.67	54.00	39.67	AVG	主波訊號不予判定
6	2424.0000	110.53	-7.47	103.06	74.00	29.06	Peak	主波訊號不予判定


測試頻道: IEEE 802.11n (HT40) /
2422 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4840.5800	69.49	-11.46	58.03	74.00	-15.97	Peak	
2 *	4852.6200	57.62	-11.45	46.17	54.00	-7.83	AVG	


測試頻道: IEEE 802.11n (HT40) /
2422 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	61.45	-7.60	53.85	74.00	-20.15	Peak	
2	2390.0000	47.84	-7.60	40.24	54.00	-13.76	AVG	
3	2424.8000	98.94	-7.46	91.48	74.00	17.48	Peak	主波訊號不予判定
4 *	2427.2000	89.64	-7.45	82.19	54.00	28.19	AVG	主波訊號不予判定


測試頻道: IEEE 802.11n (HT40) /
2422 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4843.4400	46.25	-11.46	34.79	54.00	-19.21	AVG	
2	4848.3000	58.66	-11.45	47.21	74.00	-26.79	Peak	


測試頻道: IEEE 802.11n (HT40) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	77.47	-7.60	69.87	74.00	-4.13	Peak	
2	2390.0000	60.88	-7.60	53.28	54.00	-0.72	AVG	
3	2433.8000	114.94	-7.43	107.51	74.00	33.51	Peak	主波訊號不予判定
4 *	2438.8000	105.11	-7.41	97.70	54.00	43.70	AVG	主波訊號不予判定


測試頻道: IEEE 802.11n (HT40) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4867.6100	57.33	-11.43	45.90	54.00	-8.10	AVG	
2	4870.4200	70.51	-11.43	59.08	74.00	-14.92	Peak	


測試頻道: IEEE 802.11n (HT40) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2439.8000	104.73	-7.40	97.33	74.00	23.33	Peak	主波訊號不予判定
2 *	2439.8000	94.90	-7.40	87.50	54.00	33.50	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT40) /
2437 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4873.7400	52.59	-11.43	41.16	54.00	-12.84	AVG	
2	4879.5600	65.95	-11.42	54.53	74.00	-19.47	Peak	


測試頻道: IEEE 802.11n (HT40) /
2452 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2448.6000	101.43	-7.37	94.06	54.00	40.06	AVG	主波訊號不予判定
2	2449.4000	111.03	-7.36	103.67	74.00	29.67	Peak	主波訊號不予判定
3	2483.5000	73.60	-7.23	66.37	74.00	-7.63	Peak	
4	2483.5000	61.06	-7.23	53.83	54.00	-0.17	AVG	


測試頻道: IEEE 802.11n (HT40) /
2452 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4905.4500	57.77	-11.39	46.38	54.00	-7.62	AVG	
2	4905.5900	70.77	-11.39	59.38	74.00	-14.62	Peak	


測試頻道: IEEE 802.11n (HT40) /
2452 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2449.8000	92.16	-7.36	84.80	54.00	30.80	AVG	主波訊號不予判定
2	2450.0000	102.30	-7.36	94.94	74.00	20.94	Peak	主波訊號不予判定
3	2483.5000	64.49	-7.23	57.26	74.00	-16.74	Peak	
4	2483.5000	50.39	-7.23	43.16	54.00	-10.84	AVG	
5	2484.4000	66.00	-7.22	58.78	74.00	-15.22	Peak	
6	2484.4000	51.52	-7.22	44.30	54.00	-9.70	AVG	

測試頻道: IEEE 802.11n (HT40) /
2452 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X


Polarization: Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4903.8800	46.42	-11.40	35.02	54.00	-18.98	AVG	
2	4904.4200	58.19	-11.40	46.79	74.00	-27.21	Peak	

測試頻道: IEEE 802.11g/2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 接收
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4825.000	49.42	-11.48	37.94	54.00	-16.06	AVG	
2		4825.530	59.54	-11.48	48.06	74.00	-25.94	peak	

測試頻道: IEEE 802.11g/2437 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 接收
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/06/19



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4825.000	46.79	-11.48	35.31	54.00	-18.69	AVG	
2		4825.430	57.57	-11.48	46.09	74.00	-27.91	peak	

17.4.3 禁用頻帶內之混附發射


測試頻道: IEEE 802.11b /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	61.23	-7.60	53.63	74.00	-20.37	Peak	
2	2390.0000	51.07	-7.60	43.47	54.00	-10.53	AVG	
3 *	2412.8000	112.96	-7.51	105.45	54.00	51.45	AVG	主波訊號不予判定
4	2413.2000	116.38	-7.51	108.87	74.00	34.87	Peak	主波訊號不予判定

測試頻道: IEEE 802.11b /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	55.76	-7.60	48.16	74.00	-25.84	Peak	
2	2390.0000	45.83	-7.60	38.23	54.00	-15.77	AVG	
3 *	2411.2000	98.49	-7.52	90.97	54.00	36.97	AVG	主波訊號不予判定
4	2413.1000	101.90	-7.51	94.39	74.00	20.39	Peak	主波訊號不予判定

測試頻道: IEEE 802.11b /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2460.9000	115.69	-7.32	108.37	74.00	34.37	Peak	主波訊號不予判定
2 *	2461.3000	111.40	-7.32	104.08	54.00	50.08	AVG	主波訊號不予判定
3	2483.5000	59.37	-7.23	52.14	74.00	-21.86	Peak	
4	2483.5000	47.72	-7.23	40.49	54.00	-13.51	AVG	

測試頻道: IEEE 802.11b /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2460.9000	104.20	-7.32	96.88	74.00	22.88	Peak	主波訊號不予判定
2 *	2461.3000	101.02	-7.32	93.70	54.00	39.70	AVG	主波訊號不予判定
3	2483.5000	57.31	-7.23	50.08	74.00	-23.92	Peak	
4	2483.5000	46.11	-7.23	38.88	54.00	-15.12	AVG	

測試頻道: IEEE 802.11g /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	76.60	-7.60	69.00	74.00	-5.00	Peak	
2	2390.0000	61.18	-7.60	53.58	54.00	-0.42	AVG	
3	2410.6000	119.93	-7.52	112.41	74.00	38.41	Peak	主波訊號不予判定
4 *	2410.8000	110.51	-7.52	102.99	54.00	48.99	AVG	主波訊號不予判定

測試頻道: IEEE 802.11g /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	59.33	-7.60	51.73	74.00	-22.27	Peak	
2	2390.0000	48.13	-7.60	40.53	54.00	-13.47	AVG	
3 *	2412.5000	95.64	-7.51	88.13	54.00	34.13	AVG	主波訊號不予判定
4	2417.3000	104.38	-7.49	96.89	74.00	22.89	Peak	主波訊號不予判定

測試頻道: IEEE 802.11g /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2462.6000	111.57	-7.31	104.26	54.00	50.26	AVG	主波訊號不予判定
2	2462.9000	120.68	-7.31	113.37	74.00	39.37	Peak	主波訊號不予判定
3	2483.5000	75.05	-7.23	67.82	74.00	-6.18	Peak	
4	2483.5000	60.69	-7.23	53.46	54.00	-0.54	AVG	

測試頻道: IEEE 802.11g /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2463.0000	100.69	-7.31	93.38	54.00	39.38	AVG	主波訊號不予判定
2	2463.2000	109.78	-7.31	102.47	74.00	28.47	Peak	主波訊號不予判定
3	2483.5000	66.73	-7.23	59.50	74.00	-14.50	Peak	
4	2483.5000	52.87	-7.23	45.64	54.00	-8.36	AVG	

測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2389.4000	78.31	-7.61	70.70	74.00	-3.30	Peak	
2	2389.4000	61.09	-7.61	53.48	54.00	-0.52	AVG	
3	2390.0000	75.99	-7.60	68.39	74.00	-5.61	Peak	
4	2390.0000	61.27	-7.60	53.67	54.00	-0.33	AVG	
5	2411.4000	116.68	-7.52	109.16	74.00	35.16	Peak	主波訊號不予判定
6 *	2413.7000	107.75	-7.51	100.24	54.00	46.24	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	61.20	-7.60	53.60	74.00	-20.40	Peak	
2	2390.0000	48.17	-7.60	40.57	54.00	-13.43	AVG	
3	2414.5000	102.99	-7.51	95.48	74.00	21.48	Peak	主波訊號不予判定
4 *	2414.7000	93.94	-7.50	86.44	54.00	32.44	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2459.2000	114.69	-7.32	107.37	74.00	33.37	Peak	主波訊號不予判定
2 *	2461.5000	106.34	-7.32	99.02	54.00	45.02	AVG	主波訊號不予判定
3	2483.5000	76.17	-7.23	68.94	74.00	-5.06	Peak	
4	2483.5000	60.69	-7.23	53.46	54.00	-0.54	AVG	


測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2462.4000	97.11	-7.31	89.80	54.00	35.80	AVG	主波訊號不予判定
2	2464.6000	106.44	-7.30	99.14	74.00	25.14	Peak	主波訊號不予判定
3	2483.5000	65.76	-7.23	58.53	74.00	-15.47	Peak	
4	2483.5000	50.61	-7.23	43.38	54.00	-10.62	AVG	

測試頻道: IEEE 802.11n (HT40) /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2388.8000	75.60	-7.61	67.99	74.00	-6.01	Peak	
2	2388.8000	61.23	-7.61	53.62	54.00	-0.38	AVG	
3	2390.0000	75.32	-7.60	67.72	74.00	-6.28	Peak	
4	2390.0000	60.24	-7.60	52.64	54.00	-1.36	AVG	
5 *	2423.6000	101.14	-7.47	93.67	54.00	39.67	AVG	主波訊號不予判定
6	2424.0000	110.53	-7.47	103.06	74.00	29.06	Peak	主波訊號不予判定


測試頻道: IEEE 802.11n (HT40) /
2.4 GHz 頻帶 / 2310 - 2390 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2390.0000	61.45	-7.60	53.85	74.00	-20.15	Peak	
2	2390.0000	47.84	-7.60	40.24	54.00	-13.76	AVG	
3	2424.8000	98.94	-7.46	91.48	74.00	17.48	Peak	主波訊號不予判定
4 *	2427.2000	89.64	-7.45	82.19	54.00	28.19	AVG	主波訊號不予判定


測試頻道: IEEE 802.11n (HT40) /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2448.6000	101.43	-7.37	94.06	54.00	40.06	AVG	主波訊號不予判定
2	2449.4000	111.03	-7.36	103.67	74.00	29.67	Peak	主波訊號不予判定
3	2483.5000	73.60	-7.23	66.37	74.00	-7.63	Peak	
4	2483.5000	61.06	-7.23	53.83	54.00	-0.17	AVG	

測試頻道: IEEE 802.11n (HT40) /
2.4 GHz 頻帶 / 2483.5 - 2900 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/06/19

Orthogonal Axis: X

Polarization: Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2449.8000	92.16	-7.36	84.80	54.00	30.80	AVG	主波訊號不予判定
2	2450.0000	102.30	-7.36	94.94	74.00	20.94	Peak	主波訊號不予判定
3	2483.5000	64.49	-7.23	57.26	74.00	-16.74	Peak	
4	2483.5000	50.39	-7.23	43.16	54.00	-10.84	AVG	
5	2484.4000	66.00	-7.22	58.78	74.00	-15.22	Peak	
6	2484.4000	51.52	-7.22	44.30	54.00	-9.70	AVG	