



TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT

Report No.: MTi260818011-0101E1



NTNV 2DH5 Ant1 2441 2483.5~2496.5




NTNV 2DH5 Ant1 2441 2496.5~13000




TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT

Report No.: MTi260818011-0101E1



NTNV 2DH5 Ant1 2480 2483.5~2496.5




NTNV 2DH5 Ant1 2480 2496.5~13000




TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT

Report No.: MTi260818011-0101E1



NTNV 3DH5 Ant1 2402 2483.5~2496.5



NTNV 3DH5 Ant1 2402 2496.5~13000




TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT


Report No.: MTi260818011-0101E1



NTNV 3DH5 Ant1 2441 2483.5~2496.5




NTNV 3DH5 Ant1 2441 2496.5~13000




TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT

Report No.: MTi260818011-0101E1



NTNV 3DH5 Ant1 2480 2483.5~2496.5



NTNV 3DH5 Ant1 2480 2496.5~13000



TEST REPORT

Report No.: MTi260818011-0101E1

TEST REPORT

Report No.: MTi260818011-0101E1

Appendix F: Secondary radiated emissions


Test Result

Test Condition	Test Mode	Antenna	Freq. [MHz]	Freq.Range [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	DH5	Ant1	2402	30~1000	-79.76	≤-54	0.01057	≤4	PASS
				1000~12500	-58.93	≤-47	1.27938	≤20	PASS
			2441	30~1000	-78.01	≤-54	0.01581	≤4	PASS
				1000~12500	-61.16	≤-47	0.76560	≤20	PASS
			2480	30~1000	-78.25	≤-54	0.01496	≤4	PASS
				1000~12500	-58.59	≤-47	1.38357	≤20	PASS
	2DH5	Ant1	2402	30~1000	-79.49	≤-54	0.01125	≤4	PASS
				1000~12500	-58.37	≤-47	1.45546	≤20	PASS
			2441	30~1000	-65.71	≤-54	0.26853	≤4	PASS
				1000~12500	-57.92	≤-47	1.61436	≤20	PASS
			2480	30~1000	-66.49	≤-54	0.22439	≤4	PASS
				1000~12500	-69.2	≤-47	0.12023	≤20	PASS
	3DH5	Ant1	2402	30~1000	-65.98	≤-54	0.25235	≤4	PASS
				1000~12500	-62.14	≤-47	0.61094	≤20	PASS
			2441	30~1000	-66.28	≤-54	0.23550	≤4	PASS
				1000~12500	-69.56	≤-47	0.11066	≤20	PASS
			2480	30~1000	-65.55	≤-54	0.27861	≤4	PASS
				1000~12500	-69.04	≤-47	0.12474	≤20	PASS

TEST REPORT


Report No.: MTi260818011-0101E1

Test Graphs




TEST REPORT


Report No.: MTi260818011-0101E1



NTNV DH5 Ant1 2441 1000~12500




NTNV DH5 Ant1 2480 30~1000




TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT


Report No.: MTi260818011-0101E1



NTNV 2DH5 Ant1 2441 30~1000




NTNV 2DH5 Ant1 2441 1000~12500




TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT


Report No.: MTi260818011-0101E1



NTNV 3DH5 Ant1 2402 1000~12500




NTNV 3DH5 Ant1 2441 30~1000




TEST REPORT

Report No.: MTi260818011-0101E1



TEST REPORT

Report No.: MTi260818011-0101E1



TEST REPORT

Report No.: MTi260818011-0101E1

Appendix G: Hopping frequency holding time

Test Result


Test Condition	Test Mode	Antenna	Freq. [MHz]	T_ON [ms]	Period [ms]	Result [s]	Limit [s]	Verdict
NTNV	DH1	Ant1	2441	0.37	1.25	0.106	≤0.4	PASS
	DH3	Ant1	2441	1.62	2.50	0.233	≤0.4	PASS
	DH5	Ant1	2441	2.87	3.75	0.275	≤0.4	PASS
	2DH1	Ant1	2441	0.37	1.25	0.107	≤0.4	PASS
	2DH3	Ant1	2441	1.62	2.50	0.234	≤0.4	PASS
	2DH5	Ant1	2441	2.87	3.75	0.277	≤0.4	PASS
	3DH1	Ant1	2441	0.37	1.25	0.107	≤0.4	PASS
	3DH3	Ant1	2441	1.62	2.50	0.235	≤0.4	PASS
	3DH5	Ant1	2441	2.87	3.75	0.277	≤0.4	PASS

Note: Result [ms] = 0.4 [s] * Spread ratio * T_ON [ms] / Period [ms] / Number of hopping [79]

TEST REPORT


Report No.: MTi260818011-0101E1

Test Graphs




TEST REPORT


Report No.: MTi260818011-0101E1



NTNV 2DH1_Ant1_Hop




NTNV 2DH3_Ant1_Hop




TEST REPORT

Report No.: MTi260818011-0101E1




TEST REPORT

Report No.: MTi260818011-0101E1



NTNV 3DH5 Ant1 Hop



TEST REPORT

Report No.: MTi260818011-0101E1

Statement

1. This report is invalid without the seal and signature of the laboratory.
2. The test results of this report are only responsible for the samples submitted. Client shall be responsible for representativeness of the sample and authenticity of the material.
3. The report shall not be partially reproduced without the written consent of the Laboratory.
4. This report is invalid if transferred, altered or tampered with in any form without authorization.
5. The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.
6. Any objection to this report shall be submitted to the laboratory within 15 days from the date of receipt of the report.

***** END OF REPORT *****