






Appendix G: Transmission Burst Length


Test Result


TestCon dition	TestMode	Antenn a	Channel	Result [ms]	Limit [ms]	Verdict
NTNV	11A	Ant2	5955	1.46	≤8	PASS
NTNV	11A	Ant2	6175	1.46	≤8	PASS
NTNV	11A	Ant2	6195	1.46	≤8	PASS
NTNV	11A	Ant2	6415	1.46	≤8	PASS
NTNV	11AX20SISO	Ant2	5955	5.39	≤8	PASS
NTNV	11AX20SISO	Ant2	6175	5.39	≤8	PASS
NTNV	11AX20SISO	Ant2	6195	5.39	≤8	PASS
NTNV	11AX20SISO	Ant2	6415	5.39	≤8	PASS
NTNV	11AX40SISO	Ant2	5965	4.82	≤8	PASS
NTNV	11AX40SISO	Ant2	6165	4.83	≤8	PASS
NTNV	11AX40SISO	Ant2	6205	4.83	≤8	PASS
NTNV	11AX40SISO	Ant2	6405	4.83	≤8	PASS
NTNV	11AX80SISO	Ant2	5985	2.74	≤8	PASS
NTNV	11AX80SISO	Ant2	6145	2.74	≤8	PASS
NTNV	11AX80SISO	Ant2	6225	2.74	≤8	PASS
NTNV	11AX80SISO	Ant2	6385	2.74	≤8	PASS
NTNV	11AX160SISO	Ant2	6025	2.13	≤8	PASS
NTNV	11AX160SISO	Ant2	6185	2.13	≤8	PASS
NTNV	11AX160SISO	Ant2	6345	2.13	≤8	PASS


Test Graphs



























Appendix H: Adjacent Channel Power Tolerance


Test Result


TestCon dition	TestMode	Anten na	Channel	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant2	5955	-40	-50.14	≤-40	PASS
NTNV	11A	Ant2	5955	-20	-40.18	≤-25	PASS
NTNV	11A	Ant2	5955	+20	-40.57	≤-25	PASS
NTNV	11A	Ant2	5955	+40	-50.77	≤-40	PASS
NTNV	11A	Ant2	6175	-40	-51.05	≤-40	PASS
NTNV	11A	Ant2	6175	-20	-38.43	≤-25	PASS
NTNV	11A	Ant2	6175	+20	-39.86	≤-25	PASS
NTNV	11A	Ant2	6175	+40	-50.60	≤-40	PASS
NTNV	11A	Ant2	6195	-40	-51.25	≤-40	PASS
NTNV	11A	Ant2	6195	-20	-37.47	≤-25	PASS
NTNV	11A	Ant2	6195	+20	-39.08	≤-25	PASS
NTNV	11A	Ant2	6195	+40	-50.87	≤-40	PASS
NTNV	11A	Ant2	6415	-40	-49.36	≤-40	PASS
NTNV	11A	Ant2	6415	-20	-34.39	≤-25	PASS
NTNV	11A	Ant2	6415	+20	-36.02	≤-25	PASS
NTNV	11A	Ant2	6415	+40	-49.83	≤-40	PASS
NTNV	11AX20SISO	Ant2	5955	-40	-49.99	≤-40	PASS
NTNV	11AX20SISO	Ant2	5955	-20	-33.61	≤-25	PASS
NTNV	11AX20SISO	Ant2	5955	+20	-35.34	≤-25	PASS
NTNV	11AX20SISO	Ant2	5955	+40	-50.60	≤-40	PASS
NTNV	11AX20SISO	Ant2	6175	-40	-50.48	≤-40	PASS
NTNV	11AX20SISO	Ant2	6175	-20	-34.19	≤-25	PASS
NTNV	11AX20SISO	Ant2	6175	+20	-35.62	≤-25	PASS
NTNV	11AX20SISO	Ant2	6175	+40	-49.94	≤-40	PASS
NTNV	11AX20SISO	Ant2	6415	-40	-48.29	≤-40	PASS
NTNV	11AX20SISO	Ant2	6415	-20	-33.42	≤-25	PASS
NTNV	11AX20SISO	Ant2	6415	+20	-33.98	≤-25	PASS
NTNV	11AX20SISO	Ant2	6415	+40	-48.66	≤-40	PASS
NTNV	11AX40SISO	Ant2	5965	-80	-48.23	≤-40	PASS
NTNV	11AX40SISO	Ant2	5965	-40	-41.23	≤-25	PASS
NTNV	11AX40SISO	Ant2	5965	+40	-41.83	≤-25	PASS
NTNV	11AX40SISO	Ant2	5965	+80	-49.28	≤-40	PASS
NTNV	11AX40SISO	Ant2	6165	-80	-49.61	≤-40	PASS
NTNV	11AX40SISO	Ant2	6165	-40	-39.42	≤-25	PASS
NTNV	11AX40SISO	Ant2	6165	+40	-41.67	≤-25	PASS
NTNV	11AX40SISO	Ant2	6165	+80	-49.26	≤-40	PASS


NTNV	11AX40SISO	Ant2	6205	-80	-48.85	≤-40	PASS
NTNV	11AX40SISO	Ant2	6205	-40	-37.93	≤-25	PASS
NTNV	11AX40SISO	Ant2	6205	+40	-40.46	≤-25	PASS
NTNV	11AX40SISO	Ant2	6205	+80	-48.03	≤-40	PASS
NTNV	11AX40SISO	Ant2	6405	-80	-47.03	≤-40	PASS
NTNV	11AX40SISO	Ant2	6405	-40	-35.94	≤-25	PASS
NTNV	11AX40SISO	Ant2	6405	+40	-37.55	≤-25	PASS
NTNV	11AX40SISO	Ant2	6405	+80	-47.58	≤-40	PASS
NTNV	11AX80SISO	Ant2	5985	-160	-46.96	≤-40	PASS
NTNV	11AX80SISO	Ant2	5985	-80	-39.49	≤-25	PASS
NTNV	11AX80SISO	Ant2	5985	+80	-40.03	≤-25	PASS
NTNV	11AX80SISO	Ant2	5985	+160	-47.87	≤-40	PASS
NTNV	11AX80SISO	Ant2	6145	-160	-46.12	≤-40	PASS
NTNV	11AX80SISO	Ant2	6145	-80	-38.55	≤-25	PASS
NTNV	11AX80SISO	Ant2	6145	+80	-40.35	≤-25	PASS
NTNV	11AX80SISO	Ant2	6145	+160	-46.16	≤-40	PASS
NTNV	11AX80SISO	Ant2	6225	-160	-46.84	≤-40	PASS
NTNV	11AX80SISO	Ant2	6225	-80	-36.79	≤-25	PASS
NTNV	11AX80SISO	Ant2	6225	+80	-39.54	≤-25	PASS
NTNV	11AX80SISO	Ant2	6225	+160	-45.76	≤-40	PASS
NTNV	11AX80SISO	Ant2	6385	-160	-46.34	≤-40	PASS
NTNV	11AX80SISO	Ant2	6385	-80	-34.37	≤-25	PASS
NTNV	11AX80SISO	Ant2	6385	+80	-36.69	≤-25	PASS
NTNV	11AX80SISO	Ant2	6385	+160	-46.78	≤-40	PASS
NTNV	11AX160SISO	Ant2	6025	-320	-44.73	≤-40	PASS
NTNV	11AX160SISO	Ant2	6025	-160	-36.31	≤-25	PASS
NTNV	11AX160SISO	Ant2	6025	+160	-36.31	≤-25	PASS
NTNV	11AX160SISO	Ant2	6025	+320	-44.02	≤-40	PASS
NTNV	11AX160SISO	Ant2	6185	-320	-43.62	≤-40	PASS
NTNV	11AX160SISO	Ant2	6185	-160	-35.68	≤-25	PASS
NTNV	11AX160SISO	Ant2	6185	+160	-37.68	≤-25	PASS
NTNV	11AX160SISO	Ant2	6185	+320	-44.27	≤-40	PASS
NTNV	11AX160SISO	Ant2	6345	-320	-42.68	≤-40	PASS
NTNV	11AX160SISO	Ant2	6345	-160	-32.32	≤-25	PASS
NTNV	11AX160SISO	Ant2	6345	+160	-37.58	≤-25	PASS
NTNV	11AX160SISO	Ant2	6345	+320	-43.38	≤-40	PASS


Test Graphs























Appendix I: Carrier Sense Function

Test Result


Condition	Mode	Frequency (MHz)	Antenna	Verdict
NVNT	Ax20	5955	Ant1	PASS
NVNT	Ax40	5965	Ant1	PASS
NVNT	Ax80	5985	Ant1	PASS
NVNT	ax160	6025	Ant1	PASS


Note: Only the worst data was recorded.

T1: CW signal injection

T2: CW signal remove

Test Graphs





*** End of Report ***