

Annex A.5 Adjacent channel leakage power and out-band leakage power

Adjacent channel leakage power

1. 802.11a_20M_Band1_L

1.5. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-47.03	-25.12	Pass
-10	20	Off	Relative	-25	0	-44.12	-22.2	Pass
10	20	Off	Relative	-25	0	-43.94	-22.03	Pass
30	20	Off	Relative	-40	0	-46.4	-24.49	Pass



2. 802.11a_20M_Band1_M

2.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.44	-24.33	Pass
-10	20	Off	Relative	-25	0	-43.19	-21.08	Pass
10	20	Off	Relative	-25	0	-43.69	-21.58	Pass
30	20	Off	Relative	-40	0	-46.01	-23.9	Pass



3. 802.11a_20M_Band1_H

3.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.33	-24.52	Pass
-10	20	Off	Relative	-25	0	-43.11	-21.31	Pass
10	20	Off	Relative	-25	0	-43.64	-21.83	Pass
30	20	Off	Relative	-40	0	-46.1	-24.3	Pass



5. 802.11n_20M_Band1_L

5.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-47.07	-24.75	Pass
-10	20	Off	Relative	-25	0	-43.3	-20.98	Pass
10	20	Off	Relative	-25	0	-42.83	-20.51	Pass
30	20	Off	Relative	-40	0	-46.34	-24.02	Pass



6. 802.11n_20M_Band1_M

6.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.11	-24.63	Pass
-10	20	Off	Relative	-25	0	-43.63	-22.15	Pass
10	20	Off	Relative	-25	0	-43.23	-21.75	Pass
30	20	Off	Relative	-40	0	-45.39	-23.91	Pass



7. 802.11n_20M_Band1_H

7.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.36	-25.18	Pass
-10	20	Off	Relative	-25	0	-43.55	-22.37	Pass
10	20	Off	Relative	-25	0	-43.25	-22.07	Pass
30	20	Off	Relative	-40	0	-45.68	-24.5	Pass



8. 802.11n_40M_Band1_L

8.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.92	-22.57	Pass
-20	40	Off	Relative	-25	0	-41.78	-19.43	Pass
20	40	Off	Relative	-25	0	-41	-18.65	Pass
60	40	Off	Relative	-40	0	-43.9	-21.55	Pass



9. 802.11n_40M_Band1_H

9.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.03	-21.63	Pass
-20	40	Off	Relative	-25	0	-40.34	-17.93	Pass
20	40	Off	Relative	-25	0	-39.96	-17.56	Pass
60	40	Off	Relative	-40	0	-43.44	-21.04	Pass



10. 802.11ac_20M_Band1_L

10.3. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.99	-24.69	Pass
-10	20	Off	Relative	-25	0	-43.48	-21.18	Pass
10	20	Off	Relative	-25	0	-42.92	-20.62	Pass
30	20	Off	Relative	-40	0	-46.52	-24.22	Pass



11. 802.11ac_20M_Band1_M

11.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.31	-24.34	Pass
-10	20	Off	Relative	-25	0	-42.74	-20.77	Pass
10	20	Off	Relative	-25	0	-42.56	-20.59	Pass
30	20	Off	Relative	-40	0	-45.69	-23.72	Pass



12. 802.11ac_20M_Band1_H

12.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.25	-25.11	Pass
-10	20	Off	Relative	-25	0	-43.57	-22.43	Pass
10	20	Off	Relative	-25	0	-43.43	-22.29	Pass
30	20	Off	Relative	-40	0	-45.88	-24.74	Pass



4. 802.11ac_40M_Band1_L

4.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.49	-21.69	Pass
-20	40	Off	Relative	-25	0	-41.26	-18.46	Pass
20	40	Off	Relative	-25	0	-40.42	-17.63	Pass
60	40	Off	Relative	-40	0	-43.89	-21.09	Pass



13. 802.11ac_40M_Band1_H

13.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.08	-21.68	Pass
-20	40	Off	Relative	-25	0	-40.31	-17.91	Pass
20	40	Off	Relative	-25	0	-40.12	-17.72	Pass
60	40	Off	Relative	-40	0	-43.41	-21.01	Pass



14. 802.11ax_20M_Band1_L

14.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-48.26	-23.19	Pass
-10	20	Off	Relative	-25	0	-45.1	-20.03	Pass
10	20	Off	Relative	-25	0	-44.56	-19.49	Pass
30	20	Off	Relative	-40	0	-47.94	-22.87	Pass



15. 802.11ax_20M_Band1_M

15.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-47.64	-22.91	Pass
-10	20	Off	Relative	-25	0	-44.32	-19.59	Pass
10	20	Off	Relative	-25	0	-44.18	-19.45	Pass
30	20	Off	Relative	-40	0	-47.43	-22.7	Pass



16. 802.11ax_20M_Band1_H

16.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-47.59	-23.15	Pass
-10	20	Off	Relative	-25	0	-44.59	-20.16	Pass
10	20	Off	Relative	-25	0	-44.82	-20.39	Pass
30	20	Off	Relative	-40	0	-47.62	-23.19	Pass



17. 802.11ax_40M_Band1_L

17.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-46.49	-20.99	Pass
-20	40	Off	Relative	-25	0	-35.62	-10.12	Pass
20	40	Off	Relative	-25	0	-35.32	-9.83	Pass
60	40	Off	Relative	-40	0	-46.32	-20.82	Pass



57. 802.11ax_40M_Band1_H

57.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)

Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.8	-20.17	Pass
-20	40	Off	Relative	-25	0	-34.63	-10	Pass
20	40	Off	Relative	-25	0	-35.02	-10.38	Pass
60	40	Off	Relative	-40	0	-44.93	-20.29	Pass




--BLANK BELOW--

18. 802.11a_20M_Band2_L

18.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.92	-24.26	Pass
-10	20	Off	Relative	-25	0	-43.11	-21.44	Pass
10	20	Off	Relative	-25	0	-43.27	-21.61	Pass
30	20	Off	Relative	-40	0	-45.72	-24.05	Pass



19. 802.11a_20M_Band2_M

19.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.05	-24.56	Pass
-10	20	Off	Relative	-25	0	-42.49	-20.99	Pass
10	20	Off	Relative	-25	0	-43.29	-21.8	Pass
30	20	Off	Relative	-40	0	-45.49	-24	Pass



20. 802.11a_20M_Band2_H

20.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-44.76	-22.75	Pass
-10	20	Off	Relative	-25	0	-40.73	-18.72	Pass
10	20	Off	Relative	-25	0	-42.42	-20.41	Pass
30	20	Off	Relative	-40	0	-44.72	-22.71	Pass



21. 802.11n_20M_Band2_L

21.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.32	-24.18	Pass
-10	20	Off	Relative	-25	0	-42.04	-19.9	Pass
10	20	Off	Relative	-25	0	-42.4	-20.26	Pass
30	20	Off	Relative	-40	0	-45.71	-23.57	Pass



22. 802.11n_20M_Band2_M

22.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.97	-24.6	Pass
-10	20	Off	Relative	-25	0	-42.48	-21.11	Pass
10	20	Off	Relative	-25	0	-42.77	-21.4	Pass
30	20	Off	Relative	-40	0	-45.08	-23.71	Pass



23. 802.11n_20M_Band2_H

23.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.64	-24.29	Pass
-10	20	Off	Relative	-25	0	-42.45	-21.11	Pass
10	20	Off	Relative	-25	0	-42.52	-21.17	Pass
30	20	Off	Relative	-40	0	-44.99	-23.64	Pass



24. 802.11n_40M_Band2_L

24.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.46	-20.87	Pass
-20	40	Off	Relative	-25	0	-38.38	-15.79	Pass
20	40	Off	Relative	-25	0	-37.86	-15.26	Pass
60	40	Off	Relative	-40	0	-42.99	-20.39	Pass



25. 802.11n_40M_Band2_H

25.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.46	-21.17	Pass
-20	40	Off	Relative	-25	0	-37.96	-15.67	Pass
20	40	Off	Relative	-25	0	-37.35	-15.06	Pass
60	40	Off	Relative	-40	0	-43.18	-20.89	Pass



26. 802.11ac_20M_Band2_L

26.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.62	-24.53	Pass
-10	20	Off	Relative	-25	0	-41.82	-19.73	Pass
10	20	Off	Relative	-25	0	-42.25	-20.16	Pass
30	20	Off	Relative	-40	0	-45.79	-23.7	Pass



27. 802.11ac_20M_Band2_M

27.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.11	-24.31	Pass
-10	20	Off	Relative	-25	0	-41.76	-19.96	Pass
10	20	Off	Relative	-25	0	-41.96	-20.17	Pass
30	20	Off	Relative	-40	0	-45.26	-23.46	Pass



28. 802.11ac_20M_Band2_H

28.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-45.68	-23.87	Pass
-10	20	Off	Relative	-25	0	-41.36	-19.55	Pass
10	20	Off	Relative	-25	0	-41.81	-19.99	Pass
30	20	Off	Relative	-40	0	-45.31	-23.5	Pass



29. 802.11ac_40M_Band2_L

29.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.42	-20.97	Pass
-20	40	Off	Relative	-25	0	-38.35	-15.9	Pass
20	40	Off	Relative	-25	0	-38.02	-15.57	Pass
60	40	Off	Relative	-40	0	-42.93	-20.48	Pass



30. 802.11ac_40M_Band2_H

30.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.63	-21.33	Pass
-20	40	Off	Relative	-25	0	-37.94	-15.65	Pass
20	40	Off	Relative	-25	0	-37.47	-15.18	Pass
60	40	Off	Relative	-40	0	-43.19	-20.9	Pass



31. 802.11ax_20M_Band2_L

31.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.85	-22.07	Pass
-10	20	Off	Relative	-25	0	-43.05	-18.28	Pass
10	20	Off	Relative	-25	0	-43.37	-18.59	Pass
30	20	Off	Relative	-40	0	-46.54	-21.76	Pass



32. 802.11ax_20M_Band2_M

32.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.13	-21.56	Pass
-10	20	Off	Relative	-25	0	-42.15	-17.59	Pass
10	20	Off	Relative	-25	0	-42.62	-18.05	Pass
30	20	Off	Relative	-40	0	-46.05	-21.48	Pass



33. 802.11ax_20M_Band2_H

33.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.02	-21.46	Pass
-10	20	Off	Relative	-25	0	-42.09	-17.53	Pass
10	20	Off	Relative	-25	0	-42.46	-17.9	Pass
30	20	Off	Relative	-40	0	-45.73	-21.17	Pass



34. 802.11ax_40M_Band2_L

34.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.33	-19.06	Pass
-20	40	Off	Relative	-25	0	-34.28	-9.01	Pass
20	40	Off	Relative	-25	0	-34.07	-8.8	Pass
60	40	Off	Relative	-40	0	-44.42	-19.15	Pass



35. 802.11ax_40M_Band2_H

35.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.37	-19.32	Pass
-20	40	Off	Relative	-25	0	-34.11	-9.06	Pass
20	40	Off	Relative	-25	0	-33.57	-8.52	Pass
60	40	Off	Relative	-40	0	-44.45	-19.4	Pass



36. 802.11a_20M_Band3_L

36.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.2	-22.71	Pass
-10	20	Off	Relative	-25	0	-42.84	-19.34	Pass
10	20	Off	Relative	-25	0	-43.58	-20.09	Pass
30	20	Off	Relative	-40	0	-46.55	-23.06	Pass



37. 802.11a_20M_Band3_M

37.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-47.18	-23.56	Pass
-10	20	Off	Relative	-25	0	-43.97	-20.35	Pass
10	20	Off	Relative	-25	0	-44.7	-21.08	Pass
30	20	Off	Relative	-40	0	-47.59	-23.97	Pass



38. 802.11a_20M_Band3_H

38.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-42.86	-18.89	Pass
-10	20	Off	Relative	-25	0	-42.03	-18.06	Pass
10	20	Off	Relative	-25	0	-40.85	-16.88	Pass
30	20	Off	Relative	-40	0	-43.52	-19.54	Pass



39. 802.11n_20M_Band3_L

39.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.44	-23.09	Pass
-10	20	Off	Relative	-25	0	-42.74	-19.39	Pass
10	20	Off	Relative	-25	0	-44.16	-20.82	Pass
30	20	Off	Relative	-40	0	-46.6	-23.25	Pass



40. 802.11n_20M_Band3_M

40.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.35	-22.85	Pass
-10	20	Off	Relative	-25	0	-43	-19.5	Pass
10	20	Off	Relative	-25	0	-44.07	-20.57	Pass
30	20	Off	Relative	-40	0	-46.5	-23	Pass



41. 802.11n_20M_Band3_H

41.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-41.82	-18.12	Pass
-10	20	Off	Relative	-25	0	-40.21	-16.5	Pass
10	20	Off	Relative	-25	0	-39.44	-15.74	Pass
30	20	Off	Relative	-40	0	-42.06	-18.35	Pass



42. 802.11n_40M_Band3_L

42.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.42	-20.31	Pass
-20	40	Off	Relative	-25	0	-40.03	-15.92	Pass
20	40	Off	Relative	-25	0	-42.1	-18	Pass
60	40	Off	Relative	-40	0	-45.54	-21.43	Pass



43. 802.11n_40M_Band3_M

43.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.63	-20.49	Pass
-20	40	Off	Relative	-25	0	-40.89	-16.74	Pass
20	40	Off	Relative	-25	0	-42.8	-18.66	Pass
60	40	Off	Relative	-40	0	-45.06	-20.91	Pass



44. 802.11n_40M_Band3_H

44.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.76	-20.3	Pass
-20	40	Off	Relative	-25	0	-39.85	-16.39	Pass
20	40	Off	Relative	-25	0	-38.82	-15.36	Pass
60	40	Off	Relative	-40	0	-43.77	-20.31	Pass



45. 802.11ac_20M_Band3_L

45.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.08	-22.68	Pass
-10	20	Off	Relative	-25	0	-42.08	-18.68	Pass
10	20	Off	Relative	-25	0	-43.51	-20.1	Pass
30	20	Off	Relative	-40	0	-46.39	-22.99	Pass



46. 802.11ac_20M_Band3_M

46.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-46.89	-23.37	Pass
-10	20	Off	Relative	-25	0	-43.05	-19.53	Pass
10	20	Off	Relative	-25	0	-44.59	-21.07	Pass
30	20	Off	Relative	-40	0	-46.84	-23.32	Pass



47. 802.11ac_20M_Band3_H

47.2. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-41.92	-18.19	Pass
-10	20	Off	Relative	-25	0	-40.2	-16.47	Pass
10	20	Off	Relative	-25	0	-39.62	-15.89	Pass
30	20	Off	Relative	-40	0	-42.12	-18.39	Pass



48. 802.11ac_40M_Band3_L

48.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.66	-20.56	Pass
-20	40	Off	Relative	-25	0	-40.89	-16.79	Pass
20	40	Off	Relative	-25	0	-42.89	-18.78	Pass
60	40	Off	Relative	-40	0	-45.56	-21.46	Pass



49. 802.11ac_40M_Band3_M

49.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-44.64	-20.53	Pass
-20	40	Off	Relative	-25	0	-40.52	-16.42	Pass
20	40	Off	Relative	-25	0	-42.5	-18.39	Pass
60	40	Off	Relative	-40	0	-44.93	-20.82	Pass



50. 802.11ac_40M_Band3_H

50.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-43.72	-20.29	Pass
-20	40	Off	Relative	-25	0	-39.91	-16.48	Pass
20	40	Off	Relative	-25	0	-38.73	-15.30	Pass
60	40	Off	Relative	-40	0	-43.89	-20.46	Pass



51. 802.11ax_20M_Band3_L

51.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-48.59	-22.4	Pass
-10	20	Off	Relative	-25	0	-43.52	-17.33	Pass
10	20	Off	Relative	-25	0	-44.82	-18.63	Pass
30	20	Off	Relative	-40	0	-48.88	-22.69	Pass



52. 802.11ax_20M_Band3_M

52.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-49.08	-22.79	Pass
-10	20	Off	Relative	-25	0	-44.09	-17.8	Pass
10	20	Off	Relative	-25	0	-45.3	-19.01	Pass
30	20	Off	Relative	-40	0	-49.43	-23.14	Pass



53. 802.11ax_20M_Band3_H

53.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-30	20	Off	Relative	-40	0	-42.74	-16.15	Pass
-10	20	Off	Relative	-25	0	-38.08	-11.49	Pass
10	20	Off	Relative	-25	0	-37.03	-10.44	Pass
30	20	Off	Relative	-40	0	-43.55	-16.96	Pass



54. 802.11ax_40M_Band3_L

54.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-47.04	-20.2	Pass
-20	40	Off	Relative	-25	0	-37.48	-10.64	Pass
20	40	Off	Relative	-25	0	-36.99	-10.15	Pass
60	40	Off	Relative	-40	0	-48.14	-21.29	Pass



55. 802.11ax_40M_Band3_M

55.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)


Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-47.13	-20.3	Pass
-20	40	Off	Relative	-25	0	-36.66	-9.83	Pass
20	40	Off	Relative	-25	0	-36.36	-9.53	Pass
60	40	Off	Relative	-40	0	-47.72	-20.89	Pass



56. 802.11ax_40M_Band3_H

56.1. A.5-Adjacent channel leakage power and out-band leakage power(NTNV)

Offset Frequency [MHz]	IBW (MHz)	RRC	Limit Type	Limit Rel (dB)	Limit Abs (dBm)	Power Rel (dB)	Power Abs (dBm)	Verdict
-60	40	Off	Relative	-40	0	-45.21	-19.07	Pass
-20	40	Off	Relative	-25	0	-35.31	-9.18	Pass
20	40	Off	Relative	-25	0	-34.46	-8.33	Pass
60	40	Off	Relative	-40	0	-45.9	-19.77	Pass




Out-band leakage power

1. 802.11a_20M_Band1_L

1.3. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5141.95	-37.96	0.160	2.5	Pass
5142	5150	1	Peak	5148.9	-35.83	0.261	15	Pass
5250	5251	1	Peak	5250.948	-43.51	0.045	110	Pass
5251	5260	1	Peak	5259.933	-44.36	0.037	16	Pass
5260	5266.7	1	Peak	5265.31	-44.55	0.035	3.6	Pass
5266.7	5277	1	Peak	5267.859	-45.27	0.030	2.5	Pass



2. 802.11a_20M_Band1_M

2.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5140.825	-43.71	0.043	2.5	Pass
5142	5150	1	Peak	5147.1	-43.32	0.047	15	Pass
5250	5251	1	Peak	5250.95	-38.21	0.151	109	Pass
5251	5260	1	Peak	5257.998	-37.39	0.183	23	Pass
5260	5266.7	1	Peak	5265.628	-40.46	0.090	3.3	Pass
5266.7	5277	1	Peak	5276.408	-38.89	0.129	2.5	Pass



3. 802.11a_20M_Band1_H

3.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5137.95	-46.63	0.022	2.5	Pass
5142	5150	1	Peak	5147.8	-45.95	0.025	15	Pass
5250	5251	1	Peak	5250.99	-29.33	1.167	101	Pass
5251	5260	1	Peak	5257.75	-30.65	0.862	25	Pass
5260	5266.7	1	Peak	5266.315	-40.36	0.092	2.7	Pass
5266.7	5277	1	Peak	5275.223	-37.99	0.159	2.5	Pass



4. 802.11n_20M_Band1_L

4.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5132.975	-38.57	0.139	2.5	Pass
5142	5150	1	Peak	5147.26	-37.63	0.173	15	Pass
5250	5251	1	Peak	5250.998	-44.48	0.036	100	Pass
5251	5260	1	Peak	5259.64	-45.1	0.031	17	Pass
5260	5266.7	1	Peak	5266.482	-45.48	0.028	2.6	Pass
5266.7	5277	1	Peak	5267.91	-45.54	0.028	2.5	Pass



5. 802.11n_20M_Band1_M

5.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5142	-44.37	0.037	2.5	Pass
5142	5150	1	Peak	5146.82	-42.56	0.056	15	Pass
5250	5251	1	Peak	5250.993	-38.98	0.126	101	Pass
5251	5260	1	Peak	5256.625	-36.89	0.205	31	Pass
5260	5266.7	1	Peak	5266.683	-41.55	0.070	2.5	Pass
5266.7	5277	1	Peak	5268.554	-40.05	0.099	2.5	Pass



6. 802.11n_20M_Band1_H

6.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5141.825	-47.11	0.019	2.5	Pass
5142	5150	1	Peak	5146.44	-46.38	0.023	15	Pass
5250	5251	1	Peak	5250	-16.02	25.024	630	Pass
5251	5260	1	Peak	5259.123	-30.5	0.892	18	Pass
5260	5266.7	1	Peak	5265.712	-37.56	0.176	3.2	Pass
5266.7	5277	1	Peak	5276.511	-37.53	0.176	2.5	Pass



7. 802.11ac_20M_Band1_L

7.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5133.3	-37.98	0.159	2.5	Pass
5142	5150	1	Peak	5149.16	-37.55	0.176	15	Pass
5250	5251	1	Peak	5250.993	-44.62	0.034	101	Pass
5251	5260	1	Peak	5258.74	-43.32	0.047	20	Pass
5260	5266.7	1	Peak	5265.427	-45.3	0.030	3.5	Pass
5266.7	5277	1	Peak	5267.318	-45.58	0.028	2.5	Pass



8. 802.11ac_20M_Band1_M

8.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5138.7	-44.95	0.032	2.5	Pass
5142	5150	1	Peak	5146.36	-42.03	0.063	15	Pass
5250	5251	1	Peak	5250.983	-38.9	0.129	103	Pass
5251	5260	1	Peak	5259.528	-39.71	0.107	17	Pass
5260	5266.7	1	Peak	5266.432	-40.93	0.081	2.7	Pass
5266.7	5277	1	Peak	5269.069	-40.17	0.096	2.5	Pass



9. 802.11ac_20M_Band1_H

9.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5140.375	-47.31	0.019	2.5	Pass
5142	5150	1	Peak	5149.04	-46.39	0.023	15	Pass
5250	5251	1	Peak	5250	-16.02	24.978	630	Pass
5251	5260	1	Peak	5259.685	-31.34	0.734	16	Pass
5260	5266.7	1	Peak	5265.695	-37.76	0.167	3.3	Pass
5266.7	5277	1	Peak	5270.305	-37.6	0.174	2.5	Pass



10. 802.11a_20M_Band2_L

10.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5224.288	-34.06	0.392	2.5	Pass
5233.3	5240	1	Peak	5234.004	-33.52	0.445	3	Pass
5240	5249	1	Peak	5243.353	-28.44	1.433	31	Pass
5249	5250	1	Peak	5249.015	-28.11	1.544	102	Pass
5350	5360	1	Peak	5355.85	-46.04	0.025	2.5	Pass



11. 802.11a_20M_Band2_M

11.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5224.674	-42.66	0.054	2.5	Pass
5233.3	5240	1	Peak	5234.004	-44.43	0.036	3	Pass
5240	5249	1	Peak	5241.328	-39.93	0.102	20	Pass
5249	5250	1	Peak	5249.008	-41.8	0.066	101	Pass
5350	5360	1	Peak	5356.35	-39.78	0.105	2.5	Pass



12. 802.11a_20M_Band2_H

12.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5232.296	-45.22	0.030	2.5	Pass
5233.3	5240	1	Peak	5233.551	-44.52	0.035	2.6	Pass
5240	5249	1	Peak	5240.36	-43.8	0.042	17	Pass
5249	5250	1	Peak	5249.133	-42.04	0.063	127	Pass
5350	5360	1	Peak	5350.75	-32.87	0.516	2.5	Pass



13. 802.11n_20M_Band2_L

13.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5232.27	-33.67	0.430	2.5	Pass
5233.3	5240	1	Peak	5233.434	-34.92	0.322	2.6	Pass
5240	5249	1	Peak	5240.63	-29.21	1.200	18	Pass
5249	5250	1	Peak	5250	-16.52	22.296	630	Pass
5350	5360	1	Peak	5350.45	-46.75	0.021	2.5	Pass



14. 802.11n_20M_Band2_M

14.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5226.451	-41.24	0.075	2.5	Pass
5233.3	5240	1	Peak	5233.334	-42.58	0.055	2.5	Pass
5240	5249	1	Peak	5240	-40.14	0.097	15	Pass
5249	5250	1	Peak	5249.103	-41.78	0.066	120	Pass
5350	5360	1	Peak	5353.175	-40.71	0.085	2.5	Pass



15. 802.11n_20M_Band2_H

15.1. Out-band leakage power(Band Width 18MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5231.884	-45.8	0.026	2.5	Pass
5233.3	5240	1	Peak	5233.484	-44.82	0.033	2.6	Pass
5240	5249	1	Peak	5240.113	-41.65	0.068	16	Pass
5249	5250	1	Peak	5249.05	-42.74	0.053	109	Pass
5350	5360	1	Peak	5352.775	-37.04	0.198	2.5	Pass



17. 802.11ac_20M_Band2_L

17.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5232.193	-33.3	0.468	2.5	Pass
5233.3	5240	1	Peak	5233.317	-35.03	0.314	2.5	Pass
5240	5249	1	Peak	5241.238	-29.14	1.218	20	Pass
5249	5250	1	Peak	5250	-16.34	23.207	630	Pass
5350	5360	1	Peak	5350.35	-46.05	0.025	2.5	Pass



18. 802.11ac_20M_Band2_M

18.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5231.266	-42.45	0.057	2.5	Pass
5233.3	5240	1	Peak	5233.334	-43.66	0.043	2.5	Pass
5240	5249	1	Peak	5240.225	-40.08	0.098	16	Pass
5249	5250	1	Peak	5249	-40.7	0.085	100	Pass
5350	5360	1	Peak	5356.5	-40.87	0.082	2.5	Pass



19. 802.11ac_20M_Band2_H

19.1. Out-band leakage power(Band Width 18MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5225.858	-44.9	0.032	2.5	Pass
5233.3	5240	1	Peak	5233.3	-45.39	0.029	2.5	Pass
5240	5249	1	Peak	5240.473	-43.08	0.049	17	Pass
5249	5250	1	Peak	5249.018	-42.2	0.060	103	Pass
5350	5360	1	Peak	5350.35	-37.43	0.181	2.5	Pass



1. 802.11ax_20M_Band1_L

1.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm/MHz)	Power (μ W/MHz)	Limit (μ W/MHz)	Verdict
5132	5142	1	Peak	5140.25	-34.21	0.379	2.5	Pass
5142	5150	1	Peak	5144.52	-31.65	0.684	15	Pass
5250	5250.2	1	Peak	5250.198	-44.88	0.032	640	Pass
5250.2	5251	1	Peak	5250.986	-45.19	0.030	103	Pass
5251	5260	1	Peak	5259.303	-45.08	0.031	18	Pass
5260	5266.7	1	Peak	5266.382	-46.18	0.024	2.7	Pass
5266.7	5277	1	Peak	5267.73	-45.91	0.026	2.5	Pass



2. 802.11ax_20M_Band1_M

2.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5141	-44.29	0.037	2.5	Pass
5142	5150	1	Peak	5149.12	-43.02	0.050	15	Pass
5250	5250.2	1	Peak	5250.199	-31.67	0.681	634	Pass
5250.2	5251	1	Peak	5251	-33.09	0.491	100	Pass
5251	5260	1	Peak	5258.943	-33.01	0.500	19	Pass
5260	5266.7	1	Peak	5266.566	-38.84	0.131	2.6	Pass
5266.7	5277	1	Peak	5270.537	-38.34	0.147	2.5	Pass



3. 802.11ax_20M_Band1_H

3.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5132	5142	1	Peak	5137.375	-46.51	0.022	2.5	Pass
5142	5150	1	Peak	5147.5	-46.49	0.022	15	Pass
5250	5250.2	1	Peak	5250.199	0.35	1082.995	634	N/A
			Sample		-7.704	167.668		Pass
5250.2	5251	1	Peak	5250.2	0.39	1094.233	630	N/A
			Sample		-7.933	160.953		Pass
5251	5260	1	Peak	5251	-22.44	5.705	100	Pass
5260	5266.7	1	Peak	5266.633	-32.8	0.525	2.5	Pass
5266.7	5277	1	Peak	5270.331	-32.03	0.627	2.5	Pass



4. 802.11ax_20M_Band2_L

4.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5233.197	-29.99	1.001	2.5	Pass
5233.3	5240	1	Peak	5233.401	-30.25	0.944	2.5	Pass
5240	5249	1	Peak	5249	-14.32	37.023	100	Pass
5249	5249.8	1	Peak	5249.8	0.39	1094.151	630	N/A
			Sample		-25.65	2.723		Pass
5249.8	5250	1	Peak	5249.805	0.55	1134.893	647	N/A
			Sample		-23.72	4.246		Pass
5350	5360	1	Peak	5352.95	-47.18	0.019	2.5	Pass



5. 802.11ax_20M_Band2_M

5.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5232.322	-40.81	0.083	2.5	Pass
5233.3	5240	1	Peak	5234.104	-38.66	0.136	3.1	Pass
5240	5249	1	Peak	5242.228	-35.68	0.271	25	Pass
5249	5249.8	1	Peak	5249	-38.15	0.153	100	Pass
5249.8	5250	1	Peak	5249.8	-36.58	0.220	630	Pass
5350	5360	1	Peak	5352.275	-38.86	0.130	2.5	Pass



6. 802.11ax_20M_Band2_H

6.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5223	5233.3	1	Peak	5231.652	-45.09	0.031	2.5	Pass
5233.3	5240	1	Peak	5233.535	-44.86	0.033	2.6	Pass
5240	5249	1	Peak	5240.518	-44.33	0.037	17	Pass
5249	5249.8	1	Peak	5249	-42.58	0.055	100	Pass
5249.8	5250	1	Peak	5249.81	-41.6	0.069	668	Pass
5350	5360	1	Peak	5350.17	-27.66	1.712	2.5	N/A
			Sample	5	-48.449	0.014		Pass



7. 802.11a_20M_Band3_L

7.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5456.95	-37.06	0.197	2.5	Pass
5460	5470	1	Peak	5464.75	-35.05	0.313	12.5	Pass
5745	5765	1	Peak	5745.2	-45.57	0.028	12.5	Pass
5765	5775	1	Peak	5766.625	-49.39	0.011	2.5	Pass



8. 802.11a_20M_Band3_M

8.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5459.3	-46.37	0.023	2.5	Pass
5460	5470	1	Peak	5461.575	-46.26	0.024	12.5	Pass
5745	5765	1	Peak	5745.1	-44.04	0.039	12.5	Pass
5765	5775	1	Peak	5772.6	-47.51	0.018	2.5	Pass



9. 802.11a_20M_Band3_H

9.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5456.95	-42.48	0.057	2.5	Pass
5460	5470	1	Peak	5465.15	-43.34	0.046	12.5	Pass
5745	5765	1	Peak	5753.8	-34.89	0.324	12.5	Pass
5765	5775	1	Peak	5767.35	-36.9	0.204	2.5	Pass



10. 802.11n_20M_Band3_L

10.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5457.8	-39.22	0.120	2.5	Pass
5460	5470	1	Peak	5466.3	-35.83	0.261	12.5	Pass
5745	5765	1	Peak	5747.1	-44.46	0.036	12.5	Pass
5765	5775	1	Peak	5772.775	-48.37	0.015	2.5	Pass



11. 802.11n_20M_Band3_M

11.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5452.925	-47.13	0.019	2.5	Pass
5460	5470	1	Peak	5469.625	-46.23	0.024	12.5	Pass
5745	5765	1	Peak	5747.6	-43.76	0.042	12.5	Pass
5765	5775	1	Peak	5766.45	-48.05	0.016	2.5	Pass



12. 802.11n_20M_Band3_H

12.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5458.05	-43.72	0.043	2.5	Pass
5460	5470	1	Peak	5466.25	-43.37	0.046	12.5	Pass
5745	5765	1	Peak	5745.1	-32.55	0.556	12.5	Pass
5765	5775	1	Peak	5772.45	-36.33	0.233	2.5	Pass



16. 802.11ac_20M_Band3_L

16.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5454.125	-37.95	0.161	2.5	Pass
5460	5470	1	Peak	5469.875	-35.78	0.264	12.5	Pass
5745	5765	1	Peak	5746.3	-45.27	0.030	12.5	Pass
5765	5775	1	Peak	5772.35	-47.95	0.016	2.5	Pass



17. 802.11ac_20M_Band3_M

17.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5452.525	-46.88	0.021	2.5	Pass
5460	5470	1	Peak	5469.675	-46.23	0.024	12.5	Pass
5745	5765	1	Peak	5745.05	-43.6	0.044	12.5	Pass
5765	5775	1	Peak	5765.2	-47.7	0.017	2.5	Pass



18. 802.11ac_20M_Band3_H

18.2. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5456.175	-43.59	0.044	2.5	Pass
5460	5470	1	Peak	5467	-43.44	0.045	12.5	Pass
5745	5765	1	Peak	5745	-32.85	0.519	12.5	Pass
5765	5775	1	Peak	5772.225	-36.71	0.213	2.5	Pass



19. 802.11ax_20M_Band3_L

19.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5459.875	-35.71	0.268	2.5	Pass
5460	5470	1	Peak	5467.775	-33.46	0.451	12.5	Pass
5745	5765	1	Peak	5746.15	-43.35	0.046	12.5	Pass
5765	5775	1	Peak	5772.15	-49.17	0.012	2.5	Pass



20. 802.11ax_20M_Band3_M

20.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5455.1	-46.23	0.024	2.5	Pass
5460	5470	1	Peak	5468.025	-46.62	0.022	12.5	Pass
5745	5765	1	Peak	5746.3	-42.48	0.056	12.5	Pass
5765	5775	1	Peak	5766.6	-47.94	0.016	2.5	Pass



21. 802.11ax_20M_Band3_H

21.1. Out-band leakage power(Band Width 20MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5456.3	-41.11	0.077	2.5	Pass
5460	5470	1	Peak	5464.35	-41.38	0.073	12.5	Pass
5745	5765	1	Peak	5750.6	-27.54	1.762	12.5	Pass
5765	5775	1	Peak	5766.275	-34.76	0.334	2.5	Pass



1. 802.11n_40M_Band1_L

1.1. Out-band leakage power(Band Width 40MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5131	5141.6	1	Peak	5137.334	-30	0.999	2.5	Pass
5141.6	5150	1	Peak	5141.642	-30.26	0.943	15	Pass
5250	5251	1	Peak	5250.99	-34.15	0.385	51	Pass
5251	5270	1	Peak	5269.668	-35.16	0.305	8.2	Pass
5270	5278.4	1	Peak	5277.476	-36.71	0.213	2.8	Pass
5278.4	5289	1	Peak	5279.169	-35.84	0.261	2.5	Pass



2. 802.11n_40M_Band1_H

2.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5131	5141.6	1	Peak	5140.037	-37.1	0.195	2.5	Pass
5141.6	5150	1	Peak	5149.496	-35.76	0.265	15	Pass
5250	5251	1	Peak	5250.998	-30.03	0.992	50	Pass
5251	5270	1	Peak	5266.2	-29.38	1.154	11.4	Pass
5270	5278.4	1	Peak	5277.917	-31.33	0.737	2.6	Pass
5278.4	5289	1	Peak	5282.296	-31.23	0.754	2.5	Pass



3. 802.11ac_40M_Band1_L

3.2. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5131	5141.6	1	Peak	5137.387	-29.58	1.101	2.5	Pass
5141.6	5150	1	Peak	5141.621	-30.39	0.913	15	Pass
5250	5251	1	Peak	5250.993	-33.35	0.462	50	Pass
5251	5270	1	Peak	5269.905	-35.9	0.257	8	Pass
5270	5278.4	1	Peak	5278.274	-36.84	0.207	2.5	Pass
5278.4	5289	1	Peak	5278.957	-36.22	0.239	2.5	Pass



4. 802.11ac_40M_Band1_H

4.1. Out-band leakage power(Band Width 40MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5131	5141.6	1	Peak	5141.309	-36.43	0.228	2.5	Pass
5141.6	5150	1	Peak	5149.895	-35.91	0.256	15	Pass
5250	5251	1	Peak	5250.998	-30	1.001	50	Pass
5251	5270	1	Peak	5266.248	-29.67	1.080	11.4	Pass
5270	5278.4	1	Peak	5278.022	-31.43	0.719	2.6	Pass
5278.4	5289	1	Peak	5280.149	-31.22	0.755	2.5	Pass



5. 802.11ax_40M_Band1_L

5.2. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5131	5141.6	1	Peak	5139.24	-26.39	2.294	2.5	N/A
			Sample	5142.00	-43.452	0.045		Pass
5141.6	5150	1	Peak	5149.79	-23.36	4.608	15	Pass
5250	5251	1	Peak	5250.95	-31.78	0.663	55	Pass
5251	5270	1	Peak	5269.71	-34.34	0.368	8.1	Pass
5270	5278.4	1	Peak	5276.02	-34.28	0.374	3.4	Pass
5278.4	5289	1	Peak	5282.26	-35.15	0.305	2.5	Pass



6. 802.11ax_40M_Band1_H

6.4. Out-band leakage power(Band Width 40MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5131	5141.6	1	Peak	5137.122	-36.63	0.217	2.5	Pass
5141.6	5150	1	Peak	5146.325	-34.36	0.366	15	Pass
5250	5251	1	Peak	5250.998	-19.14	12.199	50	Pass
5251	5270	1	Peak	5262.495	-20.94	8.047	16	Pass
5270	5278.4	1	Peak	5272.73	-26.85	2.065	5.4	Pass
5278.4	5289	1	Peak	5288.126	-32.59	0.550	2.5	Pass



7. 802.11n_40M_Band2_L

7.3. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5211	5221.6	1	Peak	5217.01	-27.75	1.678	2.5	N/A
			Sample	6	-41.514	0.071		Pass
5221.6	5230	1	Peak	5225.191	-28.84	1.307	4.1	Pass
5230	5249	1	Peak	5230.998	-30.23	0.948	8.7	Pass
5249	5250	1	Peak	5249.023	-30.24	0.947	52	Pass
5350	5358.4	1	Peak	5352.499	-34.7	0.339	15	Pass
5358.4	5369	1	Peak	5358.93	-35.28	0.296	2.5	Pass



8. 802.11n_40M_Band2_H

8.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5211	5221.6	1	Peak	5217.387	-36.71	0.213	2.5	Pass
5221.6	5230	1	Peak	5221.642	-36.49	0.224	2.5	Pass
5230	5249	1	Peak	5233.04	-34.13	0.386	10.6	Pass
5249	5250	1	Peak	5249.03	-33.88	0.409	53	Pass
5350	5358.4	1	Peak	5350.735	-25.29	2.959	15	Pass
5358.4	5369	1	Peak	5359.88	-28.31	1.476	2.5	N/A
			Sample	4	-41.337	0.074		Pass



9. 802.11ac_40M_Band2_L

9.5. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5211	5221.6	1	Peak	5217.705	-37.76	0.167	2.5	Pass
5221.6	5230	1	Peak	5221.936	-38.17	0.153	2.6	Pass
5230	5249	1	Peak	5232.898	-37.87	0.163	10.5	Pass
5249	5250	1	Peak	5249.035	-37.88	0.163	54	Pass
5350	5358.4	1	Peak	5350.084	-37.1	0.195	15	Pass
5358.4	5369	1	Peak	5368.285	-36.87	0.206	2.5	Pass



10. 802.11ac_40M_Band2_H

10.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5211	5221.6	1	Peak	5219.401	-37.61	0.173	2.5	Pass
5221.6	5230	1	Peak	5222.02	-38.77	0.133	2.6	Pass
5230	5249	1	Peak	5230.95	-38.63	0.137	8.7	Pass
5249	5250	1	Peak	5249.015	-39.66	0.108	51	Pass
5350	5358.4	1	Peak	5350.735	-36.84	0.207	15	Pass
5358.4	5369	1	Peak	5366.483	-36.49	0.224	2.5	Pass



11. 802.11ax_40M_Band2_L

11. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5211	5221.6	1	Peak	5213.91	-22.88	5.157	2.5	N/A
			Sample	5	-43.746	0.042		Pass
5221.6	5230	1	Peak	5225.02	-23.7	4.262	4	N/A
			Sample	3	-40.21	0.095		Pass
5230	5249	1	Peak	5238.36	-17.1	19.488	17	N/A
			Sample		-37.298	0.186		Pass
5249	5250	1	Peak	5249	-15.41	28.741	50	N/A
			Sample		-37.708	0.17		Pass
5350	5358.4	1	Peak	5350.987	-30.04	0.990	15	Pass
5358.4	5369	1	Peak	5368.576	-33.58	0.439	2.5	Pass



12. 802.11ax_40M_Band2_H

12.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5211	5221.6	1	Peak	5215.956	-32.91	0.512	2.5	Pass
5221.6	5230	1	Peak	5222.062	-33.06	0.495	2.6	Pass
5230	5249	1	Peak	5248.62	-23.3	4.675	48	Pass
5249	5250	1	Peak	5249.003	-23.66	4.309	50	Pass
5350	5358.4	1	Peak	5352.12	-20.81	8.291	15	N/A
			Sample	1	-43.261	0.047		Pass
5358.4	5369	1	Peak	5363.40	-24.01	3.976	2.5	N/A
			Sample	9	-45.33	0.029		Pass



13. 802.11n_40M_Band3_L

13.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5456.625	-31.99	0.633	12.5	Pass
5460	5470	1	Peak	5467.2	-30.95	0.804	50	Pass
5770	5780	1	Peak	5778.3	-36.59	0.219	12.5	Pass



14. 802.11n_40M_Band3_M

14.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5452.675	-36.22	0.239	12.5	Pass
5460	5470	1	Peak	5461.275	-36.36	0.231	50	Pass
5770	5780	1	Peak	5770.575	-36.79	0.210	12.5	Pass



15. 802.11n_40M_Band3_H

15.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5458.525	-36.39	0.230	12.5	Pass
5460	5470	1	Peak	5466.85	-36.37	0.231	50	Pass
5770	5780	1	Peak	5773.9	-35.17	0.304	12.5	Pass



16. 802.11ac_40M_Band3_L

16.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5457.625	-32.76	0.530	12.5	Pass
5460	5470	1	Peak	5467.225	-30.85	0.822	50	Pass
5770	5780	1	Peak	5778.85	-36.76	0.211	12.5	Pass



17. 802.11ac_40M_Band3_M

17.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5456.1	-36.23	0.238	12.5	Pass
5460	5470	1	Peak	5463.225	-35.65	0.273	50	Pass
5770	5780	1	Peak	5770.725	-36.4	0.229	12.5	Pass



18. 802.11ac_40M_Band3_H

18.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5458.25	-36.19	0.240	12.5	Pass
5460	5470	1	Peak	5467.425	-37.31	0.186	50	Pass
5770	5780	1	Peak	5771.85	-35.77	0.265	12.5	Pass



19. 802.11ax_40M_Band3_L

19.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5458.475	-29.29	1.177	12.5	Pass
5460	5470	1	Peak	5465.975	-23.54	4.426	50	Pass
5770	5780	1	Peak	5772.975	-35.88	0.258	12.5	Pass



20. 802.11ax_40M_Band3_M

20.1. Out-band leakage power(Band Width 40MHz)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5454.575	-36.45	0.227	12.5	Pass
5460	5470	1	Peak	5467.65	-36.99	0.200	50	Pass
5770	5780	1	Peak	5771.525	-35.88	0.258	12.5	Pass



21. 802.11ax_40M_Band3_H

21.1. Out-band leakage power(Band Width 40MHz)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm/MHz)	Power (μW/MHz)	Limit (μW/MHz)	Verdict
5450	5460	1	Peak	5451.6	-37.27	0.187	12.5	Pass
5460	5470	1	Peak	5462.575	-37.19	0.191	50	Pass
5770	5780	1	Peak	5778.725	-34.43	0.361	12.5	Pass



--BLANK BELOW--