


















|      |      |      |                |          |                     |                |        |            |    |      |
|------|------|------|----------------|----------|---------------------|----------------|--------|------------|----|------|
| NVNT | ac80 | 5610 | 1000-2600<br>0 | 1950.00  | 4<br>-<br>64.8<br>1 | NA             | 0.3304 | NA         | 20 | Pass |
| NVNT | ac80 | 5690 | 30-1000        | 969.93   | -<br>89.9<br>3      | NA             | 0.001  | NA         | 4  | Pass |
| NVNT | ac80 | 5690 | 1000-2600<br>0 | 1950.00  | -<br>58.5<br>0      | NA             | 1.4125 | NA         | 20 | Pass |
| NVNT | ax80 | 5210 | 30-1000        | 774.96   | -<br>90.6<br>2      | NA             | 0.0009 | NA         | 4  | Pass |
| NVNT | ax80 | 5210 | 1000-2600<br>0 | 3400.00  | -<br>53.9<br>2      | -<br>81.2<br>1 | 4.0551 | 0.007<br>6 | 20 | Pass |
| NVNT | ax80 | 5290 | 30-1000        | 896.21   | -<br>90.9<br>7      | NA             | 0.0008 | NA         | 4  | Pass |
| NVNT | ax80 | 5290 | 1000-2600<br>0 | 2450.00  | -<br>58.5<br>0      | NA             | 1.4125 | NA         | 20 | Pass |
| NVNT | ax80 | 5530 | 30-1000        | 769.14   | -<br>89.9<br>4      | NA             | 0.001  | NA         | 4  | Pass |
| NVNT | ax80 | 5530 | 1000-2600<br>0 | 2475.00  | -<br>56.1<br>0      | -<br>83.3<br>6 | 2.4547 | 0.004<br>6 | 20 | Pass |
| NVNT | ax80 | 5610 | 30-1000        | 933.07   | -<br>90.5<br>9      | NA             | 0.0009 | NA         | 4  | Pass |
| NVNT | ax80 | 5610 | 1000-2600<br>0 | 23725.00 | -<br>68.0<br>7      | NA             | 0.156  | NA         | 20 | Pass |
| NVNT | ax80 | 5690 | 30-1000        | 896.21   | -<br>90.1<br>6      | NA             | 0.001  | NA         | 4  | Pass |
| NVNT | ax80 | 5690 | 1000-2600<br>0 | 25850.00 | -<br>68.2<br>0      | NA             | 0.1514 | NA         | 20 | Pass |


























































































































## Adjacent Channel Emitted Power




| Condition | Mode | Frequency (MHz) | Offset (MHz) | Value (dBc) | Limit (dBc) | Verdict |
|-----------|------|-----------------|--------------|-------------|-------------|---------|
| NVNT      | a    | 5180            | -20          | -27.67      | -25         | Pass    |
| NVNT      | a    | 5180            | -40          | -45.38      | -40         | Pass    |
| NVNT      | a    | 5180            | 20           | -26.1       | -25         | Pass    |
| NVNT      | a    | 5180            | 40           | -46.13      | -40         | Pass    |
| NVNT      | a    | 5200            | -20          | -25.11      | -25         | Pass    |
| NVNT      | a    | 5200            | -40          | -41.71      | -40         | Pass    |
| NVNT      | a    | 5200            | 20           | -25.07      | -25         | Pass    |
| NVNT      | a    | 5200            | 40           | -42.47      | -40         | Pass    |
| NVNT      | a    | 5240            | -20          | -34.45      | -25         | Pass    |
| NVNT      | a    | 5240            | -40          | -46.77      | -40         | Pass    |
| NVNT      | a    | 5240            | 20           | -35.04      | -25         | Pass    |
| NVNT      | a    | 5240            | 40           | -47.65      | -40         | Pass    |
| NVNT      | a    | 5260            | -20          | -34.43      | -25         | Pass    |
| NVNT      | a    | 5260            | -40          | -44.97      | -40         | Pass    |
| NVNT      | a    | 5260            | 20           | -34.85      | -25         | Pass    |
| NVNT      | a    | 5260            | 40           | -45.87      | -40         | Pass    |
| NVNT      | a    | 5300            | -20          | -25.86      | -25         | Pass    |
| NVNT      | a    | 5300            | -40          | -44.63      | -40         | Pass    |
| NVNT      | a    | 5300            | 20           | -26.06      | -25         | Pass    |
| NVNT      | a    | 5300            | 40           | -45.01      | -40         | Pass    |
| NVNT      | a    | 5320            | -20          | -25.97      | -25         | Pass    |
| NVNT      | a    | 5320            | -40          | -45.18      | -40         | Pass    |
| NVNT      | a    | 5320            | 20           | -27.44      | -25         | Pass    |
| NVNT      | a    | 5320            | 40           | -45.46      | -40         | Pass    |
| NVNT      | a    | 5500            | -20          | -27.53      | -25         | Pass    |
| NVNT      | a    | 5500            | -40          | -47.87      | -40         | Pass    |
| NVNT      | a    | 5500            | 20           | -25.73      | -25         | Pass    |
| NVNT      | a    | 5500            | 40           | -47.34      | -40         | Pass    |
| NVNT      | a    | 5580            | -20          | -34.6       | -25         | Pass    |
| NVNT      | a    | 5580            | -40          | -47.24      | -40         | Pass    |
| NVNT      | a    | 5580            | 20           | -34.92      | -25         | Pass    |
| NVNT      | a    | 5580            | 40           | -47.21      | -40         | Pass    |
| NVNT      | a    | 5720            | -20          | -34.49      | -25         | Pass    |
| NVNT      | a    | 5720            | -40          | -47.84      | -40         | Pass    |
| NVNT      | a    | 5720            | 20           | -35         | -25         | Pass    |
| NVNT      | a    | 5720            | 40           | -48.24      | -40         | Pass    |
| NVNT      | n20  | 5180            | -20          | -42.42      | -25         | Pass    |
| NVNT      | n20  | 5180            | -40          | -43.26      | -40         | Pass    |
| NVNT      | n20  | 5180            | 20           | -42.73      | -25         | Pass    |
| NVNT      | n20  | 5180            | 40           | -44.1       | -40         | Pass    |
| NVNT      | n20  | 5200            | -20          | -42.89      | -25         | Pass    |
| NVNT      | n20  | 5200            | -40          | -43.95      | -40         | Pass    |
| NVNT      | n20  | 5200            | 20           | -43.43      | -25         | Pass    |
| NVNT      | n20  | 5200            | 40           | -44.84      | -40         | Pass    |
| NVNT      | n20  | 5240            | -20          | -43.13      | -25         | Pass    |
| NVNT      | n20  | 5240            | -40          | -44.25      | -40         | Pass    |
| NVNT      | n20  | 5240            | 20           | -43.55      | -25         | Pass    |
| NVNT      | n20  | 5240            | 40           | -45.09      | -40         | Pass    |
| NVNT      | n20  | 5260            | -20          | -36.89      | -25         | Pass    |
| NVNT      | n20  | 5260            | -40          | -45.07      | -40         | Pass    |
| NVNT      | n20  | 5260            | 20           | -37.03      | -25         | Pass    |
| NVNT      | n20  | 5260            | 40           | -46.07      | -40         | Pass    |
| NVNT      | n20  | 5300            | -20          | -25.47      | -25         | Pass    |
| NVNT      | n20  | 5300            | -40          | -44.71      | -40         | Pass    |









|      |      |      |      |        |     |      |
|------|------|------|------|--------|-----|------|
| NVNT | n20  | 5300 | 20   | -25.93 | -25 | Pass |
| NVNT | n20  | 5300 | 40   | -45.27 | -40 | Pass |
| NVNT | n20  | 5320 | -20  | -25.21 | -25 | Pass |
| NVNT | n20  | 5320 | -40  | -44.83 | -40 | Pass |
| NVNT | n20  | 5320 | 20   | -26.93 | -25 | Pass |
| NVNT | n20  | 5320 | 40   | -45.25 | -40 | Pass |
| NVNT | n20  | 5500 | -20  | -26.81 | -25 | Pass |
| NVNT | n20  | 5500 | -40  | -47.23 | -40 | Pass |
| NVNT | n20  | 5500 | 20   | -25.77 | -25 | Pass |
| NVNT | n20  | 5500 | 40   | -46.59 | -40 | Pass |
| NVNT | n20  | 5580 | -20  | -36.89 | -25 | Pass |
| NVNT | n20  | 5580 | -40  | -47.01 | -40 | Pass |
| NVNT | n20  | 5580 | 20   | -37.22 | -25 | Pass |
| NVNT | n20  | 5580 | 40   | -47.03 | -40 | Pass |
| NVNT | n20  | 5720 | -20  | -36.74 | -25 | Pass |
| NVNT | n20  | 5720 | -40  | -47.38 | -40 | Pass |
| NVNT | n20  | 5720 | 20   | -37.63 | -25 | Pass |
| NVNT | n20  | 5720 | 40   | -47.84 | -40 | Pass |
| NVNT | n40  | 5190 | -40  | -28.65 | -25 | Pass |
| NVNT | n40  | 5190 | -80  | -40.13 | -40 | Pass |
| NVNT | n40  | 5190 | 40   | -26.06 | -25 | Pass |
| NVNT | n40  | 5190 | 80   | -42.04 | -40 | Pass |
| NVNT | n40  | 5230 | -40  | -37.46 | -25 | Pass |
| NVNT | n40  | 5230 | -80  | -40.39 | -40 | Pass |
| NVNT | n40  | 5230 | 40   | -37.66 | -25 | Pass |
| NVNT | n40  | 5230 | 80   | -42.2  | -40 | Pass |
| NVNT | n40  | 5270 | -40  | -37.75 | -25 | Pass |
| NVNT | n40  | 5270 | -80  | -41.15 | -40 | Pass |
| NVNT | n40  | 5270 | 40   | -38.5  | -25 | Pass |
| NVNT | n40  | 5270 | 80   | -42.72 | -40 | Pass |
| NVNT | n40  | 5310 | -40  | -26.06 | -25 | Pass |
| NVNT | n40  | 5310 | -80  | -41.6  | -40 | Pass |
| NVNT | n40  | 5310 | 40   | -28.85 | -25 | Pass |
| NVNT | n40  | 5310 | 80   | -42.46 | -40 | Pass |
| NVNT | n40  | 5510 | -40  | -28.84 | -25 | Pass |
| NVNT | n40  | 5510 | -80  | -42.12 | -40 | Pass |
| NVNT | n40  | 5510 | 40   | -26.11 | -25 | Pass |
| NVNT | n40  | 5510 | 80   | -41.23 | -40 | Pass |
| NVNT | n40  | 5550 | -40  | -37.46 | -25 | Pass |
| NVNT | n40  | 5550 | -80  | -41.61 | -40 | Pass |
| NVNT | n40  | 5550 | 40   | -37.32 | -25 | Pass |
| NVNT | n40  | 5550 | 80   | -41.18 | -40 | Pass |
| NVNT | n40  | 5710 | -40  | -39.2  | -25 | Pass |
| NVNT | n40  | 5710 | -80  | -46.15 | -40 | Pass |
| NVNT | n40  | 5710 | 40   | -39.61 | -25 | Pass |
| NVNT | n40  | 5710 | 80   | -46.78 | -40 | Pass |
| NVNT | ac80 | 5210 | -80  | -32.18 | -25 | Pass |
| NVNT | ac80 | 5210 | -160 | -41.25 | -40 | Pass |
| NVNT | ac80 | 5210 | 80   | -26.83 | -25 | Pass |
| NVNT | ac80 | 5210 | 160  | -43.39 | -40 | Pass |
| NVNT | ac80 | 5290 | -80  | -25.06 | -25 | Pass |
| NVNT | ac80 | 5290 | -160 | -46.57 | -40 | Pass |
| NVNT | ac80 | 5290 | 80   | -30.5  | -25 | Pass |
| NVNT | ac80 | 5290 | 160  | -49.69 | -40 | Pass |
| NVNT | ac80 | 5530 | -80  | -31.99 | -25 | Pass |
| NVNT | ac80 | 5530 | -160 | -45.03 | -40 | Pass |









|      |      |      |      |        |     |      |
|------|------|------|------|--------|-----|------|
| NVNT | ac80 | 5530 | 80   | -26.66 | -25 | Pass |
| NVNT | ac80 | 5530 | 160  | -44.44 | -40 | Pass |
| NVNT | ac80 | 5610 | -80  | -38.45 | -25 | Pass |
| NVNT | ac80 | 5610 | -160 | -44.4  | -40 | Pass |
| NVNT | ac80 | 5610 | 80   | -39.95 | -25 | Pass |
| NVNT | ac80 | 5610 | 160  | -44.48 | -40 | Pass |
| NVNT | ac80 | 5690 | -80  | -38.76 | -25 | Pass |
| NVNT | ac80 | 5690 | -160 | -44.25 | -40 | Pass |
| NVNT | ac80 | 5690 | 80   | -40.67 | -25 | Pass |
| NVNT | ac80 | 5690 | 160  | -44.21 | -40 | Pass |
| NVNT | ax80 | 5210 | -80  | -34.16 | -25 | Pass |
| NVNT | ax80 | 5210 | -160 | -40.24 | -40 | Pass |
| NVNT | ax80 | 5210 | 80   | -29.57 | -25 | Pass |
| NVNT | ax80 | 5210 | 160  | -42.34 | -40 | Pass |
| NVNT | ax80 | 5290 | -80  | -29.68 | -25 | Pass |
| NVNT | ax80 | 5290 | -160 | -42.53 | -40 | Pass |
| NVNT | ax80 | 5290 | 80   | -34.61 | -25 | Pass |
| NVNT | ax80 | 5290 | 160  | -44.21 | -40 | Pass |
| NVNT | ax80 | 5530 | -80  | -34.51 | -25 | Pass |
| NVNT | ax80 | 5530 | -160 | -43.98 | -40 | Pass |
| NVNT | ax80 | 5530 | 80   | -29.51 | -25 | Pass |
| NVNT | ax80 | 5530 | 160  | -43.24 | -40 | Pass |
| NVNT | ax80 | 5610 | -80  | -40.5  | -25 | Pass |
| NVNT | ax80 | 5610 | -160 | -43.67 | -40 | Pass |
| NVNT | ax80 | 5610 | 80   | -41.05 | -25 | Pass |
| NVNT | ax80 | 5610 | 160  | -43.47 | -40 | Pass |
| NVNT | ax80 | 5690 | -80  | -41.18 | -25 | Pass |
| NVNT | ax80 | 5690 | -160 | -43.6  | -40 | Pass |
| NVNT | ax80 | 5690 | 80   | -41.76 | -25 | Pass |
| NVNT | ax80 | 5690 | 160  | -43.59 | -40 | Pass |



















































# Carrier Sense

| Condition | Mode | Frequency (MHz) | Verdict |
|-----------|------|-----------------|---------|
| NVNT      | n40  | 5190            | Pass    |
| NVNT      | n40  | 5230            | Pass    |
| NVNT      | n40  | 5270            | Pass    |
| NVNT      | n40  | 5310            | Pass    |
| NVNT      | n40  | 5510            | Pass    |
| NVNT      | n40  | 5550            | Pass    |
| NVNT      | n40  | 5710            | Pass    |
| NVNT      | ac80 | 5210            | Pass    |
| NVNT      | ac80 | 5290            | Pass    |
| NVNT      | ac80 | 5530            | Pass    |
| NVNT      | ac80 | 5610            | Pass    |
| NVNT      | ac80 | 5690            | Pass    |
| NVNT      | ax80 | 5210            | Pass    |
| NVNT      | ax80 | 5290            | Pass    |
| NVNT      | ax80 | 5530            | Pass    |
| NVNT      | ax80 | 5610            | Pass    |
| NVNT      | ax80 | 5690            | Pass    |







Carrier Sense NVNT n40 5310MHz






Carrier Sense NVNT n40 5510MHz




Carrier Sense NVNT n40 5550MHz









Carrier Sense NVNT ac80 5530MHz






Carrier Sense NVNT ac80 5610MHz




Carrier Sense NVNT ac80 5690MHz









Carrier Sense NVNT ax80 5530MHz



Carrier Sense NVNT ax80 5610MHz



Carrier Sense NVNT ax80 5690MHz





## APPENDIX II - TEST SETUP PHOTOS





## APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see the attached CS-HP5\_EUT Photos.

※※※※※END OF THE REPORT※※※※※