



W56:

Mode	Frequency (MHz)	Antenna	Offset (MHz)	Value (dBc)	Limit (dBc)	Verdict
a	5500	Ant1	-20	-31.14	-25	Pass
a	5500	Ant1	-40	-47.23	-40	Pass
a	5500	Ant1	20	-29.85	-25	Pass
a	5500	Ant1	40	-46.37	-40	Pass
a	5500	Ant2	-20	-30.34	-25	Pass
a	5500	Ant2	-40	-47.05	-40	Pass
a	5500	Ant2	20	-29.18	-25	Pass
a	5500	Ant2	40	-47.52	-40	Pass
a	5580	Ant1	-20	-27.35	-25	Pass
a	5580	Ant1	-40	-43.47	-40	Pass
a	5580	Ant1	20	-26.43	-25	Pass
a	5580	Ant1	40	-44.06	-40	Pass
a	5580	Ant2	-20	-31.06	-25	Pass
a	5580	Ant2	-40	-47.46	-40	Pass
a	5580	Ant2	20	-31.48	-25	Pass
a	5580	Ant2	40	-47.77	-40	Pass
a	5720	Ant1	-20	-26.98	-25	Pass
a	5720	Ant1	-40	-45.65	-40	Pass
a	5720	Ant1	20	-27.75	-25	Pass
a	5720	Ant1	40	-45.25	-40	Pass
a	5720	Ant2	-20	-27.4	-25	Pass
a	5720	Ant2	-40	-45.76	-40	Pass
a	5720	Ant2	20	-26.62	-25	Pass
a	5720	Ant2	40	-46.07	-40	Pass
n20	5500	Ant1	-20	-32.32	-25	Pass
n20	5500	Ant1	-40	-52.44	-40	Pass
n20	5500	Ant1	20	-29.72	-25	Pass
n20	5500	Ant1	40	-51.08	-40	Pass
n20	5500	Ant2	-20	-32.88	-25	Pass
n20	5500	Ant2	-40	-52.54	-40	Pass
n20	5500	Ant2	20	-30.69	-25	Pass
n20	5500	Ant2	40	-53.36	-40	Pass
n20	5580	Ant1	-20	-32.1	-25	Pass
n20	5580	Ant1	-40	-49.38	-40	Pass
n20	5580	Ant1	20	-29.28	-25	Pass
n20	5580	Ant1	40	-49.89	-40	Pass
n20	5580	Ant2	-20	-29.69	-25	Pass
n20	5580	Ant2	-40	-52.06	-40	Pass
n20	5580	Ant2	20	-31.12	-25	Pass
n20	5580	Ant2	40	-52.63	-40	Pass
n20	5720	Ant1	-20	-32.41	-25	Pass
n20	5720	Ant1	-40	-52.45	-40	Pass
n20	5720	Ant1	20	-30.44	-25	Pass
n20	5720	Ant1	40	-51.39	-40	Pass



n20	5720	Ant2	-20	-30.05	-25	Pass
n20	5720	Ant2	-40	-51.99	-40	Pass
n20	5720	Ant2	20	-33.36	-25	Pass
n20	5720	Ant2	40	-52.56	-40	Pass
n40	5510	Ant1	-40	-30.57	-25	Pass
n40	5510	Ant1	-80	-49.85	-40	Pass
n40	5510	Ant1	40	-30.52	-25	Pass
n40	5510	Ant1	80	-47.72	-40	Pass
n40	5510	Ant2	-40	-33.55	-25	Pass
n40	5510	Ant2	-80	-49.53	-40	Pass
n40	5510	Ant2	40	-32.52	-25	Pass
n40	5510	Ant2	80	-50.51	-40	Pass
n40	5590	Ant1	-40	-29.76	-25	Pass
n40	5590	Ant1	-80	-48.49	-40	Pass
n40	5590	Ant1	40	-30.09	-25	Pass
n40	5590	Ant1	80	-43.01	-40	Pass
n40	5590	Ant2	-40	-33.68	-25	Pass
n40	5590	Ant2	-80	-49.98	-40	Pass
n40	5590	Ant2	40	-34.38	-25	Pass
n40	5590	Ant2	80	-49.91	-40	Pass
n40	5710	Ant1	-40	-33.71	-25	Pass
n40	5710	Ant1	-80	-44.95	-40	Pass
n40	5710	Ant1	40	-28.46	-25	Pass
n40	5710	Ant1	80	-47.41	-40	Pass
n40	5710	Ant2	-40	-31.57	-25	Pass
n40	5710	Ant2	-80	-48.7	-40	Pass
n40	5710	Ant2	40	-31.13	-25	Pass
n40	5710	Ant2	80	-49.05	-40	Pass
ac20	5500	Ant1	-20	-28.84	-25	Pass
ac20	5500	Ant1	-40	-51.06	-40	Pass
ac20	5500	Ant1	20	-27.89	-25	Pass
ac20	5500	Ant1	40	-49.82	-40	Pass
ac20	5500	Ant2	-20	-27.37	-25	Pass
ac20	5500	Ant2	-40	-50.36	-40	Pass
ac20	5500	Ant2	20	-28.11	-25	Pass
ac20	5500	Ant2	40	-50.93	-40	Pass
ac20	5580	Ant1	-20	-32.39	-25	Pass
ac20	5580	Ant1	-40	-48.78	-40	Pass
ac20	5580	Ant1	20	-33.2	-25	Pass
ac20	5580	Ant1	40	-49.6	-40	Pass
ac20	5580	Ant2	-20	-32.81	-25	Pass
ac20	5580	Ant2	-40	-52.35	-40	Pass
ac20	5580	Ant2	20	-28.87	-25	Pass
ac20	5580	Ant2	40	-52.75	-40	Pass
ac40	5510	Ant1	-40	-33.09	-25	Pass
ac40	5510	Ant1	-80	-50.05	-40	Pass



ac40	5510	Ant1	40	-32.69	-25	Pass
ac40	5510	Ant1	80	-48.51	-40	Pass
ac40	5510	Ant2	-40	-31.35	-25	Pass
ac40	5510	Ant2	-80	-47.14	-40	Pass
ac40	5510	Ant2	40	-31.34	-25	Pass
ac40	5510	Ant2	80	-48.48	-40	Pass
ac40	5590	Ant1	-40	-29.29	-25	Pass
ac40	5590	Ant1	-80	-47.84	-40	Pass
ac40	5590	Ant1	40	-30.25	-25	Pass
ac40	5590	Ant1	80	-42.44	-40	Pass
ac40	5590	Ant2	-40	-34.11	-25	Pass
ac40	5590	Ant2	-80	-48.51	-40	Pass
ac40	5590	Ant2	40	-32.07	-25	Pass
ac40	5590	Ant2	80	-48.74	-40	Pass
ac40	5710	Ant1	-40	-31.94	-25	Pass
ac40	5710	Ant1	-80	-43.68	-40	Pass
ac40	5710	Ant1	40	-28.58	-25	Pass
ac40	5710	Ant1	80	-45.8	-40	Pass
ac40	5710	Ant2	-40	-32.08	-25	Pass
ac40	5710	Ant2	-80	-49.72	-40	Pass
ac40	5710	Ant2	40	-33.11	-25	Pass
ac40	5710	Ant2	80	-50.17	-40	Pass
ac80	5530	Ant1	-80	-32.79	-25	Pass
ac80	5530	Ant1	-160	-44.66	-40	Pass
ac80	5530	Ant1	80	-31.44	-25	Pass
ac80	5530	Ant1	160	-43.64	-40	Pass
ac80	5530	Ant2	-80	-25.97	-25	Pass
ac80	5530	Ant2	-160	-42.42	-40	Pass
ac80	5530	Ant2	80	-27.95	-25	Pass
ac80	5530	Ant2	160	-41.23	-40	Pass
ac80	5690	Ant1	-80	-28.05	-25	Pass
ac80	5690	Ant1	-160	-40.68	-40	Pass
ac80	5690	Ant1	80	-29.26	-25	Pass
ac80	5690	Ant1	160	-41.33	-40	Pass
ac80	5690	Ant2	-80	-35.23	-25	Pass
ac80	5690	Ant2	-160	-43.8	-40	Pass
ac80	5690	Ant2	80	-32.69	-25	Pass
ac80	5690	Ant2	160	-44.07	-40	Pass
ac160	5570	Ant1	-160	-33.24	-25	Pass
ac160	5570	Ant1	-320	-40.29	-40	Pass
ac160	5570	Ant1	160	-29.36	-25	Pass
ac160	5570	Ant1	320	-41.2	-40	Pass
ac160	5570	Ant2	-160	-34.62	-25	Pass
ac160	5570	Ant2	-320	-40.7	-40	Pass
ac160	5570	Ant2	160	-32.65	-25	Pass
ac160	5570	Ant2	320	-42.96	-40	Pass




ax20	5500	Ant1	-20	-30.2	-25	Pass
ax20	5500	Ant1	-40	-47.75	-40	Pass
ax20	5500	Ant1	20	-28.91	-25	Pass
ax20	5500	Ant1	40	-46.47	-40	Pass
ax20	5500	Ant2	-20	-27.53	-25	Pass
ax20	5500	Ant2	-40	-46.39	-40	Pass
ax20	5500	Ant2	20	-27.83	-25	Pass
ax20	5500	Ant2	40	-47.09	-40	Pass
ax20	5580	Ant1	-20	-27.49	-25	Pass
ax20	5580	Ant1	-40	-42.36	-40	Pass
ax20	5580	Ant1	20	-26.36	-25	Pass
ax20	5580	Ant1	40	-43.1	-40	Pass
ax20	5580	Ant2	-20	-32.04	-25	Pass
ax20	5580	Ant2	-40	-48.55	-40	Pass
ax20	5580	Ant2	20	-30.75	-25	Pass
ax20	5580	Ant2	40	-49.01	-40	Pass
ax20	5720	Ant1	-20	-32.35	-25	Pass
ax20	5720	Ant1	-40	-48.85	-40	Pass
ax20	5720	Ant1	20	-30.63	-25	Pass
ax20	5720	Ant1	40	-47.65	-40	Pass
ax20	5720	Ant2	-20	-28.68	-25	Pass
ax20	5720	Ant2	-40	-46.85	-40	Pass
ax20	5720	Ant2	20	-27.84	-25	Pass
ax20	5720	Ant2	40	-47.26	-40	Pass
ax40	5510	Ant1	-40	-28.69	-25	Pass
ax40	5510	Ant1	-80	-44.31	-40	Pass
ax40	5510	Ant1	40	-28.66	-25	Pass
ax40	5510	Ant1	80	-43.14	-40	Pass
ax40	5510	Ant2	-40	-31.05	-25	Pass
ax40	5510	Ant2	-80	-43.43	-40	Pass
ax40	5510	Ant2	40	-29.01	-25	Pass
ax40	5510	Ant2	80	-44.51	-40	Pass
ax40	5590	Ant1	-40	-27.74	-25	Pass
ax40	5590	Ant1	-80	-43.86	-40	Pass
ax40	5590	Ant1	40	-28.43	-25	Pass
ax40	5590	Ant1	80	-40.4	-40	Pass
ax40	5590	Ant2	-40	-32.48	-25	Pass
ax40	5590	Ant2	-80	-45.23	-40	Pass
ax40	5590	Ant2	40	-30.4	-25	Pass
ax40	5590	Ant2	80	-45.51	-40	Pass
ax40	5710	Ant1	-40	-30.94	-25	Pass
ax40	5710	Ant1	-80	-40.65	-40	Pass
ax40	5710	Ant1	40	-27.28	-25	Pass
ax40	5710	Ant1	80	-42.61	-40	Pass
ax40	5710	Ant2	-40	-29.17	-25	Pass
ax40	5710	Ant2	-80	-45.06	-40	Pass



ax40	5710	Ant2	40	-30.73	-25	Pass
ax40	5710	Ant2	80	-45.48	-40	Pass
ax80	5530	Ant1	-80	-31.39	-25	Pass
ax80	5530	Ant1	-160	-43.45	-40	Pass
ax80	5530	Ant1	80	-28.55	-25	Pass
ax80	5530	Ant1	160	-42.77	-40	Pass
ax80	5530	Ant2	-80	-29.76	-25	Pass
ax80	5530	Ant2	-160	-42.49	-40	Pass
ax80	5530	Ant2	80	-32.27	-25	Pass
ax80	5530	Ant2	160	-42.86	-40	Pass
ax80	5690	Ant1	-80	-32.1	-25	Pass
ax80	5690	Ant1	-160	-42.81	-40	Pass
ax80	5690	Ant1	80	-29.26	-25	Pass
ax80	5690	Ant1	160	-42.82	-40	Pass
ax80	5690	Ant2	-80	-30.69	-25	Pass
ax80	5690	Ant2	-160	-41.69	-40	Pass
ax80	5690	Ant2	80	-30.33	-25	Pass
ax80	5690	Ant2	160	-42.07	-40	Pass
ax160	5570	Ant1	-160	-32.34	-25	Pass
ax160	5570	Ant1	-320	-41.2	-40	Pass
ax160	5570	Ant1	160	-27.88	-25	Pass
ax160	5570	Ant1	320	-40.57	-40	Pass
ax160	5570	Ant2	-160	-32.87	-25	Pass
ax160	5570	Ant2	-320	-40.35	-40	Pass
ax160	5570	Ant2	160	-29.65	-25	Pass
ax160	5570	Ant2	320	-41.17	-40	Pass




ACEP NVNT a 5500MHz Ant1



Date: 19.MAY.2025 19:11:54


ACEP NVNT a 5500MHz Ant2




Date: 19.MAY.2025 19:11:56



ACEP NVNT a 5580MHz Ant1




ACEP NVNT a 5580MHz Ant2






ACEP NVNT a 5720MHz Ant1



Date: 19.MAY.2025 19:06:02


ACEP NVNT a 5720MHz Ant2



Date: 19.MAY.2025 19:06:04




ACEP NVNT n20 5500MHz Ant1



Date: 19.MAY.2025 19:16:20


ACEP NVNT n20 5500MHz Ant2



Date: 19.MAY.2025 19:16:21




ACEP NVNT n20 5580MHz Ant1



Date: 19.MAY.2025 19:19:40


ACEP NVNT n20 5580MHz Ant2



Date: 19.MAY.2025 19:19:42




ACEP NVNT n20 5720MHz Ant1



Date: 19.MAY.2025 19:22:36


ACEP NVNT n20 5720MHz Ant2




Date: 19.MAY.2025 19:22:38



ACEP NVNT n40 5510MHz Ant1




ACEP NVNT n40 5510MHz Ant2






ACEP NVNT n40 5590MHz Ant1



Date: 19.MAY.2025 19:29:12


ACEP NVNT n40 5590MHz Ant2



Date: 19.MAY.2025 19:29:14




ACEP NVNT n40 5710MHz Ant1



Date: 19.MAY.2025 19:32:02


ACEP NVNT n40 5710MHz Ant2



Date: 19.MAY.2025 19:32:04




ACEP NVNT ac20 5500MHz Ant1



Date: 19.MAY.2025 19:36:03


ACEP NVNT ac20 5500MHz Ant2



Date: 19.MAY.2025 19:36:05




ACEP NVNT ac20 5580MHz Ant1



Date: 19.MAY.2025 19:38:52


ACEP NVNT ac20 5580MHz Ant2



Date: 19.MAY.2025 19:38:54




ACEP NVNT ac40 5510MHz Ant1



Date: 19.MAY.2025 19:57:59


ACEP NVNT ac40 5510MHz Ant2



Date: 19.MAY.2025 19:58:01




ACEP NVNT ac40 5590MHz Ant1



Date: 19.MAY.2025 20:00:23


ACEP NVNT ac40 5590MHz Ant2



Date: 19.MAY.2025 20:00:25




ACEP NVNT ac40 5710MHz Ant1



Date: 19.MAY.2025 20:02:54


ACEP NVNT ac40 5710MHz Ant2



Date: 19.MAY.2025 20:02:56




ACEP NVNT ac80 5530MHz Ant1



Date: 20.MAY.2026 08:48:24


ACEP NVNT ac80 5530MHz Ant2




Date: 20.MAY.2026 08:48:26



ACEP NVNT ac80 5690MHz Ant1




ACEP NVNT ac80 5690MHz Ant2






ACEP NVNT ac160 5570MHz Ant1



Date: 20.MAY.2026 09:06:23


ACEP NVNT ac160 5570MHz Ant2



Date: 20.MAY.2026 09:06:27




ACEP NVNT ax20 5500MHz Ant1



Date: 20.MAY.2025 09:09:46


ACEP NVNT ax20 5500MHz Ant2



Date: 20.MAY.2025 09:09:48




ACEP NVNT ax20 5580MHz Ant1



Date: 20.MAY.2025 09:12:47


ACEP NVNT ax20 5580MHz Ant2



Date: 20.MAY.2025 09:12:48




ACEP NVNT ax20 5720MHz Ant1



Date: 20.MAY.2025 09:15:12


ACEP NVNT ax20 5720MHz Ant2



Date: 20.MAY.2025 09:15:14




ACEP NVNT ax40 5510MHz Ant1



Date: 20.MAY.2025 09:19:09


ACEP NVNT ax40 5510MHz Ant2



Date: 20.MAY.2025 09:19:11




ACEP NVNT ax40 5590MHz Ant1



Date: 20.MAY.2025 09:22:38


ACEP NVNT ax40 5590MHz Ant2



Date: 20.MAY.2025 09:22:40




ACEP NVNT ax40 5710MHz Ant1



Date: 20.MAY.2025 09:25:17


ACEP NVNT ax40 5710MHz Ant2



Date: 20.MAY.2025 09:25:19




ACEP NVNT ax80 5530MHz Ant1



Date: 20.MAY.2025 09:28:47


ACEP NVNT ax80 5530MHz Ant2



Date: 20.MAY.2025 09:28:50




ACEP NVNT ax80 5690MHz Ant1



Date: 20.MAY.2025 09:31:31


ACEP NVNT ax80 5690MHz Ant2



Date: 20.MAY.2025 09:31:33




ACEP NVNT ax160 5570MHz Ant1



Date: 20.MAY.2026 09:41:23

ACEP NVNT ax160 5570MHz Ant2



Date: 20.MAY.2026 09:41:27

10. Transmission Burst Length


10.1 Limit

Item	Limits
Transmission Burst Length	≤8 ms

10.2 Measurement Procedure

- Set EUT work in test mode as described in clause 2.4.
- Connected the EUT's antenna port to the Spectrum Analyzer by suitable attenuator, set the Spectrum Analyzer as below:
Centre Frequency: The center frequency of the channel under test.
Resolution BW: 1MHz.
Video BW: 1MHz.
Span: 0Hz
Sweep mode: Auto
Detector: Peak.
Trace Mode: View.

10.3 Test Setup



10.4 Test Data

Temperature	25 °C	Humidity	55 %
ATM Pressure	101.1kPa	Antenna Gain	See page 5
Test by	Fan Yang	Test result	PASS

Please refer to following table.

Only the worst mode will be recorded in the report.




W52:

Condition	Mode	Frequency (MHz)	Antenna	Burst Length (ms)	Limit (ms)	Verdict
NVNT	a	5180	Sum	0.148	8	Pass
	a	5200	Sum	0.149	8	Pass
	a	5240	Sum	0.149	8	Pass
	n20	5180	Sum	0.313	8	Pass
	n20	5200	Sum	0.312	8	Pass
	n20	5240	Sum	0.312	8	Pass
	n40	5190	Sum	0.321	8	Pass
	n40	5230	Sum	0.321	8	Pass
	ac20	5180	Sum	0.281	8	Pass
	ac20	5200	Sum	0.281	8	Pass
	ac20	5240	Sum	0.281	8	Pass
	ac40	5190	Sum	0.281	8	Pass
	ac40	5230	Sum	0.281	8	Pass
	ac80	5210	Sum	0.281	8	Pass
	ax20	5180	Sum	0.252	8	Pass
	ax20	5200	Sum	0.252	8	Pass
	ax20	5240	Sum	0.253	8	Pass
	ax40	5190	Sum	0.256	8	Pass
	ax40	5230	Sum	0.256	8	Pass
	ax80	5210	Sum	0.258	8	Pass




Burst Length NVNT a 5180MHz Sum



Date: 18 MAY 2025 16:48:33


Burst Length NVNT a 5200MHz Sum



Date: 18 MAY 2025 17:57:06




Burst Length NVNT a 5240MHz Sum



Date: 18 MAY 2025 17:58:56


Burst Length NVNT n20 5180MHz Sum



Date: 19 MAY 2025 10:42:24




Burst Length NVNT n20 5200MHz Sum



Date: 19.MAY.2025 10:48:33


Burst Length NVNT n20 5240MHz Sum



Date: 19.MAY.2025 10:52:17




Burst Length NVNT n40 5190MHz Sum



Date: 19 MAY 2025 10:55:46


Burst Length NVNT n40 5230MHz Sum



Date: 19 MAY 2025 10:56:20




Burst Length NVNT ac20 5180MHz Sum



Date: 19.MAY.2025 11:11:29


Burst Length NVNT ac20 5200MHz Sum



Date: 19.MAY.2025 11:14:37




Burst Length NVNT ac20 5240MHz Sum



Date: 19 MAY 2025 11:18:02


Burst Length NVNT ac40 5190MHz Sum



Date: 19 MAY 2025 11:21:40




Burst Length NVNT ac40 5230MHz Sum



Date: 19 MAY 2025 11:25:14


Burst Length NVNT ac80 5210MHz Sum



Date: 19 MAY 2025 11:55:34




Burst Length NVNT ax20 5180MHz Sum



Date: 19 MAY 2025 14:22:47


Burst Length NVNT ax20 5200MHz Sum



Date: 19 MAY 2025 14:26:46




Burst Length NVNT ax20 5240MHz Sum



Date: 19 MAY 2025 14:20:05


Burst Length NVNT ax40 5190MHz Sum



Date: 19 MAY 2025 14:33:56




Burst Length NVNT ax40 5230MHz Sum



Date: 19 MAY 2025 14:35:36

Burst Length NVNT ax80 5210MHz Sum



Date: 19 MAY 2025 14:38:48




W53:

Condition	Mode	Frequency (MHz)	Antenna	Burst Length (ms)	Limit (ms)	Verdict
NVNT	a	5260	Sum	0.149	8	Pass
	a	5300	Sum	0.149	8	Pass
	a	5320	Sum	0.148	8	Pass
	n20	5260	Sum	0.312	8	Pass
	n20	5300	Sum	0.313	8	Pass
	n20	5320	Sum	0.312	8	Pass
	n40	5270	Sum	0.321	8	Pass
	n40	5310	Sum	0.321	8	Pass
	ac20	5260	Sum	0.165	8	Pass
	ac20	5300	Sum	0.165	8	Pass
	ac20	5320	Sum	0.165	8	Pass
	ac40	5270	Sum	0.164	8	Pass
	ac40	5310	Sum	0.165	8	Pass
	ac80	5290	Sum	0.164	8	Pass
	ac160	5250	Sum	0.165	8	Pass
	ax20	5260	Sum	0.174	8	Pass
	ax20	5300	Sum	0.175	8	Pass
	ax20	5320	Sum	0.175	8	Pass
	ax40	5270	Sum	0.177	8	Pass
	ax40	5310	Sum	0.176	8	Pass
	ax80	5290	Sum	0.177	8	Pass
	ax160	5250	Sum	0.176	8	Pass




Burst Length NVNT a 5260MHz Sum



Date: 19 MAY 2025 15:11:14


Burst Length NVNT a 5300MHz Sum



Date: 19 MAY 2025 15:08:23




Burst Length NVNT a 5320MHz Sum



Date: 19 MAY.2025 15:04:50


Burst Length NVNT n20 5260MHz Sum



Date: 19 MAY.2025 15:14:37




Burst Length NVNT n20 5300MHz Sum



Date: 19.MAY.2025 15:17:11


Burst Length NVNT n20 5320MHz Sum



Date: 19.MAY.2025 15:20:09




Burst Length NVNT n40 5270MHz Sum



Date: 19 MAY 2025 15:24:36


Burst Length NVNT n40 5310MHz Sum



Date: 19 MAY 2025 15:27:38




Burst Length NVNT ac20 5260MHz Sum



Date: 19 MAY 2025 15:33:16


Burst Length NVNT ac20 5300MHz Sum



Date: 19 MAY 2025 15:36:07




Burst Length NVNT ac20 5320MHz Sum



Date: 19 MAY 2025 15:38:56


Burst Length NVNT ac40 5270MHz Sum



Date: 19 MAY 2025 15:43:16




Burst Length NVNT ac40 5310MHz Sum



Date: 19 MAY 2025 15:46:16


Burst Length NVNT ac80 5290MHz Sum



Date: 19 MAY 2025 15:51:04




Burst Length NVNT ac160 5250MHz Sum



Date: 19 MAY 2025 15:58:55


Burst Length NVNT ax20 5260MHz Sum



Date: 19 MAY 2025 16:02:26




Burst Length NVNT ax20 5300MHz Sum



Date: 19 MAY 2025 16:06:00


Burst Length NVNT ax20 5320MHz Sum



Date: 19 MAY 2025 16:06:54




Burst Length NVNT ax40 5270MHz Sum



Date: 19 MAY 2025 16 14:05


Burst Length NVNT ax40 5310MHz Sum



Date: 19 MAY 2025 16 17:34




Burst Length NVNT ax80 5290MHz Sum



Date: 19 MAY 2025 16 20 42

Burst Length NVNT ax160 5250MHz Sum



Date: 19 MAY 2025 16 25 06




W56:

Condition	Mode	Frequency (MHz)	Antenna	Burst Length (ms)	Limit (ms)	Verdict
NVNT	a	5500	Sum	0.149	8	Pass
	a	5580	Sum	0.149	8	Pass
	a	5720	Sum	0.149	8	Pass
	n20	5500	Sum	0.312	8	Pass
	n20	5580	Sum	0.313	8	Pass
	n20	5720	Sum	0.313	8	Pass
	n40	5510	Sum	0.321	8	Pass
	n40	5590	Sum	0.321	8	Pass
	n40	5710	Sum	0.321	8	Pass
	ac20	5500	Sum	0.281	8	Pass
	ac20	5580	Sum	0.28	8	Pass
	ac20	5720	Sum	0.281	8	Pass
	ac40	5510	Sum	0.281	8	Pass
	ac40	5590	Sum	0.281	8	Pass
	ac40	5710	Sum	0.28	8	Pass
	ac80	5530	Sum	0.164	8	Pass
	ac80	5690	Sum	0.165	8	Pass
	ac160	5570	Sum	0.166	8	Pass
	ax20	5500	Sum	0.175	8	Pass
	ax20	5580	Sum	0.175	8	Pass
	ax20	5720	Sum	0.175	8	Pass
	ax40	5510	Sum	0.177	8	Pass
	ax40	5590	Sum	0.177	8	Pass
	ax40	5710	Sum	0.176	8	Pass
	ax80	5530	Sum	0.176	8	Pass
	ax80	5690	Sum	0.177	8	Pass
	ax160	5570	Sum	0.176	8	Pass




Burst Length NVNT a 5500MHz Sum



Date: 19 MAY 2025 19:10:22


Burst Length NVNT a 5580MHz Sum




Date: 19 MAY 2025 19:07:27



Burst Length NVNT a 5720MHz Sum




Burst Length NVNT n20 5500MHz Sum






Burst Length NVNT n20 5580MHz Sum



Date: 19.MAY.2025 19:18:08


Burst Length NVNT n20 5720MHz Sum



Date: 19.MAY.2025 19:21:02




Burst Length NVNT n40 5510MHz Sum



Date: 19 MAY 2025 19:25:04


Burst Length NVNT n40 5590MHz Sum



Date: 19 MAY 2025 19:27:40




Burst Length NVNT n40 5710MHz Sum



Date: 19.MAY.2025 19:30:29


Burst Length NVNT ac20 5500MHz Sum



Date: 19.MAY.2025 19:34:29




Burst Length NVNT ac20 5580MHz Sum



Date: 19.MAY.2025 19:37:17


Burst Length NVNT ac20 5720MHz Sum



Date: 19.MAY.2025 19:39:58




Burst Length NVNT ac40 5510MHz Sum



Date: 19 MAY 2025 19:56:32


Burst Length NVNT ac40 5590MHz Sum



Date: 19 MAY 2025 19:56:55




Burst Length NVNT ac40 5710MHz Sum



Date: 19 MAY 2025 20:01:27

Burst Length NVNT ac80 5530MHz Sum




Date: 20 MAY 2025 08:45:13



Burst Length NVNT ac80 5690MHz Sum




Burst Length NVNT ac160 5570MHz Sum






Burst Length NVNT ax20 5500MHz Sum



Date: 20 MAY 2025 09:06:17


Burst Length NVNT ax20 5580MHz Sum



Date: 20 MAY 2025 09:11:16




Burst Length NVNT ax20 5720MHz Sum



Date: 20 MAY 2025 09:13:42


Burst Length NVNT ax40 5510MHz Sum



Date: 20 MAY 2025 09:17:41




Burst Length NVNT ax40 5590MHz Sum



Date: 20 MAY 2025 09:20:06


Burst Length NVNT ax40 5710MHz Sum



Date: 20 MAY 2025 09:23:49




Burst Length NVNT ax80 5530MHz Sum



Date: 20 MAY 2025 09:27:14


Burst Length NVNT ax80 5690MHz Sum



Date: 20 MAY 2025 09:28:59



Burst Length NVNT ax160 5570MHz Sum



Date: 20 MAY 2025 09:38:50

11. Carrier Sensing Function


11.1 Limit

EUT stop RF transmission signal after carrier inject to EUT

11.2 Measurement Procedure

1. SG adjusted the frequency as same as the EUT transmitted signal and emitted the absence of modulation from SG and power level is $(\text{on } 22.79 + G - 20 \cdot \log(f) \text{ dBm})$ (G is the antenna gain, f is the test frequency).
2. turn off the RF signal of the SG.
3. EUT have transmitted the maximum modulation signal and fixed channelize.
4. Setting of SA: RBW/VBW=1MHz/1MHz, Span=50MHz, Sweep time=auto, Sweep mode=continuous, Detect mode=positive peak
5. SG RF signal on.
6. EUT shall be stop the transmitted any signal and SG RF signal off, the EUT will be continuous transmitted signal.

11.3 Test Setup



11.4 Test Data

Good

12. INTERFERENCE PREVENTION FUNCTION


12.1 Limit

Item	Limits
Identification	≥48 bits
MAC IP List	MAC Scan

12.2 Test Procedure

- In the case that the EUT has the function of automatically transmitting the identification code: a. Transmit the predetermined identification codes from EUT. b. Check the transmitted identification codes with the demodulator.
- In the case of receiving the identification code: a. Transmit the predetermined identification codes from the counterpart. b. Check if communication is normal. c. Transmit the other signals than predetermined ID codes from the counterpart. d. check if the EUT stops the transmission, or if it displays that identification codes are different from the predetermined ones.

12.3 Test Setup



12.4 Test Results

CONFORM

MAC: 04:CF:4B:A3:3F:13

---End---