
















































































Appendix E: Spurious Emission of RX**Test Result**

TestCondition	TestMode	Antenna	Frequen cy[MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~1000	159.98	-84.01	≤-54	0.0039 7	≤4	PASS
NTNV	11A	Ant1	5180	1000~26000	24861. 25	-59.32	≤-47	1.1695 0	≤20	PASS
NTNV	11A	Ant1	5200	30~1000	159.98	-84.11	≤-54	0.0038 8	≤4	PASS
NTNV	11A	Ant1	5200	1000~26000	1718.7 5	-52.48	≤-47	5.6493 7	≤20	See table below
NTNV	11A	Ant1	5220	30~1000	159.98	-84.01	≤-54	0.0039 7	≤4	PASS
NTNV	11A	Ant1	5220	1000~26000	24595. 00	-59.00	≤-47	1.2589 3	≤20	PASS
NTNV	11A	Ant1	5240	30~1000	159.98	-83.80	≤-54	0.0041 7	≤4	PASS
NTNV	11A	Ant1	5240	1000~26000	24823. 75	-59.26	≤-47	1.1857 7	≤20	PASS
NTNV	11N20SI SO	Ant1	5180	30~1000	827.34	-62.01	≤-54	0.6295 1	≤4	See table below
NTNV	11N20SI SO	Ant1	5180	1000~26000	24810. 00	-59.68	≤-47	1.0764 7	≤20	PASS
NTNV	11N20SI SO	Ant1	5200	30~1000	159.98	-84.15	≤-54	0.0038 5	≤4	PASS
NTNV	11N20SI SO	Ant1	5200	1000~26000	3491.2 5	-51.41	≤-47	7.2277 0	≤20	See table below
NTNV	11N20SI SO	Ant1	5220	30~1000	826.86	-66.58	≤-54	0.2197 9	≤4	PASS
NTNV	11N20SI SO	Ant1	5220	1000~26000	25176. 25	-59.33	≤-47	1.1668 1	≤20	PASS
NTNV	11N20SI SO	Ant1	5240	30~1000	832.19	-65.38	≤-54	0.2897 3	≤4	PASS
NTNV	11N20SI SO	Ant1	5240	1000~26000	24815. 00	-59.27	≤-47	1.1830 4	≤20	PASS
NTNV	11N40SI SO	Ant1	5190	30~1000	159.98	-84.24	≤-54	0.0037 7	≤4	PASS

NTNV	11N40SI SO	Ant1	5190	1000~26000	24845. 00	-59.42	≤-47	1.1428 8	≤20	PASS
NTNV	11N40SI SO	Ant1	5230	30~1000	833.65	-67.30	≤-54	0.1862 1	≤4	PASS
NTNV	11N40SI SO	Ant1	5230	1000~26000	24898. 75	-59.44	≤-47	1.1376 3	≤20	PASS
NTNV	11AC20S ISO	Ant1	5180	30~1000	828.8	-60.93	≤-54	0.8072 4	≤4	See table below
NTNV	11AC20S ISO	Ant1	5180	1000~26000	24495. 00	-59.22	≤-47	1.1967 4	≤20	PASS
NTNV	11AC20S ISO	Ant1	5200	30~1000	829.77	-63.99	≤-54	0.3990 2	≤4	See table below
NTNV	11AC20S ISO	Ant1	5200	1000~26000	24692. 50	-59.22	≤-47	1.1967 4	≤20	PASS
NTNV	11AC20S ISO	Ant1	5220	30~1000	159.98	-83.49	≤-54	0.0044 8	≤4	PASS
NTNV	11AC20S ISO	Ant1	5220	1000~26000	24813. 75	-58.84	≤-47	1.3061 7	≤20	PASS
NTNV	11AC20S ISO	Ant1	5240	30~1000	704.15	-65.05	≤-54	0.3126 1	≤4	PASS
NTNV	11AC20S ISO	Ant1	5240	1000~26000	25825. 00	-59.25	≤-47	1.1885 0	≤20	PASS
NTNV	11AC40S ISO	Ant1	5190	30~1000	159.98	-83.52	≤-54	0.0044 5	≤4	PASS
NTNV	11AC40S ISO	Ant1	5190	1000~26000	2428.7 5	-59.35	≤-47	1.1614 5	≤20	PASS
NTNV	11AC40S ISO	Ant1	5230	30~1000	832.19	-71.08	≤-54	0.0779 8	≤4	PASS
NTNV	11AC40S ISO	Ant1	5230	1000~26000	1953.7 5	-53.32	≤-47	4.6558 6	≤20	See table below
NTNV	11AC80S ISO	Ant1	5210	30~1000	159.98	-83.43	≤-54	0.0045 4	≤4	PASS
NTNV	11AC80S ISO	Ant1	5210	1000~26000	1783.7 5	-48.50	≤-47	14.125 38	≤20	See table below

Test Result_Step2

TestCondition	TestMode	Antenna	Frequency[MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5200	1718.75	-78.60	≤-47	0.01380	≤20	PASS
NTNV	11N20SI SO	Ant1	5180	827.34	-89.26	≤-54	0.00119	≤4	PASS
NTNV	11N20SI SO	Ant1	5200	3491.25	-76.11	≤-47	0.02449	≤20	PASS
NTNV	11AC20S ISO	Ant1	5180	828.80	-61.46	≤-54	0.71450	≤4	PASS
NTNV	11AC20S ISO	Ant1	5200	829.77	-65.28	≤-54	0.29648	≤4	PASS
NTNV	11AC40S ISO	Ant1	5230	1953.75	-77.30	≤-47	0.01862	≤20	PASS
NTNV	11AC80S ISO	Ant1	5210	1783.75	-78.13	≤-47	0.01538	≤20	PASS