


























NTNV-11AC20SISO-Ant1-5240-5250~5251-PASS



NTNV-11AC20SISO-Ant1-5240-5251~5260-PASS




NTNV-11AC20SISO-Ant1-5240-5260~5266.7-PASS











































Appendix E: Spurious Emission of RX**Test Result**

TestCondition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~1000	888.45	-84.54	≤-54	0.00352	≤4	PASS
NTNV	11A	Ant1	5180	1000~26000	25057.50	-59.83	≤-47	1.03992	≤20	PASS
NTNV	11A	Ant1	5200	30~1000	780.78	-85.09	≤-54	0.00310	≤4	PASS
NTNV	11A	Ant1	5200	1000~26000	2480.00	-59.64	≤-47	1.08643	≤20	PASS
NTNV	11A	Ant1	5220	30~1000	893.30	-84.80	≤-54	0.00331	≤4	PASS
NTNV	11A	Ant1	5220	1000~26000	24848.75	-59.84	≤-47	1.03753	≤20	PASS
NTNV	11A	Ant1	5240	30~1000	893.30	-84.53	≤-54	0.00352	≤4	PASS
NTNV	11A	Ant1	5240	1000~26000	24857.50	-59.93	≤-47	1.01625	≤20	PASS
NTNV	11N20SI SO	Ant1	5180	30~1000	792.91	-85.07	≤-54	0.00311	≤4	PASS
NTNV	11N20SI SO	Ant1	5180	1000~26000	24871.25	-59.80	≤-47	1.04713	≤20	PASS
NTNV	11N20SI SO	Ant1	5200	30~1000	893.30	-84.33	≤-54	0.00369	≤4	PASS
NTNV	11N20SI SO	Ant1	5200	1000~26000	24836.25	-59.76	≤-47	1.05682	≤20	PASS
NTNV	11N20SI SO	Ant1	5220	30~1000	899.61	-85.00	≤-54	0.00316	≤4	PASS
NTNV	11N20SI SO	Ant1	5220	1000~26000	24847.50	-60.03	≤-47	0.99312	≤20	PASS
NTNV	11N20SI SO	Ant1	5240	30~1000	880.69	-83.51	≤-54	0.00446	≤4	PASS
NTNV	11N20SI SO	Ant1	5240	1000~26000	1728.75	-58.52	≤-47	1.40605	≤20	PASS
NTNV	11N40SI SO	Ant1	5190	30~1000	880.69	-84.25	≤-54	0.00376	≤4	PASS
NTNV	11N40SI SO	Ant1	5190	1000~26000	24863.75	-59.72	≤-47	1.06660	≤20	PASS
NTNV	11N40SI SO	Ant1	5230	30~1000	826.86	-75.67	≤-54	0.02710	≤4	PASS


NTNV	11N40SI SO	Ant1	5230	1000~26000	25668. 75	-59.11	≤-47	1.2274 4	≤20	PASS
NTNV	11AC20S ISO	Ant1	5180	30~1000	788.54	-85.20	≤-54	0.0030 2	≤4	PASS
NTNV	11AC20S ISO	Ant1	5180	1000~26000	2410.0 0	-58.31	≤-47	1.4757 1	≤20	PASS
NTNV	11AC20S ISO	Ant1	5200	30~1000	875.84	-84.99	≤-54	0.0031 7	≤4	PASS
NTNV	11AC20S ISO	Ant1	5200	1000~26000	2471.2 5	-58.44	≤-47	1.4321 9	≤20	PASS
NTNV	11AC20S ISO	Ant1	5220	30~1000	938.89	-84.92	≤-54	0.0032 2	≤4	PASS
NTNV	11AC20S ISO	Ant1	5220	1000~26000	24878. 75	-59.53	≤-47	1.11429	≤20	PASS
NTNV	11AC20S ISO	Ant1	5240	30~1000	893.30	-84.44	≤-54	0.0036 0	≤4	PASS
NTNV	11AC20S ISO	Ant1	5240	1000~26000	24305. 00	-59.04	≤-47	1.2473 8	≤20	PASS
NTNV	11AC40S ISO	Ant1	5190	30~1000	936.95	-85.25	≤-54	0.0029 9	≤4	PASS
NTNV	11AC40S ISO	Ant1	5190	1000~26000	24915. 00	-59.57	≤-47	1.1040 8	≤20	PASS
NTNV	11AC40S ISO	Ant1	5230	30~1000	905.43	-83.88	≤-54	0.0040 9	≤4	PASS
NTNV	11AC40S ISO	Ant1	5230	1000~26000	24570. 00	-59.30	≤-47	1.1749 0	≤20	PASS
NTNV	11AX20S ISO	Ant1	5180	30~1000	905.43	-82.02	≤-54	0.0062 8	≤4	PASS
NTNV	11AX20S ISO	Ant1	5180	1000~26000	25078. 75	-59.77	≤-47	1.0543 9	≤20	PASS
NTNV	11AX20S ISO	Ant1	5200	30~1000	905.43	-82.63	≤-54	0.0054 6	≤4	PASS
NTNV	11AX20S ISO	Ant1	5200	1000~26000	25761. 25	-59.61	≤-47	1.0939 6	≤20	PASS
NTNV	11AX20S ISO	Ant1	5220	30~1000	825.40	-83.11	≤-54	0.0048 9	≤4	PASS
NTNV	11AX20S ISO	Ant1	5220	1000~26000	24843. 75	-59.85	≤-47	1.0351 4	≤20	PASS
NTNV	11AX20S ISO	Ant1	5240	30~1000	827.83	-69.61	≤-54	0.1094 0	≤4	PASS
NTNV	11AX20S ISO	Ant1	5240	1000~26000	25773. 75	-59.65	≤-47	1.0839 3	≤20	PASS
NTNV	11AX40S	Ant1	5190	30~1000	905.43	-83.74	≤-54	0.0042	≤4	PASS

	ISO							3		
NTNV	11AX40S ISO	Ant1	5190	1000~26000	2410.0 0	-59.44	≤-47	1.1376 3	≤20	PASS
NTNV	11AX40S ISO	Ant1	5230	30~1000	810.37	-84.69	≤-54	0.0034 0	≤4	PASS
NTNV	11AX40S ISO	Ant1	5230	1000~26000	25392. 50	-59.51	≤-47	1.11944	≤20	PASS


Test Graphs





































Appendix F: Transmission Burst Length**Test Result**

TestCondition	TestMode	Antenna	Frequency[MHz]	Result [ms]	Limit [ms]	Verdict
NTNV	11A	Ant1	5180	1.39	≤8	PASS
NTNV	11A	Ant1	5200	1.39	≤8	PASS
NTNV	11A	Ant1	5220	1.39	≤8	PASS
NTNV	11A	Ant1	5240	1.39	≤8	PASS
NTNV	11N20SI SO	Ant1	5180	5.09	≤8	PASS
NTNV	11N20SI SO	Ant1	5200	5.09	≤8	PASS
NTNV	11N20SI SO	Ant1	5220	5.09	≤8	PASS
NTNV	11N20SI SO	Ant1	5240	5.09	≤8	PASS
NTNV	11N40SI SO	Ant1	5190	4.88	≤8	PASS
NTNV	11N40SI SO	Ant1	5230	4.88	≤8	PASS
NTNV	11AC20S ISO	Ant1	5180	5.09	≤8	PASS
NTNV	11AC20S ISO	Ant1	5200	5.09	≤8	PASS
NTNV	11AC20S ISO	Ant1	5220	5.09	≤8	PASS
NTNV	11AC20S ISO	Ant1	5240	5.09	≤8	PASS
NTNV	11AC40S ISO	Ant1	5190	4.88	≤8	PASS
NTNV	11AC40S ISO	Ant1	5230	4.89	≤8	PASS
NTNV	11AX20S ISO	Ant1	5180	3.87	≤8	PASS
NTNV	11AX20S ISO	Ant1	5200	3.87	≤8	PASS
NTNV	11AX20S ISO	Ant1	5220	3.87	≤8	PASS
NTNV	11AX20S ISO	Ant1	5240	3.87	≤8	PASS
NTNV	11AX40S ISO	Ant1	5190	4.88	≤8	PASS

NTNV	11AX40S ISO	Ant1	5230	3.85	≤8	PASS
------	----------------	------	------	------	----	------

Test Graphs



















Appendix G: Adjacent Channel Power Tolerance**Test Result**

TestCondition	TestMode	Antenna	Frequency[MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant1	5180	-40	-47.60	≤-40	PASS
NTNV	11A	Ant1	5180	-20	-28.10	≤-25	PASS
NTNV	11A	Ant1	5180	+20	-28.52	≤-25	PASS
NTNV	11A	Ant1	5180	+40	-48.16	≤-40	PASS
NTNV	11A	Ant1	5200	-40	-47.58	≤-40	PASS
NTNV	11A	Ant1	5200	-20	-28.61	≤-25	PASS
NTNV	11A	Ant1	5200	+20	-29.40	≤-25	PASS
NTNV	11A	Ant1	5200	+40	-48.56	≤-40	PASS
NTNV	11A	Ant1	5220	-40	-47.59	≤-40	PASS
NTNV	11A	Ant1	5220	-20	-28.19	≤-25	PASS
NTNV	11A	Ant1	5220	+20	-28.96	≤-25	PASS
NTNV	11A	Ant1	5220	+40	-48.21	≤-40	PASS
NTNV	11A	Ant1	5240	-40	-47.82	≤-40	PASS
NTNV	11A	Ant1	5240	-20	-28.68	≤-25	PASS
NTNV	11A	Ant1	5240	+20	-28.50	≤-25	PASS
NTNV	11A	Ant1	5240	+40	-48.95	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	-40	-47.23	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	-20	-27.23	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	+20	-27.24	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	+40	-47.54	≤-40	PASS
NTNV	11N20SISO	Ant1	5200	-40	-47.96	≤-40	PASS
NTNV	11N20SISO	Ant1	5200	-20	-27.36	≤-25	PASS
NTNV	11N20SISO	Ant1	5200	+20	-27.20	≤-25	PASS
NTNV	11N20SISO	Ant1	5200	+40	-48.29	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	-40	-47.70	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	-20	-26.92	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	+20	-27.17	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	+40	-48.24	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	-40	-47.18	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	-20	-27.47	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	+20	-27.61	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	+40	-48.46	≤-40	PASS
NTNV	11N40SISO	Ant1	5190	-80	-48.19	≤-40	PASS
NTNV	11N40SISO	Ant1	5190	-40	-31.85	≤-25	PASS
NTNV	11N40SISO	Ant1	5190	+40	-31.56	≤-25	PASS
NTNV	11N40SISO	Ant1	5190	+80	-49.04	≤-40	PASS
NTNV	11N40SISO	Ant1	5230	-80	-48.02	≤-40	PASS
NTNV	11N40SISO	Ant1	5230	-40	-32.47	≤-25	PASS

NTNV	11N40SISO	Ant1	5230	+40	-32.68	≤-25	PASS
NTNV	11N40SISO	Ant1	5230	+80	-49.68	≤-40	PASS
NTNV	11AC20SISO	Ant1	5180	-40	-47.92	≤-40	PASS
NTNV	11AC20SISO	Ant1	5180	-20	-27.76	≤-25	PASS
NTNV	11AC20SISO	Ant1	5180	+20	-26.54	≤-25	PASS
NTNV	11AC20SISO	Ant1	5180	+40	-48.25	≤-40	PASS
NTNV	11AC20SISO	Ant1	5200	-40	-47.91	≤-40	PASS
NTNV	11AC20SISO	Ant1	5200	-20	-27.73	≤-25	PASS
NTNV	11AC20SISO	Ant1	5200	+20	-26.68	≤-25	PASS
NTNV	11AC20SISO	Ant1	5200	+40	-48.93	≤-40	PASS
NTNV	11AC20SISO	Ant1	5220	-40	-47.35	≤-40	PASS
NTNV	11AC20SISO	Ant1	5220	-20	-27.45	≤-25	PASS
NTNV	11AC20SISO	Ant1	5220	+20	-27.23	≤-25	PASS
NTNV	11AC20SISO	Ant1	5220	+40	-48.31	≤-40	PASS
NTNV	11AC20SISO	Ant1	5240	-40	-47.95	≤-40	PASS
NTNV	11AC20SISO	Ant1	5240	-20	-27.34	≤-25	PASS
NTNV	11AC20SISO	Ant1	5240	+20	-26.89	≤-25	PASS
NTNV	11AC20SISO	Ant1	5240	+40	-49.07	≤-40	PASS
NTNV	11AC40SISO	Ant1	5190	-80	-47.75	≤-40	PASS
NTNV	11AC40SISO	Ant1	5190	-40	-32.00	≤-25	PASS
NTNV	11AC40SISO	Ant1	5190	+40	-32.05	≤-25	PASS
NTNV	11AC40SISO	Ant1	5190	+80	-49.24	≤-40	PASS
NTNV	11AC40SISO	Ant1	5230	-80	-48.02	≤-40	PASS
NTNV	11AC40SISO	Ant1	5230	-40	-31.60	≤-25	PASS
NTNV	11AC40SISO	Ant1	5230	+40	-32.20	≤-25	PASS
NTNV	11AC40SISO	Ant1	5230	+80	-50.26	≤-40	PASS
NTNV	11AX20SISO	Ant1	5180	-40	-49.86	≤-40	PASS
NTNV	11AX20SISO	Ant1	5180	-20	-26.45	≤-25	PASS
NTNV	11AX20SISO	Ant1	5180	+20	-26.84	≤-25	PASS
NTNV	11AX20SISO	Ant1	5180	+40	-49.68	≤-40	PASS
NTNV	11AX20SISO	Ant1	5200	-40	-48.32	≤-40	PASS
NTNV	11AX20SISO	Ant1	5200	-20	-28.37	≤-25	PASS
NTNV	11AX20SISO	Ant1	5200	+20	-25.38	≤-25	PASS
NTNV	11AX20SISO	Ant1	5200	+40	-49.44	≤-40	PASS
NTNV	11AX20SISO	Ant1	5220	-40	-49.93	≤-40	PASS
NTNV	11AX20SISO	Ant1	5220	-20	-27.60	≤-25	PASS
NTNV	11AX20SISO	Ant1	5220	+20	-27.11	≤-25	PASS
NTNV	11AX20SISO	Ant1	5220	+40	-50.03	≤-40	PASS
NTNV	11AX20SISO	Ant1	5240	-40	-48.98	≤-40	PASS
NTNV	11AX20SISO	Ant1	5240	-20	-27.63	≤-25	PASS
NTNV	11AX20SISO	Ant1	5240	+20	-25.35	≤-25	PASS
NTNV	11AX20SISO	Ant1	5240	+40	-50.30	≤-40	PASS

NTLV	11AX20SISO	Ant1	5180	-40	-49.89	≤ -40	PASS
NTLV	11AX20SISO	Ant1	5180	-20	-27.64	≤ -25	PASS
NTLV	11AX20SISO	Ant1	5180	+20	-26.33	≤ -25	PASS
NTLV	11AX20SISO	Ant1	5180	+40	-49.75	≤ -40	PASS
NTNV	11AX40SISO	Ant1	5190	-80	-48.55	≤ -40	PASS
NTNV	11AX40SISO	Ant1	5190	-40	-32.27	≤ -25	PASS
NTNV	11AX40SISO	Ant1	5190	+40	-30.84	≤ -25	PASS
NTNV	11AX40SISO	Ant1	5190	+80	-49.93	≤ -40	PASS
NTNV	11AX40SISO	Ant1	5230	-80	-48.85	≤ -40	PASS
NTNV	11AX40SISO	Ant1	5230	-40	-32.29	≤ -25	PASS
NTNV	11AX40SISO	Ant1	5230	+40	-31.62	≤ -25	PASS
NTNV	11AX40SISO	Ant1	5230	+80	-50.89	≤ -40	PASS