

























NTNV-11AX40MIMO-Ant1-5510-PASS



NTNV-11AX40MIMO-Ant2-5510-PASS



NTNV-11AX40MIMO-Ant3-5510-PASS




NTNV-11AX40MIMO-Ant1-5550-PASS





NTNV-11AX40MIMO-Ant2-5550-PASS




NTNV-11AX40MIMO-Ant3-5550-PASS











NTNV-11AX80MIMO-Ant1-5610-PASS




NTNV-11AX80MIMO-Ant2-5610-PASS




NTNV-11AX80MIMO-Ant3-5610-PASS



NTNV-11AX80MIMO-Ant1-5690-PASS



NTNV-11AX80MIMO-Ant2-5690-PASS



NTNV-11AX80MIMO-Ant3-5690-PASS

Appendix I: Carrier Sense Function**Test Result**


TestCondition	TestMode	Antenna	Frequency[MHz]	Pcs[dBm]	Result	Verdict
NTNV	11A	Ant1	5500	-49.017	See table below	PASS
NTNV	11AX160SISO	Ant1	5570	-49.127	See table below	PASS

Note: $Pcs (dBm) = 22.79 + Gr - 20\log(F)$.

V1: CW signal injection

V2: CW signal remove

Test Graphs



*** End of Report ***