


802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1G	52.79	54.00	-1.21	6.86	3	Vertical	85	1.50	-	45.93	31.58	10.49	35.21
AV	5.275G	82.36	Inf	-Inf	7.15	3	Vertical	85	1.50	-	75.21	31.72	10.62	35.19
AV	5.373G	52.55	54.00	-1.45	7.32	3	Vertical	85	1.50	-	45.23	31.80	10.70	35.18
PK	5.144G	61.98	74.00	-12.02	6.94	3	Vertical	85	1.50	-	55.04	31.62	10.53	35.21
PK	5.281G	89.03	Inf	-Inf	7.16	3	Vertical	85	1.50	-	81.87	31.72	10.63	35.19
PK	5.53G	61.50	68.20	-6.70	7.59	3	Vertical	85	1.50	-	53.91	31.94	10.82	35.17

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.116G	53.04	54.00	-0.96	6.88	3	Horizontal	119	1.49	-	46.16	31.59	10.50	35.21
AV	5.319G	87.78	Inf	-Inf	7.22	3	Horizontal	119	1.49	-	80.56	31.76	10.66	35.19
AV	5.367G	53.71	54.00	-0.29	7.30	3	Horizontal	119	1.49	-	46.41	31.79	10.69	35.18
PK	5.111G	61.44	74.00	-12.56	6.88	3	Horizontal	119	1.49	-	54.56	31.59	10.50	35.21
PK	5.319G	94.79	Inf	-Inf	7.22	3	Horizontal	119	1.49	-	87.57	31.76	10.66	35.19
PK	5.521G	61.26	68.20	-6.94	7.57	3	Horizontal	119	1.49	-	53.69	31.93	10.81	35.17

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87096G	49.28	54.00	-4.72	17.12	3	Vertical	343	1.83	-	32.16	37.74	15.19	35.80
PK	15.86956G	60.06	74.00	-13.94	17.13	3	Vertical	343	1.83	-	42.93	37.74	15.19	35.80

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86976G	49.25	54.00	-4.75	17.13	3	Horizontal	334	2.10	-	32.12	37.74	15.19	35.80
PK	15.86688G	59.70	74.00	-14.30	17.14	3	Horizontal	334	2.10	-	42.56	37.75	15.19	35.80

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.433G	52.57	54.00	-1.43	7.41	3	Vertical	85	1.50	-	45.16	31.85	10.74	35.18
AV	5.539G	84.11	Inf	-Inf	7.60	3	Vertical	85	1.50	-	76.51	31.95	10.83	35.17
PK	5.339G	60.56	68.20	-7.64	7.25	3	Vertical	85	1.50	-	53.31	31.77	10.67	35.19
PK	5.464G	61.01	68.20	-7.19	7.46	3	Vertical	85	1.50	-	53.55	31.87	10.76	35.17
PK	5.539G	91.03	Inf	-Inf	7.60	3	Vertical	85	1.50	-	83.43	31.95	10.83	35.17
PK	5.748G	61.90	68.20	-6.30	8.06	3	Vertical	85	1.50	-	53.84	32.20	11.04	35.18

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	53.87	54.00	-0.13	7.42	3	Horizontal	117	1.00	-	46.45	31.85	10.75	35.18
AV	5.514G	91.26	Inf	-Inf	7.55	3	Horizontal	117	1.00	-	83.71	31.92	10.80	35.17
PK	5.338G	61.64	68.20	-6.56	7.25	3	Horizontal	117	1.00	-	54.39	31.77	10.67	35.19
PK	5.464G	63.77	68.20	-4.43	7.46	3	Horizontal	117	1.00	-	56.31	31.87	10.76	35.17
PK	5.524G	97.82	Inf	-Inf	7.57	3	Horizontal	117	1.00	-	90.25	31.93	10.81	35.17
PK	5.739G	62.11	68.20	-6.09	8.04	3	Horizontal	117	1.00	-	54.07	32.19	11.03	35.18

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	16.58744G	50.69	54.00	-3.31	18.86	3	Vertical	225	1.09	-	31.83	38.94	15.37	35.46
PK	16.59168G	60.95	74.00	-13.05	18.88	3	Vertical	225	1.09	-	42.07	38.96	15.37	35.45

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	16.59692G	50.81	54.00	-3.19	18.90	3	Horizontal	41	1.41	-	31.91	38.97	15.38	35.45
PK	16.59884G	60.99	74.00	-13.01	18.91	3	Horizontal	41	1.41	-	42.08	38.98	15.38	35.45

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.388G	51.21	54.00	-2.79	7.34	3	Vertical	80	1.50	-	43.87	31.81	10.71	35.18
AV	5.595G	87.89	Inf	-Inf	7.72	3	Vertical	80	1.50	-	80.17	32.01	10.89	35.18
PK	5.43G	58.55	74.00	-15.45	7.40	3	Vertical	80	1.50	-	51.15	31.84	10.74	35.18
PK	5.468G	59.01	68.20	-9.19	7.47	3	Vertical	80	1.50	-	51.54	31.87	10.77	35.17
PK	5.622G	94.17	Inf	-Inf	7.78	3	Vertical	80	1.50	-	86.39	32.05	10.91	35.18
PK	5.763G	59.98	68.20	-8.22	8.08	3	Vertical	80	1.50	-	51.90	32.22	11.05	35.19

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	53.51	54.00	-0.49	7.43	3	Horizontal	112	1.88	-	46.08	31.86	10.75	35.18
AV	5.594G	95.31	Inf	-Inf	7.72	3	Horizontal	112	1.88	-	87.59	32.01	10.88	35.18
PK	5.459G	62.64	74.00	-11.36	7.46	3	Horizontal	112	1.88	-	55.18	31.87	10.76	35.17
PK	5.463G	61.59	68.20	-6.61	7.46	3	Horizontal	112	1.88	-	54.13	31.87	10.76	35.17
PK	5.598G	101.84	Inf	-Inf	7.73	3	Horizontal	112	1.88	-	94.11	32.02	10.89	35.18
PK	5.836G	62.96	68.20	-5.24	8.24	3	Horizontal	112	1.88	-	54.72	32.30	11.13	35.19

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	16.8346G	51.95	54.00	-2.05	19.82	3	Vertical	232	1.55	-	32.13	39.64	15.44	35.25
PK	16.8218G	63.21	74.00	-10.79	19.78	3	Vertical	232	1.55	-	43.43	39.60	15.43	35.26

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	16.83068G	53.66	54.00	-0.34	19.81	3	Horizontal	137	2.28	-	33.85	39.63	15.44	35.25
PK	16.82464G	64.99	74.00	-9.01	19.79	3	Horizontal	137	2.28	-	45.20	39.61	15.43	35.26

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

15/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.787G	90.14	Inf	-Inf	4.83	3	Vertical	188	2.05	-	85.31	32.26	7.18	34.62
PK	5.6298G	62.74	68.20	-5.46	4.54	3	Vertical	188	2.05	-	58.20	32.01	7.11	34.58
PK	5.925G	59.80	68.20	-8.40	5.07	3	Vertical	188	2.05	-	54.73	32.48	7.25	34.66
PK	5.7642G	100.15	Inf	-Inf	4.79	3	Vertical	188	2.05	-	95.36	32.22	7.18	34.61

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

15/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	97.75	Inf	-Inf	4.78	3	Horizontal	171	2.37	-	92.97	32.22	7.17	34.61
PK	5.6298G	67.91	68.20	-0.29	4.54	3	Horizontal	171	2.37	-	63.37	32.01	7.11	34.58
PK	5.9286G	63.60	68.20	-4.60	5.08	3	Horizontal	171	2.37	-	58.52	32.49	7.25	34.66
PK	5.7882G	107.48	Inf	-Inf	4.83	3	Horizontal	171	2.37	-	102.65	32.26	7.19	34.62

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

15/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	17.2976G	52.91	54.00	-1.09	20.74	3	Vertical	131	1.98	-	32.17	42.02	12.59	33.88
PK	17.3116G	68.12	74.00	-5.88	20.83	3	Vertical	131	1.98	-	47.29	42.12	12.60	33.88

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

15/03/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	17.3614G	53.70	54.00	-0.30	21.17	3	Horizontal	109	1.08	-	32.53	42.46	12.62	33.91
PK	17.3116G	67.39	74.00	-6.61	20.83	3	Horizontal	109	1.08	-	46.56	42.12	12.60	33.88



Frequency Stability Result

Appendix F

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.725-5.85GHz	-	-	-	-	-	-	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.785G	5.78494G	10.37	20	1	10 min

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5785MHz_0°C	Pass	5.785G	5.785002G	0.324	20	1	0 min
5785MHz_0°C	Pass	5.785G	5.785015G	2.593	20	1	2 min
5785MHz_0°C	Pass	5.785G	5.785019G	3.241	20	1	5 min
5785MHz_0°C	Pass	5.785G	5.785024G	4.213	20	1	10 min
5785MHz_10°C	Pass	5.785G	5.785019G	3.241	20	1	0 min
5785MHz_10°C	Pass	5.785G	5.785013G	2.269	20	1	2 min
5785MHz_10°C	Pass	5.785G	5.785013G	2.269	20	1	5 min
5785MHz_10°C	Pass	5.785G	5.785004G	0.648	20	1	10 min
5785MHz_20°C	Pass	5.785G	5.785002G	0.324	20	1	0 min
5785MHz_20°C	Pass	5.785G	5.784996G	0.648	20	1	2 min
5785MHz_20°C	Pass	5.785G	5.785009G	1.62	20	1	5 min
5785MHz_20°C	Pass	5.785G	5.785013G	2.269	20	1	10 min
5785MHz_30°C	Pass	5.785G	5.784987G	2.269	20	1	0 min
5785MHz_30°C	Pass	5.785G	5.784978G	3.889	20	1	2 min
5785MHz_30°C	Pass	5.785G	5.784972G	4.861	20	1	5 min
5785MHz_30°C	Pass	5.785G	5.784976G	4.213	20	1	10 min
5785MHz_40°C	Pass	5.785G	5.784963G	6.481	20	1	0 min
5785MHz_40°C	Pass	5.785G	5.784953G	8.102	20	1	2 min
5785MHz_40°C	Pass	5.785G	5.784953G	8.102	20	1	5 min
5785MHz_40°C	Pass	5.785G	5.78494G	10.37	20	1	10 min
5785MHz_126.5V	Pass	5.785G	5.784981G	3.241	20	1	0 min
5785MHz_126.5V	Pass	5.785G	5.784985G	2.593	20	1	2 min
5785MHz_126.5V	Pass	5.785G	5.784987G	2.269	20	1	5 min
5785MHz_126.5V	Pass	5.785G	5.784989G	1.944	20	1	10 min
5785MHz_110V	Pass	5.785G	5.784991G	1.62	20	1	0 min
5785MHz_110V	Pass	5.785G	5.784985G	2.593	20	1	2 min
5785MHz_110V	Pass	5.785G	5.784987G	2.269	20	1	5 min
5785MHz_110V	Pass	5.785G	5.784987G	2.269	20	1	10 min
5785MHz_93.5V	Pass	5.785G	5.784987G	2.269	20	1	0 min
5785MHz_93.5V	Pass	5.785G	5.784989G	1.944	20	1	2 min
5785MHz_93.5V	Pass	5.785G	5.784994G	0.972	20	1	5 min
5785MHz_93.5V	Pass	5.785G	5.784994G	0.972	20	1	10 min

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	35.82M	34.76	40.00	-5.24	-16.27	3	Vertical	0	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	74.62M	25.91	40.00	-14.09	-24.78	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	173.56M	37.11	43.50	-6.39	-20.94	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	249.22M	37.05	46.00	-8.95	-17.25	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	402.48M	36.03	46.00	-9.97	-13.92	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	489.78M	29.60	46.00	-16.40	-12.24	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	613.94M	26.21	46.00	-19.79	-10.46	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	35.82M	34.76	40.00	-5.24	-16.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	74.62M	30.53	40.00	-9.47	-24.78	3	Vertical	0	1.00	-
5775MHz	Pass	PK	173.56M	28.88	43.50	-14.62	-20.94	3	Vertical	0	1.00	-
5775MHz	Pass	PK	326.82M	28.24	46.00	-17.76	-16.14	3	Vertical	0	1.00	-
5775MHz	Pass	PK	394.72M	37.57	46.00	-8.43	-14.20	3	Vertical	0	1.00	-
5775MHz	Pass	PK	613.94M	35.43	46.00	-10.57	-10.46	3	Vertical	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2RX

5775MHz_adapter

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	34.76	40.00	-5.24	-16.27	3	Vertical	0	1.00	-	51.03	20.65	0.36	37.28
PK	74.62M	30.53	40.00	-9.47	-24.78	3	Vertical	0	1.00	-	55.31	11.71	0.49	36.98
PK	173.56M	28.88	43.50	-14.62	-20.94	3	Vertical	0	1.00	-	49.82	14.55	1.00	36.49
PK	326.82M	28.24	46.00	-17.76	-16.14	3	Vertical	0	1.00	-	44.38	18.87	1.47	36.48
PK	394.72M	37.57	46.00	-8.43	-14.20	3	Vertical	0	1.00	-	51.77	20.89	1.51	36.60
PK	613.94M	35.43	46.00	-10.57	-10.46	3	Vertical	0	1.00	-	45.89	25.09	1.67	37.21

802.11ac VHT80_Nss1,(MCS0)_2RX

5775MHz_adapter

08/03/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	74.62M	25.91	40.00	-14.09	-24.78	3	Horizontal	360	1.00	-	50.69	11.71	0.49	36.98
PK	173.56M	37.11	43.50	-6.39	-20.94	3	Horizontal	360	1.00	-	58.05	14.55	1.00	36.49
PK	249.22M	37.05	46.00	-8.95	-17.25	3	Horizontal	360	1.00	-	54.30	17.90	1.26	36.41
PK	402.48M	36.03	46.00	-9.97	-13.92	3	Horizontal	360	1.00	-	49.95	21.18	1.52	36.62
PK	489.78M	29.60	46.00	-16.40	-12.24	3	Horizontal	360	1.00	-	41.84	23.06	1.59	36.89
PK	613.94M	26.21	46.00	-19.79	-10.46	3	Horizontal	360	1.00	-	36.67	25.09	1.67	37.21

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	4.232G	34.24	54.00	-19.76	4.83	3	Vertical	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.384G	26.21	54.00	-27.79	-4.27	3	Horizontal	0	1.00	-
5775MHz	Pass	AV	2.64G	30.64	54.00	-23.36	0.71	3	Horizontal	0	1.00	-
5775MHz	Pass	AV	4.104G	33.71	54.00	-20.29	4.44	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	1.384G	40.05	74.00	-33.95	-4.27	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	2.64G	44.93	74.00	-29.07	0.71	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	4.104G	47.72	74.00	-26.28	4.44	3	Horizontal	0	1.00	-
5775MHz	Pass	AV	1.496G	27.06	54.00	-26.94	-3.59	3	Vertical	360	1.00	-
5775MHz	Pass	AV	2.544G	30.55	54.00	-23.45	0.37	3	Vertical	360	1.00	-
5775MHz	Pass	AV	4.232G	34.24	54.00	-19.76	4.83	3	Vertical	360	1.00	-
5775MHz	Pass	PK	1.496G	40.63	74.00	-33.37	-3.59	3	Vertical	360	1.00	-
5775MHz	Pass	PK	2.544G	45.17	74.00	-28.83	0.37	3	Vertical	360	1.00	-
5775MHz	Pass	PK	4.232G	49.30	74.00	-24.70	4.83	3	Vertical	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2RX

5775MHz_RX

08/03/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.496G	27.06	54.00	-26.94	-3.59	3	Vertical	360	1.00	-	30.66	25.39	6.29	35.28
AV	2.544G	30.55	54.00	-23.45	0.37	3	Vertical	360	1.00	-	30.18	27.41	8.20	35.24
AV	4.232G	34.24	54.00	-19.76	4.83	3	Vertical	360	1.00	-	29.42	30.11	9.88	35.16
PK	1.496G	40.63	74.00	-33.37	-3.59	3	Vertical	360	1.00	-	44.22	25.39	6.29	35.28
PK	2.544G	45.17	74.00	-28.83	0.37	3	Vertical	360	1.00	-	44.80	27.41	8.20	35.24
PK	4.232G	49.30	74.00	-24.70	4.83	3	Vertical	360	1.00	-	44.47	30.11	9.88	35.16

802.11ac VHT80_Nss1,(MCS0)_2RX

5775MHz_RX

08/03/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.384G	26.21	54.00	-27.79	-4.27	3	Horizontal	0	1.00	-	30.48	25.17	6.06	35.49
AV	2.64G	30.64	54.00	-23.36	0.71	3	Horizontal	0	1.00	-	29.93	27.66	8.32	35.27
AV	4.104G	33.71	54.00	-20.29	4.44	3	Horizontal	0	1.00	-	29.27	29.83	9.80	35.19
PK	1.384G	40.05	74.00	-33.95	-4.27	3	Horizontal	0	1.00	-	44.32	25.17	6.06	35.49
PK	2.64G	44.93	74.00	-29.07	0.71	3	Horizontal	0	1.00	-	44.22	27.66	8.32	35.27
PK	4.104G	47.72	74.00	-26.28	4.44	3	Horizontal	0	1.00	-	43.28	29.83	9.80	35.19