

Appendix Test Data

Report No.:	1813C60247912503-01	Test Sample No.:	1-2-2
Start Test Date:	2026-7-8	Finish Test Date:	2026-7-9
Test Engineer:	Tracy Liang	Auditor:	Justin Feng
Temperature:	25.6°C	Relative Humidity:	49%
Pressure:	101kPa		


Appendix A: Frequency Error

Test Result


Test Condition	Test Mode	Antenna	Frequency[MHz]	Center Freq. [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	CW	Ant1	5180	5179.998	-0.38610	±20	PASS
NTNV	CW	Ant1	5190	5189.999	-0.19268	±20	PASS
NTNV	CW	Ant1	5200	5199.999	-0.19231	±20	PASS
NTNV	CW	Ant1	5230	5229.999	-0.19121	±20	PASS
NTNV	CW	Ant1	5240	5239.999	-0.19084	±20	PASS
NTNV	CW	Ant1	5260	5259.999	-0.19011	±20	PASS
NTNV	CW	Ant1	5270	5270	0.00000	±20	PASS
NTNV	CW	Ant1	5280	5279.999	-0.18939	±20	PASS
NTNV	CW	Ant1	5310	5310	0.00000	±20	PASS
NTNV	CW	Ant1	5320	5319.999	-0.18797	±20	PASS
NTNV	CW	Ant1	5500	5499.999	-0.18182	±20	PASS
NTNV	CW	Ant1	5510	5510	0.00000	±20	PASS
NTNV	CW	Ant1	5550	5550	0.00000	±20	PASS
NTNV	CW	Ant1	5600	5600	0.00000	±20	PASS
NTNV	CW	Ant1	5670	5670	0.00000	±20	PASS
NTNV	CW	Ant1	5700	5700	0.00000	±20	PASS



Test Graphs




NTVN-CW-Ant1-5180-PASS




NTVN-CW-Ant1-5190-PASS






NTNV-CW-Ant1-5200-PASS




NTNV-CW-Ant1-5230-PASS






NTNV-CW-Ant1-5240-PASS




NTNV-CW-Ant1-5260-PASS






NTNV-CW-Ant1-5270-PASS




NTNV-CW-Ant1-5280-PASS






NTNV-CW-Ant1-5310-PASS




NTNV-CW-Ant1-5320-PASS






NTNV-CW-Ant1-5500-PASS




NTNV-CW-Ant1-5510-PASS






NTNV-CW-Ant1-5550-PASS




NTNV-CW-Ant1-5600-PASS





NTNV-CW-Ant1-5670-PASS



NTNV-CW-Ant1-5700-PASS



Appendix B: Antenna Power

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Result [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	2.50	1.7783	≤10	PASS
NTNV	11A	Ant1	5200	1.77	1.5031	≤10	PASS
NTNV	11A	Ant1	5240	2.46	1.7620	≤10	PASS
NTNV	11A	Ant1	5260	2.50	1.7783	≤10	PASS
NTNV	11A	Ant1	5280	2.04	1.5996	≤10	PASS
NTNV	11A	Ant1	5320	2.37	1.7258	≤10	PASS
NTNV	11A	Ant1	5500	2.54	1.7947	≤10	PASS
NTNV	11A	Ant1	5600	3.47	2.2233	≤10	PASS
NTNV	11A	Ant1	5700	2.32	1.7061	≤10	PASS
NTNV	11N20SISO	Ant1	5180	1.64	1.4588	≤10	PASS
NTNV	11N20SISO	Ant1	5200	1.67	1.4689	≤10	PASS
NTNV	11N20SISO	Ant1	5240	2.19	1.6558	≤10	PASS
NTNV	11N20SISO	Ant1	5260	1.71	1.4825	≤10	PASS
NTNV	11N20SISO	Ant1	5280	1.40	1.3804	≤10	PASS
NTNV	11N20SISO	Ant1	5320	1.81	1.5171	≤10	PASS
NTNV	11N20SISO	Ant1	5500	1.47	1.4028	≤10	PASS
NTNV	11N20SISO	Ant1	5600	2.97	1.9815	≤10	PASS
NTNV	11N20SISO	Ant1	5700	1.94	1.5631	≤10	PASS
NTNV	11N40SISO	Ant1	5190	1.31	1.3521	≤5	PASS
NTNV	11N40SISO	Ant1	5230	2.37	1.7258	≤5	PASS
NTNV	11N40SISO	Ant1	5270	0.33	1.0789	≤5	PASS
NTNV	11N40SISO	Ant1	5310	0.45	1.1092	≤5	PASS
NTNV	11N40SISO	Ant1	5510	0.57	1.1402	≤5	PASS
NTNV	11N40SISO	Ant1	5550	0.64	1.1588	≤5	PASS
NTNV	11N40SISO	Ant1	5670	0.54	1.1324	≤5	PASS
NTNV	11AC20SISO	Ant1	5180	1.98	1.5776	≤10	PASS
NTNV	11AC20SISO	Ant1	5200	1.46	1.3996	≤10	PASS
NTNV	11AC20SISO	Ant1	5240	2.32	1.7061	≤10	PASS
NTNV	11AC20SISO	Ant1	5260	1.97	1.5740	≤10	PASS
NTNV	11AC20SISO	Ant1	5280	1.34	1.3614	≤10	PASS
NTNV	11AC20SISO	Ant1	5320	1.90	1.5488	≤10	PASS
NTNV	11AC20SISO	Ant1	5500	1.87	1.5382	≤10	PASS
NTNV	11AC20SISO	Ant1	5600	1.18	1.3122	≤10	PASS
NTNV	11AC20SISO	Ant1	5700	1.23	1.3274	≤10	PASS
NTNV	11AC40SISO	Ant1	5190	0.86	1.2190	≤5	PASS
NTNV	11AC40SISO	Ant1	5230	1.31	1.3521	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	0.61	1.1508	≤5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC40SISO	Ant1	5310	0.73	1.1830	≤5	PASS
NTNV	11AC40SISO	Ant1	5510	1.46	1.3996	≤5	PASS
NTNV	11AC40SISO	Ant1	5550	0.88	1.2246	≤5	PASS
NTNV	11AC40SISO	Ant1	5670	0.77	1.1940	≤5	PASS
NTNV	11AX20SISO	Ant1	5180	1.43	1.3900	≤10	PASS
NTNV	11AX20SISO	Ant1	5200	0.96	1.2474	≤10	PASS
NTNV	11AX20SISO	Ant1	5240	1.86	1.5346	≤10	PASS
NTNV	11AX20SISO	Ant1	5260	1.25	1.3335	≤10	PASS
NTNV	11AX20SISO	Ant1	5280	0.83	1.2106	≤10	PASS
NTNV	11AX20SISO	Ant1	5320	0.75	1.1885	≤10	PASS
NTNV	11AX20SISO	Ant1	5500	1.37	1.3709	≤10	PASS
NTNV	11AX20SISO	Ant1	5600	1.08	1.2823	≤10	PASS
NTNV	11AX20SISO	Ant1	5700	1.31	1.3521	≤10	PASS
NTNV	11AX40SISO	Ant1	5190	0.31	1.0740	≤5	PASS
NTNV	11AX40SISO	Ant1	5230	1.35	1.3646	≤5	PASS
NTNV	11AX40SISO	Ant1	5270	0.44	1.1066	≤5	PASS
NTNV	11AX40SISO	Ant1	5310	0.67	1.1668	≤5	PASS
NTNV	11AX40SISO	Ant1	5510	1.53	1.4223	≤5	PASS
NTNV	11AX40SISO	Ant1	5550	1.60	1.4454	≤5	PASS
NTNV	11AX40SISO	Ant1	5670	1.39	1.3772	≤5	PASS



Test Condition	Test Mode	Antenna	Frequency [MHz]	Power [mW/MHz]	RatedPower [mW/MHz]	Result [%]	Limit[%]	Verdict
NTNV	11A	Ant1	5180	1.7783	2	-11.09	-80 to +20	PASS
NTNV	11A	Ant1	5200	1.5031	2	-24.85	-80 to +20	PASS
NTNV	11A	Ant1	5240	1.7620	2	-11.90	-80 to +20	PASS
NTNV	11A	Ant1	5260	1.7783	2	-11.09	-80 to +20	PASS
NTNV	11A	Ant1	5280	1.5996	2	-20.02	-80 to +20	PASS
NTNV	11A	Ant1	5320	1.7258	2	-13.71	-80 to +20	PASS
NTNV	11A	Ant1	5500	1.7947	2	-10.27	-50 to +50	PASS
NTNV	11A	Ant1	5600	2.2233	2	11.17	-50 to +50	PASS
NTNV	11A	Ant1	5700	1.7061	2	-14.70	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5180	1.4588	2	-27.06	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5200	1.4689	2	-26.56	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5240	1.6558	2	-17.21	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5260	1.4825	2	-25.88	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5280	1.3804	2	-30.98	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5320	1.5171	2	-24.15	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5500	1.4028	2	-29.86	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5600	1.9815	2	-0.92	-50 to +50	PASS
NTNV	11N20SISO	Ant1	5700	1.5631	2	-21.85	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5190	1.3521	2	-32.40	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5230	1.7258	2	-13.71	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5270	1.0789	2	-46.06	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5310	1.1092	2	-44.54	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5510	1.1402	2	-42.99	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5550	1.1588	2	-42.06	-50 to +50	PASS
NTNV	11N40SISO	Ant1	5670	1.1324	2	-43.38	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5180	1.5776	2	-21.12	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5200	1.3996	2	-30.02	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5240	1.7061	2	-14.70	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5260	1.5740	2	-21.30	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5280	1.3614	2	-31.93	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5320	1.5488	2	-22.56	-80 to +20	PASS
NTNV	11AC20SISO	Ant1	5500	1.5382	2	-23.09	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5600	1.3122	2	-34.39	-50 to +50	PASS
NTNV	11AC20SISO	Ant1	5700	1.3274	2	-33.63	-50 to +50	PASS
NTNV	11AC40SISO	Ant1	5190	1.2190	2	-39.05	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5230	1.3521	2	-32.40	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5270	1.1508	2	-42.46	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5310	1.1830	2	-40.85	-80 to +20	PASS
NTNV	11AC40SISO	Ant1	5510	1.3996	2	-30.02	-50 to +50	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com



NTNV	11AC40SISO	Ant1	5550	1.2246	2	-38.77	-50 to +50	PASS
NTNV	11AC40SISO	Ant1	5670	1.1940	2	-40.30	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5180	1.3900	2	-30.50	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5200	1.2474	2	-37.63	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5240	1.5346	2	-23.27	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5260	1.3335	2	-33.33	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5280	1.2106	2	-39.47	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5320	1.1885	2	-40.58	-80 to +20	PASS
NTNV	11AX20SISO	Ant1	5500	1.3709	2	-31.46	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5600	1.2823	2	-35.89	-50 to +50	PASS
NTNV	11AX20SISO	Ant1	5700	1.3521	2	-32.40	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5190	1.0740	2	-46.30	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5230	1.3646	2	-31.77	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5270	1.1066	2	-44.67	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5310	1.1668	2	-41.66	-80 to +20	PASS
NTNV	11AX40SISO	Ant1	5510	1.4223	2	-28.89	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5550	1.4454	2	-27.73	-50 to +50	PASS
NTNV	11AX40SISO	Ant1	5670	1.3772	2	-31.14	-50 to +50	PASS



Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [mW/MHz]	Gain[dBi]	EIRP [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	11A	Ant1	5180	1.7783	2.38	3.0761	≤10	PASS
NTNV	11A	Ant1	5200	1.5031	2.38	2.6002	≤10	PASS
NTNV	11A	Ant1	5240	1.7620	2.38	3.0479	≤10	PASS
NTNV	11A	Ant1	5260	1.7783	1.8	2.6915	≤5	PASS
NTNV	11A	Ant1	5280	1.5996	1.8	2.4210	≤5	PASS
NTNV	11A	Ant1	5320	1.7258	1.8	2.6122	≤5	PASS
NTNV	11A	Ant1	5500	1.7947	2.36	3.0903	≤25	PASS
NTNV	11A	Ant1	5600	2.2233	2.36	3.8282	≤25	PASS
NTNV	11A	Ant1	5700	1.7061	2.36	2.9376	≤25	PASS
NTNV	11N20SISO	Ant1	5180	1.4588	2.38	2.5235	≤10	PASS
NTNV	11N20SISO	Ant1	5200	1.4689	2.38	2.5410	≤10	PASS
NTNV	11N20SISO	Ant1	5240	1.6558	2.38	2.8642	≤10	PASS
NTNV	11N20SISO	Ant1	5260	1.4825	1.8	2.2439	≤5	PASS
NTNV	11N20SISO	Ant1	5280	1.3804	1.8	2.0893	≤5	PASS
NTNV	11N20SISO	Ant1	5320	1.5171	1.8	2.2961	≤5	PASS
NTNV	11N20SISO	Ant1	5500	1.4028	2.36	2.4155	≤25	PASS
NTNV	11N20SISO	Ant1	5600	1.9815	2.36	3.4119	≤25	PASS
NTNV	11N20SISO	Ant1	5700	1.5631	2.36	2.6915	≤25	PASS
NTNV	11N40SISO	Ant1	5190	1.3521	2.38	2.3388	≤5	PASS
NTNV	11N40SISO	Ant1	5230	1.7258	2.38	2.9854	≤5	PASS
NTNV	11N40SISO	Ant1	5270	1.0789	1.8	1.6331	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	1.1092	1.8	1.6788	≤2.5	PASS
NTNV	11N40SISO	Ant1	5510	1.1402	2.36	1.9634	≤12.5	PASS
NTNV	11N40SISO	Ant1	5550	1.1588	2.36	1.9953	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	1.1324	2.36	1.9498	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5180	1.5776	2.38	2.7290	≤10	PASS
NTNV	11AC20SISO	Ant1	5200	1.3996	2.38	2.4210	≤10	PASS
NTNV	11AC20SISO	Ant1	5240	1.7061	2.38	2.9512	≤10	PASS
NTNV	11AC20SISO	Ant1	5260	1.5740	1.8	2.3823	≤5	PASS
NTNV	11AC20SISO	Ant1	5280	1.3614	1.8	2.0606	≤5	PASS
NTNV	11AC20SISO	Ant1	5320	1.5488	1.8	2.3442	≤5	PASS
NTNV	11AC20SISO	Ant1	5500	1.5382	2.36	2.6485	≤25	PASS
NTNV	11AC20SISO	Ant1	5600	1.3122	2.36	2.2594	≤25	PASS
NTNV	11AC20SISO	Ant1	5700	1.3274	2.36	2.2856	≤25	PASS
NTNV	11AC40SISO	Ant1	5190	1.2190	2.38	2.1086	≤5	PASS
NTNV	11AC40SISO	Ant1	5230	1.3521	2.38	2.3388	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	1.1508	1.8	1.7418	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5310	1.1830	1.8	1.7906	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5510	1.3996	2.36	2.4099	≤12.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com



NTNV	11AC40SISO	Ant1	5550	1.2246	2.36	2.1086	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5670	1.1940	2.36	2.0559	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5180	1.3900	2.38	2.4044	≤10	PASS
NTNV	11AX20SISO	Ant1	5200	1.2474	2.38	2.1577	≤10	PASS
NTNV	11AX20SISO	Ant1	5240	1.5346	2.38	2.6546	≤10	PASS
NTNV	11AX20SISO	Ant1	5260	1.3335	1.8	2.0184	≤5	PASS
NTNV	11AX20SISO	Ant1	5280	1.2106	1.8	1.8323	≤5	PASS
NTNV	11AX20SISO	Ant1	5320	1.1885	1.8	1.7989	≤5	PASS
NTNV	11AX20SISO	Ant1	5500	1.3709	2.36	2.3605	≤25	PASS
NTNV	11AX20SISO	Ant1	5600	1.2823	2.36	2.2080	≤25	PASS
NTNV	11AX20SISO	Ant1	5700	1.3521	2.36	2.3281	≤25	PASS
NTNV	11AX40SISO	Ant1	5190	1.0740	2.38	1.8578	≤5	PASS
NTNV	11AX40SISO	Ant1	5230	1.3646	2.38	2.3605	≤5	PASS
NTNV	11AX40SISO	Ant1	5270	1.1066	1.8	1.6749	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5310	1.1668	1.8	1.7660	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5510	1.4223	2.36	2.4491	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5550	1.4454	2.36	2.4889	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5670	1.3772	2.36	2.3714	≤12.5	PASS


Note:

1.Result[dBm/MHz]=10log(Power [mW/MHz])


2.EIRP[dBm/MHz]=Result[dBm/MHz]+Gain(dBi)





Test Graphs




NTNV-11A-Ant1-5180-PASS










NTNV-11A-Ant1-5240-PASS













NTNV-11A-Ant1-5320-PASS











NTNV-11A-Ant1-5600-PASS















NTNV-11N20SISO-Ant1-5240-PASS







NTNV-11N20SISO-Ant1-5260-PASS







NTNV-11N20SISO-Ant1-5280-PASS










NTNV-11N20SISO-Ant1-5500-PASS







NTNV-11N20SISO-Ant1-5600-PASS







NTNV-11N20SISO-Ant1-5700-PASS







NTNV-11N40SISO-Ant1-5190-PASS







NTNV-11N40SISO-Ant1-5230-PASS







NTNV-11N40SISO-Ant1-5270-PASS







NTNV-11N40SISO-Ant1-5310-PASS







NTNV-11N40SISO-Ant1-5510-PASS







NTNV-11N40SISO-Ant1-5550-PASS







NTNV-11N40SISO-Ant1-5670-PASS







NTNV-11AC20SISO-Ant1-5180-PASS







NTNV-11AC20SISO-Ant1-5200-PASS







NTNV-11AC20SISO-Ant1-5240-PASS










NTNV-11AC20SISO-Ant1-5280-PASS







NTNV-11AC20SISO-Ant1-5320-PASS







NTNV-11AC20SISO-Ant1-5500-PASS







NTNV-11AC20SISO-Ant1-5600-PASS







NTNV-11AC20SISO-Ant1-5700-PASS







NTNV-11AC40SISO-Ant1-5190-PASS






NTNV-11AC40SISO-Ant1-5230-PASS







NTNV-11AC40SISO-Ant1-5270-PASS







NTNV-11AC40SISO-Ant1-5310-PASS






NTNV-11AC40SISO-Ant1-5510-PASS










NTNV-11AC40SISO-Ant1-5670-PASS







NTNV-11AX20SISO-Ant1-5180-PASS













NTNV-11AX20SISO-Ant1-5260-PASS








NTNV-11AX20SISO-Ant1-5280-PASS















NTNV-11AX20SISO-Ant1-5700-PASS










NTNV-11AX40SISO-Ant1-5230-PASS







NTNV-11AX40SISO-Ant1-5270-PASS









NTNV-11AX40SISO-Ant1-5510-PASS







Appendix C: Occupied Bandwidth

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5180	17.063	≤20	PASS
NTNV	11A	Ant1	5200	16.743	≤20	PASS
NTNV	11A	Ant1	5240	16.823	≤20	PASS
NTNV	11A	Ant1	5260	16.783	≤20	PASS
NTNV	11A	Ant1	5280	16.823	≤20	PASS
NTNV	11A	Ant1	5320	16.743	≤20	PASS
NTNV	11A	Ant1	5500	16.983	≤20	PASS
NTNV	11A	Ant1	5600	17.063	≤20	PASS
NTNV	11A	Ant1	5700	16.863	≤20	PASS
NTNV	11N20SISO	Ant1	5180	18.022	≤20	PASS
NTNV	11N20SISO	Ant1	5200	17.902	≤20	PASS
NTNV	11N20SISO	Ant1	5240	18.062	≤20	PASS
NTNV	11N20SISO	Ant1	5260	18.102	≤20	PASS
NTNV	11N20SISO	Ant1	5280	18.062	≤20	PASS
NTNV	11N20SISO	Ant1	5320	18.501	≤20	PASS
NTNV	11N20SISO	Ant1	5500	18.342	≤20	PASS
NTNV	11N20SISO	Ant1	5600	18.302	≤20	PASS
NTNV	11N20SISO	Ant1	5700	18.102	≤20	PASS
NTNV	11N40SISO	Ant1	5190	36.364	≤40	PASS
NTNV	11N40SISO	Ant1	5230	36.204	≤40	PASS
NTNV	11N40SISO	Ant1	5270	36.364	≤40	PASS
NTNV	11N40SISO	Ant1	5310	36.284	≤40	PASS
NTNV	11N40SISO	Ant1	5510	36.523	≤40	PASS
NTNV	11N40SISO	Ant1	5550	36.364	≤40	PASS
NTNV	11N40SISO	Ant1	5670	36.284	≤40	PASS
NTNV	11AC20SISO	Ant1	5180	17.942	≤20	PASS
NTNV	11AC20SISO	Ant1	5200	18.501	≤20	PASS
NTNV	11AC20SISO	Ant1	5240	18.302	≤20	PASS
NTNV	11AC20SISO	Ant1	5260	18.262	≤20	PASS
NTNV	11AC20SISO	Ant1	5280	18.142	≤20	PASS
NTNV	11AC20SISO	Ant1	5320	18.422	≤20	PASS
NTNV	11AC20SISO	Ant1	5500	18.422	≤20	PASS
NTNV	11AC20SISO	Ant1	5600	18.422	≤20	PASS
NTNV	11AC20SISO	Ant1	5700	18.182	≤20	PASS
NTNV	11AC40SISO	Ant1	5190	36.284	≤40	PASS
NTNV	11AC40SISO	Ant1	5230	36.364	≤40	PASS
NTNV	11AC40SISO	Ant1	5270	36.204	≤40	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500


www.anbotek.com




NTNV	11AC40SISO	Ant1	5310	36.364	≤40	PASS
NTNV	11AC40SISO	Ant1	5510	36.364	≤40	PASS
NTNV	11AC40SISO	Ant1	5550	36.364	≤40	PASS
NTNV	11AC40SISO	Ant1	5670	36.444	≤40	PASS
NTNV	11AX20SISO	Ant1	5180	19.580	≤20	PASS
NTNV	11AX20SISO	Ant1	5200	19.181	≤20	PASS
NTNV	11AX20SISO	Ant1	5240	19.301	≤20	PASS
NTNV	11AX20SISO	Ant1	5260	19.141	≤20	PASS
NTNV	11AX20SISO	Ant1	5280	19.301	≤20	PASS
NTNV	11AX20SISO	Ant1	5320	19.301	≤20	PASS
NTNV	11AX20SISO	Ant1	5500	19.461	≤20	PASS
NTNV	11AX20SISO	Ant1	5600	19.141	≤20	PASS
NTNV	11AX20SISO	Ant1	5700	19.141	≤20	PASS
NTNV	11AX40SISO	Ant1	5190	37.882	≤40	PASS
NTNV	11AX40SISO	Ant1	5230	37.722	≤40	PASS
NTNV	11AX40SISO	Ant1	5270	37.642	≤40	PASS
NTNV	11AX40SISO	Ant1	5310	37.722	≤40	PASS
NTNV	11AX40SISO	Ant1	5510	37.962	≤40	PASS
NTNV	11AX40SISO	Ant1	5550	37.882	≤40	PASS
NTNV	11AX40SISO	Ant1	5670	38.042	≤40	PASS



Test Graphs




NTNV-11A-Ant1-5180-PASS




NTNV-11A-Ant1-5200-PASS






NTNV-11A-Ant1-5240-PASS




NTNV-11A-Ant1-5260-PASS






NTNV-11A-Ant1-5280-PASS




NTNV-11A-Ant1-5320-PASS






NTNV-11A-Ant1-5500-PASS




NTNV-11A-Ant1-5600-PASS






NTNV-11A-Ant1-5700-PASS




NTNV-11N20SISO-Ant1-5180-PASS






NTNV-11N20SISO-Ant1-5200-PASS




NTNV-11N20SISO-Ant1-5240-PASS






NTNV-11N20SISO-Ant1-5260-PASS




NTNV-11N20SISO-Ant1-5280-PASS






NTNV-11N20SISO-Ant1-5320-PASS




NTNV-11N20SISO-Ant1-5500-PASS






NTNV-11N20SISO-Ant1-5600-PASS




NTNV-11N20SISO-Ant1-5700-PASS






NTNV-11N40SISO-Ant1-5190-PASS




NTNV-11N40SISO-Ant1-5230-PASS






NTNV-11N40SISO-Ant1-5270-PASS




NTNV-11N40SISO-Ant1-5310-PASS






NTNV-11N40SISO-Ant1-5510-PASS




NTNV-11N40SISO-Ant1-5550-PASS






NTNV-11N40SISO-Ant1-5670-PASS




NTNV-11AC20SISO-Ant1-5180-PASS






NTNV-11AC20SISO-Ant1-5200-PASS




NTNV-11AC20SISO-Ant1-5240-PASS






NTNV-11AC20SISO-Ant1-5260-PASS




NTNV-11AC20SISO-Ant1-5280-PASS






NTNV-11AC20SISO-Ant1-5320-PASS




NTNV-11AC20SISO-Ant1-5500-PASS






NTNV-11AC20SISO-Ant1-5600-PASS




NTNV-11AC20SISO-Ant1-5700-PASS






NTNV-11AC40SISO-Ant1-5190-PASS




NTNV-11AC40SISO-Ant1-5230-PASS






NTNV-11AC40SISO-Ant1-5270-PASS




NTNV-11AC40SISO-Ant1-5310-PASS






NTNV-11AC40SISO-Ant1-5510-PASS




NTNV-11AC40SISO-Ant1-5550-PASS






NTNV-11AC40SISO-Ant1-5670-PASS




NTNV-11AX20SISO-Ant1-5180-PASS






NTNV-11AX20SISO-Ant1-5200-PASS




NTNV-11AX20SISO-Ant1-5240-PASS






NTNV-11AX20SISO-Ant1-5260-PASS




NTNV-11AX20SISO-Ant1-5280-PASS






NTNV-11AX20SISO-Ant1-5320-PASS




NTNV-11AX20SISO-Ant1-5500-PASS






NTNV-11AX20SISO-Ant1-5600-PASS




NTNV-11AX20SISO-Ant1-5700-PASS






NTNV-11AX40SISO-Ant1-5190-PASS




NTNV-11AX40SISO-Ant1-5230-PASS






NTNV-11AX40SISO-Ant1-5270-PASS




NTNV-11AX40SISO-Ant1-5310-PASS






NTNV-11AX40SISO-Ant1-5510-PASS



NTNV-11AX40SISO-Ant1-5550-PASS





Appendix D: Spurious Emission of TX

Test Result

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5180	30~5142	5138.93	-37.59	2.38	-35.21	0.30130	≤2.5	PASS
NTNV	11A	Ant1	5180	5142~5150	5148.80	-27.20	2.38	-24.82	3.29610	≤15	PASS
NTNV	11A	Ant1	5180	5250~5251	5250.96	-41.62	2.38	-39.24	0.11912	≤109.6	PASS
NTNV	11A	Ant1	5180	5251~5260	5259.77	-43.30	2.38	-40.92	0.08091	≤16.6	PASS
NTNV	11A	Ant1	5180	5260~5266.7	5266.15	-43.73	2.38	-41.35	0.07328	≤2.9	PASS
NTNV	11A	Ant1	5180	5266.7~26000	22529.25	-43.89	2.38	-41.51	0.07063	≤2.5	PASS
NTNV	11A	Ant1	5200	30~5142	5139.96	-43.83	2.38	-41.45	0.07161	≤2.5	PASS
NTNV	11A	Ant1	5200	5142~5150	5146.56	-36.42	2.38	-34.04	0.39446	≤15	PASS
NTNV	11A	Ant1	5200	5250~5251	5250.88	-34.91	2.38	-32.53	0.55847	≤131.8	PASS
NTNV	11A	Ant1	5200	5251~5260	5259.80	-38.93	2.38	-36.55	0.22131	≤16.5	PASS
NTNV	11A	Ant1	5200	5260~5266.7	5266.39	-42.28	2.38	-39.90	0.10233	≤2.7	PASS
NTNV	11A	Ant1	5200	5266.7~26000	6911.54	-44.60	2.38	-42.22	0.05998	≤2.5	PASS
NTNV	11A	Ant1	5240	30~5142	5126.66	-45.77	2.38	-43.39	0.04581	≤2.5	PASS
NTNV	11A	Ant1	5240	5142~5150	5148.62	-45.22	2.38	-42.84	0.05200	≤15	PASS
NTNV	11A	Ant1	5240	5250~5251	5250.92	-5.89	2.38	-3.51	445.65625	≤120.2	See table below
NTNV	11A	Ant1	5240	5251~5260	5251.22	-6.72	2.38	-4.34	368.12897	≤95.6	See table below
NTNV	11A	Ant1	5240	5260~5266.7	5264.62	-22.54	2.38	-20.16	9.63829	≤4.4	See table below
NTNV	11A	Ant1	5240	5266.7~26000	5275.68	-37.14	2.38	-34.76	0.33420	≤2.5	PASS
NTNV	11A	Ant1	5260	30~5233.3	5221.85	-37.08	1.8	-35.28	0.29648	≤2.5	PASS
NTNV	11A	Ant1	5260	5233.3~5240	5233.36	-24.18	1.8	-22.38	5.78096	≤2.5	See table below
NTNV	11A	Ant1	5260	5240~5249	5248.83	-5.93	1.8	-4.13	386.36698	≤96.6	See table below
NTNV	11A	Ant1	5260	5249~5250	5249.1	-5.36	1.8	-3.56	440.55486	≤125.9	See table below
NTNV	11A	Ant1	5260	5350~26000	24568.96	-43.97	1.8	-42.17	0.06067	≤2.5	PASS
NTNV	11A	Ant1	5280	30~5233.3	5227.58	-39.27	1.8	-37.47	0.17906	≤2.5	PASS
NTNV	11A	Ant1	5280	5233.3~5240	5234.67	-32.22	1.8	-30.42	0.90782	≤3.6	PASS
NTNV	11A	Ant1	5280	5240~5249	5240.17	-32.14	1.8	-30.34	0.92470	≤16.4	PASS
NTNV	11A	Ant1	5280	5249~5250	5249.04	-27.27	1.8	-25.47	2.83792	≤109.6	PASS
NTNV	11A	Ant1	5280	5350~26000	16856.18	-45.57	1.8	-43.77	0.04198	≤2.5	PASS
NTNV	11A	Ant1	5320	30~5233.3	3660.86	-45.63	1.8	-43.83	0.04140	≤2.5	PASS
NTNV	11A	Ant1	5320	5233.3~5240	5233.39	-45.43	1.8	-43.63	0.04335	≤2.6	PASS
NTNV	11A	Ant1	5320	5240~5249	5240.08	-44.83	1.8	-43.03	0.04977	≤16.1	PASS
NTNV	11A	Ant1	5320	5249~5250	5249.20	-40.73	1.8	-38.93	0.12794	≤158.5	PASS
NTNV	11A	Ant1	5320	5350~26000	5354.13	-40.19	1.8	-38.39	0.14488	≤2.5	PASS
NTNV	11A	Ant1	5500	30~5460	5454.03	-32.05	2.36	-29.69	1.07399	≤2.5	PASS
NTNV	11A	Ant1	5500	5460~5470	5467.81	-23.67	2.36	-21.31	7.39605	≤12.5	See table below
NTNV	11A	Ant1	5500	5745~5765	5746.58	-37.99	2.36	-35.63	0.27353	≤12.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited



NTNV	11A	Ant1	5500	5765~26000	11004.52	-31.80	2.36	-29.44	1.13763	≤2.5	PASS
NTNV	11A	Ant1	5600	30~5460	1396.19	-38.76	2.36	-36.40	0.22909	≤2.5	PASS
NTNV	11A	Ant1	5600	5460~5470	5465.44	-38.17	2.36	-35.81	0.26242	≤12.5	PASS
NTNV	11A	Ant1	5600	5745~5765	5760.96	-39.11	2.36	-36.75	0.21135	≤12.5	PASS
NTNV	11A	Ant1	5600	5765~26000	11199.45	-30.01	2.36	-27.65	1.71791	≤2.5	See table below
NTNV	11A	Ant1	5700	30~5460	1497.19	-38.74	2.36	-36.38	0.23014	≤2.5	PASS
NTNV	11A	Ant1	5700	5460~5470	5467.96	-38.04	2.36	-35.68	0.27040	≤12.5	PASS
NTNV	11A	Ant1	5700	5745~5765	5748.42	-32.11	2.36	-29.75	1.05925	≤12.5	PASS
NTNV	11A	Ant1	5700	5765~26000	11395.05	-29.04	2.36	-26.68	2.14783	≤2.5	See table below
NTNV	11N20SISO	Ant1	5180	30~5142	5141.49	-32.80	2.38	-30.42	0.90782	≤2.5	PASS
NTNV	11N20SISO	Ant1	5180	5142~5150	5147.51	-23.65	2.38	-21.27	7.46449	≤15	PASS
NTNV	11N20SISO	Ant1	5180	5250~5250.2	5250.18	-38.68	2.38	-36.30	0.23442	≤713.4	PASS
NTNV	11N20SISO	Ant1	5180	5250.2~5251	5250.99	-40.00	2.38	-37.62	0.17298	≤102.3	PASS
NTNV	11N20SISO	Ant1	5180	5251~5260	5259.58	-38.39	2.38	-36.01	0.25061	≤17.3	PASS
NTNV	11N20SISO	Ant1	5180	5260~5266.7	5266.19	-38.91	2.38	-36.53	0.22233	≤2.9	PASS
NTNV	11N20SISO	Ant1	5180	5266.7~26000	16277.46	-39.63	2.38	-37.25	0.18836	≤2.5	PASS
NTNV	11N20SISO	Ant1	5200	30~5142	4941.10	-39.80	2.38	-37.42	0.18113	≤2.5	PASS
NTNV	11N20SISO	Ant1	5200	5142~5150	5145.18	-30.95	2.38	-28.57	1.38995	≤15	PASS
NTNV	11N20SISO	Ant1	5200	5250~5251	5250.80	-30.81	2.38	-28.43	1.43549	≤158.5	PASS
NTNV	11N20SISO	Ant1	5200	5251~5260	5258.07	-31.57	2.38	-29.19	1.20504	≤23.5	PASS
NTNV	11N20SISO	Ant1	5200	5260~5266.7	5264.56	-35.85	2.38	-33.47	0.44978	≤4.5	PASS
NTNV	11N20SISO	Ant1	5200	5266.7~26000	16900.85	-39.93	2.38	-37.55	0.17579	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	30~5142	4100.69	-40.58	2.38	-38.20	0.15136	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	5142~5150	5145.98	-39.47	2.38	-37.09	0.19543	≤15	PASS
NTNV	11N20SISO	Ant1	5240	5250~5250.2	5250.17	3.52	2.38	5.90	3890.45145	≤758.6	See table below
NTNV	11N20SISO	Ant1	5240	5250.2~5251	5250.89	0.60	2.38	2.98	1986.09492	≤128.8	See table below
NTNV	11N20SISO	Ant1	5240	5251~5260	5251.29	-0.45	2.38	1.93	1559.55250	≤94.2	See table below
NTNV	11N20SISO	Ant1	5240	5260~5266.7	5266.2	-17.57	2.38	-15.19	30.26913	≤2.9	See table below
NTNV	11N20SISO	Ant1	5240	5266.7~26000	5268.77	-26.07	2.38	-23.69	4.27563	≤2.5	See table below
NTNV	11N20SISO	Ant1	5260	30~5233.3	5226.02	-25.37	1.8	-23.57	4.39542	≤2.5	See table below
NTNV	11N20SISO	Ant1	5260	5233.3~5240	5233.68	-20.35	1.8	-18.55	13.96368	≤2.8	See table below
NTNV	11N20SISO	Ant1	5260	5240~5249	5248.8	-1.12	1.8	0.68	1169.49939	≤96.0	See table below
NTNV	11N20SISO	Ant1	5260	5249~5249.8	5249.08	0.36	1.8	2.16	1644.37172	≤120.2	See table below
NTNV	11N20SISO	Ant1	5260	5249.8~5250	5249.8	3.04	1.8	4.84	3047.89499	≤631.0	See table below
NTNV	11N20SISO	Ant1	5260	5350~26000	6892.56	-39.37	1.8	-37.57	0.17498	≤2.5	PASS
NTNV	11N20SISO	Ant1	5280	30~5233.3	5228.10	-38.46	1.8	-36.66	0.21577	≤2.5	PASS
NTNV	11N20SISO	Ant1	5280	5233.3~5240	5233.33	-28.63	1.8	-26.83	2.07491	≤2.5	See table below
NTNV	11N20SISO	Ant1	5280	5240~5249	5240.33	-27.59	1.8	-25.79	2.63633	≤17.0	PASS
NTNV	11N20SISO	Ant1	5280	5249~5249.8	5249.20	-19.97	1.8	-18.17	15.24053	≤158.5	PASS
NTNV	11N20SISO	Ant1	5280	5249.8~5250	5249.80	-19.78	1.8	-17.98	15.92209	≤631.0	PASS
NTNV	11N20SISO	Ant1	5280	5350~26000	6916.65	-39.21	1.8	-37.41	0.18155	≤2.5	PASS
NTNV	11N20SISO	Ant1	5320	30~5233.3	4621.39	-40.15	1.8	-38.35	0.14622	≤2.5	PASS



NTNV	11N20SISO	Ant1	5320	5233.3~5240	5234.46	-37.15	1.8	-35.35	0.29174	≤3.4	PASS
NTNV	11N20SISO	Ant1	5320	5240~5249	5240.05	-38.93	1.8	-37.13	0.19364	≤16.0	PASS
NTNV	11N20SISO	Ant1	5320	5249~5249.8	5249.00	-39.41	1.8	-37.61	0.17338	≤100.0	PASS
NTNV	11N20SISO	Ant1	5320	5249.8~5250	5249.83	-38.17	1.8	-36.37	0.23067	≤758.6	PASS
NTNV	11N20SISO	Ant1	5320	5350~26000	5354.82	-30.09	1.8	-28.29	1.48252	≤2.5	See table below
NTNV	11N20SISO	Ant1	5500	30~5460	5453.48	-27.48	2.36	-25.12	3.07610	≤2.5	See table below
NTNV	11N20SISO	Ant1	5500	5460~5470	5468.9	-20.65	2.36	-18.29	14.82518	≤12.5	See table below
NTNV	11N20SISO	Ant1	5500	5745~5765	5756.38	-38.14	2.36	-35.78	0.26424	≤12.5	PASS
NTNV	11N20SISO	Ant1	5500	5765~26000	11001.14	-33.64	2.36	-31.28	0.74473	≤2.5	PASS
NTNV	11N20SISO	Ant1	5600	30~5460	1396.19	-38.67	2.36	-36.31	0.23388	≤2.5	PASS
NTNV	11N20SISO	Ant1	5600	5460~5470	5462.15	-37.14	2.36	-34.78	0.33266	≤12.5	PASS
NTNV	11N20SISO	Ant1	5600	5745~5765	5750.82	-37.89	2.36	-35.53	0.27990	≤12.5	PASS
NTNV	11N20SISO	Ant1	5600	5765~26000	11201.47	-30.57	2.36	-28.21	1.51008	≤2.5	See table below
NTNV	11N20SISO	Ant1	5700	30~5460	1500.44	-39.08	2.36	-36.72	0.21281	≤2.5	PASS
NTNV	11N20SISO	Ant1	5700	5460~5470	5463.77	-37.93	2.36	-35.57	0.27733	≤12.5	PASS
NTNV	11N20SISO	Ant1	5700	5745~5765	5750.76	-29.12	2.36	-26.76	2.10863	≤12.5	PASS
NTNV	11N20SISO	Ant1	5700	5765~26000	11401.8	-30.75	2.36	-28.39	1.44877	≤2.5	See table below
NTNV	11N40SISO	Ant1	5190	30~5141.6	5140.07	-22.50	2.38	-20.12	9.72747	≤2.5	See table below
NTNV	11N40SISO	Ant1	5190	5141.6~5150	5149.97	-13.90	2.38	-11.52	70.46931	≤15	See table below
NTNV	11N40SISO	Ant1	5190	5250~5251	5250.97	-24.07	2.38	-21.69	6.77642	≤53.6	PASS
NTNV	11N40SISO	Ant1	5190	5251~5270	5262.31	-27.03	2.38	-24.65	3.42768	≤16.7	PASS
NTNV	11N40SISO	Ant1	5190	5270~5278.4	5278.37	-34.06	2.38	-31.68	0.67920	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	5278.4~26000	6927.84	-38.77	2.38	-36.39	0.22961	≤2.5	PASS
NTNV	11N40SISO	Ant1	5230	30~5141.6	4184.2	-30.15	2.38	-27.77	1.67109	≤2.5	See table below
NTNV	11N40SISO	Ant1	5230	5141.6~5150	5147.07	-28.53	2.38	-26.15	2.42661	≤15	PASS
NTNV	11N40SISO	Ant1	5230	5250~5251	5250.87	-1.33	2.38	1.05	1273.50308	≤67.4	See table below
NTNV	11N40SISO	Ant1	5230	5251~5270	5268.04	-8.62	2.38	-6.24	237.68403	≤9.6	See table below
NTNV	11N40SISO	Ant1	5230	5270~5278.4	5278.22	-16.76	2.38	-14.38	36.47539	≤2.5	See table below
NTNV	11N40SISO	Ant1	5230	5278.4~26000	5280.47	-23.21	2.38	-20.83	8.26038	≤2.5	See table below
NTNV	11N40SISO	Ant1	5270	30~5221.6	5221.08	-24.98	1.8	-23.18	4.80839	≤2.5	See table below
NTNV	11N40SISO	Ant1	5270	5221.6~5230	5226.06	-15.15	1.8	-13.35	46.23810	≤4.6	See table below
NTNV	11N40SISO	Ant1	5270	5230~5249	5248.83	-4.02	1.8	-2.22	599.79108	≤49.2	See table below
NTNV	11N40SISO	Ant1	5270	5249~5250	5249.02	-2.83	1.8	-1.03	788.86012	≤52.4	See table below
NTNV	11N40SISO	Ant1	5270	5350~5348.4	5348.40	-30.42	1.8	-28.62	1.37404	≤15	PASS
NTNV	11N40SISO	Ant1	5270	5348.4~26000	5353.22	-38.40	1.8	-36.60	0.21878	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	30~5221.6	4645.85	-38.63	1.8	-36.83	0.20749	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	5221.6~5230	5222.16	-32.54	1.8	-30.74	0.84333	≤2.7	PASS
NTNV	11N40SISO	Ant1	5310	5230~5249	5239.18	-29.32	1.8	-27.52	1.77011	≤19.3	PASS
NTNV	11N40SISO	Ant1	5310	5249~5250	5249.02	-27.00	1.8	-25.20	3.01995	≤52.4	PASS
NTNV	11N40SISO	Ant1	5310	5350~5348.4	5348.4	-12.29	1.8	-10.49	89.33055	≤15	See table below
NTNV	11N40SISO	Ant1	5310	5348.4~26000	5354.6	-22.62	1.8	-20.82	8.27942	≤2.5	See table below
NTNV	11N40SISO	Ant1	5510	30~5460	5457.83	-19.51	2.36	-17.15	19.27525	≤12.5	See table below



NTNV	11N40SISO	Ant1	5510	5460~5470	5469.66	-12.17	2.36	-9.81	104.47202	≤50	See table below
NTNV	11N40SISO	Ant1	5510	5770~26000	10996.08	-30.56	2.36	-28.20	1.51356	≤12.5	PASS
NTNV	11N40SISO	Ant1	5550	30~5460	5458.37	-37.03	2.36	-34.67	0.34119	≤12.5	PASS
NTNV	11N40SISO	Ant1	5550	5460~5470	5468.51	-32.46	2.36	-30.10	0.97724	≤50	PASS
NTNV	11N40SISO	Ant1	5550	5770~26000	11083.07	-31.46	2.36	-29.10	1.23027	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	30~5460	1467.32	-38.41	2.36	-36.05	0.24831	≤12.5	PASS
NTNV	11N40SISO	Ant1	5670	5460~5470	5463.22	-38.55	2.36	-36.19	0.24044	≤50	PASS
NTNV	11N40SISO	Ant1	5670	5770~26000	11341.34	-31.33	2.36	-28.97	1.26765	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5180	30~5142	5137.91	-33.86	2.38	-31.48	0.71121	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5180	5142~5150	5146.95	-21.51	2.38	-19.13	12.21800	≤15	See table below
NTNV	11AC20SISO	Ant1	5180	5250~5251	5250.95	-37.39	2.38	-35.01	0.31550	≤112.2	PASS
NTNV	11AC20SISO	Ant1	5180	5251~5260	5259.17	-38.98	2.38	-36.60	0.21878	≤18.8	PASS
NTNV	11AC20SISO	Ant1	5180	5260~5266.7	5266.57	-39.52	2.38	-37.14	0.19320	≤2.6	PASS
NTNV	11AC20SISO	Ant1	5180	5266.7~26000	5391.10	-37.98	2.38	-35.60	0.27542	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5200	30~5142	5142.00	-39.24	2.38	-36.86	0.20606	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5200	5142~5150	5149.39	-30.68	2.38	-28.30	1.47911	≤15	PASS
NTNV	11AC20SISO	Ant1	5200	5250~5250.2	5250.19	-31.02	2.38	-28.64	1.36773	≤670.9	PASS
NTNV	11AC20SISO	Ant1	5200	5250.2~5251	5250.77	-30.92	2.38	-28.54	1.39959	≤169.8	PASS
NTNV	11AC20SISO	Ant1	5200	5251~5260	5257.43	-33.03	2.38	-30.65	0.86099	≤26.8	PASS
NTNV	11AC20SISO	Ant1	5200	5260~5266.7	5265.97	-35.75	2.38	-33.37	0.46026	≤3.1	PASS
NTNV	11AC20SISO	Ant1	5200	5266.7~26000	6935.04	-38.58	2.38	-36.20	0.23988	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5240	30~5142	4305.68	-40.29	2.38	-37.91	0.16181	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5240	5142~5150	5143.06	-37.50	2.38	-35.12	0.30761	≤15	PASS
NTNV	11AC20SISO	Ant1	5240	5250~5250.2	5250.17	3.81	2.38	6.19	4159.10610	≤758.6	See table below
NTNV	11AC20SISO	Ant1	5240	5250.2~5251	5250.98	1.40	2.38	3.78	2387.81128	≤104.7	See table below
NTNV	11AC20SISO	Ant1	5240	5251~5260	5251.77	-1.08	2.38	1.30	1348.96288	≤85.4	See table below
NTNV	11AC20SISO	Ant1	5240	5260~5266.7	5265.67	-18.83	2.38	-16.45	22.64644	≤3.3	See table below
NTNV	11AC20SISO	Ant1	5240	5266.7~26000	5268.08	-27.78	2.38	-25.40	2.88403	≤2.5	See table below
NTNV	11AC20SISO	Ant1	5260	30~5233.3	5230.7	-29.42	1.8	-27.62	1.72982	≤2.5	See table below
NTNV	11AC20SISO	Ant1	5260	5233.3~5240	5238.65	-12.28	1.8	-10.48	89.53648	≤10.9	See table below
NTNV	11AC20SISO	Ant1	5260	5240~5249	5248.85	-0.49	1.8	1.31	1352.07256	≤97.0	See table below
NTNV	11AC20SISO	Ant1	5260	5249~5249.8	5249.05	0.82	1.8	2.62	1828.10022	≤112.2	See table below
NTNV	11AC20SISO	Ant1	5260	5249.8~5250	5249.8	3.10	1.8	4.90	3090.29543	≤631.0	See table below
NTNV	11AC20SISO	Ant1	5260	5350~26000	6907.01	-38.48	1.8	-36.68	0.21478	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5280	30~5233.3	5232.78	-34.53	1.8	-32.73	0.53333	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5280	5233.3~5240	5234.75	-28.48	1.8	-26.68	2.14783	≤3.7	See table below
NTNV	11AC20SISO	Ant1	5280	5240~5249	5244.01	-24.47	1.8	-22.67	5.40754	≤36.0	PASS
NTNV	11AC20SISO	Ant1	5280	5249~5249.8	5249.05	-22.34	1.8	-20.54	8.83080	≤112.2	PASS
NTNV	11AC20SISO	Ant1	5280	5249.8~5250	5249.82	-20.11	1.8	-18.31	14.75707	≤713.4	PASS
NTNV	11AC20SISO	Ant1	5280	5350~26000	25732.24	-38.75	1.8	-36.95	0.20184	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5320	30~5233.3	4933.59	-40.25	1.8	-38.45	0.14289	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5320	5233.3~5240	5233.35	-38.86	1.8	-37.06	0.19679	≤2.5	PASS



NTNV	11AC20SISO	Ant1	5320	5240~5249	5240.69	-39.04	1.8	-37.24	0.18880	≤18.3	PASS
NTNV	11AC20SISO	Ant1	5320	5249~5249.8	5249.01	-40.30	1.8	-38.50	0.14125	≤102.3	PASS
NTNV	11AC20SISO	Ant1	5320	5249.8~5250	5249.81	-37.48	1.8	-35.68	0.27040	≤670.9	PASS
NTNV	11AC20SISO	Ant1	5320	5350~26000	5357.57	-33.85	1.8	-32.05	0.62373	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5500	30~5460	5457.83	-33.97	2.36	-31.61	0.69024	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5500	5460~5470	5469.64	-19.45	2.36	-17.09	19.54339	≤12.5	See table below
NTNV	11AC20SISO	Ant1	5500	5745~5765	5763.90	-39.29	2.36	-36.93	0.20277	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5500	5765~26000	11001.14	-32.98	2.36	-30.62	0.86696	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5600	30~5460	1392.93	-40.15	2.36	-37.79	0.16634	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5600	5460~5470	5462.99	-38.12	2.36	-35.76	0.26546	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5600	5745~5765	5763.20	-38.30	2.36	-35.94	0.25468	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5600	5765~26000	11197.42	-34.02	2.36	-31.66	0.68234	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5700	30~5460	5296.01	-39.78	2.36	-37.42	0.18113	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5700	5460~5470	5465.71	-38.89	2.36	-36.53	0.22233	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5700	5745~5765	5746.92	-33.52	2.36	-31.16	0.76560	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5700	5765~26000	11399.77	-29.60	2.36	-27.24	1.88799	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5190	30~5141.6	5137.51	-25.32	2.38	-22.94	5.08159	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5190	5141.6~5150	5147.77	-15.28	2.38	-12.90	51.28614	≤15	See table below
NTNV	11AC40SISO	Ant1	5190	5250~5251	5250.97	-24.90	2.38	-22.52	5.59758	≤53.6	PASS
NTNV	11AC40SISO	Ant1	5190	5251~5270	5261.64	-28.42	2.38	-26.04	2.48886	≤17.8	PASS
NTNV	11AC40SISO	Ant1	5190	5270~5278.4	5277.72	-33.96	2.38	-31.58	0.69502	≤2.7	PASS
NTNV	11AC40SISO	Ant1	5190	5278.4~26000	6176.34	-39.55	2.38	-37.17	0.19187	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5230	30~5141.6	2443.70	-39.40	2.38	-37.02	0.19861	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5230	5141.6~5150	5148.80	-29.40	2.38	-27.02	1.98609	≤15	PASS
NTNV	11AC40SISO	Ant1	5230	5250~5251	5250.98	-3.30	2.38	-0.92	809.09590	≤52.4	See table below
NTNV	11AC40SISO	Ant1	5230	5251~5270	5251.44	-4.40	2.38	-2.02	628.05836	≤47.9	See table below
NTNV	11AC40SISO	Ant1	5230	5270~5278.4	5275.18	-17.18	2.38	-14.80	33.11311	≤3.9	See table below
NTNV	11AC40SISO	Ant1	5230	5278.4~26000	5281.16	-28.37	2.38	-25.99	2.51768	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5270	30~5221.6	5221.08	-24.12	1.8	-22.32	5.86138	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5270	5221.6~5230	5222.28	-18.86	1.8	-17.06	19.67886	≤2.7	See table below
NTNV	11AC40SISO	Ant1	5270	5230~5249	5248.98	-4.40	1.8	-2.60	549.54087	≤49.9	See table below
NTNV	11AC40SISO	Ant1	5270	5249~5250	5249.13	-2.70	1.8	-0.90	812.83052	≤67.4	See table below
NTNV	11AC40SISO	Ant1	5270	5350~5348.4	5348.40	-29.05	1.8	-27.25	1.88365	≤15	PASS
NTNV	11AC40SISO	Ant1	5270	5348.4~26000	21235.68	-39.60	1.8	-37.80	0.16596	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5310	30~5221.6	4789.14	-40.03	1.8	-38.23	0.15031	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5310	5221.6~5230	5223.26	-32.15	1.8	-30.35	0.92257	≤3.1	PASS
NTNV	11AC40SISO	Ant1	5310	5230~5249	5234.20	-30.40	1.8	-28.60	1.38038	≤11.9	PASS
NTNV	11AC40SISO	Ant1	5310	5249~5250	5249.09	-24.13	1.8	-22.33	5.84790	≤61.5	PASS
NTNV	11AC40SISO	Ant1	5310	5350~5348.4	5348.4	-15.04	1.8	-13.24	47.42420	≤15	See table below
NTNV	11AC40SISO	Ant1	5310	5348.4~26000	5370.43	-28.75	1.8	-26.95	2.01837	≤2.5	See table below
NTNV	11AC40SISO	Ant1	5510	30~5460	5452.94	-26.79	2.36	-24.43	3.60579	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5510	5460~5470	5468.54	-15.21	2.36	-12.85	51.88000	≤50	See table below



NTNV	11AC40SISO	Ant1	5510	5770~26000	11018.34	-29.17	2.36	-26.81	2.08449	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5550	30~5460	5451.31	-39.05	2.36	-36.69	0.21429	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5550	5460~5470	5469.21	-30.54	2.36	-28.18	1.52055	≤50	PASS
NTNV	11AC40SISO	Ant1	5550	5770~26000	11110.72	-31.25	2.36	-28.89	1.29122	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5670	30~5460	1466.24	-37.71	2.36	-35.35	0.29174	≤12.5	PASS
NTNV	11AC40SISO	Ant1	5670	5460~5470	5463.90	-38.75	2.36	-36.39	0.22961	≤50	PASS
NTNV	11AC40SISO	Ant1	5670	5770~26000	11352.81	-31.43	2.36	-29.07	1.23880	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5180	30~5142	5129.73	-36.82	2.38	-34.44	0.35975	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5180	5142~5150	5149.25	-20.77	2.38	-18.39	14.48772	≤15	See table below
NTNV	11AX20SISO	Ant1	5180	5250~5250.2	5250.16	-38.68	2.38	-36.30	0.23442	≤806.6	PASS
NTNV	11AX20SISO	Ant1	5180	5250.2~5251	5250.91	-40.30	2.38	-37.92	0.16144	≤123.0	PASS
NTNV	11AX20SISO	Ant1	5180	5251~5260	5259.96	-39.29	2.38	-36.91	0.20370	≤16.0	PASS
NTNV	11AX20SISO	Ant1	5180	5260~5266.7	5266.01	-39.09	2.38	-36.71	0.21330	≤3.0	PASS
NTNV	11AX20SISO	Ant1	5180	5266.7~26000	16836.57	-39.74	2.38	-37.36	0.18365	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5200	30~5142	5140.98	-39.01	2.38	-36.63	0.21727	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5200	5142~5150	5146.53	-30.38	2.38	-28.00	1.58489	≤15	PASS
NTNV	11AX20SISO	Ant1	5200	5250~5250.2	5250.19	-30.86	2.38	-28.48	1.41906	≤670.9	PASS
NTNV	11AX20SISO	Ant1	5200	5250.2~5251	5250.88	-31.03	2.38	-28.65	1.36458	≤131.8	PASS
NTNV	11AX20SISO	Ant1	5200	5251~5260	5258.92	-33.75	2.38	-31.37	0.72946	≤19.8	PASS
NTNV	11AX20SISO	Ant1	5200	5260~5266.7	5265.78	-34.96	2.38	-32.58	0.55208	≤3.2	PASS
NTNV	11AX20SISO	Ant1	5200	5266.7~26000	16849.70	-39.04	2.38	-36.66	0.21577	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5240	30~5142	4906.85	-40.75	2.38	-38.37	0.14555	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5240	5142~5150	5144.54	-35.91	2.38	-33.53	0.44361	≤15	PASS
NTNV	11AX20SISO	Ant1	5240	5250~5250.2	5250.2	7.94	2.38	10.32	10764.65214	≤631.0	See table below
NTNV	11AX20SISO	Ant1	5240	5250.2~5251	5250.94	4.38	2.38	6.76	4742.41985	≤114.8	See table below
NTNV	11AX20SISO	Ant1	5240	5251~5260	5251.05	2.25	2.38	4.63	2904.02265	≤99.0	See table below
NTNV	11AX20SISO	Ant1	5240	5260~5266.7	5262.99	-14.51	2.38	-12.13	61.23504	≤7.0	See table below
NTNV	11AX20SISO	Ant1	5240	5266.7~26000	5273.61	-32.27	2.38	-29.89	1.02565	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5260	30~5233.3	5231.74	-26.09	1.8	-24.29	3.72392	≤2.5	See table below
NTNV	11AX20SISO	Ant1	5260	5233.3~5240	5237.75	-13.99	1.8	-12.19	60.39486	≤8.5	See table below
NTNV	11AX20SISO	Ant1	5260	5240~5249	5248.23	-0.38	1.8	1.42	1386.75583	≤85.4	See table below
NTNV	11AX20SISO	Ant1	5260	5249~5249.8	5249.08	3.70	1.8	5.50	3548.13389	≤120.2	See table below
NTNV	11AX20SISO	Ant1	5260	5249.8~5250	5249.83	8.89	1.8	10.69	11721.95366	≤758.6	See table below
NTNV	11AX20SISO	Ant1	5260	5350~26000	6154.66	-38.99	1.8	-37.19	0.19099	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5280	30~5233.3	4223.86	-32.07	1.8	-30.27	0.93972	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5280	5233.3~5240	5236.19	-27.63	1.8	-25.83	2.61216	≤5.5	PASS
NTNV	11AX20SISO	Ant1	5280	5240~5249	5245.11	-20.42	1.8	-18.62	13.74042	≤45.1	PASS
NTNV	11AX20SISO	Ant1	5280	5249~5249.8	5249.05	-22.25	1.8	-20.45	9.01571	≤112.2	PASS
NTNV	11AX20SISO	Ant1	5280	5249.8~5250	5249.84	-20.93	1.8	-19.13	12.21800	≤806.6	PASS
NTNV	11AX20SISO	Ant1	5280	5350~26000	6966.21	-38.72	1.8	-36.92	0.20324	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5320	30~5233.3	4714.01	-40.16	1.8	-38.36	0.14588	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5320	5233.3~5240	5233.64	-39.20	1.8	-37.40	0.18197	≤2.7	PASS



NTNV	11AX20SISO	Ant1	5320	5240~5249	5241.10	-38.38	1.8	-36.58	0.21979	≤19.9	PASS
NTNV	11AX20SISO	Ant1	5320	5249~5249.8	5249.06	-38.66	1.8	-36.86	0.20606	≤114.8	PASS
NTNV	11AX20SISO	Ant1	5320	5249.8~5250	5249.83	-37.67	1.8	-35.87	0.25882	≤758.6	PASS
NTNV	11AX20SISO	Ant1	5320	5350~26000	5359.64	-36.10	1.8	-34.30	0.37154	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5500	30~5460	5459.46	-31.85	2.36	-29.49	1.12460	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5500	5460~5470	5469.56	-18.73	2.36	-16.37	23.06747	≤12.5	See table below
NTNV	11AX20SISO	Ant1	5500	5745~5765	5752.16	-38.62	2.36	-36.26	0.23659	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5500	5765~26000	10993.72	-33.61	2.36	-31.25	0.74989	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5600	30~5460	5373.66	-40.41	2.36	-38.05	0.15668	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5600	5460~5470	5460.93	-38.46	2.36	-36.10	0.24547	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5600	5745~5765	5760.92	-38.47	2.36	-36.11	0.24491	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5600	5765~26000	11204.84	-34.06	2.36	-31.70	0.67608	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5700	30~5460	1496.10	-38.91	2.36	-36.55	0.22131	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5700	5460~5470	5465.87	-38.94	2.36	-36.58	0.21979	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5700	5745~5765	5746.70	-26.88	2.36	-24.52	3.53183	≤12.5	PASS
NTNV	11AX20SISO	Ant1	5700	5765~26000	11400.45	-30.08	2.36	-27.72	1.69044	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5190	30~5141.6	5140.58	-22.23	2.38	-19.85	10.35142	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5190	5141.6~5150	5142.2	-14.34	2.38	-11.96	63.67955	≤15	See table below
NTNV	11AX40SISO	Ant1	5190	5250~5251	5250.99	-25.34	2.38	-22.96	5.05825	≤51.2	PASS
NTNV	11AX40SISO	Ant1	5190	5251~5270	5254.25	-25.41	2.38	-23.03	4.97737	≤36.5	PASS
NTNV	11AX40SISO	Ant1	5190	5270~5278.4	5278.04	-33.42	2.38	-31.04	0.78705	≤2.6	PASS
NTNV	11AX40SISO	Ant1	5190	5278.4~26000	6504.43	-39.26	2.38	-36.88	0.20512	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5230	30~5141.6	5140.07	-37.29	2.38	-34.91	0.32285	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5230	5141.6~5150	5149.27	-31.54	2.38	-29.16	1.21339	≤15	PASS
NTNV	11AX40SISO	Ant1	5230	5250~5251	5250.97	-0.47	2.38	1.91	1552.38701	≤53.6	See table below
NTNV	11AX40SISO	Ant1	5230	5251~5270	5251.17	-3.16	2.38	-0.78	835.60302	≤49.2	See table below
NTNV	11AX40SISO	Ant1	5230	5270~5278.4	5275.71	-17.15	2.38	-14.77	33.34264	≤3.6	See table below
NTNV	11AX40SISO	Ant1	5230	5278.4~26000	5288.76	-29.19	2.38	-26.81	2.08449	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5270	30~5221.6	5217.97	-23.10	1.8	-21.30	7.41310	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5270	5221.6~5230	5221.91	-13.58	1.8	-11.78	66.37431	≤2.6	See table below
NTNV	11AX40SISO	Ant1	5270	5230~5249	5248.89	-2.89	1.8	-1.09	778.03655	≤49.5	See table below
NTNV	11AX40SISO	Ant1	5270	5249~5250	5249.32	1.91	1.8	3.71	2349.63282	≤104.5	See table below
NTNV	11AX40SISO	Ant1	5270	5350~5348.4	5348.40	-30.02	1.8	-28.22	1.50661	≤15	PASS
NTNV	11AX40SISO	Ant1	5270	5348.4~26000	5349.09	-38.40	1.8	-36.60	0.21878	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5310	30~5221.6	5211.22	-40.52	1.8	-38.72	0.13428	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5310	5221.6~5230	5224.11	-32.86	1.8	-31.06	0.78343	≤3.5	PASS
NTNV	11AX40SISO	Ant1	5310	5230~5249	5231.10	-30.41	1.8	-28.61	1.37721	≤8.8	PASS
NTNV	11AX40SISO	Ant1	5310	5249~5250	5249.06	-23.25	1.8	-21.45	7.16143	≤57.4	PASS
NTNV	11AX40SISO	Ant1	5310	5350~5348.4	5348.4	-15.68	1.8	-13.88	40.92607	≤15	See table below
NTNV	11AX40SISO	Ant1	5310	5348.4~26000	5351.84	-28.17	1.8	-26.37	2.30675	≤2.5	See table below
NTNV	11AX40SISO	Ant1	5510	30~5460	5452.40	-25.80	2.36	-23.44	4.52898	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5510	5460~5470	5469.38	-14.86	2.36	-12.50	56.23413	≤50	See table below



NTNV	11AX40SISO	Ant1	5510	5770~26000	11021.71	-36.53	2.36	-34.17	0.38282	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5550	30~5460	5460.00	-34.66	2.36	-32.30	0.58884	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5550	5460~5470	5467.43	-22.98	2.36	-20.62	8.66962	≤50	PASS
NTNV	11AX40SISO	Ant1	5550	5770~26000	11111.39	-30.64	2.36	-28.28	1.48594	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5670	30~5460	1460.26	-35.93	2.36	-33.57	0.43954	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5670	5460~5470	5460.84	-38.60	2.36	-36.24	0.23768	≤50	PASS
NTNV	11AX40SISO	Ant1	5670	5770~26000	11353.48	-30.72	2.36	-28.36	1.45881	≤12.5	PASS

Test Result_Step2

Test Condition	Test Mode	Antenna	Freq [MHz]	Freq. [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5240	5250.10	-23.86	2.38	-21.48	7.11214	≤105	PASS
NTNV	11A	Ant1	5240	5251.22	-24.42	2.38	-22.04	6.25173	≤92	PASS
NTNV	11A	Ant1	5240	5260.36	-44.39	2.38	-42.01	0.06295	≤7	PASS
NTNV	11A	Ant1	5260	5239.66	-45.33	1.8	-43.53	0.04436	≤4	PASS
NTNV	11A	Ant1	5260	5248.83	-24.13	1.8	-22.33	5.84790	≤93	PASS
NTNV	11A	Ant1	5260	5249.96	-23.02	1.8	-21.22	7.55092	≤105	PASS
NTNV	11A	Ant1	5500	5467.81	-43.89	2.36	-41.53	0.07031	≤12.5	PASS
NTNV	11A	Ant1	5600	11199.45	-38.08	2.36	-35.72	0.26792	≤2.5	PASS
NTNV	11A	Ant1	5700	11395.05	-37.63	2.36	-35.27	0.29717	≤2.5	PASS
NTNV	11N20SISO	Ant1	5240	5250.02	-13.19	2.38	-10.81	82.98508	≤671	PASS
NTNV	11N20SISO	Ant1	5240	5250.21	-16.22	2.38	-13.84	41.30475	≤138	PASS
NTNV	11N20SISO	Ant1	5240	5251.29	-17.00	2.38	-14.62	34.51437	≤98	PASS
NTNV	11N20SISO	Ant1	5240	5260.01	-38.09	2.38	-35.71	0.26853	≤6	PASS
NTNV	11N20SISO	Ant1	5240	5268.77	-41.61	2.38	-39.23	0.11940	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	5226.02	-41.79	1.8	-39.99	0.10023	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	5239.95	-35.65	1.8	-33.85	0.41210	≤2.8	PASS
NTNV	11N20SISO	Ant1	5260	5248.86	-17.84	1.8	-16.04	24.88857	≤94	PASS
NTNV	11N20SISO	Ant1	5260	5249.73	-16.75	1.8	-14.95	31.98895	≤105	PASS
NTNV	11N20SISO	Ant1	5260	5250.00	-12.78	1.8	-10.98	79.79947	≤759	PASS
NTNV	11N20SISO	Ant1	5280	5233.33	-45.52	1.8	-43.72	0.04246	≤3	PASS
NTNV	11N20SISO	Ant1	5500	5468.90	-44.55	2.36	-42.19	0.06039	≤12.5	PASS
NTNV	11N20SISO	Ant1	5600	11201.47	-38.24	2.36	-35.88	0.25823	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	5140.07	-33.89	2.38	-31.51	0.70632	≤2.5	PASS
NTNV	11N40SISO	Ant1	5190	5149.97	-30.39	2.38	-28.01	1.58125	≤15	PASS
NTNV	11N40SISO	Ant1	5230	5250.03	-18.02	2.38	-15.64	27.28978	≤63	PASS
NTNV	11N40SISO	Ant1	5230	5251.49	-18.50	2.38	-16.12	24.43431	≤49	PASS
NTNV	11N40SISO	Ant1	5230	5270.87	-30.35	2.38	-27.97	1.59588	≤7	PASS
NTNV	11N40SISO	Ant1	5230	5280.47	-32.97	2.38	-30.59	0.87297	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	5221.08	-38.92	1.8	-37.12	0.19409	≤2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com



NTNV	11N40SISO	Ant1	5270	5226.06	-36.28	1.8	-34.48	0.35645	≤4	PASS
NTNV	11N40SISO	Ant1	5270	5248.83	-20.46	1.8	-18.66	13.61445	≤49	PASS
NTNV	11N40SISO	Ant1	5270	5249.82	-19.28	1.8	-17.48	17.86488	≤72	PASS
NTNV	11N40SISO	Ant1	5310	5348.40	-33.70	1.8	-31.90	0.64565	≤15	PASS
NTNV	11N40SISO	Ant1	5310	5354.60	-33.66	1.8	-31.86	0.65163	≤2.5	PASS
NTNV	11N40SISO	Ant1	5510	5457.83	-31.56	2.36	-29.20	1.20226	≤12.5	PASS
NTNV	11N40SISO	Ant1	5510	5469.66	-29.78	2.36	-27.42	1.81134	≤50	PASS
NTNV	11AC20SISO	Ant1	5180	5146.95	-42.43	2.38	-40.05	0.09886	≤15	PASS
NTNV	11AC20SISO	Ant1	5240	5250.01	-13.26	2.38	-10.88	81.65824	≤631	PASS
NTNV	11AC20SISO	Ant1	5240	5250.23	-16.75	2.38	-14.37	36.55948	≤107	PASS
NTNV	11AC20SISO	Ant1	5240	5251.08	-17.25	2.38	-14.87	32.58367	≤97	PASS
NTNV	11AC20SISO	Ant1	5240	5260.56	-39.96	2.38	-37.58	0.17458	≤4	PASS
NTNV	11AC20SISO	Ant1	5240	5268.08	-42.10	2.38	-39.72	0.10666	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5260	5230.70	-43.26	1.8	-41.46	0.07145	≤2.5	PASS
NTNV	11AC20SISO	Ant1	5260	5238.65	-37.82	1.8	-36.02	0.25003	≤6	PASS
NTNV	11AC20SISO	Ant1	5260	5248.85	-17.94	1.8	-16.14	24.32204	≤92	PASS
NTNV	11AC20SISO	Ant1	5260	5249.65	-15.82	1.8	-14.02	39.62780	≤138	PASS
NTNV	11AC20SISO	Ant1	5260	5250.00	-12.96	1.8	-11.16	76.55966	≤671	PASS
NTNV	11AC20SISO	Ant1	5280	5234.75	-45.93	1.8	-44.13	0.03864	≤3.7	PASS
NTNV	11AC20SISO	Ant1	5500	5469.64	-44.51	2.36	-42.15	0.06095	≤12.5	PASS
NTNV	11AC20SISO	Ant1	5700	11399.77	-39.37	2.36	-37.01	0.19907	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5190	5137.51	-37.50	2.38	-35.12	0.30761	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5190	5147.77	-36.56	2.38	-34.18	0.38194	≤15	PASS
NTNV	11AC40SISO	Ant1	5230	5250.13	-20.06	2.38	-17.68	17.06082	≤62	PASS
NTNV	11AC40SISO	Ant1	5230	5251.44	-21.02	2.38	-18.64	13.67729	≤48	PASS
NTNV	11AC40SISO	Ant1	5230	5271.04	-35.59	2.38	-33.21	0.47753	≤4	PASS
NTNV	11AC40SISO	Ant1	5230	5281.16	-37.57	2.38	-35.19	0.30269	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5270	5221.08	-37.15	1.8	-35.35	0.29174	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5270	5229.35	-35.24	1.8	-33.44	0.45290	≤5	PASS
NTNV	11AC40SISO	Ant1	5270	5248.98	-20.16	1.8	-18.36	14.58814	≤49	PASS
NTNV	11AC40SISO	Ant1	5270	5249.76	-19.24	1.8	-17.44	18.03018	≤64	PASS
NTNV	11AC40SISO	Ant1	5310	5348.40	-33.60	1.8	-31.80	0.66069	≤15	PASS
NTNV	11AC40SISO	Ant1	5310	5370.43	-40.18	1.8	-38.38	0.14521	≤2.5	PASS
NTNV	11AC40SISO	Ant1	5510	5468.54	-32.67	2.36	-30.31	0.93111	≤50	PASS
NTNV	11AX20SISO	Ant1	5180	5149.25	-42.70	2.38	-40.32	0.09290	≤15	PASS
NTNV	11AX20SISO	Ant1	5240	5250.04	-4.22	2.38	-1.84	654.63617	≤912	PASS
NTNV	11AX20SISO	Ant1	5240	5250.26	-17.49	2.38	-15.11	30.83188	≤126	PASS
NTNV	11AX20SISO	Ant1	5240	5251.05	-21.20	2.38	-18.82	13.12200	≤94	PASS
NTNV	11AX20SISO	Ant1	5240	5260.03	-38.43	2.38	-36.05	0.24831	≤4	PASS
NTNV	11AX20SISO	Ant1	5260	5231.74	-40.01	1.8	-38.21	0.15101	≤2.5	PASS
NTNV	11AX20SISO	Ant1	5260	5239.93	-39.01	1.8	-37.21	0.19011	≤4	PASS
NTNV	11AX20SISO	Ant1	5260	5248.69	-15.29	1.8	-13.49	44.77133	≤94	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline

400-003-0500


www.anbotek.com




NTNV	11AX20SISO	Ant1	5260	5249.73	-15.90	1.8	-14.10	38.90451	≤170	PASS
NTNV	11AX20SISO	Ant1	5260	5249.92	-4.49	1.8	-2.69	538.26978	≤759	PASS
NTNV	11AX20SISO	Ant1	5500	5469.56	-43.26	2.36	-40.90	0.08128	≤12.5	PASS
NTNV	11AX40SISO	Ant1	5190	5140.58	-35.91	2.38	-33.53	0.44361	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5190	5142.20	-34.76	2.38	-32.38	0.57810	≤15	PASS
NTNV	11AX40SISO	Ant1	5230	5250.04	-15.50	2.38	-13.12	48.75285	≤53.6	PASS
NTNV	11AX40SISO	Ant1	5230	5251.17	-21.80	2.38	-19.42	11.42878	≤49	PASS
NTNV	11AX40SISO	Ant1	5230	5271.06	-35.19	2.38	-32.81	0.52360	≤4	PASS
NTNV	11AX40SISO	Ant1	5230	5288.76	-39.95	2.38	-37.57	0.17498	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5270	5217.97	-33.09	1.8	-31.29	0.74302	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5270	5226.16	-35.61	1.8	-33.81	0.41591	≤3	PASS
NTNV	11AX40SISO	Ant1	5270	5248.89	-16.96	1.8	-15.16	30.47895	≤49	PASS
NTNV	11AX40SISO	Ant1	5270	5249.94	-17.47	1.8	-15.67	27.10192	≤57	PASS
NTNV	11AX40SISO	Ant1	5310	5348.40	-32.80	1.8	-31.00	0.79433	≤15	PASS
NTNV	11AX40SISO	Ant1	5310	5351.84	-32.43	1.8	-30.63	0.86497	≤2.5	PASS
NTNV	11AX40SISO	Ant1	5510	5469.38	-32.19	2.36	-29.83	1.03992	≤50	PASS



Test Graphs




NTNV-11A-Ant1-5180-30~5142-PASS




NTNV-11A-Ant1-5180-5142~5150-PASS







NTNV-11A-Ant1-5180-5250~5251-PASS




NTNV-11A-Ant1-5180-5251~5260-PASS








NTNV-11A-Ant1-5200-30~5142-PASS




NTNV-11A-Ant1-5200-5142~5150-PASS







NTNV-11A-Ant1-5200-5250~5251-PASS




NTNV-11A-Ant1-5200-5251~5260-PASS








NTNV-11A-Ant1-5240-30~5142-PASS




NTNV-11A-Ant1-5240-5142~5150-PASS






NTNV-11A-Ant1-5240-5250~5251-See table below




NTNV-11A-Ant1-5240-5251~5260-See table below







NTNV-11A-Ant1-5240-5260~5266.7-See table below




NTNV-11A-Ant1-5240-5266.7~26000-PASS








NTNV-11A-Ant1-5260-5240~5249-See table below




NTNV-11A-Ant1-5260-5249~5250-See table below






NTNV-11A-Ant1-5260-5350~26000-PASS




NTNV-11A-Ant1-5280-30~5233.3-PASS






NTNV-11A-Ant1-5280-5233.3~5240-PASS




NTNV-11A-Ant1-5280-5240~5249-PASS






NTNV-11A-Ant1-5280-5249~5250-PASS




NTNV-11A-Ant1-5280-5350~26000-PASS






NTNV-11A-Ant1-5320-30~5233.3-PASS




NTNV-11A-Ant1-5320-5233.3~5240-PASS







NTNV-11A-Ant1-5320-5240~5249-PASS




NTNV-11A-Ant1-5320-5249~5250-PASS









NTNV-11A-Ant1-5500-5460~5470-See table below




NTNV-11A-Ant1-5500-5745~5765-PASS








NTNV-11A-Ant1-5600-5460~5470-PASS




NTNV-11A-Ant1-5600-5745~5765-PASS






NTNV-11A-Ant1-5600-5765~26000-See table below




NTNV-11A-Ant1-5700-30~5460-PASS






NTNV-11A-Ant1-5700-5460~5470-PASS




NTNV-11A-Ant1-5700-5745~5765-PASS







NTNV-11A-Ant1-5700-5765~26000-See table below




NTNV-11N20SISO-Ant1-5180-30~5142-PASS









NTNV-11N20SISO-Ant1-5180-5250.2~5251-PASS





NTNV-11N20SISO-Ant1-5180-5251~5260-PASS
















NTNV-11N20SISO-Ant1-5240-30~5142-PASS




NTNV-11N20SISO-Ant1-5240-5142~5150-PASS






NTNV-11N20SISO-Ant1-5240-5250~5250.2-See table below




NTNV-11N20SISO-Ant1-5240-5250.2~5251-See table below






NTNV-11N20SISO-Ant1-5240-5251~5260-See table below




NTNV-11N20SISO-Ant1-5240-5260~5266.7-See table below






NTNV-11N20SISO-Ant1-5240-5266.7~26000-See table below




NTNV-11N20SISO-Ant1-5260-30~5233.3-See table below






NTNV-11N20SISO-Ant1-5260-5233.3~5240-See table below




NTNV-11N20SISO-Ant1-5260-5240~5249-See table below







NTNV-11N20SISO-Ant1-5260-5249~5249.8-See table below




NTNV-11N20SISO-Ant1-5260-5249.8~5250-See table below









NTNV-11N20SISO-Ant1-5280-5233.3~5240-See table below





NTNV-11N20SISO-Ant1-5280-5240~5249-PASS
















NTNV-11N20SISO-Ant1-5320-5350~26000-See table below




NTNV-11N20SISO-Ant1-5500-30~5460-See table below






NTVN-11N20SISO-Ant1-5500-5460~5470-See table below




NTVN-11N20SISO-Ant1-5500-5745~5765-PASS





NTNV-11N20SISO-Ant1-5500-5765~26000-PASS



NTNV-11N20SISO-Ant1-5600-30~5460-PASS



