

1. Frequency Error


1.1 Test Result

1.1.1 Ant1


Ant1							
ENV	Mode	TX Type	Frequency (MHz)	Measured Frequency (MHz)	Tolerance (ppm)		Verdict
					Result	Limit	
NTNV	Carrier Wave	SISO	2402	2401.951	-20.40	-50 to 50	Pass
			2480	2479.949	-20.56	-50 to 50	Pass
NTLV	Carrier Wave	SISO	2402	2401.951	-20.40	-50 to 50	Pass
			2480	2479.949	-20.56	-50 to 50	Pass
NTHV	Carrier Wave	SISO	2402	2401.951	-20.40	-50 to 50	Pass
			2480	2479.949	-20.56	-50 to 50	Pass

1.2 Test Graph


1.2.1 Ant1




Frequency Error_NTLV_Carrier Wave_2402MHz_Ant1_NTLV




Frequency Error_NTLV_Carrier Wave_2480MHz_Ant1_NTLV



Frequency Error NTHV Carrier Wave_2402MHz_Ant1_NTHV



Frequency Error NTHV Carrier Wave_2480MHz_Ant1_NTHV



2. Occupied Bandwidth


2.1 Test Result

2.1.1 OBW


ENV	Mode	TX Type	Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
				ANT1	Limit	
NTNV	1M	SISO	2402	1.308	≤ 26	Pass
			2480	1.638	≤ 26	Pass
	2M	SISO	2402	2.220	≤ 26	Pass
			2480	2.228	≤ 26	Pass
NTLV	1M	SISO	2402	1.309	≤ 26	Pass
			2480	1.649	≤ 26	Pass
	2M	SISO	2402	2.219	≤ 26	Pass
			2480	2.229	≤ 26	Pass
NTHV	1M	SISO	2402	1.306	≤ 26	Pass
			2480	1.638	≤ 26	Pass
	2M	SISO	2402	2.219	≤ 26	Pass
			2480	2.227	≤ 26	Pass

2.2 Test Graph


2.2.1 OBW




2M_2402MHz_Ant1_NTNV




2M_2480MHz_Ant1_NTNV




1M_2402MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV




2M_2480MHz_Ant1_NTLV




1M_2402MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV



2M_2402MHz_Ant1_NTHV



2M_2480MHz_Ant1_NTHV



3. Antenna Power

3.1 Test Result

3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	ANT	Antenna Power (mW)		Nominal Power (mW)	Tolerance (%)		Verdict
					Measured	Limit		Measured	Limit	
NTNV	1M	SISO	2402	1	0.873	<=10.00	0.870	0.34	<=20	Pass
			2480	1	0.863	<=10.00	0.860	0.35	<=20	Pass
	2M	SISO	2402	1	0.880	<=10.00	0.880	0.00	<=20	Pass
			2480	1	0.823	<=10.00	0.820	0.37	<=20	Pass
NTLV	1M	SISO	2402	1	0.930	<=10.00	0.930	0.00	<=20	Pass
			2480	1	0.869	<=10.00	0.870	-0.11	<=20	Pass
	2M	SISO	2402	1	0.870	<=10.00	0.870	0.00	<=20	Pass
			2480	1	0.782	<=10.00	0.780	0.26	<=20	Pass
NTHV	1M	SISO	2402	1	0.892	<=10.00	0.890	0.22	<=20	Pass
			2480	1	0.817	<=10.00	0.820	-0.37	<=20	Pass
	2M	SISO	2402	1	0.840	<=10.00	0.840	0.00	<=20	Pass
			2480	1	0.802	<=10.00	0.800	0.25	<=20	Pass

4. Spurious Emission Intensity

4.1 Test Result

4.1.1 TxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm /MHz)	PK Power (uW /MHz)	AV Power (dBm /MHz)	AV Power (uW /MHz)		
1M	SISO	2402	1	30	2387	59.5	-44.22	0.038	/	/	2.5	Pass
				2387	2400	2399.974	-24.71	3.381	/	/	25	Pass
				2483.5	2496.5	2490.416	-59.81	0.001	/	/	25	Pass
				2496.5	12500	4805	-46.50	0.022	/	/	2.5	Pass
		2480	1	30	2387	60	-43.19	0.048	/	/	2.5	Pass
				2387	2400	2392.499	-59.67	0.001	/	/	25	Pass
				2483.5	2496.5	2483.604	-35.22	0.301	/	/	25	Pass
				2496.5	12500	2671.5	-44.86	0.033	/	/	2.5	Pass
2M	SISO	2402	1	30	2387	60	-43.94	0.040	/	/	2.5	Pass
				2387	2400	2399.987	-20.69	8.531	/	/	25	Pass
				2483.5	2496.5	2496.318	-59.43	0.001	/	/	25	Pass
				2496.5	12500	4803.5	-46.57	0.022	/	/	2.5	Pass
		2480	1	30	2387	59	-41.97	0.064	/	/	2.5	Pass
				2387	2400	2392.33	-59.10	0.001	/	/	25	Pass
				2483.5	2496.5	2483.565	-35.75	0.266	/	/	25	Pass
				2496.5	12500	4960	-49.55	0.011	/	/	2.5	Pass

4.1.2 TxSe_NTLV

NTLV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm /MHz)	PK Power (uW /MHz)	AV Power (dBm /MHz)	AV Power (uW /MHz)		
1M	SISO	2402	1	30	2387	57	-43.81	0.042	/	/	2.5	Pass
				2387	2400	2399.961	-24.94	3.206	/	/	25	Pass
				2483.5	2496.5	2490.169	-59.74	0.001	/	/	25	Pass
				2496.5	12500	4805	-46.30	0.023	/	/	2.5	Pass
		2480	1	30	2387	58	-42.07	0.062	/	/	2.5	Pass
				2387	2400	2391.771	-59.71	0.001	/	/	25	Pass
				2483.5	2496.5	2483.513	-36.41	0.229	/	/	25	Pass
				2496.5	12500	4960	-48.95	0.013	/	/	2.5	Pass
2M	SISO	2402	1	30	2387	891	-24.52	3.532	-149.66	0.000	2.5	Pass
				2387	2400	2399.987	-20.64	8.630	/	/	25	Pass
				2483.5	2496.5	2496.487	-59.82	0.001	/	/	25	Pass
				2496.5	12500	4804.5	-46.23	0.024	/	/	2.5	Pass
		2480	1	30	2387	60	-43.87	0.041	/	/	2.5	Pass
				2387	2400	2391.914	-59.51	0.001	/	/	25	Pass
				2483.5	2496.5	2483.552	-35.57	0.277	/	/	25	Pass
				2496.5	12500	4959.5	-49.12	0.012	/	/	2.5	Pass


4.1.3 TxSe_NTHV

NTHV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW)	Verdict
				Start	Stop	Freq.	PK Power	PK Power	AV Power	AV Power		


				(MHz)	(MHz)	(MHz)	(dBm /MHz)	(uW /MHz)	(dBm /MHz)	(uW /MHz)	/MHz)	
1M	SISO	2402	1	30	2387	59.5	-42.37	0.058	/	/	2.5	Pass
				2387	2400	2399.987	-25.60	2.754	/	/	25	Pass
				2483.5	2496.5	2489.883	-59.46	0.001	/	/	25	Pass
				2496.5	12500	4805	-46.56	0.022	/	/	2.5	Pass
		2480	1	30	2387	57.5	-43.30	0.047	/	/	2.5	Pass
				2387	2400	2399.987	-55.66	0.003	/	/	25	Pass
				2483.5	2496.5	2483.825	-35.49	0.282	/	/	25	Pass
				2496.5	12500	4960	-49.06	0.012	/	/	2.5	Pass
2M	SISO	2402	1	30	2387	902	-42.38	0.058	/	/	2.5	Pass
				2387	2400	2399.987	-20.59	8.730	/	/	25	Pass
				2483.5	2496.5	2496.474	-59.36	0.001	/	/	25	Pass
				2496.5	12500	4805.5	-46.39	0.023	/	/	2.5	Pass
		2480	1	30	2387	58	-43.73	0.042	/	/	2.5	Pass
				2387	2400	2391.485	-59.29	0.001	/	/	25	Pass
				2483.5	2496.5	2483.552	-36.23	0.238	/	/	25	Pass
				2496.5	12500	4959.5	-48.87	0.013	/	/	2.5	Pass

4.2 Test Graph


4.2.1 TxSe_NTNV



1M_2480MHz_Ant1_NTNV




1M_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	60.000	-43.19	/	-26	Pass
2387	2400	1	1	2392.499	-59.67	/	-16	Pass
2483.5	2496.5	1	1	2483.604	-35.22	/	-16	Pass
2496.5	12500	1	1	2671.500	-44.86	/	-26	Pass

2M_2402MHz_Ant1_NTNV




2M_2402MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	60.000	-43.94	/	-26	Pass
2387	2400	1	1	2399.987	-20.69	/	-16	Pass
2483.5	2496.5	1	1	2496.318	-59.43	/	-16	Pass
2496.5	12500	1	1	4803.500	-46.57	/	-26	Pass

2M_2480MHz_Ant1_NTNV




2M_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	59.000	-41.97	/	-26	Pass
2387	2400	1	1	2392.330	-59.10	/	-16	Pass
2483.5	2496.5	1	1	2483.565	-35.75	/	-16	Pass
2496.5	12500	1	1	4960.000	-49.55	/	-26	Pass


4.2.2 TxSe_NTLV



1M_2480MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	58.000	-42.07	/	-26	Pass
2387	2400	1	1	2391.771	-59.71	/	-16	Pass
2483.5	2496.5	1	1	2483.513	-36.41	/	-16	Pass
2496.5	12500	1	1	4960.000	-48.95	/	-26	Pass

2M_2402MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	891.000	-24.52	-149.66	-26	Pass
2387	2400	1	1	2399.987	-20.64	/	-16	Pass
2483.5	2496.5	1	1	2496.487	-59.82	/	-16	Pass
2496.5	12500	1	1	4804.500	-46.23	/	-26	Pass


2M_2402MHz_Ant1_NTLV



2M_2480MHz_Ant1_NTLV




2M_2480MHz_Ant1_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	60.000	-43.87	/	-26	Pass
2387	2400	1	1	2391.914	-59.51	/	-16	Pass
2483.5	2496.5	1	1	2483.552	-35.57	/	-16	Pass
2496.5	12500	1	1	4959.500	-49.12	/	-26	Pass


4.2.3 TxSe_NTHV



1M_2480MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	57.500	-43.30	/	-26	Pass
2387	2400	1	1	2399.987	-55.66	/	-16	Pass
2483.5	2496.5	1	1	2483.825	-35.49	/	-16	Pass
2496.5	12500	1	1	4960.000	-49.06	/	-26	Pass

2M_2402MHz_Ant1_NTHV




2M_2402MHz_Ant1_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	902.000	-42.38	/	-26	Pass
2387	2400	1	1	2399.987	-20.59	/	-16	Pass
2483.5	2496.5	1	1	2496.474	-59.36	/	-16	Pass
2496.5	12500	1	1	4805.500	-46.39	/	-26	Pass

2M_2480MHz_Ant1_NTHV



2M_2480MHz_Ant1_NTHV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	58.000	-43.73	/	-26	Pass
2387	2400	1	1	2391.485	-59.29	/	-16	Pass
2483.5	2496.5	1	1	2483.552	-36.23	/	-16	Pass
2496.5	12500	1	1	4959.500	-48.87	/	-26	Pass

5. Secondary Radiated Emission

5.1 Test Result

5.1.1 RxSe_NTNV

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
1M	SISO	2402	1	30	1000	57.95	-61.24	0.752	-74.17	0.038	4	Pass
						990	-59.76	1.057	-62.06	0.622	4	Pass
						2439	-53.57	4.395	-72.56	0.055	20	Pass
				1000	12500	2443.5	-52.30	5.888	-67.63	0.173	20	Pass
						2469	-51.19	7.603	-80.76	0.008	20	Pass
						2474.5	-55.14	3.062	-80.66	0.009	20	Pass
		2480	1	30	1000	57.5	-57.82	1.652	-72.41	0.057	4	Pass
						124.95	-61.00	0.794	-91.27	0.001	4	Pass
						753	-60.03	0.993	-92.95	0.001	4	Pass
				1000	12500	770	-60.82	0.828	-64.52	0.353	4	Pass
						869.35	-58.38	1.452	-71.63	0.069	4	Pass
						2479.5	-56.26	2.366	-80.61	0.009	20	Pass
2M	SISO	2402	1	30	1000	57.9	-58.15	1.531	-72.10	0.062	4	Pass
						770	-61.84	0.655	-65.07	0.311	4	Pass
						786.8	-60.32	0.929	-86.24	0.002	4	Pass
				1000	12500	869.35	-57.26	1.879	-69.91	0.102	4	Pass
						899.5	-53.46	4.508	-91.18	0.001	4	Pass
						2420.5	-56.34	2.323	-80.72	0.008	20	Pass
		2480	1	30	1000	58.55	-58.82	1.312	-72.57	0.055	4	Pass
						770	-60.80	0.832	-65.09	0.310	4	Pass
						869.35	-57.60	1.738	-69.64	0.109	4	Pass
				1000	12500	2439	-52.61	5.483	-80.85	0.008	20	Pass
						2474	-53.67	4.295	-80.13	0.010	20	Pass
						2480.5	-51.67	6.808	-80.57	0.009	20	Pass

5.1.2 RxSe_NTLV

NTLV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
1M	SISO	2402	1	30	1000	58	-60.39	0.914	-74.17	0.038	4	Pass
						876.65	-62.80	0.525	-81.88	0.006	4	Pass
						990	-59.71	1.069	-62.12	0.614	4	Pass
				1000	12500	2404.5	-45.74	26.669	-80.78	0.008	20	Pass
						2453	-49.58	11.015	-80.90	0.008	20	Pass
						2475.5	-52.48	5.649	-80.66	0.009	20	Pass
		2480	1	30	1000	57.85	-58.46	1.426	-71.99	0.063	4	Pass
						270.25	-59.40	1.148	-90.83	0.001	4	Pass
						869.3	-58.89	1.291	-70.60	0.087	4	Pass
				1000	12500	2469	-50.87	8.185	-80.76	0.008	20	Pass
						2473.5	-51.60	6.918	-80.70	0.009	20	Pass
						2479.5	-51.24	7.516	-73.89	0.041	20	Pass
2M	SISO	2402	1	30	1000	58.45	-58.54	1.400	-71.85	0.065	4	Pass
						786.25	-60.49	0.893	-71.57	0.070	4	Pass
						869.3	-56.24	2.377	-68.68	0.136	4	Pass


				1000	12500	901.25	-57.52	1.770	-92.66	0.001	4	Pass
						2443	-51.01	7.925	-80.91	0.008	20	Pass
						2478.5	-51.52	7.047	-53.02	4.989	20	Pass
				30	1000	58.8	-58.86	1.300	-72.70	0.054	4	Pass
						869.25	-56.46	2.259	-69.04	0.125	4	Pass
				1000	12500	2408.5	-45.83	26.122	-78.62	0.014	20	Pass
						2423.5	-48.74	13.366	-80.69	0.009	20	Pass
						2449	-51.29	7.430	-80.85	0.008	20	Pass
						2480.5	-51.64	6.855	-72.49	0.056	20	Pass

5.1.3 RxSe_NTHV


NTHV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
1M	SISO	2402	1	30	1000	58.2	-60.33	0.927	-74.10	0.039	4	Pass
						990	-59.61	1.094	-62.09	0.618	4	Pass
				1000	12500	2403	-50.06	9.863	-77.72	0.017	20	Pass
						2409	-50.78	8.356	-78.50	0.014	20	Pass
						2423	-43.45	45.186	-80.63	0.009	20	Pass
		2480	1	30	1000	2449.5	-49.59	10.990	-80.88	0.008	20	Pass
						58.75	-57.94	1.607	-72.13	0.061	4	Pass
						656.85	-55.71	2.685	-93.25	0.000	4	Pass
				1000	12500	869.3	-57.54	1.762	-69.61	0.109	4	Pass
						900	-58.31	1.476	-92.32	0.001	4	Pass
2M	SISO	2402	1	30	1000	1769.5	-49.84	10.375	-81.86	0.007	20	Pass
						2479.5	-50.76	8.395	-67.99	0.159	20	Pass
				1000	12500	58.3	-58.49	1.416	-72.33	0.058	4	Pass
						869.25	-55.87	2.588	-69.82	0.104	4	Pass
						2419.5	-45.50	28.184	-80.36	0.009	20	Pass
		2480	1	30	1000	2425.5	-47.89	16.255	-80.47	0.009	20	Pass
						2448	-47.78	16.672	-80.89	0.008	20	Pass
				1000	12500	2477.5	-47.39	18.239	-80.65	0.009	20	Pass
						58.25	-58.85	1.303	-71.80	0.066	4	Pass
						770	-61.50	0.708	-64.75	0.335	4	Pass
				1000	12500	785.8	-61.89	0.647	-73.98	0.040	4	Pass
						869.25	-58.45	1.429	-70.12	0.097	4	Pass
						2439	-52.39	5.768	-64.55	0.351	20	Pass
				1000	12500	2474.5	-53.23	4.753	-80.39	0.009	20	Pass

5.2 Test Graph


5.2.1 RxSe_NTNV




1M_2402MHz_Ant1_NTNV




1M_2402MHz_Ant1_NTNV




1M_2402MHz_Ant1_NTNV




1M_2402MHz_Ant1_NTNV




1M_2402MHz_Ant1_NTNV




1M_2402MHz_Ant1_NTNV



1M_2480MHz_Ant1_NTNV




1M_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	57.500	-57.82	-72.41	-54	Pass
30	1000	0.1	0.1	124.950	-61.00	-91.27	-54	Pass
30	1000	0.1	0.1	753.000	-60.03	-92.95	-54	Pass
30	1000	0.1	0.1	770.000	-60.82	-64.52	-54	Pass
30	1000	0.1	0.1	869.350	-58.38	-71.63	-54	Pass
1000	12500	1	1	2479.500	-56.26	-80.61	-47	Pass


1M_2480MHz_Ant1_NTNV




1M_2480MHz_Ant1_NTNV




1M_2480MHz_Ant1_NTNV




1M_2480MHz_Ant1_NTNV




1M_2480MHz_Ant1_NTNV




1M_2480MHz_Ant1_NTNV



2M_2402MHz_Ant1_NTNV




2M_2402MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	57.900	-58.15	-72.10	-54	Pass
30	1000	0.1	0.1	770.000	-61.84	-65.07	-54	Pass
30	1000	0.1	0.1	786.800	-60.32	-66.24	-54	Pass
30	1000	0.1	0.1	869.350	-57.26	-69.91	-54	Pass
30	1000	0.1	0.1	899.500	-53.46	-91.18	-54	Pass
1000	12500	1	1	2420.500	-56.34	-80.72	-47	Pass


2M_2402MHz_Ant1_NTNV




2M_2402MHz_Ant1_NTNV




2M_2402MHz_Ant1_NTNV




2M_2402MHz_Ant1_NTNV




2M_2402MHz_Ant1_NTNV




2M_2402MHz_Ant1_NTNV



2M_2480MHz_Ant1_NTNV




2M_2480MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	58.550	-58.82	-72.57	-54	Pass
30	1000	0.1	0.1	770.000	-60.80	-65.09	-54	Pass
30	1000	0.1	0.1	869.350	-57.60	-69.64	-54	Pass
1000	12500	1	1	2439.000	-52.61	-80.85	-47	Pass
1000	12500	1	1	2474.000	-53.67	-80.13	-47	Pass
1000	12500	1	1	2480.500	-51.67	-80.57	-47	Pass


2M_2480MHz_Ant1_NTNV




2M_2480MHz_Ant1_NTNV




2M_2480MHz_Ant1_NTNV




2M_2480MHz_Ant1_NTNV



2M_2480MHz_Ant1_NTNV




2M_2480MHz_Ant1_NTNV




5.2.2 RxSe_NTLV

1M 2402MHz Ant1 NTLV




1M 2402MHz Ant1 NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	58.000	-60.39	-74.17	-54	Pass
30	1000	0.1	0.1	876.650	-62.80	-81.88	-54	Pass
30	1000	0.1	0.1	990.000	-59.71	-62.12	-54	Pass
1000	12500	1	1	2404.500	-45.74	-80.78	-47	Pass
1000	12500	1	1	2453.000	-49.58	-80.90	-47	Pass
1000	12500	1	1	2475.500	-52.48	-80.66	-47	Pass


1M_2402MHz_Ant1_NTLV




1M_2402MHz_Ant1_NTLV




1M_2402MHz_Ant1_NTLV




1M_2402MHz_Ant1_NTLV




1M_2402MHz_Ant1_NTLV




1M_2402MHz_Ant1_NTLV



1M_2480MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	57.850	-58.46	-71.99	-54	Pass
30	1000	0.1	0.1	270.250	-59.40	-90.83	-54	Pass
30	1000	0.1	0.1	869.300	-58.89	-70.60	-54	Pass
1000	12500	1	1	2469.000	-50.87	-80.76	-47	Pass
1000	12500	1	1	2473.500	-51.60	-80.70	-47	Pass
1000	12500	1	1	2479.500	-51.24	-73.89	-47	Pass


1M_2480MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV




1M_2480MHz_Ant1_NTLV



2M_2402MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	58.450	-58.54	-71.85	-54	Pass
30	1000	0.1	0.1	786.250	-60.49	-71.57	-54	Pass
30	1000	0.1	0.1	869.300	-56.24	-68.68	-54	Pass
30	1000	0.1	0.1	901.250	-57.52	-92.66	-54	Pass
1000	12500	1	1	2443.000	-51.01	-80.91	-47	Pass
1000	12500	1	1	2478.500	-51.52	-53.02	-47	Pass


2M_2402MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV




2M_2402MHz_Ant1_NTLV



2M_2480MHz_Ant1_NTLV




2M_2480MHz_Ant1_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	58.800	-58.86	-72.70	-54	Pass
30	1000	0.1	0.1	869.250	-56.46	-69.04	-54	Pass
1000	12500	1	1	2408.500	-45.83	-78.62	-47	Pass
1000	12500	1	1	2423.500	-48.74	-80.69	-47	Pass
1000	12500	1	1	2449.000	-51.29	-80.85	-47	Pass
1000	12500	1	1	2480.500	-51.64	-72.49	-47	Pass


2M_2480MHz_Ant1_NTLV




2M_2480MHz_Ant1_NTLV




2M_2480MHz_Ant1_NTLV




2M_2480MHz_Ant1_NTLV



2M_2480MHz_Ant1_NTLV




2M_2480MHz_Ant1_NTLV




5.2.3 RxSe_NTHV

1M_2402MHz_Ant1_NTHV




1M_2402MHz_Ant1_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	58.200	-60.33	-74.10	-54	Pass
30	1000	0.1	0.1	990.000	-59.61	-62.09	-54	Pass
1000	12500	1	1	2403.000	-50.06	-77.72	-47	Pass
1000	12500	1	1	2409.000	-50.78	-78.50	-47	Pass
1000	12500	1	1	2423.000	-43.45	-80.63	-47	Pass
1000	12500	1	1	2449.500	-49.59	-80.88	-47	Pass


1M_2402MHz_Ant1_NTHV




1M_2402MHz_Ant1_NTHV




1M_2402MHz_Ant1_NTHV




1M_2402MHz_Ant1_NTHV




1M_2402MHz_Ant1_NTHV




1M_2402MHz_Ant1_NTHV



1M_2480MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	58.750	-57.94	-72.13	-54	Pass
30	1000	0.1	0.1	656.850	-55.71	-93.25	-54	Pass
30	1000	0.1	0.1	869.300	-57.54	-69.61	-54	Pass
30	1000	0.1	0.1	900.000	-58.31	-92.32	-54	Pass
1000	12500	1	1	1769.500	-49.84	-81.86	-47	Pass
1000	12500	1	1	2479.500	-50.76	-67.99	-47	Pass


1M_2480MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV




1M_2480MHz_Ant1_NTHV



2M_2402MHz_Ant1_NTHV




2M_2402MHz_Ant1_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	58.300	-58.49	-72.33	-54	Pass
30	1000	0.1	0.1	869.250	-55.87	-69.82	-54	Pass
1000	12500	1	1	2419.500	-45.50	-80.36	-47	Pass
1000	12500	1	1	2425.500	-47.89	-80.47	-47	Pass
1000	12500	1	1	2448.000	-47.78	-80.89	-47	Pass
1000	12500	1	1	2477.500	-47.39	-80.65	-47	Pass


2M_2402MHz_Ant1_NTHV




2M_2402MHz_Ant1_NTHV




2M_2402MHz_Ant1_NTHV




2M_2402MHz_Ant1_NTHV




2M_2402MHz_Ant1_NTHV




2M_2402MHz_Ant1_NTHV




2M_2480MHz_Ant1_NTHV




2M_2480MHz_Ant1_NTHV




2M_2480MHz_Ant1_NTHV




2M_2480MHz_Ant1_NTHV




2M_2480MHz_Ant1_NTHV




2M_2480MHz_Ant1_NTHV



2M_2480MHz_Ant1_NTHV



2M_2480MHz_Ant1_NTHV



-----End-----