

|                               |          |              |               |               |               |               |               |               |               |               |  |  |               |               |             |
|-------------------------------|----------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--|--|---------------|---------------|-------------|
| HE20, M0.1 to M11.1-BF        | 2        | 7.01         |               | -48.55        | -48.44        |               |               |               |               |               |  |  | -38.47        | -27.00        | 11.47       |
| HE20, M0.1 to M11.1-BF        | 3        | 8.77         |               | -47.04        | -48.71        | -49.73        |               |               |               |               |  |  | -34.81        | -27.00        | 7.81        |
| HE20, M0.1 to M11.1-BF        | 4        | 10.02        | -49.04        | -46.65        | -48.28        | -49.23        |               |               |               |               |  |  | -32.13        | -27.00        | 5.13        |
| HE20, M0.1 to M11.1-BF        | 6        | 11.78        |               | -47.28        | -49.04        | -49.81        |               | -50.53        | -49.36        | -51.41        |  |  | -29.81        | -27.00        | 2.81        |
| <b>HE20, M0.1 to M11.1-BF</b> | <b>8</b> | <b>13.03</b> | <b>-51.60</b> | <b>-49.18</b> | <b>-50.47</b> | <b>-50.85</b> | <b>-53.73</b> | <b>-51.00</b> | <b>-50.95</b> | <b>-51.53</b> |  |  | <b>-28.95</b> | <b>-27.00</b> | <b>1.95</b> |

|                 |                                            |          |             |        |               |               |        |        |        |        |        |  |               |               |              |
|-----------------|--------------------------------------------|----------|-------------|--------|---------------|---------------|--------|--------|--------|--------|--------|--|---------------|---------------|--------------|
| 5745 MHz MASK 2 | non HT20, 6 to 54 Mbps                     | 1        | 4.00        |        | -50.19        |               |        |        |        |        |        |  | -46.19        | -26.58        | 19.62        |
|                 | non HT20, 6 to 54 Mbps                     | 2        | 4.00        |        | -49.58        | -50.05        |        |        |        |        |        |  | -42.80        | -26.95        | 15.86        |
|                 | non HT20, 6 to 54 Mbps                     | 3        | 4.00        |        | -47.38        | -49.35        | -51.03 |        |        |        |        |  | -40.22        | -26.91        | 13.31        |
|                 | non HT20, 6 to 54 Mbps                     | 4        | 4.00        | -50.15 | -48.01        | -47.36        | -49.89 |        |        |        |        |  | -38.67        | -26.94        | 11.73        |
|                 | non HT20, 6 to 54 Mbps                     | 6        | 7.00        |        | -48.86        | -49.31        | -51.08 |        | -51.39 | -49.40 | -50.77 |  | -35.24        | -26.98        | 8.26         |
|                 | non HT20, 6 to 54 Mbps                     | 8        | 7.00        | -48.83 | -47.35        | -48.76        | -47.77 | -52.90 | -50.49 | -49.32 | -49.17 |  | -33.03        | -26.98        | 6.05         |
|                 | non HT20, 6 to 54 Mbps-BF                  | 2        | 7.01        |        | -49.64        | -48.54        |        |        |        |        |        |  | -39.04        | -26.72        | 12.32        |
|                 | non HT20, 6 to 54 Mbps-BF                  | 3        | 8.77        |        | -47.51        | -49.67        | -51.12 |        |        |        |        |  | -35.64        | -26.98        | 8.66         |
|                 | non HT20, 6 to 54 Mbps-BF                  | 4        | 10.02       | -49.09 | -47.16        | -48.62        | -49.66 |        |        |        |        |  | -32.49        | -26.98        | 5.51         |
|                 | non HT20, 6 to 54 Mbps-BF                  | 6        | 11.78       |        | -48.38        | -49.31        | -50.74 |        | -51.55 | -50.73 | -52.15 |  | -30.72        | -26.91        | 3.81         |
|                 | non HT20, 6 to 54 Mbps-BF                  | 8        | 13.03       | -52.74 | -50.65        | -50.68        | -52.38 | -55.10 | -53.33 | -51.73 | -51.00 |  | -29.93        | -26.98        | 2.95         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1           | 1        | 4.00        |        | -50.13        |               |        |        |        |        |        |  | -46.13        | -26.35        | 19.78        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1           | 2        | 4.00        |        | -48.84        | -48.63        |        |        |        |        |        |  | -41.72        | -26.69        | 15.03        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1           | 3        | 4.00        |        | -48.24        | -49.10        | -50.66 |        |        |        |        |  | -40.45        | -26.98        | 13.47        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1           | 4        | 4.00        | -50.18 | -47.56        | -48.77        | -48.94 |        |        |        |        |  | -38.74        | -26.94        | 11.80        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1           | 6        | 7.00        |        | -48.51        | -50.07        | -51.23 |        | -50.90 | -50.74 | -51.49 |  | -35.59        | -26.98        | 8.61         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1           | 8        | 7.00        | -50.36 | -47.80        | -48.20        | -49.78 | -53.63 | -51.25 | -49.63 | -49.47 |  | -33.68        | -26.98        | 6.70         |
|                 | <b>HT/VHT20, M0 to M7, M0.1 to M8.1-BF</b> | <b>2</b> | <b>7.01</b> |        | <b>-49.73</b> | <b>-49.86</b> |        |        |        |        |        |  | <b>-39.77</b> | <b>-26.94</b> | <b>12.83</b> |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF        | 3        | 8.77        |        | -48.25        | -48.73        | -49.46 |        |        |        |        |  | -35.25        | -26.46        | 8.79         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF        | 4        | 10.02       | -49.70 | -48.25        | -47.94        | -48.91 |        |        |        |        |  | -32.61        | -26.94        | 5.67         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF        | 6        | 11.78       |        | -48.85        | -50.15        | -50.78 |        | -50.59 | -49.88 | -52.95 |  | -30.80        | -26.83        | 3.96         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF        | 8        | 13.03       | -52.30 | -50.14        | -51.72        | -52.28 | -55.39 | -53.24 | -50.33 | -52.32 |  | -29.90        | -26.98        | 2.92         |
|                 | HE20, M0.1 to M11.1                        | 1        | 4.00        |        | -49.69        |               |        |        |        |        |        |  | -45.69        | -26.94        | 18.75        |
|                 | HE20, M0.1 to M11.1                        | 2        | 4.00        |        | -48.91        | -49.65        |        |        |        |        |        |  | -42.25        | -26.58        | 15.68        |
|                 | HE20, M0.1 to M11.1                        | 3        | 4.00        |        | -47.21        | -49.59        | -51.19 |        |        |        |        |  | -40.25        | -26.98        | 13.27        |
|                 | HE20, M0.1 to M11.1                        | 4        | 4.00        | -49.58 | -46.76        | -48.12        | -49.64 |        |        |        |        |  | -38.34        | -26.91        | 11.43        |
|                 | HE20, M0.1 to M11.1                        | 6        | 7.00        |        | -47.42        | -49.42        | -53.54 |        | -49.89 | -49.52 | -52.48 |  | -35.14        | -26.98        | 8.16         |
|                 | HE20, M0.1 to M11.1                        | 8        | 7.00        | -49.34 | -50.65        | -48.16        | -49.81 | -52.65 | -50.79 | -49.09 | -50.37 |  | -33.90        | -26.98        | 6.92         |
|                 | HE20, M0.1 to M11.1-BF                     | 2        | 7.01        |        | -49.37        | -49.50        |        |        |        |        |        |  | -39.42        | -26.80        | 12.62        |

|                        |   |       |        |        |        |        |        |        |        |        |  |  |        |        |      |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|--------|--------|------|
| HE20, M0.1 to M11.1-BF | 3 | 8.77  |        | -47.17 | -49.53 | -50.58 |        |        |        |        |  |  | -35.31 | -26.94 | 8.36 |
| HE20, M0.1 to M11.1-BF | 4 | 10.02 | -49.56 | -47.45 | -48.66 | -49.63 |        |        |        |        |  |  | -32.69 | -26.98 | 5.71 |
| HE20, M0.1 to M11.1-BF | 6 | 11.78 |        | -46.40 | -50.32 | -51.37 |        | -51.17 | -50.01 | -52.99 |  |  | -30.28 | -26.98 | 3.30 |
| HE20, M0.1 to M11.1-BF | 8 | 13.03 | -51.77 | -50.21 | -50.50 | -51.85 | -54.64 | -53.00 | -51.20 | -52.15 |  |  | -29.67 | -26.98 | 2.69 |

|                 |                                     |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|-----------------|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
| 5745 MHz MASK 3 | non HT20, 6 to 54 Mbps              | 1 | 4.00  |        | -39.94 |        |        |        |        |        |        |  | -35.94 | 14.85 | 50.80 |
|                 | non HT20, 6 to 54 Mbps              | 2 | 4.00  |        | -39.51 | -31.92 |        |        |        |        |        |  | -27.23 | 15.04 | 42.27 |
|                 | non HT20, 6 to 54 Mbps              | 3 | 4.00  |        | -39.32 | -31.13 | -31.59 |        |        |        |        |  | -24.01 | 14.80 | 38.81 |
|                 | non HT20, 6 to 54 Mbps              | 4 | 4.00  | -33.67 | -38.14 | -30.52 | -30.57 |        |        |        |        |  | -22.29 | 14.99 | 37.28 |
|                 | non HT20, 6 to 54 Mbps              | 6 | 7.00  |        | -40.10 | -29.19 | -31.74 |        | -30.35 | -31.74 | -31.16 |  | -16.64 | 14.96 | 31.60 |
|                 | non HT20, 6 to 54 Mbps              | 8 | 7.00  | -33.62 | -38.71 | -29.99 | -31.70 | -39.25 | -31.06 | -32.09 | -33.05 |  | -16.70 | 14.87 | 31.57 |
|                 | non HT20, 6 to 54 Mbps-BF           | 2 | 7.01  |        | -39.48 | -29.82 |        |        |        |        |        |  | -22.36 | 14.82 | 37.18 |
|                 | non HT20, 6 to 54 Mbps-BF           | 3 | 8.77  |        | -39.59 | -29.88 | -29.06 |        |        |        |        |  | -17.47 | 15.04 | 32.51 |
|                 | non HT20, 6 to 54 Mbps-BF           | 4 | 10.02 | -33.42 | -38.73 | -30.40 | -30.46 |        |        |        |        |  | -16.17 | 14.98 | 31.15 |
|                 | non HT20, 6 to 54 Mbps-BF           | 6 | 11.78 |        | -50.37 | -37.56 | -39.49 |        | -36.81 | -36.82 | -37.63 |  | -18.75 | 10.36 | 29.10 |
|                 | non HT20, 6 to 54 Mbps-BF           | 8 | 13.03 | -52.65 | -52.29 | -52.40 | -52.76 | -55.50 | -53.30 | -49.63 | -50.59 |  | -30.02 | 10.05 | 40.07 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 1 | 4.00  |        | -41.44 |        |        |        |        |        |        |  | -37.44 | 15.13 | 52.57 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 2 | 4.00  |        | -41.21 | -31.49 |        |        |        |        |        |  | -27.05 | 14.95 | 42.00 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 3 | 4.00  |        | -39.98 | -32.55 | -34.20 |        |        |        |        |  | -25.84 | 15.33 | 41.17 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 4 | 4.00  | -34.88 | -40.30 | -31.97 | -31.26 |        |        |        |        |  | -23.44 | 14.35 | 37.79 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 6 | 7.00  |        | -40.59 | -31.98 | -33.13 |        | -31.38 | -34.40 | -35.66 |  | -18.90 | 14.62 | 33.52 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 8 | 7.00  | -34.80 | -41.23 | -31.93 | -32.97 | -39.31 | -31.71 | -33.97 | -34.35 |  | -18.07 | 14.54 | 32.61 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2 | 7.01  |        | -38.89 | -31.71 |        |        |        |        |        |  | -23.94 | 15.56 | 39.50 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3 | 8.77  |        | -40.49 | -31.96 | -31.90 |        |        |        |        |  | -19.86 | 14.39 | 34.25 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4 | 10.02 | -34.35 | -41.61 | -31.15 | -31.26 |        |        |        |        |  | -17.07 | 14.42 | 31.49 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6 | 11.78 |        | -50.51 | -39.67 | -39.58 |        | -38.36 | -38.61 | -38.84 |  | -20.15 | 10.10 | 30.25 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8 | 13.03 | -53.28 | -52.67 | -51.97 | -52.40 | -55.53 | -52.69 | -49.51 | -51.46 |  | -30.09 | 10.10 | 40.19 |
|                 | HE20, M0.1 to M11.1                 | 1 | 4.00  |        | -35.37 |        |        |        |        |        |        |  | -31.37 | 14.98 | 46.34 |
|                 | HE20, M0.1 to M11.1                 | 2 | 4.00  |        | -35.50 | -26.18 |        |        |        |        |        |  | -21.70 | 15.05 | 36.75 |
|                 | HE20, M0.1 to M11.1                 | 3 | 4.00  |        | -33.17 | -29.96 | -28.09 |        |        |        |        |  | -21.17 | 14.49 | 35.66 |
|                 | HE20, M0.1 to M11.1                 | 4 | 4.00  | -30.09 | -33.83 | -27.52 | -28.24 |        |        |        |        |  | -19.31 | 15.01 | 34.32 |
|                 | HE20, M0.1 to M11.1                 | 6 | 7.00  |        | -33.10 | -28.49 | -32.13 |        | -28.06 | -28.59 | -26.35 |  | -14.09 | 14.99 | 29.08 |
|                 | HE20, M0.1 to M11.1                 | 8 | 7.00  | -32.43 | -38.34 | -26.70 | -26.98 | -35.21 | -28.09 | -28.89 | -30.11 |  | -13.47 | 14.45 | 27.92 |
|                 | HE20, M0.1 to M11.1-BF              | 2 | 7.01  |        | -35.88 | -29.43 |        |        |        |        |        |  | -21.53 | 14.91 | 36.44 |
|                 | HE20, M0.1 to M11.1-BF              | 3 | 8.77  |        | -33.26 | -26.42 | -27.41 |        |        |        |        |  | -14.63 | 14.55 | 29.18 |

|                        |   |       |        |        |        |        |        |        |        |        |  |  |        |       |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|--------|-------|-------|
| HE20, M0.1 to M11.1-BF | 4 | 10.02 | -29.74 | -33.60 | -28.35 | -26.53 |        |        |        |        |  |  | -12.83 | 14.54 | 27.37 |
| HE20, M0.1 to M11.1-BF | 6 | 11.78 |        | -40.48 | -32.24 | -30.26 |        | -33.63 | -34.81 | -31.60 |  |  | -13.33 | 14.99 | 28.32 |
| HE20, M0.1 to M11.1-BF | 8 | 13.03 | -49.53 | -53.04 | -52.51 | -52.16 | -55.56 | -44.47 | -45.27 | -52.68 |  |  | -26.91 | 10.09 | 37.00 |

|                 |                                     |          |             |               |               |               |               |               |               |               |               |  |               |              |              |
|-----------------|-------------------------------------|----------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--|---------------|--------------|--------------|
| 5745 MHz MASK 4 | non HT20, 6 to 54 Mbps              | 1        | 4.00        |               | -38.59        |               |               |               |               |               |               |  | -34.59        | 16.21        | 50.80        |
|                 | non HT20, 6 to 54 Mbps              | 2        | 4.00        |               | -39.74        | -31.38        |               |               |               |               |               |  | -26.79        | 15.70        | 42.49        |
|                 | non HT20, 6 to 54 Mbps              | 3        | 4.00        |               | -38.47        | -30.96        | -31.27        |               |               |               |               |  | -23.72        | 15.72        | 39.44        |
|                 | non HT20, 6 to 54 Mbps              | 4        | 4.00        | -33.28        | -39.89        | -30.11        | -30.07        |               |               |               |               |  | -21.96        | 15.62        | 37.58        |
|                 | non HT20, 6 to 54 Mbps              | 6        | 7.00        |               | -39.90        | -29.63        | -31.92        |               | -30.89        | -31.29        | -30.67        |  | -16.72        | 15.63        | 32.35        |
|                 | non HT20, 6 to 54 Mbps              | 8        | 7.00        | -33.10        | -36.32        | -30.04        | -31.27        | -38.78        | -30.28        | -32.24        | -31.56        |  | -16.16        | 15.64        | 31.80        |
|                 | non HT20, 6 to 54 Mbps-BF           | 2        | 7.01        |               | -39.37        | -29.69        |               |               |               |               |               |  | -22.24        | 15.62        | 37.86        |
|                 | non HT20, 6 to 54 Mbps-BF           | 3        | 8.77        |               | -38.55        | -29.30        | -29.10        |               |               |               |               |  | -17.17        | 15.61        | 32.77        |
|                 | non HT20, 6 to 54 Mbps-BF           | 4        | 10.02       | -32.82        | -36.60        | -30.10        | -30.87        |               |               |               |               |  | -15.94        | 15.64        | 31.58        |
|                 | non HT20, 6 to 54 Mbps-BF           | 6        | 11.78       |               | -46.87        | -37.00        | -37.18        |               | -35.70        | -36.71        | -36.75        |  | -17.78        | 15.66        | 33.44        |
|                 | non HT20, 6 to 54 Mbps-BF           | 8        | 13.03       | -49.48        | -52.33        | -50.80        | -50.28        | -54.81        | -43.13        | -50.14        | -49.43        |  | -26.64        | 15.61        | 42.24        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 1        | 4.00        |               | -38.78        |               |               |               |               |               |               |  | -34.78        | 17.28        | 52.07        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 2        | 4.00        |               | -39.66        | -32.22        |               |               |               |               |               |  | -27.50        | 16.24        | 43.74        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 3        | 4.00        |               | -37.47        | -32.21        | -30.55        |               |               |               |               |  | -23.80        | 16.19        | 39.99        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 4        | 4.00        | -34.35        | -38.91        | -31.19        | -30.68        |               |               |               |               |  | -22.75        | 15.94        | 38.69        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 6        | 7.00        |               | -37.85        | -30.05        | -31.44        |               | -27.97        | -33.24        | -34.94        |  | -16.70        | 16.27        | 32.97        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 8        | 7.00        | -32.20        | -41.10        | -28.34        | -29.77        | -39.11        | -26.94        | -32.15        | -32.44        |  | -14.85        | 15.71        | 30.56        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2        | 7.01        |               | -40.47        | -28.88        |               |               |               |               |               |  | -21.58        | 15.78        | 37.36        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3        | 8.77        |               | -38.06        | -31.02        | -30.08        |               |               |               |               |  | -18.38        | 15.99        | 34.37        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4        | 10.02       | -33.29        | -39.41        | -28.75        | -30.60        |               |               |               |               |  | -15.53        | 15.67        | 31.20        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6        | 11.78       |               | -45.65        | -38.66        | -38.83        |               | -36.53        | -36.01        | -38.16        |  | -18.58        | 15.63        | 34.21        |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8        | 13.03       | -48.71        | -49.82        | -49.33        | -45.73        | -53.35        | -46.17        | -48.27        | -46.51        |  | -25.89        | 15.62        | 41.51        |
|                 | HE20, M0.1 to M11.1                 | 1        | 4.00        |               | -33.25        |               |               |               |               |               |               |  | -29.25        | 15.88        | 45.13        |
|                 | HE20, M0.1 to M11.1                 | 2        | 4.00        |               | -32.98        | -25.02        |               |               |               |               |               |  | -20.37        | 16.53        | 36.90        |
|                 | HE20, M0.1 to M11.1                 | 3        | 4.00        |               | -32.43        | -28.69        | -27.54        |               |               |               |               |  | -20.33        | 15.95        | 36.28        |
|                 | HE20, M0.1 to M11.1                 | 4        | 4.00        | -30.88        | -31.66        | -28.79        | -27.74        |               |               |               |               |  | -19.47        | 15.77        | 35.24        |
|                 | HE20, M0.1 to M11.1                 | 6        | 7.00        |               | -32.35        | -26.02        | -32.00        |               | -27.15        | -29.51        | -26.97        |  | -13.57        | 15.79        | 29.36        |
|                 | <b>HE20, M0.1 to M11.1</b>          | <b>8</b> | <b>7.00</b> | <b>-30.81</b> | <b>-35.74</b> | <b>-27.96</b> | <b>-27.38</b> | <b>-35.43</b> | <b>-25.62</b> | <b>-28.89</b> | <b>-28.41</b> |  | <b>-12.88</b> | <b>15.64</b> | <b>28.52</b> |
|                 | HE20, M0.1 to M11.1-BF              | 2        | 7.01        |               | -33.67        | -28.81        |               |               |               |               |               |  | -20.57        | 15.65        | 36.22        |
|                 | HE20, M0.1 to M11.1-BF              | 3        | 8.77        |               | -33.29        | -28.70        | -26.50        |               |               |               |               |  | -15.15        | 15.71        | 30.86        |
|                 | HE20, M0.1 to M11.1-BF              | 4        | 10.02       | -31.01        | -32.48        | -27.84        | -29.09        |               |               |               |               |  | -13.71        | 15.65        | 29.36        |

|  |                        |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|--|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
|  | HE20, M0.1 to M11.1-BF | 6 | 11.78 |        | -37.75 | -31.24 | -29.58 |        | -31.64 | -32.70 | -30.88 |  | -12.13 | 15.69 | 27.81 |
|  | HE20, M0.1 to M11.1-BF | 8 | 13.03 | -46.91 | -48.19 | -46.09 | -46.37 | -49.63 | -40.91 | -44.23 | -45.36 |  | -23.13 | 15.63 | 38.76 |

### Conducted Band Edge (MASK)Test Data

| Frequency       | Configuration                       | Tx paths | Correlated antenna gain (dBi) | Tx 1 Band Edge (dBm) | Tx 2 Band Edge (dBm) | Tx 3 Band Edge (dBm) | Tx 4 Band Edge (dBm) | Tx 5 Band Edge (dBm) | Tx 6 Band Edge (dBm) | Tx 7 Band Edge (dBm) | Tx 8 Band Edge (dBm) | Duty factor | Total Conducted Band Edge (dBm) | Limit | Margin (dB) |
|-----------------|-------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|---------------------------------|-------|-------------|
| 5825 MHz MASK 1 | non HT20, 6 to 54 Mbps              | 1        | 4.00                          |                      | -38.08               |                      |                      |                      |                      |                      |                      |             | -34.08                          | 15.65 | 49.73       |
|                 | non HT20, 6 to 54 Mbps              | 2        | 4.00                          |                      | -36.84               | -36.22               |                      |                      |                      |                      |                      |             | -29.51                          | 15.72 | 45.23       |
|                 | non HT20, 6 to 54 Mbps              | 3        | 4.00                          |                      | -33.28               | -36.95               | -30.41               |                      |                      |                      |                      |             | -24.01                          | 15.63 | 39.64       |
|                 | non HT20, 6 to 54 Mbps              | 4        | 4.00                          | -36.52               | -37.89               | -36.92               | -29.07               |                      |                      |                      |                      |             | -23.38                          | 15.64 | 39.02       |
|                 | non HT20, 6 to 54 Mbps              | 6        | 7.00                          |                      | -33.14               | -34.23               | -28.18               |                      | -34.89               | -33.18               | -37.10               |             | -17.71                          | 15.61 | 33.32       |
|                 | non HT20, 6 to 54 Mbps              | 8        | 7.00                          | -37.45               | -33.79               | -32.63               | -29.45               | -37.29               | -30.12               | -29.93               | -36.17               |             | -16.28                          | 15.67 | 31.95       |
|                 | non HT20, 6 to 54 Mbps-BF           | 2        | 7.01                          |                      | -37.01               | -32.52               |                      |                      |                      |                      |                      |             | -24.19                          | 15.66 | 39.85       |
|                 | non HT20, 6 to 54 Mbps-BF           | 3        | 8.77                          |                      | -37.29               | -36.36               | -27.68               |                      |                      |                      |                      |             | -17.96                          | 15.66 | 33.62       |
|                 | non HT20, 6 to 54 Mbps-BF           | 4        | 10.02                         | -39.51               | -38.20               | -36.49               | -28.60               |                      |                      |                      |                      |             | -17.26                          | 15.65 | 32.91       |
|                 | non HT20, 6 to 54 Mbps-BF           | 6        | 11.78                         |                      | -42.48               | -40.43               | -38.22               |                      | -39.72               | -37.32               | -43.22               |             | -20.17                          | 15.80 | 35.97       |
|                 | non HT20, 6 to 54 Mbps-BF           | 8        | 13.03                         | -51.67               | -50.41               | -50.07               | -50.67               | -52.17               | -49.39               | -50.64               | -49.17               |             | -28.36                          | 15.64 | 44.00       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 1        | 4.00                          |                      | -33.68               |                      |                      |                      |                      |                      |                      |             | -29.68                          | 16.25 | 45.93       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 2        | 4.00                          |                      | -32.93               | -30.59               |                      |                      |                      |                      |                      |             | -24.60                          | 16.34 | 40.94       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 3        | 4.00                          |                      | -32.06               | -32.99               | -30.62               |                      |                      |                      |                      |             | -23.01                          | 16.17 | 39.18       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 4        | 4.00                          | -35.08               | -32.19               | -32.46               | -29.32               |                      |                      |                      |                      |             | -21.76                          | 16.04 | 37.80       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 6        | 7.00                          |                      | -33.36               | -31.10               | -27.94               |                      | -29.25               | -30.47               | -33.62               |             | -15.70                          | 16.19 | 31.89       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 8        | 7.00                          | -35.56               | -32.92               | -31.79               | -29.85               | -34.11               | -30.79               | -33.70               | -34.25               |             | -16.46                          | 15.73 | 32.19       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2        | 7.01                          |                      | -32.87               | -32.05               |                      |                      |                      |                      |                      |             | -22.42                          | 16.72 | 39.14       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3        | 8.77                          |                      | -31.89               | -29.44               | -29.58               |                      |                      |                      |                      |             | -16.62                          | 16.54 | 33.16       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4        | 10.02                         | -34.31               | -31.88               | -31.88               | -29.11               |                      |                      |                      |                      |             | -15.36                          | 16.10 | 31.46       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6        | 11.78                         |                      | -38.86               | -39.58               | -32.37               |                      | -37.19               | -38.55               | -42.59               |             | -17.41                          | 15.75 | 33.16       |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8        | 13.03                         | -52.24               | -50.59               | -50.02               | -49.45               | -52.17               | -50.64               | -49.66               | -49.31               |             | -28.32                          | 15.69 | 44.00       |
|                 | HE20, M0.1 to M11.1                 | 1        | 4.00                          |                      | -32.11               |                      |                      |                      |                      |                      |                      |             | -28.11                          | 15.95 | 44.06       |
|                 | HE20, M0.1 to M11.1                 | 2        | 4.00                          |                      | -32.37               | -32.14               |                      |                      |                      |                      |                      |             | -25.24                          | 15.71 | 40.95       |
|                 | HE20, M0.1 to M11.1                 | 3        | 4.00                          |                      | -31.90               | -30.10               | -29.17               |                      |                      |                      |                      |             | -21.47                          | 15.63 | 37.10       |

|                        |   |       |        |        |        |        |        |        |        |        |  |  |        |       |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|--------|-------|-------|
| HE20, M0.1 to M11.1    | 4 | 4.00  | -32.42 | -31.92 | -30.50 | -28.96 |        |        |        |        |  |  | -20.71 | 15.99 | 36.70 |
| HE20, M0.1 to M11.1    | 6 | 7.00  |        | -32.48 | -30.69 | -30.08 |        | -28.95 | -27.81 | -33.88 |  |  | -15.41 | 15.77 | 31.18 |
| HE20, M0.1 to M11.1    | 8 | 7.00  | -35.99 | -31.80 | -30.96 | -30.04 | -32.87 | -28.03 | -28.47 | -32.30 |  |  | -14.67 | 15.61 | 30.28 |
| HE20, M0.1 to M11.1-BF | 2 | 7.01  |        | -31.59 | -29.91 |        |        |        |        |        |  |  | -20.65 | 16.55 | 37.20 |
| HE20, M0.1 to M11.1-BF | 3 | 8.77  |        | -32.17 | -31.48 | -28.15 |        |        |        |        |  |  | -16.68 | 16.12 | 32.80 |
| HE20, M0.1 to M11.1-BF | 4 | 10.02 | -32.16 | -31.89 | -30.31 | -29.28 |        |        |        |        |  |  | -14.71 | 15.72 | 30.43 |
| HE20, M0.1 to M11.1-BF | 6 | 11.78 |        | -34.81 | -33.57 | -31.61 |        | -33.28 | -34.47 | -36.88 |  |  | -14.25 | 15.86 | 30.10 |
| HE20, M0.1 to M11.1-BF | 8 | 13.03 | -53.25 | -50.23 | -49.95 | -49.30 | -51.83 | -49.06 | -49.82 | -50.32 |  |  | -28.23 | 15.62 | 43.85 |

|                                     |   |       |        |        |        |        |        |        |        |        |  |  |        |       |       |
|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|--------|-------|-------|
| non HT20, 6 to 54 Mbps              | 1 | 4.00  |        | -39.04 |        |        |        |        |        |        |  |  | -35.04 | 15.52 | 50.56 |
| non HT20, 6 to 54 Mbps              | 2 | 4.00  |        | -37.28 | -36.26 |        |        |        |        |        |  |  | -29.73 | 15.55 | 45.28 |
| non HT20, 6 to 54 Mbps              | 3 | 4.00  |        | -36.60 | -36.51 | -32.06 |        |        |        |        |  |  | -25.73 | 14.78 | 40.51 |
| non HT20, 6 to 54 Mbps              | 4 | 4.00  | -40.02 | -38.21 | -36.84 | -31.98 |        |        |        |        |  |  | -25.62 | 15.20 | 40.82 |
| non HT20, 6 to 54 Mbps              | 6 | 7.00  |        | -36.52 | -33.99 | -31.77 |        | -35.09 | -33.16 | -37.41 |  |  | -19.46 | 15.52 | 34.98 |
| non HT20, 6 to 54 Mbps              | 8 | 7.00  | -40.34 | -37.62 | -37.14 | -31.93 | -36.81 | -34.56 | -31.92 | -36.93 |  |  | -19.01 | 14.86 | 33.87 |
| non HT20, 6 to 54 Mbps-BF           | 2 | 7.01  |        | -36.83 | -34.02 |        |        |        |        |        |  |  | -25.18 | 15.51 | 40.69 |
| non HT20, 6 to 54 Mbps-BF           | 3 | 8.77  |        | -36.96 | -36.82 | -30.78 |        |        |        |        |  |  | -20.28 | 15.40 | 35.67 |
| non HT20, 6 to 54 Mbps-BF           | 4 | 10.02 | -39.93 | -38.09 | -36.96 | -31.70 |        |        |        |        |  |  | -19.43 | 15.50 | 34.93 |
| non HT20, 6 to 54 Mbps-BF           | 6 | 11.78 |        | -43.34 | -41.91 | -38.77 |        | -40.71 | -38.58 | -45.94 |  |  | -21.29 | 13.35 | 34.64 |
| non HT20, 6 to 54 Mbps-BF           | 8 | 13.03 | -53.58 | -51.68 | -51.15 | -51.49 | -53.46 | -49.57 | -52.38 | -52.73 |  |  | -29.76 | 10.00 | 39.76 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 1 | 4.00  |        | -37.98 |        |        |        |        |        |        |  |  | -33.98 | 15.51 | 49.50 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 2 | 4.00  |        | -36.73 | -34.51 |        |        |        |        |        |  |  | -28.47 | 15.33 | 43.80 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 3 | 4.00  |        | -37.72 | -34.91 | -31.76 |        |        |        |        |  |  | -25.36 | 15.45 | 40.81 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 4 | 4.00  | -38.57 | -35.05 | -37.12 | -32.20 |        |        |        |        |  |  | -25.04 | 15.44 | 40.48 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 6 | 7.00  |        | -37.20 | -34.04 | -31.80 |        | -32.80 | -35.54 | -35.65 |  |  | -19.34 | 15.42 | 34.76 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 8 | 7.00  | -38.99 | -37.71 | -35.12 | -31.52 | -36.93 | -31.32 | -36.00 | -37.05 |  |  | -18.69 | 15.14 | 33.83 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2 | 7.01  |        | -37.50 | -36.42 |        |        |        |        |        |  |  | -26.91 | 15.41 | 42.32 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3 | 8.77  |        | -37.69 | -33.88 | -33.00 |        |        |        |        |  |  | -20.89 | 15.44 | 36.33 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4 | 10.02 | -38.69 | -35.07 | -35.19 | -30.11 |        |        |        |        |  |  | -17.61 | 15.13 | 32.74 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6 | 11.78 |        | -43.08 | -42.32 | -36.38 |        | -41.42 | -41.39 | -46.02 |  |  | -21.16 | 12.41 | 33.57 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8 | 13.03 | -54.07 | -51.49 | -50.65 | -51.78 | -53.57 | -51.68 | -52.70 | -52.52 |  |  | -30.12 | 10.06 | 40.18 |
| HE20, M0.1 to M11.1                 | 1 | 4.00  |        | -33.50 |        |        |        |        |        |        |  |  | -29.50 | 15.49 | 44.99 |
| HE20, M0.1 to M11.1                 | 2 | 4.00  |        | -34.05 | -32.80 |        |        |        |        |        |  |  | -26.37 | 15.47 | 41.84 |
| HE20, M0.1 to M11.1                 | 3 | 4.00  |        | -33.09 | -30.66 | -29.00 |        |        |        |        |  |  | -21.84 | 15.22 | 37.06 |
| HE20, M0.1 to M11.1                 | 4 | 4.00  | -36.28 | -33.82 | -31.40 | -29.10 |        |        |        |        |  |  | -21.84 | 15.28 | 37.12 |

|                        |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
| HE20, M0.1 to M11.1    | 6 | 7.00  |        | -31.58 | -33.75 | -31.62 |        | -30.97 | -30.73 | -35.90 |  | -17.31 | 14.99 | 32.30 |
| HE20, M0.1 to M11.1    | 8 | 7.00  | -36.62 | -32.69 | -30.37 | -29.70 | -33.25 | -29.30 | -29.94 | -35.69 |  | -15.46 | 15.02 | 30.48 |
| HE20, M0.1 to M11.1-BF | 2 | 7.01  |        | -32.99 | -33.24 |        |        |        |        |        |  | -23.09 | 15.49 | 38.58 |
| HE20, M0.1 to M11.1-BF | 3 | 8.77  |        | -31.91 | -33.29 | -29.20 |        |        |        |        |  | -17.59 | 15.13 | 32.72 |
| HE20, M0.1 to M11.1-BF | 4 | 10.02 | -37.21 | -33.46 | -32.06 | -29.27 |        |        |        |        |  | -16.09 | 14.62 | 30.71 |
| HE20, M0.1 to M11.1-BF | 6 | 11.78 |        | -38.34 | -34.11 | -35.77 |        | -36.60 | -35.02 | -37.34 |  | -16.41 | 14.94 | 31.35 |
| HE20, M0.1 to M11.1-BF | 8 | 13.03 | -53.26 | -51.99 | -50.90 | -52.65 | -53.47 | -51.68 | -52.02 | -52.18 |  | -30.14 | 10.00 | 40.14 |


|                                     |   |       |        |        |        |        |        |        |        |        |  |        |        |       |
|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
| non HT20, 6 to 54 Mbps              | 1 | 4.00  |        | -52.74 |        |        |        |        |        |        |  | -48.74 | -25.65 | 23.09 |
| non HT20, 6 to 54 Mbps              | 2 | 4.00  |        | -49.28 | -49.74 |        |        |        |        |        |  | -42.49 | -26.98 | 15.51 |
| non HT20, 6 to 54 Mbps              | 3 | 4.00  |        | -48.54 | -49.36 | -50.69 |        |        |        |        |  | -40.67 | -26.83 | 13.84 |
| non HT20, 6 to 54 Mbps              | 4 | 4.00  | -51.34 | -48.31 | -49.50 | -50.47 |        |        |        |        |  | -39.74 | -26.94 | 12.80 |
| non HT20, 6 to 54 Mbps              | 6 | 7.00  |        | -48.24 | -49.72 | -50.33 |        | -49.84 | -48.24 | -52.04 |  | -34.77 | -26.83 | 7.94  |
| non HT20, 6 to 54 Mbps              | 8 | 7.00  | -52.31 | -48.70 | -49.08 | -50.73 | -51.81 | -49.51 | -47.82 | -50.00 |  | -33.73 | -26.98 | 6.75  |
| non HT20, 6 to 54 Mbps-BF           | 2 | 7.01  |        | -49.73 | -49.98 |        |        |        |        |        |  | -39.83 | -26.87 | 12.96 |
| non HT20, 6 to 54 Mbps-BF           | 3 | 8.77  |        | -48.52 | -49.14 | -51.35 |        |        |        |        |  | -35.97 | -26.83 | 9.13  |
| non HT20, 6 to 54 Mbps-BF           | 4 | 10.02 | -51.79 | -48.55 | -48.78 | -50.94 |        |        |        |        |  | -33.76 | -26.87 | 6.89  |
| non HT20, 6 to 54 Mbps-BF           | 6 | 11.78 |        | -49.64 | -47.87 | -51.56 |        | -48.78 | -48.71 | -51.59 |  | -29.91 | -26.87 | 3.04  |
| non HT20, 6 to 54 Mbps-BF           | 8 | 13.03 | -54.08 | -51.08 | -50.97 | -51.29 | -53.39 | -50.67 | -49.32 | -50.81 |  | -29.17 | -26.98 | 2.19  |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 1 | 4.00  |        | -51.54 |        |        |        |        |        |        |  | -47.54 | -26.91 | 20.63 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 2 | 4.00  |        | -49.07 | -50.28 |        |        |        |        |        |  | -42.62 | -26.61 | 16.01 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 3 | 4.00  |        | -49.24 | -49.57 | -51.05 |        |        |        |        |  | -41.11 | -26.98 | 14.13 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 4 | 4.00  | -52.00 | -48.15 | -48.73 | -50.11 |        |        |        |        |  | -39.49 | -26.98 | 12.51 |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 6 | 7.00  |        | -49.57 | -49.25 | -51.10 |        | -49.96 | -48.30 | -52.43 |  | -35.13 | -26.98 | 8.15  |
| HT/VHT20, M0 to M7, M0.1 to M8.1    | 8 | 7.00  | -52.16 | -48.28 | -49.41 | -50.01 | -52.39 | -49.66 | -48.34 | -49.47 |  | -33.71 | -26.91 | 6.80  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2 | 7.01  |        | -50.39 | -50.55 |        |        |        |        |        |  | -40.45 | -26.98 | 13.47 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3 | 8.77  |        | -48.78 | -49.67 | -51.49 |        |        |        |        |  | -36.30 | -26.95 | 9.35  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4 | 10.02 | -51.86 | -49.14 | -48.07 | -50.55 |        |        |        |        |  | -33.63 | -26.87 | 6.76  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6 | 11.78 |        | -49.07 | -50.42 | -51.89 |        | -50.16 | -49.31 | -52.11 |  | -30.78 | -26.98 | 3.80  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8 | 13.03 | -53.92 | -51.11 | -50.38 | -52.34 | -54.27 | -51.38 | -49.78 | -51.45 |  | -29.53 | -26.98 | 2.55  |
| HE20, M0.1 to M11.1                 | 1 | 4.00  |        | -51.26 |        |        |        |        |        |        |  | -47.26 | -26.50 | 20.76 |
| HE20, M0.1 to M11.1                 | 2 | 4.00  |        | -49.56 | -50.29 |        |        |        |        |        |  | -42.90 | -26.98 | 15.92 |
| HE20, M0.1 to M11.1                 | 3 | 4.00  |        | -49.55 | -47.98 | -51.25 |        |        |        |        |  | -40.62 | -26.98 | 13.64 |
| HE20, M0.1 to M11.1                 | 4 | 4.00  | -51.86 | -49.25 | -49.17 | -50.57 |        |        |        |        |  | -40.06 | -26.98 | 13.08 |
| HE20, M0.1 to M11.1                 | 6 | 7.00  |        | -47.63 | -49.67 | -54.14 |        | -50.52 | -48.23 | -52.18 |  | -35.08 | -26.87 | 8.21  |

|  |                        |   |       |        |        |        |        |        |        |        |        |  |        |        |       |
|--|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
|  | HE20, M0.1 to M11.1    | 8 | 7.00  | -51.02 | -48.29 | -48.78 | -50.20 | -51.91 | -49.84 | -48.33 | -49.27 |  | -33.51 | -26.95 | 6.57  |
|  | HE20, M0.1 to M11.1-BF | 2 | 7.01  |        | -49.81 | -50.88 |        |        |        |        |        |  | -40.29 | -26.91 | 13.38 |
|  | HE20, M0.1 to M11.1-BF | 3 | 8.77  |        | -48.91 | -49.55 | -50.54 |        |        |        |        |  | -36.07 | -26.83 | 9.23  |
|  | HE20, M0.1 to M11.1-BF | 4 | 10.02 | -51.91 | -49.33 | -49.61 | -50.68 |        |        |        |        |  | -34.23 | -26.98 | 7.25  |
|  | HE20, M0.1 to M11.1-BF | 6 | 11.78 |        | -48.84 | -49.63 | -51.41 |        | -49.42 | -49.35 | -52.23 |  | -30.42 | -26.91 | 3.51  |
|  | HE20, M0.1 to M11.1-BF | 8 | 13.03 | -53.50 | -50.13 | -50.88 | -52.06 | -53.68 | -51.26 | -50.42 | -51.26 |  | -29.42 | -26.94 | 2.48  |


|                 |                                     |   |       |        |        |        |        |        |        |        |        |  |        |        |       |
|-----------------|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
| 5825 MHz MASK 4 | non HT20, 6 to 54 Mbps              | 1 | 4.00  |        | -52.83 |        |        |        |        |        |        |  | -48.83 | -27.00 | 21.83 |
|                 | non HT20, 6 to 54 Mbps              | 2 | 4.00  |        | -48.77 | -49.74 |        |        |        |        |        |  | -42.22 | -27.00 | 15.22 |
|                 | non HT20, 6 to 54 Mbps              | 3 | 4.00  |        | -48.16 | -48.64 | -50.66 |        |        |        |        |  | -40.26 | -27.00 | 13.26 |
|                 | non HT20, 6 to 54 Mbps              | 4 | 4.00  | -51.55 | -48.59 | -48.67 | -50.24 |        |        |        |        |  | -39.57 | -27.00 | 12.57 |
|                 | non HT20, 6 to 54 Mbps              | 6 | 7.00  |        | -49.03 | -49.00 | -50.75 |        | -49.66 | -48.69 | -51.74 |  | -34.90 | -27.00 | 7.90  |
|                 | non HT20, 6 to 54 Mbps              | 8 | 7.00  | -51.70 | -48.05 | -48.31 | -50.65 | -50.65 | -49.94 | -48.45 | -49.60 |  | -33.47 | -27.00 | 6.47  |
|                 | non HT20, 6 to 54 Mbps-BF           | 2 | 7.01  |        | -48.85 | -49.70 |        |        |        |        |        |  | -39.23 | -27.00 | 12.23 |
|                 | non HT20, 6 to 54 Mbps-BF           | 3 | 8.77  |        | -48.18 | -49.00 | -51.37 |        |        |        |        |  | -35.78 | -27.00 | 8.78  |
|                 | non HT20, 6 to 54 Mbps-BF           | 4 | 10.02 | -51.32 | -48.11 | -48.45 | -50.07 |        |        |        |        |  | -33.26 | -27.00 | 6.26  |
|                 | non HT20, 6 to 54 Mbps-BF           | 6 | 11.78 |        | -49.61 | -49.58 | -51.16 |        | -49.96 | -48.37 | -51.16 |  | -30.30 | -27.00 | 3.30  |
|                 | non HT20, 6 to 54 Mbps-BF           | 8 | 13.03 | -53.31 | -49.17 | -49.90 | -52.18 | -53.17 | -51.02 | -49.94 | -51.56 |  | -28.98 | -27.00 | 1.98  |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 1 | 4.00  |        | -50.80 |        |        |        |        |        |        |  | -46.80 | -27.00 | 19.80 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 2 | 4.00  |        | -49.37 | -49.58 |        |        |        |        |        |  | -42.46 | -27.00 | 15.46 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 3 | 4.00  |        | -48.05 | -49.85 | -50.82 |        |        |        |        |  | -40.65 | -27.00 | 13.65 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 4 | 4.00  | -51.24 | -48.61 | -48.37 | -50.50 |        |        |        |        |  | -39.49 | -27.00 | 12.49 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 6 | 7.00  |        | -49.43 | -48.76 | -50.69 |        | -49.97 | -48.43 | -51.88 |  | -34.93 | -27.00 | 7.93  |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1    | 8 | 7.00  | -51.87 | -48.74 | -48.15 | -50.61 | -51.56 | -49.39 | -47.91 | -49.31 |  | -33.45 | -27.00 | 6.45  |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2 | 7.01  |        | -49.18 | -49.02 |        |        |        |        |        |  | -39.07 | -27.00 | 12.07 |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3 | 8.77  |        | -47.97 | -49.12 | -51.08 |        |        |        |        |  | -35.67 | -27.00 | 8.67  |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4 | 10.02 | -51.82 | -48.43 | -49.03 | -49.72 |        |        |        |        |  | -33.54 | -27.00 | 6.54  |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6 | 11.78 |        | -48.80 | -49.63 | -50.85 |        | -49.54 | -49.06 | -51.38 |  | -30.22 | -27.00 | 3.22  |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8 | 13.03 | -53.52 | -50.55 | -50.40 | -51.97 | -53.98 | -50.94 | -50.09 | -51.67 |  | -29.38 | -27.00 | 2.38  |
|                 | HE20, M0.1 to M11.1                 | 1 | 4.00  |        | -50.75 |        |        |        |        |        |        |  | -46.75 | -27.00 | 19.75 |
|                 | HE20, M0.1 to M11.1                 | 2 | 4.00  |        | -49.07 | -49.70 |        |        |        |        |        |  | -42.36 | -27.00 | 15.36 |
|                 | HE20, M0.1 to M11.1                 | 3 | 4.00  |        | -48.39 | -49.06 | -50.86 |        |        |        |        |  | -40.55 | -27.00 | 13.55 |
|                 | HE20, M0.1 to M11.1                 | 4 | 4.00  | -50.78 | -47.63 | -48.74 | -50.30 |        |        |        |        |  | -39.16 | -27.00 | 12.16 |
|                 | HE20, M0.1 to M11.1                 | 6 | 7.00  |        | -47.90 | -49.31 | -51.82 |        | -49.34 | -48.77 | -51.66 |  | -34.79 | -27.00 | 7.79  |
|                 | HE20, M0.1 to M11.1                 | 8 | 7.00  | -51.23 | -48.04 | -49.14 | -49.62 | -51.69 | -49.60 | -48.28 | -48.59 |  | -33.33 | -27.00 | 6.33  |

|  |                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|--|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
|  | HE20, M0.1 to M11.1-BF | 2 | 7.01  |        | -48.78 | -49.61 |        |        |        |        |        | -39.15 | -27.00 | 12.15 |
|  | HE20, M0.1 to M11.1-BF | 3 | 8.77  |        | -48.64 | -49.40 | -50.72 |        |        |        |        | -35.96 | -27.00 | 8.96  |
|  | HE20, M0.1 to M11.1-BF | 4 | 10.02 | -51.39 | -47.98 | -48.41 | -49.69 |        |        |        |        | -33.14 | -27.00 | 6.14  |
|  | HE20, M0.1 to M11.1-BF | 6 | 11.78 |        | -48.83 | -49.16 | -51.00 |        | -49.15 | -48.26 | -50.70 | -29.84 | -27.00 | 2.84  |
|  | HE20, M0.1 to M11.1-BF | 8 | 13.03 | -53.16 | -49.53 | -49.20 | -51.47 | -52.99 | -50.67 | -49.81 | -50.78 | -28.67 | -27.00 | 1.67  |

HT/VHT40, M0 to M7, M0.1 to M9.1-BF 5775 MHz MASK



HE40, M0.1 to M11.1-BF 5795 MHz MASK



Note: Record the worst plot in the report.

**Conducted Band Edge (MASK) Test Data**

| Frequency       | Configuration                              | Tx paths | Correlated antenna gain (dBi) | Tx 1 Band Edge (dBm) | Tx 2 Band Edge (dBm) | Tx 3 Band Edge (dBm) | Tx 4 Band Edge (dBm) | Tx 5 Band Edge (dBm) | Tx 6 Band Edge (dBm) | Tx 7 Band Edge (dBm) | Tx 8 Band Edge (dBm) | Duty factor | Total Conducted Band Edge (dBm) | Limit         | Margin (dB) |
|-----------------|--------------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|---------------------------------|---------------|-------------|
| 5755 MHz MASK 1 | non HT40, 6 to 54 Mbps                     | 1        | 4.00                          |                      | -47.32               |                      |                      |                      |                      |                      |                      |             | -43.32                          | -27.00        | 16.32       |
|                 | non HT40, 6 to 54 Mbps                     | 2        | 4.00                          |                      | -47.62               | -45.26               |                      |                      |                      |                      |                      |             | -39.27                          | -27.00        | 12.27       |
|                 | non HT40, 6 to 54 Mbps                     | 3        | 4.00                          |                      | -46.83               | -45.45               | -45.24               |                      |                      |                      |                      |             | -37.01                          | -27.00        | 10.01       |
|                 | non HT40, 6 to 54 Mbps                     | 4        | 4.00                          | -48.33               | -46.92               | -45.21               | -44.56               |                      |                      |                      |                      |             | -36.00                          | -27.00        | 9.00        |
|                 | <b>non HT40, 6 to 54 Mbps</b>              | <b>6</b> | <b>7.00</b>                   |                      | -47.92               | -45.11               | -45.19               |                      | -47.42               | -47.30               | -48.67               |             | -31.94                          | -27.00        | 4.94        |
|                 | non HT40, 6 to 54 Mbps                     | 8        | 7.00                          | -48.14               | -47.20               | -44.24               | -45.62               | -46.57               | -46.70               | -46.35               | -47.08               |             | -30.31                          | -27.00        | 3.31        |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1           | 1        | 4.00                          |                      | -50.19               |                      |                      |                      |                      |                      |                      |             | -46.19                          | -27.00        | 19.19       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1           | 2        | 4.00                          |                      | -49.80               | -47.75               |                      |                      |                      |                      |                      |             | -41.64                          | -27.00        | 14.64       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1           | 3        | 4.00                          |                      | -49.49               | -48.08               | -48.91               |                      |                      |                      |                      |             | -40.02                          | -27.00        | 13.02       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1           | 4        | 4.00                          | -49.04               | -48.89               | -47.91               | -49.10               |                      |                      |                      |                      |             | -38.69                          | -27.00        | 11.69       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1           | 6        | 4.00                          |                      | -48.89               | -48.46               | -48.47               |                      | -49.77               | -50.12               | -50.60               |             | -37.53                          | -27.00        | 10.53       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1           | 8        | 4.00                          | -49.46               | -48.96               | -47.96               | -49.23               | -46.82               | -49.90               | -49.50               | -49.80               |             | -35.80                          | -27.00        | 8.80        |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF        | 2        | 7.01                          |                      | -49.75               | -46.89               |                      |                      |                      |                      |                      |             | -38.07                          | -27.00        | 11.07       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF        | 3        | 8.77                          |                      | -48.98               | -47.41               | -47.96               |                      |                      |                      |                      |             | -34.53                          | -27.00        | 7.53        |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF        | 4        | 10.02                         | -48.22               | -48.76               | -48.31               | -48.79               |                      |                      |                      |                      |             | -32.47                          | -27.00        | 5.47        |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF        | 6        | 11.78                         |                      | -49.17               | -48.93               | -50.69               |                      | -50.55               | -49.90               | -51.23               |             | -30.44                          | -27.00        | 3.44        |
|                 | <b>HT/VHT40, M0 to M7, M0.1 to M9.1-BF</b> | <b>8</b> | <b>13.03</b>                  | <b>-51.34</b>        | <b>-51.41</b>        | <b>-51.55</b>        | <b>-52.18</b>        | <b>-49.84</b>        | <b>-52.13</b>        | <b>-51.89</b>        | <b>-52.39</b>        |             | <b>-29.46</b>                   | <b>-27.00</b> | <b>2.46</b> |
|                 | HE40, M0.1 to M11.1                        | 1        | 4.00                          |                      | -49.44               |                      |                      |                      |                      |                      |                      |             | -45.44                          | -27.00        | 18.44       |
|                 | HE40, M0.1 to M11.1                        | 2        | 4.00                          |                      | -49.17               | -48.23               |                      |                      |                      |                      |                      |             | -41.67                          | -27.00        | 14.67       |
|                 | HE40, M0.1 to M11.1                        | 3        | 4.00                          |                      | -48.69               | -47.75               | -47.55               |                      |                      |                      |                      |             | -39.20                          | -27.00        | 12.20       |
|                 | HE40, M0.1 to M11.1                        | 4        | 4.00                          | -49.25               | -48.18               | -45.87               | -47.05               |                      |                      |                      |                      |             | -37.38                          | -27.00        | 10.38       |
|                 | HE40, M0.1 to M11.1                        | 6        | 4.00                          |                      | -48.04               | -47.32               | -47.24               |                      | -48.99               | -48.94               | -48.46               |             | -36.33                          | -27.00        | 9.33        |
|                 | HE40, M0.1 to M11.1                        | 8        | 4.00                          | -50.00               | -48.55               | -46.21               | -46.61               | -47.76               | -49.07               | -48.97               | -47.92               |             | -34.94                          | -27.00        | 7.94        |
|                 | HE40, M0.1 to M11.1-BF                     | 2        | 7.01                          |                      | -49.12               | -47.51               |                      |                      |                      |                      |                      |             | -38.22                          | -27.00        | 11.22       |
|                 | HE40, M0.1 to M11.1-BF                     | 3        | 8.77                          |                      | -48.87               | -47.08               | -47.50               |                      |                      |                      |                      |             | -34.21                          | -27.00        | 7.21        |
|                 | HE40, M0.1 to M11.1-BF                     | 4        | 10.02                         | -48.99               | -48.38               | -47.36               | -47.14               |                      |                      |                      |                      |             | -31.86                          | -27.00        | 4.86        |
|                 | HE40, M0.1 to M11.1-BF                     | 6        | 11.78                         |                      | -49.92               | -48.92               | -47.48               |                      | -49.19               | -50.15               | -51.18               |             | -29.76                          | -27.00        | 2.76        |
|                 | HE40, M0.1 to M11.1-BF                     | 8        | 13.03                         | -52.48               | -51.45               | -51.92               | -51.93               | -50.76               | -52.67               | -50.45               | -51.32               |             | -29.50                          | -27.00        | 2.50        |

|                 |                                     |   |       |        |        |        |        |        |        |        |        |  |        |        |       |
|-----------------|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
| 5755 MHz MASK 2 | non HT40, 6 to 54 Mbps              | 1 | 4.00  |        | -47.75 |        |        |        |        |        |        |  | -43.75 | -26.46 | 17.29 |
|                 | non HT40, 6 to 54 Mbps              | 2 | 4.00  |        | -49.13 | -43.08 |        |        |        |        |        |  | -38.11 | -26.57 | 11.54 |
|                 | non HT40, 6 to 54 Mbps              | 3 | 4.00  |        | -48.07 | -45.27 | -42.12 |        |        |        |        |  | -35.72 | -26.65 | 9.07  |
|                 | non HT40, 6 to 54 Mbps              | 4 | 4.00  | -50.11 | -47.45 | -42.92 | -42.22 |        |        |        |        |  | -34.58 | -26.95 | 7.63  |
|                 | non HT40, 6 to 54 Mbps              | 6 | 7.00  |        | -48.09 | -45.16 | -41.50 |        | -48.61 | -48.67 | -49.34 |  | -31.08 | -26.98 | 4.10  |
|                 | non HT40, 6 to 54 Mbps              | 8 | 7.00  | -50.86 | -47.69 | -43.43 | -44.99 | -50.68 | -48.23 | -47.05 | -48.83 |  | -30.99 | -26.98 | 4.01  |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 1 | 4.00  |        | -51.17 |        |        |        |        |        |        |  | -47.17 | -26.87 | 20.30 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 2 | 4.00  |        | -49.66 | -48.18 |        |        |        |        |        |  | -41.84 | -26.50 | 15.34 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 3 | 4.00  |        | -49.28 | -49.10 | -47.81 |        |        |        |        |  | -39.91 | -26.98 | 12.93 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 4 | 4.00  | -52.54 | -49.80 | -48.07 | -46.96 |        |        |        |        |  | -38.86 | -26.98 | 11.88 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 6 | 4.00  |        | -50.08 | -48.25 | -47.64 |        | -50.51 | -50.16 | -51.67 |  | -37.72 | -26.98 | 10.74 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 8 | 4.00  | -52.33 | -48.60 | -48.43 | -48.87 | -52.45 | -50.35 | -49.54 | -50.40 |  | -36.85 | -26.98 | 9.87  |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2 | 7.01  |        | -50.54 | -48.49 |        |        |        |        |        |  | -39.37 | -26.72 | 12.65 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3 | 8.77  |        | -49.65 | -46.74 | -47.26 |        |        |        |        |  | -34.17 | -26.87 | 7.30  |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4 | 10.02 | -52.60 | -49.08 | -47.63 | -47.82 |        |        |        |        |  | -32.85 | -26.98 | 5.87  |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6 | 11.78 |        | -49.35 | -50.16 | -49.64 |        | -50.87 | -51.19 | -51.95 |  | -30.87 | -26.83 | 4.04  |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8 | 13.03 | -54.79 | -52.49 | -51.69 | -52.41 | -55.38 | -53.74 | -52.08 | -52.18 |  | -30.86 | -26.98 | 3.88  |
|                 | HE40, M0.1 to M11.1                 | 1 | 4.00  |        | -49.67 |        |        |        |        |        |        |  | -45.67 | -26.83 | 18.84 |
|                 | HE40, M0.1 to M11.1                 | 2 | 4.00  |        | -49.95 | -48.31 |        |        |        |        |        |  | -42.04 | -26.91 | 15.13 |
|                 | HE40, M0.1 to M11.1                 | 3 | 4.00  |        | -49.50 | -46.78 | -46.98 |        |        |        |        |  | -38.82 | -26.87 | 11.95 |
|                 | HE40, M0.1 to M11.1                 | 4 | 4.00  | -52.20 | -48.59 | -47.38 | -46.32 |        |        |        |        |  | -38.11 | -26.80 | 11.31 |
|                 | HE40, M0.1 to M11.1                 | 6 | 4.00  |        | -49.46 | -48.22 | -48.25 |        | -47.65 | -48.39 | -49.49 |  | -36.75 | -26.98 | 9.77  |
|                 | HE40, M0.1 to M11.1                 | 8 | 4.00  | -50.33 | -48.13 | -48.23 | -47.87 | -52.80 | -49.40 | -49.46 | -49.91 |  | -36.26 | -26.98 | 9.28  |
|                 | HE40, M0.1 to M11.1-BF              | 2 | 7.01  |        | -50.25 | -48.22 |        |        |        |        |        |  | -39.10 | -26.91 | 12.19 |
|                 | HE40, M0.1 to M11.1-BF              | 3 | 8.77  |        | -48.91 | -46.60 | -47.71 |        |        |        |        |  | -34.10 | -26.35 | 7.75  |
|                 | HE40, M0.1 to M11.1-BF              | 4 | 10.02 | -51.61 | -48.93 | -47.82 | -48.12 |        |        |        |        |  | -32.85 | -26.83 | 6.02  |
|                 | HE40, M0.1 to M11.1-BF              | 6 | 11.78 |        | -50.02 | -49.40 | -50.26 |        | -50.89 | -50.49 | -51.34 |  | -30.80 | -26.98 | 3.82  |
|                 | HE40, M0.1 to M11.1-BF              | 8 | 13.03 | -54.74 | -51.63 | -52.03 | -52.50 | -54.96 | -53.16 | -51.48 | -52.82 |  | -30.69 | -26.94 | 3.75  |

|                 |                        |   |      |        |        |        |        |  |        |        |        |  |        |       |       |
|-----------------|------------------------|---|------|--------|--------|--------|--------|--|--------|--------|--------|--|--------|-------|-------|
| 5755 MHz MASK 3 | non HT40, 6 to 54 Mbps | 1 | 4.00 |        | -15.95 |        |        |  |        |        |        |  | -11.95 | 15.09 | 27.04 |
|                 | non HT40, 6 to 54 Mbps | 2 | 4.00 |        | -16.30 | -12.76 |        |  |        |        |        |  | -7.17  | 15.03 | 22.20 |
|                 | non HT40, 6 to 54 Mbps | 3 | 4.00 |        | -15.61 | -11.77 | -11.09 |  |        |        |        |  | -3.65  | 15.02 | 18.67 |
|                 | non HT40, 6 to 54 Mbps | 4 | 4.00 | -18.66 | -14.59 | -13.02 | -12.35 |  |        |        |        |  | -4.06  | 15.20 | 19.26 |
|                 | non HT40, 6 to 54 Mbps | 6 | 7.00 |        | -15.12 | -12.54 | -12.36 |  | -15.46 | -15.91 | -20.25 |  | 0.18   | 14.99 | 14.81 |

|  |                                     |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|--|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
|  | non HT40, 6 to 54 Mbps              | 8 | 7.00  | -19.10 | -16.04 | -12.58 | -12.04 | -20.15 | -14.48 | -16.55 | -18.96 |  | 0.72   | 15.08 | 14.36 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 1 | 4.00  |        | -22.64 |        |        |        |        |        |        |  | -18.64 | 14.99 | 33.63 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 2 | 4.00  |        | -22.65 | -17.86 |        |        |        |        |        |  | -12.61 | 14.93 | 27.54 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 3 | 4.00  |        | -21.83 | -18.01 | -16.40 |        |        |        |        |  | -9.44  | 15.02 | 24.46 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 4 | 4.00  | -26.09 | -20.07 | -17.83 | -18.85 |        |        |        |        |  | -9.79  | 14.61 | 24.40 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 6 | 4.00  |        | -22.29 | -17.64 | -17.17 |        | -20.64 | -27.52 | -26.96 |  | -8.62  | 14.57 | 23.19 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 8 | 4.00  | -26.05 | -21.69 | -16.96 | -18.21 | -27.08 | -21.29 | -25.64 | -28.46 |  | -8.36  | 14.81 | 23.17 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2 | 7.01  |        | -22.37 | -17.53 |        |        |        |        |        |  | -9.29  | 15.01 | 24.30 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3 | 8.77  |        | -22.04 | -17.33 | -17.07 |        |        |        |        |  | -4.76  | 15.01 | 19.77 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4 | 10.02 | -25.91 | -22.94 | -17.99 | -17.80 |        |        |        |        |  | -3.95  | 14.30 | 18.25 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6 | 11.78 |        | -27.92 | -23.82 | -22.46 |        | -28.91 | -31.93 | -38.75 |  | -6.92  | 10.15 | 17.07 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8 | 13.03 | -51.51 | -41.77 | -39.98 | -40.72 | -48.20 | -41.39 | -40.34 | -46.13 |  | -20.31 | 11.24 | 31.55 |
|  | HE40, M0.1 to M11.1                 | 1 | 4.00  |        | -20.76 |        |        |        |        |        |        |  | -16.76 | 14.29 | 31.06 |
|  | HE40, M0.1 to M11.1                 | 2 | 4.00  |        | -20.51 | -16.00 |        |        |        |        |        |  | -10.69 | 14.68 | 25.37 |
|  | HE40, M0.1 to M11.1                 | 3 | 4.00  |        | -18.05 | -13.56 | -14.37 |        |        |        |        |  | -6.16  | 14.64 | 20.80 |
|  | HE40, M0.1 to M11.1                 | 4 | 4.00  | -23.29 | -18.11 | -13.73 | -15.56 |        |        |        |        |  | -6.44  | 14.62 | 21.06 |
|  | HE40, M0.1 to M11.1                 | 6 | 4.00  |        | -17.68 | -16.12 | -13.73 |        | -19.90 | -22.56 | -24.63 |  | -5.87  | 13.26 | 19.13 |
|  | HE40, M0.1 to M11.1                 | 8 | 4.00  | -23.85 | -18.93 | -16.01 | -17.69 | -24.22 | -18.46 | -21.14 | -23.44 |  | -6.49  | 14.49 | 20.98 |
|  | HE40, M0.1 to M11.1-BF              | 2 | 7.01  |        | -20.80 | -15.16 |        |        |        |        |        |  | -7.10  | 15.27 | 22.37 |
|  | HE40, M0.1 to M11.1-BF              | 3 | 8.77  |        | -19.83 | -16.30 | -14.86 |        |        |        |        |  | -3.00  | 14.26 | 17.26 |
|  | HE40, M0.1 to M11.1-BF              | 4 | 10.02 | -24.02 | -16.59 | -16.85 | -16.25 |        |        |        |        |  | -1.51  | 14.57 | 16.08 |
|  | HE40, M0.1 to M11.1-BF              | 6 | 11.78 |        | -24.44 | -19.80 | -19.26 |        | -26.05 | -27.16 | -29.21 |  | -3.23  | 14.02 | 17.25 |
|  | HE40, M0.1 to M11.1-BF              | 8 | 13.03 | -45.64 | -40.06 | -38.45 | -37.86 | -47.60 | -41.32 | -38.71 | -45.10 |  | -18.59 | 12.84 | 31.43 |

|                 |                                         |          |             |               |               |               |               |        |        |        |        |  |              |              |              |
|-----------------|-----------------------------------------|----------|-------------|---------------|---------------|---------------|---------------|--------|--------|--------|--------|--|--------------|--------------|--------------|
| 5755 MHz MASK 4 | non HT40, 6 to 54 Mbps                  | 1        | 4.00        |               | -14.97        |               |               |        |        |        |        |  | -10.97       | 15.70        | 26.67        |
|                 | non HT40, 6 to 54 Mbps                  | 2        | 4.00        |               | -14.50        | -11.72        |               |        |        |        |        |  | -5.88        | 15.75        | 21.63        |
|                 | non HT40, 6 to 54 Mbps                  | 3        | 4.00        |               | -13.99        | -11.27        | -10.96        |        |        |        |        |  | -3.11        | 16.37        | 19.48        |
|                 | non HT40, 6 to 54 Mbps                  | 4        | 4.00        | -18.15        | -14.46        | -11.25        | -12.31        |        |        |        |        |  | -3.33        | 15.83        | 19.16        |
|                 | non HT40, 6 to 54 Mbps                  | 6        | 7.00        |               | -14.20        | -11.76        | -11.99        |        | -14.79 | -15.02 | -19.46 |  | 0.87         | 15.63        | 14.76        |
|                 | non HT40, 6 to 54 Mbps                  | 8        | 7.00        | -18.65        | -13.89        | -11.43        | -12.19        | -19.75 | -13.89 | -15.77 | -17.89 |  | 1.49         | 15.61        | 14.12        |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1        | 1        | 4.00        |               | -22.25        |               |               |        |        |        |        |  | -18.25       | 15.61        | 33.85        |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1        | 2        | 4.00        |               | -22.04        | -17.52        |               |        |        |        |        |  | -12.20       | 15.82        | 28.02        |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1        | 3        | 4.00        |               | -21.98        | -17.64        | -16.95        |        |        |        |        |  | -9.59        | 15.93        | 25.52        |
|                 | <b>HT/VHT40, M0 to M7, M0.1 to M9.1</b> | <b>4</b> | <b>4.00</b> | <b>-25.64</b> | <b>-21.54</b> | <b>-17.70</b> | <b>-17.93</b> |        |        |        |        |  | <b>-9.68</b> | <b>15.62</b> | <b>25.30</b> |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1        | 6        | 4.00        |               | -21.98        | -17.20        | -16.99        |        | -20.61 | -26.43 | -26.45 |  | -8.32        | 15.67        | 23.99        |

|                                     |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
| HT/VHT40, M0 to M7, M0.1 to M9.1    | 8 | 4.00  | -24.93 | -21.80 | -17.20 | -16.96 | -26.76 | -21.10 | -24.90 | -29.23 |  | -7.98  | 15.75 | 23.73 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2 | 7.01  |        | -21.81 | -17.24 |        |        |        |        |        |  | -8.93  | 15.63 | 24.56 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3 | 8.77  |        | -22.23 | -17.10 | -16.54 |        |        |        |        |  | -4.45  | 15.67 | 20.12 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4 | 10.02 | -25.64 | -21.15 | -17.30 | -17.97 |        |        |        |        |  | -3.45  | 15.93 | 19.37 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6 | 11.78 |        | -28.60 | -21.37 | -21.82 |        | -27.82 | -31.57 | -33.09 |  | -5.65  | 15.61 | 21.25 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8 | 13.03 | -49.69 | -42.69 | -41.36 | -41.33 | -47.16 | -42.00 | -39.82 | -45.46 |  | -20.67 | 15.62 | 36.29 |
| HE40, M0.1 to M11.1                 | 1 | 4.00  |        | -19.36 |        |        |        |        |        |        |  | -15.36 | 15.75 | 31.11 |
| HE40, M0.1 to M11.1                 | 2 | 4.00  |        | -16.68 | -14.61 |        |        |        |        |        |  | -8.51  | 16.42 | 24.93 |
| HE40, M0.1 to M11.1                 | 3 | 4.00  |        | -19.92 | -15.53 | -12.81 |        |        |        |        |  | -6.43  | 16.02 | 22.45 |
| HE40, M0.1 to M11.1                 | 4 | 4.00  | -22.46 | -19.01 | -14.83 | -16.58 |        |        |        |        |  | -7.36  | 15.64 | 23.00 |
| HE40, M0.1 to M11.1                 | 6 | 4.00  |        | -17.64 | -13.01 | -12.80 |        | -16.00 | -19.34 | -21.80 |  | -3.88  | 15.71 | 19.59 |
| HE40, M0.1 to M11.1                 | 8 | 4.00  | -21.17 | -17.38 | -14.07 | -13.30 | -22.50 | -16.85 | -22.15 | -22.24 |  | -4.23  | 15.61 | 19.84 |
| HE40, M0.1 to M11.1-BF              | 2 | 7.01  |        | -17.91 | -15.06 |        |        |        |        |        |  | -6.23  | 15.65 | 21.88 |
| HE40, M0.1 to M11.1-BF              | 3 | 8.77  |        | -19.79 | -13.27 | -13.57 |        |        |        |        |  | -1.16  | 15.85 | 17.00 |
| HE40, M0.1 to M11.1-BF              | 4 | 10.02 | -20.35 | -16.74 | -14.77 | -16.17 |        |        |        |        |  | -0.54  | 15.70 | 16.24 |
| HE40, M0.1 to M11.1-BF              | 6 | 11.78 |        | -23.53 | -18.28 | -16.59 |        | -25.07 | -22.87 | -25.75 |  | -1.05  | 15.93 | 16.97 |
| HE40, M0.1 to M11.1-BF              | 8 | 13.03 | -47.09 | -40.10 | -34.21 | -33.74 | -43.22 | -37.77 | -39.02 | -45.10 |  | -15.86 | 15.66 | 31.52 |

**Conducted Band Edge (MASK) Test Data**

| Frequency       | Configuration                       | Tx paths | Correlated antenna gain (dBi) | Tx 1 Band Edge (dBm) | Tx 2 Band Edge (dBm) | Tx 3 Band Edge (dBm) | Tx 4 Band Edge (dBm) | Tx 5 Band Edge (dBm) | Tx 6 Band Edge (dBm) | Tx 7 Band Edge (dBm) | Tx 8 Band Edge (dBm) | Duty factor | Total Conducted Band Edge (dBm) | Limit | Margin (dB) |
|-----------------|-------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|---------------------------------|-------|-------------|
| 5795 MHz MASK 1 | non HT40, 6 to 54 Mbps              | 1        | 4.00                          |                      | -31.88               |                      |                      |                      |                      |                      |                      |             | -27.88                          | 20.80 | 48.68       |
|                 | non HT40, 6 to 54 Mbps              | 2        | 4.00                          |                      | -30.95               | -34.72               |                      |                      |                      |                      |                      |             | -25.43                          | 15.78 | 41.21       |
|                 | non HT40, 6 to 54 Mbps              | 3        | 4.00                          |                      | -31.24               | -32.78               | -32.42               |                      |                      |                      |                      |             | -23.32                          | 16.23 | 39.55       |
|                 | non HT40, 6 to 54 Mbps              | 4        | 4.00                          | -39.05               | -36.73               | -35.22               | -33.04               |                      |                      |                      |                      |             | -25.45                          | 15.75 | 41.20       |
|                 | non HT40, 6 to 54 Mbps              | 6        | 7.00                          |                      | -36.21               | -32.69               | -33.33               |                      | -32.24               | -35.15               | -31.86               |             | -18.53                          | 15.63 | 34.16       |
|                 | non HT40, 6 to 54 Mbps              | 8        | 7.00                          | -40.26               | -36.53               | -34.41               | -34.98               | -38.67               | -34.78               | -35.36               | -36.26               |             | -20.01                          | 15.61 | 35.62       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 1        | 4.00                          |                      | -37.98               |                      |                      |                      |                      |                      |                      |             | -33.98                          | 15.71 | 49.69       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 2        | 4.00                          |                      | -37.02               | -34.44               |                      |                      |                      |                      |                      |             | -28.53                          | 15.91 | 44.44       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 3        | 4.00                          |                      | -37.53               | -32.34               | -30.78               |                      |                      |                      |                      |             | -23.97                          | 16.20 | 40.17       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 4        | 4.00                          | -39.22               | -37.22               | -35.05               | -31.57               |                      |                      |                      |                      |             | -24.80                          | 15.66 | 40.46       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 6        | 4.00                          |                      | -36.07               | -33.72               | -30.99               |                      | -33.97               | -35.84               | -35.11               |             | -22.13                          | 15.61 | 37.74       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 8        | 4.00                          | -38.93               | -35.84               | -34.50               | -32.71               | -36.24               | -33.46               | -34.99               | -35.66               |             | -21.92                          | 15.79 | 37.71       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2        | 7.01                          |                      | -35.02               | -31.93               |                      |                      |                      |                      |                      |             | -23.18                          | 15.86 | 39.04       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3        | 8.77                          |                      | -37.54               | -32.45               | -31.98               |                      |                      |                      |                      |             | -19.84                          | 16.48 | 36.32       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4        | 10.02                         | -38.32               | -34.97               | -33.56               | -31.68               |                      |                      |                      |                      |             | -17.98                          | 16.29 | 34.27       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6        | 11.78                         |                      | -43.32               | -38.18               | -35.10               |                      | -38.63               | -41.46               | -44.57               |             | -19.46                          | 15.61 | 35.06       |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8        | 13.03                         | -53.94               | -51.24               | -51.00               | -50.38               | -53.00               | -52.32               | -50.66               | -50.83               |             | -29.46                          | 15.66 | 45.12       |
|                 | HE40, M0.1 to M11.1                 | 1        | 4.00                          |                      | -34.95               |                      |                      |                      |                      |                      |                      |             | -30.95                          | 15.73 | 46.68       |
|                 | HE40, M0.1 to M11.1                 | 2        | 4.00                          |                      | -34.14               | -32.46               |                      |                      |                      |                      |                      |             | -26.21                          | 15.89 | 42.10       |
|                 | HE40, M0.1 to M11.1                 | 3        | 4.00                          |                      | -34.26               | -32.10               | -30.65               |                      |                      |                      |                      |             | -23.32                          | 15.62 | 38.94       |
|                 | HE40, M0.1 to M11.1                 | 4        | 4.00                          | -37.60               | -34.54               | -32.35               | -32.04               |                      |                      |                      |                      |             | -23.61                          | 15.86 | 39.47       |
|                 | HE40, M0.1 to M11.1                 | 6        | 4.00                          |                      | -34.48               | -32.60               | -30.84               |                      | -32.04               | -34.46               | -37.89               |             | -21.41                          | 15.64 | 37.05       |
|                 | HE40, M0.1 to M11.1                 | 8        | 4.00                          | -38.28               | -33.75               | -32.84               | -31.12               | -36.75               | -32.80               | -32.09               | -33.62               |             | -20.38                          | 15.71 | 36.09       |
|                 | HE40, M0.1 to M11.1-BF              | 2        | 7.01                          |                      | -34.74               | -32.80               |                      |                      |                      |                      |                      |             | -23.64                          | 15.94 | 39.58       |
|                 | HE40, M0.1 to M11.1-BF              | 3        | 8.77                          |                      | -36.20               | -32.93               | -31.40               |                      |                      |                      |                      |             | -19.55                          | 15.71 | 35.26       |
|                 | HE40, M0.1 to M11.1-BF              | 4        | 10.02                         | -37.76               | -33.31               | -33.59               | -31.63               |                      |                      |                      |                      |             | -17.53                          | 15.75 | 33.28       |
|                 | HE40, M0.1 to M11.1-BF              | 6        | 11.78                         |                      | -38.66               | -35.14               | -34.01               |                      | -36.80               | -37.82               | -40.35               |             | -17.06                          | 15.69 | 32.74       |
|                 | HE40, M0.1 to M11.1-BF              | 8        | 13.03                         | -53.32               | -51.41               | -48.34               | -50.29               | -52.80               | -51.12               | -50.89               | -49.72               |             | -28.67                          | 15.61 | 44.27       |


|                 |                                     |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|-----------------|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
| 5795 MHz MASK 2 | non HT40, 6 to 54 Mbps              | 1 | 4.00  |        | -35.21 |        |        |        |        |        |        |  | -31.21 | 11.29 | 42.50 |
|                 | non HT40, 6 to 54 Mbps              | 2 | 7.01  |        | -36.65 | -32.58 |        |        |        |        |        |  | -24.14 | 11.57 | 35.71 |
|                 | non HT40, 6 to 54 Mbps              | 3 | 8.77  |        | -36.19 | -31.27 | -30.49 |        |        |        |        |  | -18.49 | 11.59 | 30.08 |
|                 | non HT40, 6 to 54 Mbps              | 4 | 10.02 | -37.98 | -35.45 | -32.98 | -30.41 |        |        |        |        |  | -17.29 | 11.29 | 28.58 |
|                 | non HT40, 6 to 54 Mbps              | 6 | 11.78 |        | -35.18 | -30.67 | -31.94 |        | -33.00 | -32.42 | -37.02 |  | -13.34 | 11.01 | 24.35 |
|                 | non HT40, 6 to 54 Mbps              | 8 | 13.03 | -38.54 | -34.06 | -32.55 | -32.68 | -37.44 | -32.81 | -33.61 | -34.43 |  | -12.02 | 11.31 | 23.33 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 1 | 4.00  |        | -37.86 |        |        |        |        |        |        |  | -33.86 | 14.32 | 48.18 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 2 | 4.00  |        | -37.75 | -34.98 |        |        |        |        |        |  | -29.14 | 13.53 | 42.67 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 3 | 4.00  |        | -37.99 | -33.26 | -34.17 |        |        |        |        |  | -25.94 | 13.48 | 39.42 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 4 | 4.00  | -41.52 | -35.51 | -34.43 | -33.82 |        |        |        |        |  | -25.48 | 13.57 | 39.05 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 6 | 4.00  |        | -39.21 | -35.23 | -33.94 |        | -34.69 | -36.02 | -36.79 |  | -23.90 | 13.55 | 37.45 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1    | 8 | 4.00  | -38.65 | -37.77 | -33.87 | -35.01 | -38.17 | -35.99 | -34.90 | -37.59 |  | -23.14 | 13.59 | 36.73 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2 | 7.01  |        | -36.70 | -36.51 |        |        |        |        |        |  | -26.58 | 12.52 | 39.10 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3 | 8.77  |        | -37.79 | -33.25 | -32.59 |        |        |        |        |  | -20.47 | 14.74 | 35.21 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4 | 10.02 | -39.62 | -37.56 | -36.35 | -33.22 |        |        |        |        |  | -20.01 | 13.39 | 33.40 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6 | 11.78 |        | -48.84 | -37.91 | -36.56 |        | -39.04 | -42.97 | -48.72 |  | -20.55 | 10.28 | 30.83 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8 | 13.03 | -53.42 | -51.03 | -51.26 | -52.49 | -54.15 | -52.14 | -51.09 | -51.38 |  | -29.93 | 10.04 | 39.97 |
|                 | HE40, M0.1 to M11.1                 | 1 | 4.00  |        | -34.48 |        |        |        |        |        |        |  | -30.48 | 15.55 | 46.03 |
|                 | HE40, M0.1 to M11.1                 | 2 | 4.00  |        | -36.36 | -34.10 |        |        |        |        |        |  | -28.07 | 12.24 | 40.31 |
|                 | HE40, M0.1 to M11.1                 | 3 | 4.00  |        | -34.17 | -35.13 | -35.16 |        |        |        |        |  | -26.02 | 11.24 | 37.26 |
|                 | HE40, M0.1 to M11.1                 | 4 | 4.00  | -37.68 | -34.16 | -30.86 | -29.99 |        |        |        |        |  | -22.24 | 15.02 | 37.26 |
|                 | HE40, M0.1 to M11.1                 | 6 | 4.00  |        | -35.72 | -31.17 | -30.97 |        | -32.38 | -34.93 | -36.16 |  | -21.27 | 13.68 | 34.95 |
|                 | HE40, M0.1 to M11.1                 | 8 | 4.00  | -36.68 | -34.58 | -34.32 | -31.75 | -38.02 | -32.80 | -32.87 | -33.26 |  | -20.85 | 13.13 | 33.98 |
|                 | HE40, M0.1 to M11.1-BF              | 2 | 7.01  |        | -36.79 | -32.55 |        |        |        |        |        |  | -24.15 | 13.70 | 37.85 |
|                 | HE40, M0.1 to M11.1-BF              | 3 | 8.77  |        | -34.14 | -33.53 | -33.40 |        |        |        |        |  | -20.14 | 12.46 | 32.60 |
|                 | HE40, M0.1 to M11.1-BF              | 4 | 10.02 | -38.88 | -35.48 | -34.43 | -35.10 |        |        |        |        |  | -19.64 | 12.62 | 32.26 |
|                 | HE40, M0.1 to M11.1-BF              | 6 | 11.78 |        | -38.39 | -35.03 | -33.72 |        | -37.82 | -36.62 | -41.50 |  | -16.96 | 14.87 | 31.83 |
|                 | HE40, M0.1 to M11.1-BF              | 8 | 13.03 | -53.64 | -50.23 | -50.89 | -52.65 | -53.71 | -51.90 | -49.97 | -51.14 |  | -29.50 | 10.01 | 39.51 |

|                 |                        |   |      |        |        |        |        |  |        |        |        |  |        |        |       |
|-----------------|------------------------|---|------|--------|--------|--------|--------|--|--------|--------|--------|--|--------|--------|-------|
| 5795 MHz MASK 3 | non HT40, 6 to 54 Mbps | 1 | 4.00 |        | -50.55 |        |        |  |        |        |        |  | -46.55 | -26.13 | 20.42 |
|                 | non HT40, 6 to 54 Mbps | 2 | 4.00 |        | -49.72 | -48.21 |        |  |        |        |        |  | -41.89 | -26.61 | 15.28 |
|                 | non HT40, 6 to 54 Mbps | 3 | 4.00 |        | -50.61 | -48.72 | -47.33 |  |        |        |        |  | -39.91 | -26.80 | 13.11 |
|                 | non HT40, 6 to 54 Mbps | 4 | 4.00 | -52.14 | -48.19 | -49.58 | -48.53 |  |        |        |        |  | -39.34 | -26.87 | 12.47 |
|                 | non HT40, 6 to 54 Mbps | 6 | 7.00 |        | -51.00 | -48.38 | -46.67 |  | -49.16 | -48.15 | -51.00 |  | -34.00 | -26.98 | 7.02  |

|  |                                     |   |       |        |        |        |        |        |        |        |        |  |        |        |       |
|--|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
|  | non HT40, 6 to 54 Mbps              | 8 | 7.00  | -52.67 | -50.35 | -48.25 | -48.97 | -51.93 | -49.76 | -47.90 | -50.57 |  | -33.74 | -26.98 | 6.76  |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 1 | 4.00  |        | -50.73 |        |        |        |        |        |        |  | -46.73 | -25.32 | 21.42 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 2 | 4.00  |        | -51.36 | -51.32 |        |        |        |        |        |  | -44.33 | -25.91 | 18.42 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 3 | 4.00  |        | -52.53 | -50.87 | -52.79 |        |        |        |        |  | -43.21 | -26.83 | 16.38 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 4 | 4.00  | -54.42 | -52.59 | -52.05 | -52.03 |        |        |        |        |  | -42.65 | -26.83 | 15.82 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 6 | 4.00  |        | -52.86 | -51.05 | -52.26 |        | -50.94 | -51.19 | -53.01 |  | -40.02 | -26.98 | 13.04 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 8 | 4.00  | -53.63 | -51.93 | -51.01 | -52.56 | -54.03 | -52.84 | -51.08 | -51.53 |  | -39.17 | -26.87 | 12.30 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2 | 7.01  |        | -51.92 | -52.48 |        |        |        |        |        |  | -42.17 | -26.76 | 15.41 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3 | 8.77  |        | -50.95 | -51.45 | -52.96 |        |        |        |        |  | -38.17 | -26.98 | 11.19 |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4 | 10.02 | -55.01 | -52.55 | -51.67 | -52.76 |        |        |        |        |  | -36.80 | -26.98 | 9.82  |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6 | 11.78 |        | -52.22 | -50.96 | -53.24 |        | -52.53 | -51.92 | -52.52 |  | -32.61 | -26.98 | 5.63  |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8 | 13.03 | -55.66 | -54.19 | -53.12 | -53.47 | -54.57 | -54.30 | -53.38 | -54.13 |  | -31.98 | -26.98 | 5.00  |
|  | HE40, M0.1 to M11.1                 | 1 | 4.00  |        | -52.36 |        |        |        |        |        |        |  | -48.36 | -26.98 | 21.38 |
|  | HE40, M0.1 to M11.1                 | 2 | 4.00  |        | -51.60 | -49.37 |        |        |        |        |        |  | -43.34 | -26.98 | 16.36 |
|  | HE40, M0.1 to M11.1                 | 3 | 4.00  |        | -52.67 | -50.35 | -50.29 |        |        |        |        |  | -42.20 | -26.72 | 15.48 |
|  | HE40, M0.1 to M11.1                 | 4 | 4.00  | -53.83 | -52.25 | -50.69 | -49.23 |        |        |        |        |  | -41.15 | -26.87 | 14.28 |
|  | HE40, M0.1 to M11.1                 | 6 | 4.00  |        | -50.97 | -51.53 | -50.48 |        | -48.73 | -50.54 | -52.34 |  | -38.83 | -26.98 | 11.85 |
|  | HE40, M0.1 to M11.1                 | 8 | 4.00  | -55.02 | -52.52 | -49.64 | -51.03 | -54.10 | -51.14 | -51.25 | -52.61 |  | -38.84 | -26.98 | 11.86 |
|  | HE40, M0.1 to M11.1-BF              | 2 | 7.01  |        | -52.73 | -49.62 |        |        |        |        |        |  | -40.88 | -26.83 | 14.05 |
|  | HE40, M0.1 to M11.1-BF              | 3 | 8.77  |        | -51.31 | -49.50 | -48.84 |        |        |        |        |  | -36.22 | -25.87 | 10.35 |
|  | HE40, M0.1 to M11.1-BF              | 4 | 10.02 | -53.84 | -52.28 | -51.04 | -51.88 |        |        |        |        |  | -36.10 | -26.87 | 9.23  |
|  | HE40, M0.1 to M11.1-BF              | 6 | 11.78 |        | -51.07 | -52.21 | -52.98 |        | -52.68 | -50.55 | -52.46 |  | -32.34 | -26.98 | 5.36  |
|  | HE40, M0.1 to M11.1-BF              | 8 | 13.03 | -54.89 | -53.85 | -53.86 | -52.93 | -55.32 | -53.35 | -54.19 | -53.50 |  | -31.86 | -26.95 | 4.91  |

|                 |                                  |   |      |        |        |        |        |        |        |        |        |  |        |        |       |
|-----------------|----------------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
| 5795 MHz MASK 4 | non HT40, 6 to 54 Mbps           | 1 | 4.00 |        | -51.20 |        |        |        |        |        |        |  | -47.20 | -27.00 | 20.20 |
|                 | non HT40, 6 to 54 Mbps           | 2 | 4.00 |        | -49.65 | -47.65 |        |        |        |        |        |  | -41.52 | -27.00 | 14.52 |
|                 | non HT40, 6 to 54 Mbps           | 3 | 4.00 |        | -50.12 | -48.36 | -46.19 |        |        |        |        |  | -39.15 | -27.00 | 12.15 |
|                 | non HT40, 6 to 54 Mbps           | 4 | 4.00 | -52.60 | -50.13 | -48.44 | -47.37 |        |        |        |        |  | -39.20 | -27.00 | 12.20 |
|                 | non HT40, 6 to 54 Mbps           | 6 | 7.00 |        | -50.91 | -48.19 | -47.75 |        | -48.95 | -48.26 | -52.02 |  | -34.31 | -27.00 | 7.31  |
|                 | non HT40, 6 to 54 Mbps           | 8 | 7.00 | -52.11 | -49.98 | -47.78 | -47.76 | -52.17 | -49.24 | -49.18 | -50.69 |  | -33.55 | -27.00 | 6.55  |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1 | 1 | 4.00 |        | -51.63 |        |        |        |        |        |        |  | -47.63 | -27.00 | 20.63 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1 | 2 | 4.00 |        | -51.42 | -51.78 |        |        |        |        |        |  | -44.58 | -27.00 | 17.58 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1 | 3 | 4.00 |        | -51.17 | -50.39 | -51.18 |        |        |        |        |  | -42.13 | -27.00 | 15.13 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1 | 4 | 4.00 | -54.48 | -50.99 | -50.61 | -51.70 |        |        |        |        |  | -41.69 | -27.00 | 14.69 |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1 | 6 | 4.00 |        | -51.21 | -50.97 | -51.71 |        | -50.08 | -50.58 | -51.53 |  | -39.20 | -27.00 | 12.20 |

|                                     |   |       |        |        |        |        |        |        |        |        |  |        |        |       |
|-------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
| HT/VHT40, M0 to M7, M0.1 to M9.1    | 8 | 4.00  | -54.10 | -50.83 | -50.51 | -52.18 | -53.23 | -51.28 | -50.80 | -50.74 |  | -38.51 | -27.00 | 11.51 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2 | 7.01  |        | -50.79 | -51.39 |        |        |        |        |        |  | -41.06 | -27.00 | 14.06 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3 | 8.77  |        | -51.66 | -50.87 | -51.95 |        |        |        |        |  | -37.92 | -27.00 | 10.92 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4 | 10.02 | -54.02 | -51.77 | -51.02 | -51.29 |        |        |        |        |  | -35.84 | -27.00 | 8.84  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6 | 11.78 |        | -51.24 | -51.00 | -51.65 |        | -50.77 | -51.02 | -51.81 |  | -31.67 | -27.00 | 4.67  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8 | 13.03 | -54.96 | -52.51 | -52.48 | -53.22 | -54.01 | -53.46 | -52.58 | -52.70 |  | -31.11 | -27.00 | 4.11  |
| HE40, M0.1 to M11.1                 | 1 | 4.00  |        | -51.44 |        |        |        |        |        |        |  | -47.44 | -27.00 | 20.44 |
| HE40, M0.1 to M11.1                 | 2 | 4.00  |        | -50.85 | -47.80 |        |        |        |        |        |  | -42.05 | -27.00 | 15.05 |
| HE40, M0.1 to M11.1                 | 3 | 4.00  |        | -51.02 | -49.48 | -47.75 |        |        |        |        |  | -40.44 | -27.00 | 13.44 |
| HE40, M0.1 to M11.1                 | 4 | 4.00  | -54.24 | -51.44 | -50.09 | -50.09 |        |        |        |        |  | -41.15 | -27.00 | 14.15 |
| HE40, M0.1 to M11.1                 | 6 | 4.00  |        | -51.13 | -48.91 | -49.60 |        | -49.64 | -50.55 | -51.39 |  | -38.33 | -27.00 | 11.33 |
| HE40, M0.1 to M11.1                 | 8 | 4.00  | -54.41 | -50.61 | -49.44 | -49.67 | -53.35 | -47.86 | -50.49 | -51.28 |  | -37.44 | -27.00 | 10.44 |
| HE40, M0.1 to M11.1-BF              | 2 | 7.01  |        | -51.50 | -49.35 |        |        |        |        |        |  | -40.27 | -27.00 | 13.27 |
| HE40, M0.1 to M11.1-BF              | 3 | 8.77  |        | -51.35 | -49.35 | -48.94 |        |        |        |        |  | -36.22 | -27.00 | 9.22  |
| HE40, M0.1 to M11.1-BF              | 4 | 10.02 | -54.08 | -51.28 | -50.38 | -49.64 |        |        |        |        |  | -35.01 | -27.00 | 8.01  |
| HE40, M0.1 to M11.1-BF              | 6 | 11.78 |        | -51.22 | -50.77 | -51.98 |        | -51.35 | -51.16 | -51.55 |  | -31.76 | -27.00 | 4.76  |
| HE40, M0.1 to M11.1-BF              | 8 | 13.03 | -54.91 | -52.56 | -52.77 | -53.21 | -54.47 | -53.61 | -51.97 | -52.41 |  | -31.07 | -27.00 | 4.07  |



Note: Record the worst plot in the report.

## Conducted Band Edge (MASK) Test Data

| Frequency             | Configuration              | Tx paths | Correlated antenna gain (dBi) | Tx 1 Band Edge (dBm) | Tx 2 Band Edge (dBm) | Tx 3 Band Edge (dBm) | Tx 4 Band Edge (dBm) | Tx 5 Band Edge (dBm) | Tx 6 Band Edge (dBm) | Tx 7 Band Edge (dBm) | Tx 8 Band Edge (dBm) | Duty factor | Total Conducted Band Edge (dBm) | Limit         | Margin (dB) |
|-----------------------|----------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|---------------------------------|---------------|-------------|
| 57.75 MHz MASK 1 LEFT | non HT80, 6 to 54 Mbps     | 1        | 4.00                          |                      | -42.19               |                      |                      |                      |                      |                      |                      |             | -38.19                          | -27.00        | 11.19       |
|                       | non HT80, 6 to 54 Mbps     | 2        | 4.00                          |                      | -41.50               | -37.30               |                      |                      |                      |                      |                      |             | -31.90                          | -27.00        | 4.90        |
|                       | non HT80, 6 to 54 Mbps     | 3        | 4.00                          |                      | -44.02               | -41.77               | -41.63               |                      |                      |                      |                      |             | -33.57                          | -27.00        | 6.57        |
|                       | non HT80, 6 to 54 Mbps     | 4        | 4.00                          | -48.91               | -48.04               | -44.63               | -45.32               |                      |                      |                      |                      |             | -36.34                          | -27.00        | 9.34        |
|                       | non HT80, 6 to 54 Mbps     | 6        | 7.00                          |                      | -50.10               | -50.89               | -50.67               |                      | -51.22               | -50.74               | -51.18               |             | -36.00                          | -27.00        | 9.00        |
|                       | non HT80, 6 to 54 Mbps     | 8        | 7.00                          | -52.98               | -50.58               | -51.16               | -50.84               | -51.74               | -51.99               | -51.99               | -51.05               |             | -35.45                          | -27.00        | 8.45        |
|                       | VHT80, M0.1 to M9.1        | 1        | 4.00                          |                      | -39.25               |                      |                      |                      |                      |                      |                      |             | -35.25                          | -27.00        | 8.25        |
|                       | VHT80, M0.1 to M9.1        | 2        | 4.00                          |                      | -39.09               | -37.74               |                      |                      |                      |                      |                      |             | -31.35                          | -27.00        | 4.35        |
|                       | VHT80, M0.1 to M9.1        | 3        | 4.00                          |                      | -42.38               | -38.33               | -39.78               |                      |                      |                      |                      |             | -31.09                          | -27.00        | 4.09        |
|                       | VHT80, M0.1 to M9.1        | 4        | 4.00                          | -48.25               | -47.13               | -43.24               | -41.56               |                      |                      |                      |                      |             | -34.19                          | -27.00        | 7.19        |
|                       | VHT80, M0.1 to M9.1        | 6        | 4.00                          |                      | -49.55               | -49.76               | -49.01               |                      | -49.87               | -49.96               | -49.75               |             | -37.85                          | -27.00        | 10.85       |
|                       | VHT80, M0.1 to M9.1        | 8        | 4.00                          | -53.91               | -50.59               | -50.74               | -51.14               | -53.30               | -51.35               | -51.52               | -50.94               |             | -38.52                          | -27.00        | 11.52       |
|                       | <b>VHT80, M0.1 to M9.1</b> | <b>2</b> | <b>7.01</b>                   |                      | <b>-38.30</b>        | <b>-36.25</b>        |                      |                      |                      |                      |                      |             | <b>-27.13</b>                   | <b>-27.00</b> | <b>0.13</b> |
|                       | VHT80, M0.1 to M9.1        | 3        | 8.77                          |                      | -45.71               | -44.93               | -43.95               |                      |                      |                      |                      |             | -31.26                          | -27.00        | 4.26        |
|                       | VHT80, M0.1 to M9.1        | 4        | 10.02                         | -48.39               | -47.06               | -44.31               | -42.92               |                      |                      |                      |                      |             | -29.10                          | -27.00        | 2.10        |
|                       | VHT80, M0.1 to M9.1        | 6        | 11.78                         |                      | -49.63               | -50.85               | -51.15               |                      | -51.83               | -51.35               | -50.82               |             | -31.32                          | -27.00        | 4.32        |
|                       | VHT80, M0.1 to M9.1        | 8        | 13.03                         | -52.31               | -49.80               | -49.96               | -50.52               | -51.61               | -51.36               | -51.90               | -49.68               |             | -28.72                          | -27.00        | 1.72        |
|                       | HE80, M0.1 to M11.1        | 1        | 4.00                          |                      | -36.97               |                      |                      |                      |                      |                      |                      |             | -32.97                          | -27.00        | 5.97        |
|                       | HE80, M0.1 to M11.1        | 2        | 4.00                          |                      | -38.91               | -36.16               |                      |                      |                      |                      |                      |             | -30.31                          | -27.00        | 3.31        |
|                       | HE80, M0.1 to M11.1        | 3        | 4.00                          |                      | -41.48               | -39.23               | -38.85               |                      |                      |                      |                      |             | -30.94                          | -27.00        | 3.94        |
|                       | HE80, M0.1 to M11.1        | 4        | 4.00                          | -46.78               | -44.65               | -41.25               | -41.22               |                      |                      |                      |                      |             | -32.87                          | -27.00        | 5.87        |
|                       | HE80, M0.1 to M11.1        | 6        | 4.00                          |                      | -48.88               | -46.63               | -45.43               |                      | -47.71               | -48.50               | -47.65               |             | -35.53                          | -27.00        | 8.53        |
|                       | HE80, M0.1 to M11.1        | 8        | 4.00                          | -53.29               | -50.69               | -51.15               | -50.98               | -52.99               | -52.07               | -52.09               | -50.63               |             | -38.60                          | -27.00        | 11.60       |
|                       | HE80, M0.1 to M11.1-BF     | 2        | 7.01                          |                      | -37.24               | -38.13               |                      |                      |                      |                      |                      |             | -27.64                          | -27.00        | 0.64        |
|                       | HE80, M0.1 to M11.1-BF     | 3        | 8.77                          |                      | -42.79               | -43.42               | -41.20               |                      |                      |                      |                      |             | -28.83                          | -27.00        | 1.83        |
|                       | HE80, M0.1 to M11.1-BF     | 4        | 10.02                         | -47.63               | -45.44               | -41.46               | -42.33               |                      |                      |                      |                      |             | -27.53                          | -27.00        | 0.53        |
|                       | HE80, M0.1 to M11.1-BF     | 6        | 11.78                         |                      | -49.31               | -49.75               | -50.21               |                      | -50.71               | -50.59               | -49.34               |             | -30.39                          | -27.00        | 3.39        |
|                       | HE80, M0.1 to M11.1-BF     | 8        | 13.03                         | -53.52               | -50.30               | -50.84               | -50.60               | -53.42               | -51.45               | -51.87               | -50.25               |             | -29.31                          | -27.00        | 2.31        |

|                      |                        |   |       |        |        |        |        |        |        |        |        |  |        |        |       |
|----------------------|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
| 5775 MHz MASK 2 LEFT | non HT80, 6 to 54 Mbps | 1 | 4.00  |        | -40.87 |        |        |        |        |        |        |  | -36.87 | -25.47 | 11.40 |
|                      | non HT80, 6 to 54 Mbps | 2 | 7.01  |        | -41.33 | -37.87 |        |        |        |        |        |  | -29.24 | -26.39 | 2.85  |
|                      | non HT80, 6 to 54 Mbps | 3 | 8.77  |        | -44.36 | -41.00 | -42.88 |        |        |        |        |  | -28.99 | -26.87 | 2.12  |
|                      | non HT80, 6 to 54 Mbps | 4 | 10.02 | -44.98 | -47.72 | -39.79 | -44.92 |        |        |        |        |  | -27.29 | -26.91 | 0.38  |
|                      | non HT80, 6 to 54 Mbps | 6 | 11.78 |        | -50.83 | -51.26 | -51.13 |        | -52.45 | -52.26 | -51.19 |  | -31.92 | -26.91 | 5.01  |
|                      | non HT80, 6 to 54 Mbps | 8 | 13.03 | -50.66 | -51.48 | -51.25 | -52.35 | -46.58 | -52.87 | -52.57 | -51.51 |  | -28.60 | -26.95 | 1.65  |
|                      | VHT80, M0.1 to M9.1    | 1 | 4.00  |        | -39.73 |        |        |        |        |        |        |  | -35.73 | -26.95 | 8.79  |
|                      | VHT80, M0.1 to M9.1    | 2 | 4.00  |        | -39.26 | -37.86 |        |        |        |        |        |  | -31.50 | -26.83 | 4.67  |
|                      | VHT80, M0.1 to M9.1    | 3 | 4.00  |        | -42.68 | -39.97 | -39.85 |        |        |        |        |  | -31.88 | -26.91 | 4.97  |
|                      | VHT80, M0.1 to M9.1    | 4 | 4.00  | -42.28 | -43.11 | -40.87 | -39.04 |        |        |        |        |  | -31.02 | -24.13 | 6.89  |
|                      | VHT80, M0.1 to M9.1    | 6 | 4.00  |        | -50.47 | -48.48 | -47.21 |        | -49.56 | -50.62 | -49.45 |  | -37.35 | -26.76 | 10.59 |
|                      | VHT80, M0.1 to M9.1    | 8 | 4.00  | -45.40 | -51.41 | -51.89 | -51.42 | -42.92 | -53.06 | -51.65 | -51.68 |  | -35.23 | -26.87 | 8.36  |
|                      | VHT80, M0.1 to M9.1    | 2 | 7.01  |        | -38.67 | -36.75 |        |        |        |        |        |  | -27.58 | -26.80 | 0.78  |
|                      | VHT80, M0.1 to M9.1    | 3 | 8.77  |        | -46.28 | -42.66 | -42.74 |        |        |        |        |  | -30.06 | -26.95 | 3.11  |
|                      | VHT80, M0.1 to M9.1    | 4 | 10.02 | -42.56 | -46.50 | -44.28 | -42.43 |        |        |        |        |  | -27.62 | -26.98 | 0.64  |
|                      | VHT80, M0.1 to M9.1    | 6 | 11.78 |        | -48.91 | -51.54 | -50.50 |        | -51.74 | -52.33 | -50.76 |  | -31.25 | -26.98 | 4.27  |
|                      | VHT80, M0.1 to M9.1    | 8 | 13.03 | -47.14 | -51.74 | -51.10 | -51.06 | -46.28 | -51.51 | -50.94 | -50.36 |  | -27.45 | -26.95 | 0.50  |
|                      | HE80, M0.1 to M11.1    | 1 | 4.00  |        | -38.67 |        |        |        |        |        |        |  | -34.67 | -26.57 | 8.09  |
|                      | HE80, M0.1 to M11.1    | 2 | 4.00  |        | -38.17 | -36.55 |        |        |        |        |        |  | -30.27 | -26.39 | 3.88  |
|                      | HE80, M0.1 to M11.1    | 3 | 4.00  |        | -40.98 | -39.69 | -37.90 |        |        |        |        |  | -30.57 | -26.98 | 3.59  |
|                      | HE80, M0.1 to M11.1    | 4 | 4.00  | -42.80 | -40.41 | -42.02 | -40.99 |        |        |        |        |  | -31.44 | -26.72 | 4.72  |
|                      | HE80, M0.1 to M11.1    | 6 | 4.00  |        | -49.29 | -46.73 | -43.89 |        | -49.04 | -48.44 | -48.60 |  | -35.41 | -26.87 | 8.54  |
|                      | HE80, M0.1 to M11.1    | 8 | 4.00  | -45.19 | -51.22 | -51.72 | -51.53 | -42.80 | -52.14 | -52.85 | -49.82 |  | -35.00 | -26.95 | 8.06  |
|                      | HE80, M0.1 to M11.1-BF | 2 | 7.01  |        | -38.14 | -36.00 |        |        |        |        |        |  | -26.92 | -26.65 | 0.27  |
|                      | HE80, M0.1 to M11.1-BF | 3 | 8.77  |        | -44.18 | -44.01 | -41.74 |        |        |        |        |  | -29.62 | -26.98 | 2.64  |
|                      | HE80, M0.1 to M11.1-BF | 4 | 10.02 | -44.57 | -45.25 | -42.46 | -43.30 |        |        |        |        |  | -27.72 | -26.65 | 1.07  |
|                      | HE80, M0.1 to M11.1-BF | 6 | 11.78 |        | -50.73 | -48.49 | -48.45 |        | -51.02 | -51.95 | -50.81 |  | -30.48 | -26.98 | 3.50  |
|                      | HE80, M0.1 to M11.1-BF | 8 | 13.03 | -54.68 | -50.63 | -51.58 | -51.33 | -43.32 | -52.12 | -51.80 | -51.69 |  | -27.31 | -26.98 | 0.33  |

|                      |                        |   |      |        |        |        |        |  |        |        |        |  |        |       |       |
|----------------------|------------------------|---|------|--------|--------|--------|--------|--|--------|--------|--------|--|--------|-------|-------|
| 5775 MHz MASK 3 LEFT | non HT80, 6 to 54 Mbps | 1 | 4.00 |        | -21.22 |        |        |  |        |        |        |  | -17.22 | 10.05 | 27.27 |
|                      | non HT80, 6 to 54 Mbps | 2 | 4.00 |        | -20.58 | -20.56 |        |  |        |        |        |  | -13.56 | 10.11 | 23.67 |
|                      | non HT80, 6 to 54 Mbps | 3 | 4.00 |        | -23.31 | -23.27 | -21.24 |  |        |        |        |  | -13.72 | 10.19 | 23.91 |
|                      | non HT80, 6 to 54 Mbps | 4 | 4.00 | -32.66 | -27.59 | -26.71 | -24.29 |  |        |        |        |  | -16.90 | 10.08 | 26.98 |
|                      | non HT80, 6 to 54 Mbps | 6 | 7.00 |        | -36.62 | -37.98 | -32.91 |  | -38.70 | -39.52 | -46.22 |  | -22.36 | 10.03 | 32.39 |

|  |                        |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|--|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
|  | non HT80, 6 to 54 Mbps | 8 | 7.00  | -41.22 | -41.32 | -42.58 | -38.33 | -47.52 | -42.06 | -43.88 | -48.28 |  | -26.12 | 10.13 | 36.25 |
|  | VHT80, M0.1 to M9.1    | 1 | 4.00  |        | -18.73 |        |        |        |        |        |        |  | -14.73 | 13.66 | 28.39 |
|  | VHT80, M0.1 to M9.1    | 2 | 4.00  |        | -20.89 | -17.52 |        |        |        |        |        |  | -11.87 | 11.84 | 23.71 |
|  | VHT80, M0.1 to M9.1    | 3 | 4.00  |        | -24.96 | -22.22 | -19.49 |        |        |        |        |  | -12.89 | 10.17 | 23.06 |
|  | VHT80, M0.1 to M9.1    | 4 | 4.00  | -33.07 | -27.11 | -26.71 | -23.79 |        |        |        |        |  | -16.58 | 13.46 | 30.04 |
|  | VHT80, M0.1 to M9.1    | 6 | 4.00  |        | -33.90 | -32.50 | -31.89 |        | -36.00 | -35.77 | -39.69 |  | -22.50 | 11.25 | 33.75 |
|  | VHT80, M0.1 to M9.1    | 8 | 4.00  | -47.66 | -42.58 | -43.98 | -41.71 | -44.75 | -42.22 | -40.96 | -45.27 |  | -30.17 | 10.08 | 40.25 |
|  | VHT80, M0.1 to M9.1    | 2 | 7.01  |        | -19.77 | -17.59 |        |        |        |        |        |  | -8.52  | 12.17 | 20.69 |
|  | VHT80, M0.1 to M9.1    | 3 | 8.77  |        | -27.49 | -26.37 | -24.21 |        |        |        |        |  | -12.26 | 13.48 | 25.73 |
|  | VHT80, M0.1 to M9.1    | 4 | 10.02 | -32.59 | -27.29 | -28.43 | -27.98 |        |        |        |        |  | -12.62 | 10.56 | 23.18 |
|  | VHT80, M0.1 to M9.1    | 6 | 11.78 |        | -39.48 | -39.64 | -36.34 |        | -40.32 | -40.18 | -45.10 |  | -19.94 | 10.24 | 30.18 |
|  | VHT80, M0.1 to M9.1    | 8 | 13.03 | -45.03 | -39.14 | -38.95 | -35.03 | -46.88 | -39.83 | -39.53 | -45.15 |  | -17.62 | 10.24 | 27.86 |
|  | HE80, M0.1 to M11.1    | 1 | 4.00  |        | -16.74 |        |        |        |        |        |        |  | -12.74 | 11.36 | 24.09 |
|  | HE80, M0.1 to M11.1    | 2 | 4.00  |        | -17.75 | -17.38 |        |        |        |        |        |  | -10.55 | 10.68 | 21.23 |
|  | HE80, M0.1 to M11.1    | 3 | 4.00  |        | -22.83 | -22.40 | -22.13 |        |        |        |        |  | -13.67 | 10.33 | 24.00 |
|  | HE80, M0.1 to M11.1    | 4 | 4.00  | -32.84 | -27.29 | -26.32 | -22.05 |        |        |        |        |  | -15.60 | 11.25 | 26.85 |
|  | HE80, M0.1 to M11.1    | 6 | 4.00  |        | -34.18 | -31.63 | -31.01 |        | -32.24 | -34.89 | -39.12 |  | -21.37 | 10.41 | 31.78 |
|  | HE80, M0.1 to M11.1    | 8 | 4.00  | -48.27 | -41.93 | -41.93 | -39.79 | -42.45 | -39.82 | -41.62 | -45.56 |  | -28.96 | 10.04 | 39.00 |
|  | HE80, M0.1 to M11.1-BF | 2 | 7.01  |        | -20.34 | -19.70 |        |        |        |        |        |  | -9.99  | 10.93 | 20.92 |
|  | HE80, M0.1 to M11.1-BF | 3 | 8.77  |        | -28.47 | -28.45 | -23.62 |        |        |        |        |  | -12.66 | 10.41 | 23.07 |
|  | HE80, M0.1 to M11.1-BF | 4 | 10.02 | -35.12 | -28.71 | -28.08 | -26.43 |        |        |        |        |  | -12.59 | 10.10 | 22.69 |
|  | HE80, M0.1 to M11.1-BF | 6 | 11.78 |        | -38.45 | -36.84 | -33.11 |        | -36.79 | -39.14 | -43.68 |  | -17.38 | 10.83 | 28.21 |
|  | HE80, M0.1 to M11.1-BF | 8 | 13.03 | -46.04 | -39.44 | -39.41 | -37.77 | -45.60 | -39.03 | -41.47 | -44.92 |  | -18.67 | 10.15 | 28.82 |

|                      |                        |   |      |        |        |        |        |        |        |        |        |  |        |       |       |
|----------------------|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
| 5775 MHz MASK 4 LEFT | non HT80, 6 to 54 Mbps | 1 | 4.00 |        | -17.40 |        |        |        |        |        |        |  | -13.40 | 16.62 | 30.02 |
|                      | non HT80, 6 to 54 Mbps | 2 | 4.00 |        | -17.33 | -15.67 |        |        |        |        |        |  | -9.41  | 16.53 | 25.94 |
|                      | non HT80, 6 to 54 Mbps | 3 | 4.00 |        | -20.35 | -18.88 | -18.72 |        |        |        |        |  | -10.48 | 15.66 | 26.14 |
|                      | non HT80, 6 to 54 Mbps | 4 | 4.00 | -29.72 | -24.80 | -22.34 | -21.96 |        |        |        |        |  | -13.80 | 15.94 | 29.74 |
|                      | non HT80, 6 to 54 Mbps | 6 | 7.00 |        | -35.06 | -34.48 | -32.80 |        | -37.72 | -37.74 | -42.21 |  | -20.98 | 15.67 | 36.65 |
|                      | non HT80, 6 to 54 Mbps | 8 | 7.00 | -41.21 | -38.61 | -38.45 | -35.95 | -46.58 | -39.38 | -42.15 | -46.56 |  | -23.80 | 15.60 | 39.40 |
|                      | VHT80, M0.1 to M9.1    | 1 | 4.00 |        | -19.95 |        |        |        |        |        |        |  | -15.95 | 16.04 | 31.98 |
|                      | VHT80, M0.1 to M9.1    | 2 | 4.00 |        | -20.28 | -17.89 |        |        |        |        |        |  | -11.91 | 15.80 | 27.71 |
|                      | VHT80, M0.1 to M9.1    | 3 | 4.00 |        | -25.39 | -21.22 | -20.92 |        |        |        |        |  | -13.32 | 15.95 | 29.27 |
|                      | VHT80, M0.1 to M9.1    | 4 | 4.00 | -33.17 | -28.65 | -27.74 | -26.55 |        |        |        |        |  | -18.41 | 15.62 | 34.03 |
|                      | VHT80, M0.1 to M9.1    | 6 | 4.00 |        | -32.92 | -32.50 | -31.49 |        | -34.92 | -35.86 | -37.19 |  | -21.92 | 15.62 | 37.54 |

|                        |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
| VHT80, M0.1 to M9.1    | 8 | 4.00  | -47.31 | -41.01 | -41.80 | -40.15 | -44.67 | -41.61 | -41.13 | -45.70 |  | -29.30 | 15.61 | 44.91 |
| VHT80, M0.1 to M9.1    | 2 | 7.01  |        | -19.24 | -16.37 |        |        |        |        |        |  | -7.55  | 15.66 | 23.21 |
| VHT80, M0.1 to M9.1    | 3 | 8.77  |        | -28.67 | -28.17 | -25.86 |        |        |        |        |  | -13.85 | 15.61 | 29.45 |
| VHT80, M0.1 to M9.1    | 4 | 10.02 | -34.12 | -28.76 | -27.75 | -26.30 |        |        |        |        |  | -12.39 | 15.63 | 28.02 |
| VHT80, M0.1 to M9.1    | 6 | 11.78 |        | -39.45 | -38.30 | -35.91 |        | -39.39 | -38.24 | -44.14 |  | -19.07 | 15.62 | 34.69 |
| VHT80, M0.1 to M9.1    | 8 | 13.03 | -43.28 | -38.74 | -36.69 | -36.81 | -43.26 | -38.46 | -39.50 | -43.47 |  | -17.19 | 15.62 | 32.81 |
| HE80, M0.1 to M11.1    | 1 | 4.00  |        | -16.61 |        |        |        |        |        |        |  | -12.61 | 17.07 | 29.67 |
| HE80, M0.1 to M11.1    | 2 | 4.00  |        | -19.45 | -17.06 |        |        |        |        |        |  | -11.08 | 15.62 | 26.70 |
| HE80, M0.1 to M11.1    | 3 | 4.00  |        | -22.84 | -21.90 | -19.75 |        |        |        |        |  | -12.53 | 15.64 | 28.17 |
| HE80, M0.1 to M11.1    | 4 | 4.00  | -30.39 | -26.79 | -25.00 | -25.08 |        |        |        |        |  | -16.32 | 15.69 | 32.01 |
| HE80, M0.1 to M11.1    | 6 | 4.00  |        | -32.02 | -31.12 | -29.24 |        | -32.05 | -32.56 | -37.45 |  | -20.03 | 15.99 | 36.02 |
| HE80, M0.1 to M11.1    | 8 | 4.00  | -47.23 | -40.89 | -40.38 | -39.48 | -44.83 | -39.79 | -42.38 | -45.01 |  | -28.74 | 15.75 | 44.49 |
| HE80, M0.1 to M11.1-BF | 2 | 7.01  |        | -18.38 | -17.66 |        |        |        |        |        |  | -7.99  | 16.16 | 24.15 |
| HE80, M0.1 to M11.1-BF | 3 | 8.77  |        | -27.87 | -25.95 | -25.14 |        |        |        |        |  | -12.63 | 15.80 | 28.43 |
| HE80, M0.1 to M11.1-BF | 4 | 10.02 | -31.95 | -27.53 | -25.01 | -26.82 |        |        |        |        |  | -11.15 | 15.64 | 26.79 |
| HE80, M0.1 to M11.1-BF | 6 | 11.78 |        | -36.94 | -34.90 | -35.57 |        | -37.25 | -39.22 | -42.79 |  | -17.56 | 15.61 | 33.16 |
| HE80, M0.1 to M11.1-BF | 8 | 13.03 | -46.45 | -40.75 | -39.77 | -39.45 | -44.29 | -40.27 | -41.88 | -44.36 |  | -19.50 | 15.61 | 35.10 |

## Conducted Band Edge (MASK) Test Data

| Frequency             | Configuration                 | Tx paths | Correlated antenna gain (dBi) | Tx 1 Band Edge (dBm) | Tx 2 Band Edge (dBm) | Tx 3 Band Edge (dBm) | Tx 4 Band Edge (dBm) | Tx 5 Band Edge (dBm) | Tx 6 Band Edge (dBm) | Tx 7 Band Edge (dBm) | Tx 8 Band Edge (dBm) | Duty factor | Total Conducted Band Edge (dBm) | Limit | Margin (dB) |
|-----------------------|-------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|---------------------------------|-------|-------------|
| 5775 MHz MASK 1 Right | non HT80, 6 to 54 Mbps        | 1        | 4.00                          |                      | -24.34               |                      |                      |                      |                      |                      |                      |             | -20.34                          | 20.92 | 41.26       |
|                       | non HT80, 6 to 54 Mbps        | 2        | 4.00                          |                      | -25.74               | -21.42               |                      |                      |                      |                      |                      |             | -16.05                          | 20.73 | 36.78       |
|                       | non HT80, 6 to 54 Mbps        | 3        | 4.00                          |                      | -32.84               | -24.23               | -24.81               |                      |                      |                      |                      |             | -17.19                          | 16.79 | 33.98       |
|                       | non HT80, 6 to 54 Mbps        | 4        | 4.00                          | -40.49               | -36.11               | -30.74               | -34.60               |                      |                      |                      |                      |             | -24.17                          | 16.05 | 40.22       |
|                       | non HT80, 6 to 54 Mbps        | 6        | 7.00                          |                      | -39.97               | -44.34               | -44.87               |                      | -47.52               | -45.94               | -46.88               |             | -29.31                          | 15.66 | 44.97       |
|                       | non HT80, 6 to 54 Mbps        | 8        | 7.00                          | -46.72               | -47.12               | -43.51               | -44.22               | -52.67               | -47.80               | -49.70               | -46.19               |             | -30.45                          | 15.61 | 46.06       |
|                       | VHT80, M0.1 to M9.1           | 1        | 4.00                          |                      | -23.84               |                      |                      |                      |                      |                      |                      |             | -19.84                          | 15.73 | 35.57       |
|                       | VHT80, M0.1 to M9.1           | 2        | 4.00                          |                      | -24.52               | -20.77               |                      |                      |                      |                      |                      |             | -15.24                          | 15.72 | 30.96       |
|                       | VHT80, M0.1 to M9.1           | 3        | 4.00                          |                      | -27.98               | -23.59               | -24.72               |                      |                      |                      |                      |             | -16.30                          | 15.75 | 32.05       |
|                       | VHT80, M0.1 to M9.1           | 4        | 4.00                          | -35.69               | -31.97               | -29.17               | -29.79               |                      |                      |                      |                      |             | -20.99                          | 15.63 | 36.62       |
|                       | VHT80, M0.1 to M9.1           | 6        | 4.00                          |                      | -36.32               | -34.21               | -36.15               |                      | -39.43               | -37.11               | -37.57               |             | -24.73                          | 15.70 | 40.43       |
|                       | VHT80, M0.1 to M9.1           | 8        | 4.00                          | -45.54               | -42.07               | -40.23               | -42.65               | -47.65               | -42.16               | -43.46               | -43.07               |             | -29.85                          | 15.74 | 45.59       |
|                       | VHT80, M0.1 to M9.1           | 2        | 7.01                          |                      | -23.51               | -19.06               |                      |                      |                      |                      |                      |             | -10.72                          | 15.72 | 26.44       |
|                       | VHT80, M0.1 to M9.1           | 3        | 8.77                          |                      | -32.40               | -29.56               | -31.61               |                      |                      |                      |                      |             | -17.48                          | 15.73 | 33.21       |
|                       | VHT80, M0.1 to M9.1           | 4        | 10.02                         | -35.16               | -32.22               | -28.41               | -30.33               |                      |                      |                      |                      |             | -14.83                          | 15.75 | 30.58       |
|                       | VHT80, M0.1 to M9.1           | 6        | 11.78                         |                      | -39.35               | -37.33               | -39.70               |                      | -41.62               | -40.42               | -40.28               |             | -20.02                          | 15.89 | 35.91       |
|                       | VHT80, M0.1 to M9.1           | 8        | 13.03                         | -43.01               | -38.88               | -37.55               | -39.72               | -46.22               | -42.02               | -40.96               | -40.33               |             | -18.39                          | 15.66 | 34.05       |
|                       | HE80, M0.1 to M11.1           | 1        | 4.00                          |                      | -23.16               |                      |                      |                      |                      |                      |                      |             | -19.16                          | 16.07 | 35.23       |
|                       | HE80, M0.1 to M11.1           | 2        | 4.00                          |                      | -22.36               | -19.26               |                      |                      |                      |                      |                      |             | -13.53                          | 15.85 | 29.38       |
|                       | HE80, M0.1 to M11.1           | 3        | 4.00                          |                      | -26.25               | -22.88               | -22.55               |                      |                      |                      |                      |             | -14.83                          | 16.29 | 31.12       |
|                       | HE80, M0.1 to M11.1           | 4        | 4.00                          | -31.66               | -31.27               | -26.21               | -28.79               |                      |                      |                      |                      |             | -18.89                          | 15.63 | 34.52       |
|                       | HE80, M0.1 to M11.1           | 6        | 4.00                          |                      | -33.31               | -30.45               | -33.46               |                      | -36.07               | -34.09               | -36.59               |             | -21.72                          | 15.66 | 37.38       |
|                       | HE80, M0.1 to M11.1           | 8        | 4.00                          | -44.45               | -41.86               | -39.51               | -41.24               | -46.72               | -43.17               | -43.07               | -41.65               |             | -29.23                          | 15.71 | 44.94       |
|                       | HE80, M0.1 to M11.1-BF        | 2        | 7.01                          |                      | -21.91               | -20.36               |                      |                      |                      |                      |                      |             | -11.05                          | 15.62 | 26.67       |
|                       | HE80, M0.1 to M11.1-BF        | 3        | 8.77                          |                      | -28.76               | -27.75               | -26.91               |                      |                      |                      |                      |             | -14.20                          | 15.79 | 29.99       |
|                       | <b>HE80, M0.1 to M11.1-BF</b> | 4        | 10.02                         | -33.59               | -29.84               | -26.16               | -29.11               |                      |                      |                      |                      |             | -12.88                          | 15.66 | 28.54       |
|                       | HE80, M0.1 to M11.1-BF        | 6        | 11.78                         |                      | -38.74               | -36.15               | -35.88               |                      | -41.50               | -36.63               | -38.42               |             | -17.94                          | 15.75 | 33.69       |
|                       | HE80, M0.1 to M11.1-BF        | 8        | 13.03                         | -43.41               | -42.13               | -37.80               | -40.57               | -46.79               | -40.18               | -43.64               | -41.23               |             | -19.22                          | 15.70 | 34.92       |

|                       |                        |   |       |        |        |        |        |        |        |        |        |  |        |       |       |
|-----------------------|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|-------|-------|
| 5775 MHz MASK 2 Right | non HT80, 6 to 54 Mbps | 1 | 4.00  |        | -23.97 |        |        |        |        |        |        |  | -19.97 | 12.35 | 32.32 |
|                       | non HT80, 6 to 54 Mbps | 2 | 7.01  |        | -25.71 | -21.97 |        |        |        |        |        |  | -13.43 | 11.61 | 25.04 |
|                       | non HT80, 6 to 54 Mbps | 3 | 8.77  |        | -26.74 | -24.46 | -25.61 |        |        |        |        |  | -11.97 | 12.20 | 24.17 |
|                       | non HT80, 6 to 54 Mbps | 4 | 10.02 | -33.36 | -31.94 | -29.21 | -29.97 |        |        |        |        |  | -14.79 | 12.32 | 27.11 |
|                       | non HT80, 6 to 54 Mbps | 6 | 11.78 |        | -40.59 | -37.99 | -38.52 |        | -41.79 | -40.49 | -43.79 |  | -20.56 | 10.70 | 31.26 |
|                       | non HT80, 6 to 54 Mbps | 8 | 13.03 | -48.10 | -44.53 | -43.21 | -42.24 | -51.39 | -46.13 | -45.60 | -46.07 |  | -23.13 | 10.61 | 33.74 |
|                       | VHT80, M0.1 to M9.1    | 1 | 4.00  |        | -26.30 |        |        |        |        |        |        |  | -22.30 | 12.69 | 34.99 |
|                       | VHT80, M0.1 to M9.1    | 2 | 7.01  |        | -27.03 | -22.10 |        |        |        |        |        |  | -13.88 | 12.56 | 26.44 |
|                       | VHT80, M0.1 to M9.1    | 3 | 8.77  |        | -28.98 | -25.11 | -27.10 |        |        |        |        |  | -13.24 | 12.65 | 25.89 |
|                       | VHT80, M0.1 to M9.1    | 4 | 10.02 | -36.09 | -35.19 | -30.52 | -31.35 |        |        |        |        |  | -16.62 | 12.56 | 29.18 |
|                       | VHT80, M0.1 to M9.1    | 6 | 11.78 |        | -37.35 | -35.05 | -38.05 |        | -41.06 | -38.45 | -40.60 |  | -18.39 | 12.58 | 30.97 |
|                       | VHT80, M0.1 to M9.1    | 8 | 13.03 | -47.81 | -42.71 | -42.12 | -43.77 | -47.48 | -44.54 | -44.65 | -43.97 |  | -22.19 | 10.64 | 32.83 |
|                       | VHT80, M0.1 to M9.1    | 2 | 7.01  |        | -24.71 | -20.27 |        |        |        |        |        |  | -11.92 | 13.87 | 25.79 |
|                       | VHT80, M0.1 to M9.1    | 3 | 8.77  |        | -34.36 | -32.27 | -32.12 |        |        |        |        |  | -19.26 | 12.50 | 31.75 |
|                       | VHT80, M0.1 to M9.1    | 4 | 10.02 | -37.99 | -33.80 | -29.13 | -33.53 |        |        |        |        |  | -16.47 | 12.41 | 28.87 |
|                       | VHT80, M0.1 to M9.1    | 6 | 11.78 |        | -40.90 | -38.11 | -41.32 |        | -42.96 | -41.36 | -42.12 |  | -21.27 | 12.62 | 33.89 |
|                       | VHT80, M0.1 to M9.1    | 8 | 13.03 | -43.81 | -40.93 | -39.45 | -40.81 | -47.90 | -43.27 | -43.82 | -41.76 |  | -20.07 | 10.59 | 30.65 |
|                       | HE80, M0.1 to M11.1    | 1 | 4.00  |        | -24.85 |        |        |        |        |        |        |  | -20.85 | 12.00 | 32.85 |
|                       | HE80, M0.1 to M11.1    | 2 | 7.01  |        | -24.29 | -22.36 |        |        |        |        |        |  | -13.20 | 12.04 | 25.24 |
|                       | HE80, M0.1 to M11.1    | 3 | 8.77  |        | -28.83 | -25.40 | -22.17 |        |        |        |        |  | -11.12 | 12.04 | 23.15 |
|                       | HE80, M0.1 to M11.1    | 4 | 10.02 | -35.29 | -30.74 | -29.06 | -30.01 |        |        |        |        |  | -14.69 | 11.53 | 26.22 |
|                       | HE80, M0.1 to M11.1    | 6 | 11.78 |        | -35.30 | -35.03 | -34.12 |        | -40.17 | -32.51 | -38.77 |  | -15.70 | 11.53 | 27.23 |
|                       | HE80, M0.1 to M11.1    | 8 | 13.03 | -46.57 | -39.88 | -39.44 | -43.64 | -49.91 | -45.34 | -44.56 | -42.30 |  | -20.79 | 10.10 | 30.89 |
|                       | HE80, M0.1 to M11.1-BF | 2 | 7.01  |        | -24.34 | -22.40 |        |        |        |        |        |  | -13.24 | 11.99 | 25.23 |
|                       | HE80, M0.1 to M11.1-BF | 3 | 8.77  |        | -27.67 | -29.29 | -30.57 |        |        |        |        |  | -15.47 | 12.01 | 27.48 |
|                       | HE80, M0.1 to M11.1-BF | 4 | 10.02 | -35.36 | -30.13 | -25.10 | -30.24 |        |        |        |        |  | -12.73 | 11.54 | 24.27 |
|                       | HE80, M0.1 to M11.1-BF | 6 | 11.78 |        | -36.49 | -38.22 | -41.20 |        | -45.03 | -37.42 | -41.84 |  | -19.59 | 10.21 | 29.80 |
|                       | HE80, M0.1 to M11.1-BF | 8 | 13.03 | -45.74 | -41.03 | -40.82 | -39.99 | -49.56 | -46.21 | -44.34 | -41.58 |  | -20.64 | 10.54 | 31.18 |

|                       |                        |   |      |        |        |        |        |  |        |        |        |  |        |        |       |
|-----------------------|------------------------|---|------|--------|--------|--------|--------|--|--------|--------|--------|--|--------|--------|-------|
| 5775 MHz MASK 3 Right | non HT80, 6 to 54 Mbps | 1 | 4.00 |        | -47.31 |        |        |  |        |        |        |  | -43.31 | -26.58 | 16.74 |
|                       | non HT80, 6 to 54 Mbps | 2 | 4.00 |        | -47.83 | -45.02 |        |  |        |        |        |  | -39.19 | -26.94 | 12.25 |
|                       | non HT80, 6 to 54 Mbps | 3 | 4.00 |        | -47.74 | -46.65 | -47.04 |  |        |        |        |  | -38.35 | -26.72 | 11.63 |
|                       | non HT80, 6 to 54 Mbps | 4 | 4.00 | -53.23 | -52.78 | -50.67 | -49.26 |  |        |        |        |  | -41.16 | -26.98 | 14.18 |
|                       | non HT80, 6 to 54 Mbps | 6 | 7.00 |        | -52.04 | -53.24 | -53.87 |  | -53.05 | -53.61 | -54.37 |  | -38.52 | -26.98 | 11.54 |

|  |                            |          |             |        |        |        |        |        |        |        |        |  |        |        |       |
|--|----------------------------|----------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
|  | non HT80, 6 to 54 Mbps     | 8        | 7.00        | -56.28 | -53.30 | -53.53 | -54.09 | -55.15 | -54.35 | -53.57 | -54.17 |  | -38.18 | -26.98 | 11.20 |
|  | VHT80, M0.1 to M9.1        | 1        | 4.00        |        | -45.30 |        |        |        |        |        |        |  | -41.30 | -25.35 | 15.95 |
|  | VHT80, M0.1 to M9.1        | 2        | 4.00        |        | -46.85 | -44.30 |        |        |        |        |        |  | -38.38 | -26.83 | 11.55 |
|  | VHT80, M0.1 to M9.1        | 3        | 4.00        |        | -48.62 | -46.38 | -45.91 |        |        |        |        |  | -38.05 | -26.94 | 11.11 |
|  | VHT80, M0.1 to M9.1        | 4        | 4.00        | -53.92 | -52.20 | -50.51 | -51.45 |        |        |        |        |  | -41.82 | -26.87 | 14.95 |
|  | <b>VHT80, M0.1 to M9.1</b> | <b>6</b> | <b>4.00</b> |        | -52.73 | -52.97 | -53.47 |        | -52.30 | -51.66 | -53.10 |  | -40.88 | -26.95 | 13.94 |
|  | VHT80, M0.1 to M9.1        | 8        | 4.00        | -55.90 | -52.86 | -52.06 | -52.62 | -54.74 | -52.98 | -53.73 | -53.03 |  | -40.31 | -26.91 | 13.40 |
|  | VHT80, M0.1 to M9.1        | 2        | 7.01        |        | -46.23 | -42.11 |        |        |        |        |        |  | -33.68 | -26.94 | 6.74  |
|  | VHT80, M0.1 to M9.1        | 3        | 8.77        |        | -52.61 | -49.76 | -52.10 |        |        |        |        |  | -37.76 | -26.94 | 10.81 |
|  | VHT80, M0.1 to M9.1        | 4        | 10.02       | -53.69 | -51.68 | -48.69 | -50.06 |        |        |        |        |  | -34.61 | -26.65 | 7.96  |
|  | VHT80, M0.1 to M9.1        | 6        | 11.78       |        | -52.88 | -53.96 | -53.47 |        | -53.18 | -52.14 | -54.29 |  | -33.70 | -26.98 | 6.72  |
|  | VHT80, M0.1 to M9.1        | 8        | 13.03       | -55.97 | -52.53 | -54.01 | -53.01 | -54.43 | -54.21 | -52.74 | -53.01 |  | -31.55 | -26.95 | 4.60  |
|  | HE80, M0.1 to M11.1        | 1        | 4.00        |        | -44.67 |        |        |        |        |        |        |  | -40.67 | -26.57 | 14.09 |
|  | HE80, M0.1 to M11.1        | 2        | 4.00        |        | -43.91 | -41.89 |        |        |        |        |        |  | -35.77 | -26.80 | 8.97  |
|  | HE80, M0.1 to M11.1        | 3        | 4.00        |        | -48.38 | -44.06 | -44.96 |        |        |        |        |  | -36.67 | -26.95 | 9.73  |
|  | HE80, M0.1 to M11.1        | 4        | 4.00        | -53.02 | -51.75 | -49.64 | -49.29 |        |        |        |        |  | -40.65 | -26.98 | 13.67 |
|  | HE80, M0.1 to M11.1        | 6        | 4.00        |        | -52.44 | -52.15 | -53.20 |        | -50.82 | -51.56 | -52.74 |  | -40.30 | -26.87 | 13.43 |
|  | HE80, M0.1 to M11.1        | 8        | 4.00        | -55.77 | -52.57 | -52.20 | -54.01 | -55.36 | -53.93 | -53.17 | -54.24 |  | -40.72 | -26.95 | 13.78 |
|  | HE80, M0.1 to M11.1-BF     | 2        | 7.01        |        | -42.16 | -42.26 |        |        |        |        |        |  | -32.19 | -26.65 | 5.54  |
|  | HE80, M0.1 to M11.1-BF     | 3        | 8.77        |        | -50.84 | -49.06 | -49.22 |        |        |        |        |  | -36.09 | -26.98 | 9.11  |
|  | HE80, M0.1 to M11.1-BF     | 4        | 10.02       | -51.93 | -49.64 | -48.08 | -49.60 |        |        |        |        |  | -33.56 | -26.06 | 7.50  |
|  | HE80, M0.1 to M11.1-BF     | 6        | 11.78       |        | -53.05 | -53.05 | -53.50 |        | -53.47 | -53.02 | -53.43 |  | -33.69 | -26.83 | 6.85  |
|  | HE80, M0.1 to M11.1-BF     | 8        | 13.03       | -55.73 | -53.08 | -52.96 | -54.38 | -55.40 | -53.40 | -52.55 | -53.51 |  | -31.68 | -26.98 | 4.70  |

|                       |                        |   |      |        |        |        |        |        |        |        |        |  |        |        |       |
|-----------------------|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|-------|
| 5775 MHz MASK 4 Right | non HT80, 6 to 54 Mbps | 1 | 4.00 |        | -45.63 |        |        |        |        |        |        |  | -41.63 | -27.00 | 14.63 |
|                       | non HT80, 6 to 54 Mbps | 2 | 4.00 |        | -46.18 | -44.20 |        |        |        |        |        |  | -38.07 | -27.00 | 11.07 |
|                       | non HT80, 6 to 54 Mbps | 3 | 4.00 |        | -47.97 | -46.37 | -46.38 |        |        |        |        |  | -38.07 | -27.00 | 11.07 |
|                       | non HT80, 6 to 54 Mbps | 4 | 4.00 | -52.89 | -51.53 | -49.13 | -49.24 |        |        |        |        |  | -40.40 | -27.00 | 13.40 |
|                       | non HT80, 6 to 54 Mbps | 6 | 7.00 |        | -52.39 | -51.93 | -52.75 |        | -53.09 | -52.27 | -52.04 |  | -37.61 | -27.00 | 10.61 |
|                       | non HT80, 6 to 54 Mbps | 8 | 7.00 | -55.13 | -52.46 | -52.39 | -52.79 | -54.34 | -52.25 | -52.53 | -52.65 |  | -36.93 | -27.00 | 9.93  |
|                       | VHT80, M0.1 to M9.1    | 1 | 4.00 |        | -46.13 |        |        |        |        |        |        |  | -42.13 | -27.00 | 15.13 |
|                       | VHT80, M0.1 to M9.1    | 2 | 4.00 |        | -46.72 | -42.31 |        |        |        |        |        |  | -36.97 | -27.00 | 9.97  |
|                       | VHT80, M0.1 to M9.1    | 3 | 4.00 |        | -48.43 | -45.03 | -44.32 |        |        |        |        |  | -36.82 | -27.00 | 9.82  |
|                       | VHT80, M0.1 to M9.1    | 4 | 4.00 | -53.14 | -51.94 | -49.45 | -50.76 |        |        |        |        |  | -41.08 | -27.00 | 14.08 |
|                       | VHT80, M0.1 to M9.1    | 6 | 4.00 |        | -51.13 | -51.67 | -52.73 |        | -52.33 | -51.79 | -52.66 |  | -40.23 | -27.00 | 13.23 |

|                               |          |              |               |               |               |               |               |               |               |               |  |               |               |             |
|-------------------------------|----------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--|---------------|---------------|-------------|
| VHT80, M0.1 to M9.1           | 8        | 4.00         | -54.28        | -52.26        | -52.01        | -53.61        | -54.32        | -52.82        | -52.42        | -53.04        |  | -39.99        | -27.00        | 12.99       |
| VHT80, M0.1 to M9.1           | 2        | 7.01         |               | -45.29        | -40.62        |               |               |               |               |               |  | -32.33        | -27.00        | 5.33        |
| VHT80, M0.1 to M9.1           | 3        | 8.77         |               | -51.15        | -49.92        | -50.38        |               |               |               |               |  | -36.92        | -27.00        | 9.92        |
| VHT80, M0.1 to M9.1           | 4        | 10.02        | -52.33        | -51.36        | -49.38        | -50.78        |               |               |               |               |  | -34.79        | -27.00        | 7.79        |
| VHT80, M0.1 to M9.1           | 6        | 11.78        |               | -52.25        | -52.44        | -53.17        |               | -52.93        | -51.70        | -52.67        |  | -32.94        | -27.00        | 5.94        |
| VHT80, M0.1 to M9.1           | 8        | 13.03        | -54.68        | -51.99        | -52.47        | -53.48        | -54.08        | -52.85        | -52.43        | -52.51        |  | -30.92        | -27.00        | 3.92        |
| HE80, M0.1 to M11.1           | 1        | 4.00         |               | -43.83        |               |               |               |               |               |               |  | -39.83        | -27.00        | 12.83       |
| HE80, M0.1 to M11.1           | 2        | 4.00         |               | -42.04        | -41.93        |               |               |               |               |               |  | -34.98        | -27.00        | 7.98        |
| HE80, M0.1 to M11.1           | 3        | 4.00         |               | -48.34        | -45.20        | -44.95        |               |               |               |               |  | -37.15        | -27.00        | 10.15       |
| HE80, M0.1 to M11.1           | 4        | 4.00         | -51.68        | -50.59        | -48.10        | -47.89        |               |               |               |               |  | -39.26        | -27.00        | 12.26       |
| HE80, M0.1 to M11.1           | 6        | 4.00         |               | -51.24        | -51.97        | -52.05        |               | -52.36        | -50.86        | -52.40        |  | -39.99        | -27.00        | 12.99       |
| HE80, M0.1 to M11.1           | 8        | 4.00         | -55.16        | -51.82        | -52.17        | -52.72        | -54.01        | -52.36        | -52.74        | -52.66        |  | -39.81        | -27.00        | 12.81       |
| HE80, M0.1 to M11.1-BF        | 2        | 7.01         |               | -43.97        | -40.73        |               |               |               |               |               |  | -32.03        | -27.00        | 5.03        |
| HE80, M0.1 to M11.1-BF        | 3        | 8.77         |               | -50.38        | -48.13        | -48.24        |               |               |               |               |  | -35.26        | -27.00        | 8.26        |
| HE80, M0.1 to M11.1-BF        | 4        | 10.02        | -51.41        | -50.80        | -47.93        | -49.07        |               |               |               |               |  | -33.54        | -27.00        | 6.54        |
| HE80, M0.1 to M11.1-BF        | 6        | 11.78        |               | -52.42        | -52.11        | -53.21        |               | -52.62        | -52.48        | -52.86        |  | -33.04        | -27.00        | 6.04        |
| <b>HE80, M0.1 to M11.1-BF</b> | <b>8</b> | <b>13.03</b> | <b>-54.21</b> | <b>-51.71</b> | <b>-52.48</b> | <b>-52.93</b> | <b>-54.37</b> | <b>-53.23</b> | <b>-51.76</b> | <b>-52.69</b> |  | <b>-30.76</b> | <b>-27.00</b> | <b>3.76</b> |

## 9 FCC §15.407(a), RSS-247 Sec 6.2 and LP0002 Sec 4.7 – Power Spectral Density

### 9.1 Applicable Standard

According to FCC §15.407(a):

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. However, fixed point-to-point U-NII devices operating in this band may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations. According to RSS-247 Sec 6.2:


The power spectral density shall not exceed 11 dBm in any 1.0 MHz band.

### 9.2 Test Procedure

- (i) Set span to encompass the entire emission bandwidth (EBW) of the signal.
- (ii) Set RBW = 1 MHz.
- (iii) Set VBW  $\geq$  3 MHz.
- (iv) Number of points in sweep  $\geq$  2 Span / RBW. (This ensures that bin-to-bin spacing is  $\leq$  RBW/2, so that narrowband signals are not lost between frequency bins.)
- (v) Sweep time = auto.
- (vi) Detector = RMS (i.e., power averaging), if available. Otherwise, use sample detector mode.
- (vii) If transmit duty cycle < 98 percent, use a video trigger with the trigger level set to enable triggering only on full power pulses. Transmitter must operate at maximum power control level for the entire duration of every sweep. If the EUT transmits continuously (i.e., with no off intervals) or at duty cycle  $\geq$  98 percent, and if each transmission is entirely at the maximum power control level, then the trigger shall be set to “free run” .
- (viii) Trace average at least 100 traces in power averaging (i.e., RMS) mode.
- (ix) Use the peak search function on the instrument to find the peak of the spectrum and record its value.

9.3 Test Data

For FCC/NCC/ISED:



Note: Record the worst plot in the report.

Test Data

| Frequency | Configuration                       | Tx paths | Correlated antenna gain (dBi) | Tx 1 PSD (dBm) | Tx 2 PSD (dBm) | Tx 3 PSD (dBm) | Tx 4 PSD (dBm) | Tx 5 PSD (dBm) | Tx 6 PSD (dBm) | Tx 7 PSD (dBm) | Tx 8 PSD (dBm) | Duty factor | Total Conducted PSD (dBm) | Limit | Margin (dB) |
|-----------|-------------------------------------|----------|-------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------|---------------------------|-------|-------------|
| 5745 MHz  | non HT20, 6 to 54 Mbps              | 1        | 4.00                          |                | -0.13          |                |                |                |                |                |                | 0.72        | 0.59                      | 30.00 | 29.41       |
|           | non HT20, 6 to 54 Mbps              | 2        | 7.01                          |                | -0.04          | 1.11           |                |                |                |                |                | 0.72        | 4.30                      | 30.00 | 25.70       |
|           | non HT20, 6 to 54 Mbps              | 3        | 8.77                          |                | -0.13          | 0.98           | 0.33           |                |                |                |                | 0.72        | 5.91                      | 30.00 | 24.09       |
|           | non HT20, 6 to 54 Mbps              | 4        | 10.02                         | -3.45          | 0.20           | 0.70           | 0.51           |                |                |                |                | 0.72        | 6.52                      | 30.00 | 23.48       |
|           | non HT20, 6 to 54 Mbps              | 6        | 11.78                         |                | 0.05           | 0.94           | 0.26           |                | 0.10           | 0.28           | 0.29           | 0.72        | 8.83                      | 30.00 | 21.17       |
|           | non HT20, 6 to 54 Mbps              | 8        | 13.03                         | -3.65          | -0.21          | 0.95           | 0.30           | -3.04          | 0.12           | 0.54           | -0.10          | 0.72        | 9.37                      | 30.00 | 20.63       |
|           | non HT20, 6 to 54 Mbps-BF           | 2        | 7.01                          |                | 0.08           | 0.41           |                |                |                |                |                | 0.72        | 3.98                      | 30.00 | 26.02       |
|           | non HT20, 6 to 54 Mbps-BF           | 3        | 8.77                          |                | 0.24           | 0.74           | 0.46           |                |                |                |                | 0.72        | 5.98                      | 30.00 | 24.02       |
|           | non HT20, 6 to 54 Mbps-BF           | 4        | 10.02                         | -3.47          | -0.24          | 0.95           | 0.70           |                |                |                |                | 0.72        | 6.54                      | 30.00 | 23.46       |
|           | non HT20, 6 to 54 Mbps-BF           | 6        | 11.78                         |                | -0.81          | -0.15          | -0.76          |                | -0.81          | -0.37          | -0.87          | 0.72        | 7.88                      | 30.00 | 22.12       |
|           | non HT20, 6 to 54 Mbps-BF           | 8        | 13.03                         | -7.35          | -3.97          | -3.00          | -3.40          | -7.11          | -3.63          | -3.32          | -4.01          | 0.72        | 5.54                      | 30.00 | 24.46       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1    | 1        | 4.00                          |                | -0.66          |                |                |                |                |                |                | 0.44        | -0.22                     | 30.00 | 30.22       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1    | 2        | 7.01                          |                | -0.16          | 0.89           |                |                |                |                |                | 0.44        | 3.85                      | 30.00 | 26.15       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1    | 3        | 8.77                          |                | -0.52          | 0.40           | 0.12           |                |                |                |                | 0.44        | 5.23                      | 30.00 | 24.77       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1    | 4        | 10.02                         | -3.58          | -0.36          | 0.53           | 0.26           |                |                |                |                | 0.44        | 5.94                      | 30.00 | 24.06       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1    | 6        | 11.78                         |                | -0.30          | 0.24           | 0.11           |                | -0.13          | -0.08          | -0.46          | 0.44        | 8.12                      | 30.00 | 21.88       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1    | 8        | 13.03                         | -3.38          | -0.33          | 0.61           | 0.33           | -3.34          | 0.37           | -0.29          | -0.36          | 0.44        | 8.91                      | 30.00 | 21.09       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2        | 7.01                          |                | -0.24          | 0.41           |                |                |                |                |                | 0.44        | 3.55                      | 30.00 | 26.45       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3        | 8.77                          |                | -0.25          | 0.43           | -0.01          |                |                |                |                | 0.44        | 5.28                      | 30.00 | 24.72       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4        | 10.02                         | -3.56          | -0.29          | 0.75           | 0.38           |                |                |                |                | 0.44        | 6.07                      | 30.00 | 23.93       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6        | 11.78                         |                | -1.29          | -0.24          | -1.15          |                | -1.38          | -0.99          | -1.61          | 0.44        | 7.13                      | 30.00 | 22.87       |
|           | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8        | 13.03                         | -7.61          | -4.15          | -3.35          | -4.15          | -7.51          | -4.38          | -3.78          | -4.35          | 0.44        | 4.81                      | 30.00 | 25.19       |
|           | HE20, M0.1 to M11.1                 | 1        | 4.00                          |                | -0.35          |                |                |                |                |                |                | 0.44        | 0.09                      | 30.00 | 29.91       |
|           | HE20, M0.1 to M11.1                 | 2        | 7.01                          |                | -0.52          | 0.34           |                |                |                |                |                | 0.44        | 3.38                      | 30.00 | 26.62       |
|           | HE20, M0.1 to M11.1                 | 3        | 8.77                          |                | -0.47          | 0.08           | -0.32          |                |                |                |                | 0.44        | 4.98                      | 30.00 | 25.02       |
|           | HE20, M0.1 to M11.1                 | 4        | 10.02                         | -3.71          | -0.20          | 0.67           | -0.07          |                |                |                |                | 0.44        | 5.92                      | 30.00 | 24.08       |
|           | HE20, M0.1 to M11.1                 | 6        | 11.78                         |                | -0.29          | 0.56           | -0.50          |                | -0.49          | -0.15          | -0.74          | 0.44        | 7.97                      | 30.00 | 22.03       |
|           | HE20, M0.1 to M11.1                 | 8        | 13.03                         | -3.65          | -0.32          | 0.49           | 0.15           | -3.69          | -0.30          | 0.03           | -0.58          | 0.44        | 8.74                      | 30.00 | 21.26       |

|                        |   |       |       |       |       |       |       |       |       |       |      |      |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-------|-------|
| HE20, M0.1 to M11.1-BF | 2 | 7.01  |       | -0.42 | 0.19  |       |       |       |       |       | 0.44 | 3.35 | 30.00 | 26.65 |
| HE20, M0.1 to M11.1-BF | 3 | 8.77  |       | -0.38 | 0.00  | -0.07 |       |       |       |       | 0.44 | 5.06 | 30.00 | 24.94 |
| HE20, M0.1 to M11.1-BF | 4 | 10.02 | -3.64 | -0.20 | 0.39  | 0.09  |       |       |       |       | 0.44 | 5.88 | 30.00 | 24.12 |
| HE20, M0.1 to M11.1-BF | 6 | 11.78 |       | -1.30 | -0.42 | -0.63 |       | -1.12 | -1.32 | -1.07 | 0.44 | 7.26 | 30.00 | 22.74 |
| HE20, M0.1 to M11.1-BF | 8 | 13.03 | -7.78 | -4.09 | -3.69 | -3.95 | -7.53 | -4.37 | -4.03 | -4.24 | 0.44 | 4.76 | 30.00 | 25.24 |

|          |                                     |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|----------|-------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| 5785 MHz | non HT20, 6 to 54 Mbps              | 1 | 4.00  |       | 0.94  |       |       |       |       |       | 0.72  | 1.66 | 30.00 | 28.34 |       |
|          | non HT20, 6 to 54 Mbps              | 2 | 7.01  |       | 0.83  | 0.25  |       |       |       |       | 0.72  | 4.28 | 30.00 | 25.72 |       |
|          | non HT20, 6 to 54 Mbps              | 3 | 8.77  |       | 0.90  | 0.26  | 1.08  |       |       |       | 0.72  | 6.25 | 30.00 | 23.75 |       |
|          | non HT20, 6 to 54 Mbps              | 4 | 10.02 | -2.97 | 0.92  | 0.87  | 0.99  |       |       |       | 0.72  | 6.97 | 30.00 | 23.03 |       |
|          | non HT20, 6 to 54 Mbps              | 6 | 11.78 |       | 0.55  | 0.45  | 0.55  |       | 0.33  | 1.11  | 0.01  | 0.72 | 9.01  | 30.00 | 20.99 |
|          | non HT20, 6 to 54 Mbps              | 8 | 13.03 | -2.57 | 0.63  | 0.58  | 0.77  | -3.31 | 0.24  | 0.83  | 0.43  | 0.72 | 9.69  | 30.00 | 20.31 |
|          | non HT20, 6 to 54 Mbps-BF           | 2 | 7.01  |       | 0.41  | 0.35  |       |       |       |       | 0.72  | 4.11 | 30.00 | 25.89 |       |
|          | non HT20, 6 to 54 Mbps-BF           | 3 | 8.77  |       | 0.67  | 0.91  | 0.78  |       |       |       | 0.72  | 6.28 | 30.00 | 23.72 |       |
|          | non HT20, 6 to 54 Mbps-BF           | 4 | 10.02 | -2.91 | 0.48  | 0.72  | 1.06  |       |       |       | 0.72  | 6.83 | 30.00 | 23.17 |       |
|          | non HT20, 6 to 54 Mbps-BF           | 6 | 11.78 |       | -0.13 | -0.44 | 0.01  |       | -0.82 | 0.20  | -0.44 | 0.72 | 8.24  | 30.00 | 21.76 |
|          | non HT20, 6 to 54 Mbps-BF           | 8 | 13.03 | -7.10 | -3.16 | -3.35 | -3.19 | -7.50 | -3.79 | -3.07 | -3.62 | 0.72 | 5.69  | 30.00 | 24.31 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 1 | 4.00  |       | 0.20  |       |       |       |       |       | 0.44  | 0.64 | 30.00 | 29.36 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 2 | 7.01  |       | 0.14  | 0.28  |       |       |       |       | 0.44  | 3.66 | 30.00 | 26.34 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 3 | 8.77  |       | 0.31  | 0.54  | 0.62  |       |       |       | 0.44  | 5.70 | 30.00 | 24.30 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 4 | 10.02 | -2.95 | 0.33  | 0.62  | 0.33  |       |       |       | 0.44  | 6.26 | 30.00 | 23.74 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 6 | 11.78 |       | 0.56  | 0.78  | 0.40  |       | 0.01  | 0.73  | -0.41 | 0.44 | 8.59  | 30.00 | 21.41 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 8 | 13.03 | -3.23 | 0.30  | 0.94  | 0.52  | -3.63 | -0.16 | 0.68  | -0.35 | 0.44 | 9.14  | 30.00 | 20.86 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2 | 7.01  |       | 0.22  | 0.24  |       |       |       |       | 0.44  | 3.68 | 30.00 | 26.32 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3 | 8.77  |       | 0.48  | 0.63  | 0.27  |       |       |       | 0.44  | 5.67 | 30.00 | 24.33 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4 | 10.02 | -3.14 | 0.15  | 0.40  | 0.29  |       |       |       | 0.44  | 6.11 | 30.00 | 23.89 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6 | 11.78 |       | -0.90 | -0.68 | -0.54 |       | -1.02 | -0.67 | -1.20 | 0.44 | 7.39  | 30.00 | 22.61 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8 | 13.03 | -7.12 | -3.97 | -3.20 | -3.47 | -7.56 | -4.17 | -3.50 | -4.04 | 0.44 | 5.10  | 30.00 | 24.90 |
|          | HE20, M0.1 to M11.1                 | 1 | 4.00  |       | 0.30  |       |       |       |       |       | 0.44  | 0.74 | 30.00 | 29.26 |       |
|          | HE20, M0.1 to M11.1                 | 2 | 7.01  |       | 0.09  | 0.08  |       |       |       |       | 0.44  | 3.54 | 30.00 | 26.46 |       |
|          | HE20, M0.1 to M11.1                 | 3 | 8.77  |       | 0.23  | -0.03 | 0.66  |       |       |       | 0.44  | 5.51 | 30.00 | 24.49 |       |
|          | HE20, M0.1 to M11.1                 | 4 | 10.02 | -3.26 | -0.12 | 0.26  | 0.63  |       |       |       | 0.44  | 6.08 | 30.00 | 23.92 |       |
|          | HE20, M0.1 to M11.1                 | 6 | 11.78 |       | 0.12  | 0.24  | 0.76  |       | -0.36 | 0.35  | -0.41 | 0.44 | 8.36  | 30.00 | 21.64 |
|          | HE20, M0.1 to M11.1                 | 8 | 13.03 | -3.23 | 0.05  | 0.50  | 0.89  | -3.78 | -0.02 | 0.72  | -0.32 | 0.44 | 9.11  | 30.00 | 20.89 |
|          | HE20, M0.1 to M11.1-BF              | 2 | 7.01  |       | 0.51  | 0.36  |       |       |       |       | 0.44  | 3.89 | 30.00 | 26.11 |       |

|                        |   |       |       |       |       |       |       |       |       |       |      |      |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-------|-------|
| HE20, M0.1 to M11.1-BF | 3 | 8.77  |       | -0.32 | 0.34  | 0.39  |       |       |       |       | 0.44 | 5.36 | 30.00 | 24.64 |
| HE20, M0.1 to M11.1-BF | 4 | 10.02 | -3.46 | 0.08  | 0.08  | 0.60  |       |       |       |       | 0.44 | 6.05 | 30.00 | 23.95 |
| HE20, M0.1 to M11.1-BF | 6 | 11.78 |       | -0.49 | -1.08 | -0.30 |       | -1.04 | -0.33 | -1.03 | 0.44 | 7.52 | 30.00 | 22.48 |
| HE20, M0.1 to M11.1-BF | 8 | 13.03 | -7.18 | -4.05 | -3.81 | -3.41 | -7.65 | -4.47 | -3.60 | -4.34 | 0.44 | 4.90 | 30.00 | 25.10 |

|          |                                     |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|----------|-------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| 5825 MHz | non HT20, 6 to 54 Mbps              | 1 | 4.00  |       | 0.36  |       |       |       |       |       | 0.72  | 1.08 | 30.00 | 28.92 |       |
|          | non HT20, 6 to 54 Mbps              | 2 | 7.01  |       | 0.31  | 0.30  |       |       |       |       | 0.72  | 4.04 | 30.00 | 25.96 |       |
|          | non HT20, 6 to 54 Mbps              | 3 | 8.77  |       | 0.15  | 0.20  | 1.30  |       |       |       | 0.72  | 6.07 | 30.00 | 23.93 |       |
|          | non HT20, 6 to 54 Mbps              | 4 | 10.02 | -2.90 | 0.48  | 0.83  | 1.45  |       |       |       | 0.72  | 6.99 | 30.00 | 23.01 |       |
|          | non HT20, 6 to 54 Mbps              | 6 | 11.78 |       | 0.21  | 0.70  | 0.91  |       | 0.54  | 1.03  | 0.16  | 0.72 | 9.11  | 30.00 | 20.89 |
|          | non HT20, 6 to 54 Mbps              | 8 | 13.03 | -2.62 | 0.60  | 0.16  | 1.24  | -3.09 | 0.93  | 0.91  | 0.64  | 0.72 | 9.85  | 30.00 | 20.15 |
|          | non HT20, 6 to 54 Mbps-BF           | 2 | 7.01  |       | 0.37  | 0.89  |       |       |       |       | 0.72  | 4.37 | 30.00 | 25.63 |       |
|          | non HT20, 6 to 54 Mbps-BF           | 3 | 8.77  |       | 0.23  | 0.20  | 1.27  |       |       |       | 0.72  | 6.09 | 30.00 | 23.91 |       |
|          | non HT20, 6 to 54 Mbps-BF           | 4 | 10.02 | -2.79 | 0.39  | 0.74  | 1.19  |       |       |       | 0.72  | 6.87 | 30.00 | 23.13 |       |
|          | non HT20, 6 to 54 Mbps-BF           | 6 | 11.78 |       | -0.61 | -0.74 | -0.34 |       | -0.58 | 0.08  | -0.85 | 0.72 | 8.01  | 30.00 | 21.99 |
|          | non HT20, 6 to 54 Mbps-BF           | 8 | 13.03 | -6.90 | -3.40 | -3.37 | -3.02 | -7.16 | -3.13 | -2.72 | -3.68 | 0.72 | 5.86  | 30.00 | 24.14 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 1 | 4.00  |       | 0.05  |       |       |       |       |       | 0.44  | 0.49 | 30.00 | 29.51 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 2 | 7.01  |       | 0.17  | 0.07  |       |       |       |       | 0.44  | 3.57 | 30.00 | 26.43 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 3 | 8.77  |       | 0.05  | -0.08 | 0.43  |       |       |       | 0.44  | 5.35 | 30.00 | 24.65 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 4 | 10.02 | -2.79 | 0.00  | 0.17  | 0.71  |       |       |       | 0.44  | 6.17 | 30.00 | 23.83 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 6 | 11.78 |       | 0.05  | 0.49  | 0.71  |       | 0.67  | 0.47  | -0.13 | 0.44 | 8.61  | 30.00 | 21.39 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1    | 8 | 13.03 | -3.01 | 0.51  | 0.46  | 0.86  | -3.05 | 0.49  | 0.90  | 0.04  | 0.44 | 9.37  | 30.00 | 20.63 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 2 | 7.01  |       | 0.18  | -0.13 |       |       |       |       | 0.44  | 3.48 | 30.00 | 26.52 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 3 | 8.77  |       | 0.07  | 0.22  | 0.39  |       |       |       | 0.44  | 5.44 | 30.00 | 24.56 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 4 | 10.02 | -3.39 | 0.16  | 0.39  | 0.91  |       |       |       | 0.44  | 6.26 | 30.00 | 23.74 |       |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 6 | 11.78 |       | -0.82 | -1.10 | 0.01  |       | -0.79 | -0.65 | -1.04 | 0.44 | 7.51  | 30.00 | 22.49 |
|          | HT/VHT20, M0 to M7, M0.1 to M8.1-BF | 8 | 13.03 | -7.18 | -3.89 | -3.59 | -3.31 | -7.32 | -3.26 | -3.19 | -4.21 | 0.44 | 5.24  | 30.00 | 24.76 |
|          | HE20, M0.1 to M11.1                 | 1 | 4.00  |       | -0.06 |       |       |       |       |       | 0.44  | 0.38 | 30.00 | 29.62 |       |
|          | HE20, M0.1 to M11.1                 | 2 | 7.01  |       | -0.15 | -0.25 |       |       |       |       | 0.44  | 3.25 | 30.00 | 26.75 |       |
|          | HE20, M0.1 to M11.1                 | 3 | 8.77  |       | -0.02 | -0.03 | 0.70  |       |       |       | 0.44  | 5.44 | 30.00 | 24.56 |       |
|          | HE20, M0.1 to M11.1                 | 4 | 10.02 | -3.37 | 0.33  | 0.39  | 0.81  |       |       |       | 0.44  | 6.28 | 30.00 | 23.72 |       |
|          | HE20, M0.1 to M11.1                 | 6 | 11.78 |       | 0.04  | -0.32 | 0.10  |       | 0.29  | 0.98  | -0.43 | 0.44 | 8.36  | 30.00 | 21.64 |
|          | HE20, M0.1 to M11.1                 | 8 | 13.03 | -2.76 | 0.15  | 0.39  | 0.55  | -3.39 | 0.43  | 0.84  | -0.42 | 0.44 | 9.18  | 30.00 | 20.82 |
|          | HE20, M0.1 to M11.1-BF              | 2 | 7.01  |       | -0.33 | -0.18 |       |       |       |       | 0.44  | 3.20 | 30.00 | 26.80 |       |
|          | HE20, M0.1 to M11.1-BF              | 3 | 8.77  |       | -0.02 | -0.05 | 0.79  |       |       |       | 0.44  | 5.47 | 30.00 | 24.53 |       |

|  |                        |   |       |       |       |       |       |       |       |       |       |      |      |       |       |
|--|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-------|-------|
|  | HE20, M0.1 to M11.1-BF | 4 | 10.02 | -3.38 | -0.26 | 0.51  | 0.95  |       |       |       |       | 0.44 | 6.20 | 30.00 | 23.80 |
|  | HE20, M0.1 to M11.1-BF | 6 | 11.78 |       | -0.93 | -0.83 | -0.86 |       | -0.71 | -0.26 | -0.79 | 0.44 | 7.50 | 30.00 | 22.50 |
|  | HE20, M0.1 to M11.1-BF | 8 | 13.03 | -7.25 | -3.89 | -3.59 | -3.54 | -7.41 | -3.62 | -3.11 | -3.85 | 0.44 | 5.20 | 30.00 | 24.80 |

|           |                                     |   |       |        |       |       |       |        |       |       |       |      |       |       |       |
|-----------|-------------------------------------|---|-------|--------|-------|-------|-------|--------|-------|-------|-------|------|-------|-------|-------|
| 57/55 MHz | non HT40, 6 to 54 Mbps              | 1 | 4.00  |        | -2.77 |       |       |        |       |       |       | 0.72 | -2.05 | 30.00 | 32.05 |
|           | non HT40, 6 to 54 Mbps              | 2 | 7.01  |        | -2.89 | -2.09 |       |        |       |       |       | 0.72 | 1.26  | 30.00 | 28.74 |
|           | non HT40, 6 to 54 Mbps              | 3 | 8.77  |        | -3.00 | -2.25 | -2.22 |        |       |       |       | 0.72 | 3.02  | 30.00 | 26.98 |
|           | non HT40, 6 to 54 Mbps              | 4 | 10.02 | -5.90  | -2.97 | -2.21 | -2.25 |        |       |       |       | 0.72 | 3.64  | 30.00 | 26.36 |
|           | non HT40, 6 to 54 Mbps              | 6 | 11.78 |        | -3.11 | -2.14 | -2.23 |        | -2.57 | -2.62 | -3.16 | 0.72 | 5.88  | 30.00 | 24.12 |
|           | non HT40, 6 to 54 Mbps              | 8 | 13.03 | -5.80  | -2.29 | -2.15 | -2.31 | -6.26  | -2.19 | -2.30 | -2.28 | 0.72 | 6.82  | 30.00 | 23.18 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1    | 1 | 4.00  |        | -3.02 |       |       |        |       |       |       | 0.44 | -2.58 | 30.00 | 32.58 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1    | 2 | 7.01  |        | -3.34 | -2.16 |       |        |       |       |       | 0.44 | 0.74  | 30.00 | 29.26 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1    | 3 | 8.77  |        | -3.76 | -2.40 | -2.38 |        |       |       |       | 0.44 | 2.41  | 30.00 | 27.59 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1    | 4 | 10.02 | -6.58  | -2.95 | -2.39 | -2.55 |        |       |       |       | 0.44 | 3.13  | 30.00 | 26.87 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1    | 6 | 11.78 |        | -3.16 | -2.68 | -2.40 |        | -2.62 | -2.56 | -3.06 | 0.44 | 5.48  | 30.00 | 24.52 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1    | 8 | 13.03 | -6.31  | -2.71 | -2.16 | -2.59 | -6.36  | -1.93 | -1.93 | -2.61 | 0.44 | 6.45  | 30.00 | 23.55 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2 | 7.01  |        | -3.36 | -2.14 |       |        |       |       |       | 0.44 | 0.74  | 30.00 | 29.26 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3 | 8.77  |        | -3.28 | -2.19 | -2.41 |        |       |       |       | 0.44 | 2.61  | 30.00 | 27.39 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4 | 10.02 | -6.33  | -2.81 | -2.20 | -2.85 |        |       |       |       | 0.44 | 3.18  | 30.00 | 26.82 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6 | 11.78 |        | -4.09 | -3.17 | -3.47 |        | -3.89 | -3.44 | -4.32 | 0.44 | 4.51  | 30.00 | 25.49 |
|           | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8 | 13.03 | -10.52 | -6.55 | -6.70 | -6.91 | -10.60 | -6.94 | -6.31 | -6.91 | 0.44 | 2.07  | 30.00 | 27.93 |
|           | HE40, M0.1 to M11.1                 | 1 | 4.00  |        | -2.73 |       |       |        |       |       |       | 0.54 | -2.19 | 30.00 | 32.19 |
|           | HE40, M0.1 to M11.1                 | 2 | 7.01  |        | -3.00 | -2.03 |       |        |       |       |       | 0.54 | 1.06  | 30.00 | 28.94 |
|           | HE40, M0.1 to M11.1                 | 3 | 8.77  |        | -2.89 | -1.78 | -2.50 |        |       |       |       | 0.54 | 2.95  | 30.00 | 27.05 |
|           | HE40, M0.1 to M11.1                 | 4 | 10.02 | -5.66  | -2.68 | -1.66 | -2.53 |        |       |       |       | 0.54 | 3.66  | 30.00 | 26.34 |
|           | HE40, M0.1 to M11.1                 | 6 | 11.78 |        | -3.03 | -1.77 | -2.07 |        | -2.74 | -2.64 | -2.49 | 0.54 | 5.89  | 30.00 | 24.11 |
|           | HE40, M0.1 to M11.1                 | 8 | 13.03 | -5.88  | -2.58 | -2.07 | -2.50 | -6.29  | -2.39 | -2.15 | -2.29 | 0.54 | 6.57  | 30.00 | 23.43 |
|           | HE40, M0.1 to M11.1-BF              | 2 | 7.01  |        | -2.91 | -2.08 |       |        |       |       |       | 0.54 | 1.08  | 30.00 | 28.92 |
|           | HE40, M0.1 to M11.1-BF              | 3 | 8.77  |        | -2.97 | -2.01 | -2.11 |        |       |       |       | 0.54 | 2.97  | 30.00 | 27.03 |
|           | HE40, M0.1 to M11.1-BF              | 4 | 10.02 | -6.05  | -2.43 | -1.66 | -2.50 |        |       |       |       | 0.54 | 3.69  | 30.00 | 26.31 |
|           | HE40, M0.1 to M11.1-BF              | 6 | 11.78 |        | -4.41 | -3.15 | -3.18 |        | -3.83 | -3.15 | -3.77 | 0.54 | 4.76  | 30.00 | 25.24 |
|           | HE40, M0.1 to M11.1-BF              | 8 | 13.03 | -10.36 | -6.54 | -6.04 | -6.68 | -10.44 | -6.81 | -6.29 | -6.74 | 0.54 | 2.37  | 30.00 | 27.63 |

|       |                        |   |      |  |       |       |  |  |  |  |  |      |       |       |       |
|-------|------------------------|---|------|--|-------|-------|--|--|--|--|--|------|-------|-------|-------|
| 57/95 | non HT40, 6 to 54 Mbps | 1 | 4.00 |  | -2.72 |       |  |  |  |  |  | 0.72 | -2.00 | 30.00 | 32.00 |
|       | non HT40, 6 to 54 Mbps | 2 | 7.01 |  | -2.86 | -2.73 |  |  |  |  |  | 0.72 | 0.94  | 30.00 | 29.06 |

|  |                                     |          |              |              |              |              |              |              |              |              |              |             |             |              |              |
|--|-------------------------------------|----------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|-------------|--------------|--------------|
|  | non HT40, 6 to 54 Mbps              | 3        | 8.77         |              | -2.58        | -2.61        | -2.06        |              |              |              |              | 0.72        | 3.08        | 30.00        | 26.92        |
|  | non HT40, 6 to 54 Mbps              | 4        | 10.02        | -6.07        | -2.42        | -2.69        | -1.69        |              |              |              |              | 0.72        | 3.81        | 30.00        | 26.19        |
|  | <b>non HT40, 6 to 54 Mbps</b>       | <b>6</b> | <b>11.78</b> |              | <b>-2.51</b> | <b>-2.61</b> | <b>-1.95</b> |              | <b>-2.68</b> | <b>-1.84</b> | <b>-2.92</b> | 0.72        | 6.10        | 30.00        | 23.90        |
|  | non HT40, 6 to 54 Mbps              | 8        | 13.03        | -5.82        | -2.09        | -2.78        | -1.84        | -5.74        | -2.49        | -2.09        | -2.64        | 0.72        | 6.80        | 30.00        | 23.20        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 1        | 4.00         |              | -2.89        |              |              |              |              |              |              | 0.44        | -2.45       | 30.00        | 32.45        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 2        | 7.01         |              | -2.93        | -3.10        |              |              |              |              |              | 0.44        | 0.44        | 30.00        | 29.56        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 3        | 8.77         |              | -3.18        | -3.08        | -1.91        |              |              |              |              | 0.44        | 2.53        | 30.00        | 27.47        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 4        | 10.02        | -6.41        | -2.12        | -2.56        | -1.99        |              |              |              |              | 0.44        | 3.51        | 30.00        | 26.49        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 6        | 11.78        |              | -2.89        | -2.88        | -1.91        |              | -2.73        | -2.42        | -3.24        | 0.44        | 5.56        | 30.00        | 24.44        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1    | 8        | 13.03        | -6.07        | -2.42        | -2.34        | -2.51        | -6.15        | -2.78        | -2.52        | -2.46        | 0.44        | 6.31        | 30.00        | 23.69        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 2        | 7.01         |              | -2.94        | -2.74        |              |              |              |              |              | 0.44        | 0.61        | 30.00        | 29.39        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 3        | 8.77         |              | -2.81        | -2.77        | -1.96        |              |              |              |              | 0.44        | 2.72        | 30.00        | 27.28        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 4        | 10.02        | -6.32        | -2.48        | -2.43        | -2.42        |              |              |              |              | 0.44        | 3.32        | 30.00        | 26.68        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 6        | 11.78        |              | -4.04        | -3.85        | -3.25        |              | -3.71        | -3.68        | -4.67        | 0.44        | 4.38        | 30.00        | 25.62        |
|  | HT/VHT40, M0 to M7, M0.1 to M9.1-BF | 8        | 13.03        | -10.27       | -6.76        | -6.22        | -6.39        | -10.58       | -7.08        | -6.23        | -7.00        | 0.44        | 2.18        | 30.00        | 27.82        |
|  | HE40, M0.1 to M11.1                 | 1        | 4.00         |              | -2.47        |              |              |              |              |              |              | 0.54        | -1.93       | 30.00        | 31.93        |
|  | HE40, M0.1 to M11.1                 | 2        | 7.01         |              | -2.54        | -2.72        |              |              |              |              |              | 0.54        | 0.92        | 30.00        | 29.08        |
|  | HE40, M0.1 to M11.1                 | 3        | 8.77         |              | -2.52        | -2.66        | -1.95        |              |              |              |              | 0.54        | 2.95        | 30.00        | 27.05        |
|  | HE40, M0.1 to M11.1                 | 4        | 10.02        | -6.26        | -2.44        | -2.32        | -1.93        |              |              |              |              | 0.54        | 3.62        | 30.00        | 26.38        |
|  | HE40, M0.1 to M11.1                 | 6        | 11.78        |              | -2.60        | -2.06        | -1.83        |              | -2.43        | -2.33        | -2.96        | 0.54        | 5.97        | 30.00        | 24.03        |
|  | <b>HE40, M0.1 to M11.1</b>          | <b>8</b> | <b>13.03</b> | <b>-6.08</b> | <b>-2.46</b> | <b>-2.31</b> | <b>-1.97</b> | <b>-5.94</b> | <b>-2.40</b> | <b>-2.07</b> | <b>-2.79</b> | <b>0.54</b> | <b>6.58</b> | <b>30.00</b> | <b>23.42</b> |
|  | HE40, M0.1 to M11.1-BF              | 2        | 7.01         |              | -2.76        | -2.41        |              |              |              |              |              | 0.54        | 0.97        | 30.00        | 29.03        |
|  | HE40, M0.1 to M11.1-BF              | 3        | 8.77         |              | -2.56        | -2.49        | -1.80        |              |              |              |              | 0.54        | 3.04        | 30.00        | 26.96        |
|  | HE40, M0.1 to M11.1-BF              | 4        | 10.02        | -5.89        | -2.02        | -2.41        | -2.12        |              |              |              |              | 0.54        | 3.71        | 30.00        | 26.29        |
|  | HE40, M0.1 to M11.1-BF              | 6        | 11.78        |              | -3.35        | -3.44        | -2.74        |              | -3.68        | -3.52        | -4.02        | 0.54        | 4.88        | 30.00        | 25.12        |
|  | HE40, M0.1 to M11.1-BF              | 8        | 13.03        | -9.99        | -6.39        | -6.47        | -6.13        | -10.20       | -6.62        | -6.04        | -6.57        | 0.54        | 2.53        | 30.00        | 27.47        |

|          |                        |   |       |        |        |       |        |        |        |        |       |      |       |       |       |
|----------|------------------------|---|-------|--------|--------|-------|--------|--------|--------|--------|-------|------|-------|-------|-------|
| 5775 MHz | non HT80, 6 to 54 Mbps | 1 | 4.00  |        | -5.35  |       |        |        |        |        |       | 0.72 | -4.63 | 30.00 | 34.63 |
|          | non HT80, 6 to 54 Mbps | 2 | 7.01  |        | -5.22  | -5.32 |        |        |        |        |       | 0.72 | -1.54 | 30.00 | 31.54 |
|          | non HT80, 6 to 54 Mbps | 3 | 8.77  |        | -6.13  | -5.72 | -6.02  |        |        |        |       | 0.72 | -0.46 | 30.00 | 30.46 |
|          | non HT80, 6 to 54 Mbps | 4 | 10.02 | -10.59 | -7.12  | -6.56 | -6.83  |        |        |        |       | 0.72 | -0.77 | 30.00 | 30.77 |
|          | non HT80, 6 to 54 Mbps | 6 | 11.78 |        | -9.30  | -9.23 | -8.92  |        | -9.44  | -8.64  | -9.18 | 0.72 | -0.61 | 30.00 | 30.61 |
|          | non HT80, 6 to 54 Mbps | 8 | 13.03 | -13.38 | -10.34 | -9.92 | -10.23 | -13.26 | -10.19 | -10.05 | -9.87 | 0.72 | -0.96 | 30.00 | 30.96 |
|          | VHT80, M0.1 to M9.1    | 1 | 4.00  |        | -5.86  |       |        |        |        |        |       | 0.92 | -4.94 | 30.00 | 34.94 |
|          | VHT80, M0.1 to M9.1    | 2 | 7.01  |        | -5.76  | -5.79 |        |        |        |        |       | 0.92 | -1.84 | 30.00 | 31.84 |

|                            |          |              |        |              |              |              |        |              |              |              |  |             |              |              |              |
|----------------------------|----------|--------------|--------|--------------|--------------|--------------|--------|--------------|--------------|--------------|--|-------------|--------------|--------------|--------------|
| VHT80, M0.1 to M9.1        | 3        | 8.77         |        | -6.73        | -6.50        | -6.48        |        |              |              |              |  | 0.92        | -0.88        | 30.00        | 30.88        |
| VHT80, M0.1 to M9.1        | 4        | 10.02        | -11.18 | -7.61        | -7.43        | -7.65        |        |              |              |              |  | 0.92        | -1.28        | 30.00        | 31.28        |
| VHT80, M0.1 to M9.1        | 6        | 11.78        |        | -8.91        | -8.90        | -8.89        |        | -9.28        | -8.44        | -9.06        |  | 0.92        | -0.20        | 30.00        | 30.20        |
| VHT80, M0.1 to M9.1        | 8        | 13.03        | -14.14 | -10.73       | -10.37       | -10.69       | -13.94 | -11.15       | -10.39       | -10.76       |  | 0.92        | -1.35        | 30.00        | 31.35        |
| VHT80, M0.1 to M9.1        | 2        | 7.01         |        | -5.84        | -5.50        |              |        |              |              |              |  | 0.92        | -1.74        | 30.00        | 31.74        |
| VHT80, M0.1 to M9.1        | 3        | 8.77         |        | -7.78        | -7.82        | -7.68        |        |              |              |              |  | 0.92        | -2.07        | 30.00        | 32.07        |
| VHT80, M0.1 to M9.1        | 4        | 10.02        | -11.25 | -7.92        | -7.42        | -7.72        |        |              |              |              |  | 0.92        | -1.40        | 30.00        | 31.40        |
| VHT80, M0.1 to M9.1        | 6        | 11.78        |        | -9.96        | -9.88        | -10.01       |        | -10.11       | -9.28        | -9.91        |  | 0.92        | -1.15        | 30.00        | 31.15        |
| VHT80, M0.1 to M9.1        | 8        | 13.03        | -13.25 | -10.13       | -9.70        | -9.71        | -13.06 | -10.04       | -9.25        | -9.50        |  | 0.92        | -0.40        | 30.00        | 30.40        |
| HE80, M0.1 to M11.1        | 1        | 4.00         |        | -5.70        |              |              |        |              |              |              |  | 0.54        | -5.16        | 30.00        | 35.16        |
| HE80, M0.1 to M11.1        | 2        | 7.01         |        | -5.36        | -5.53        |              |        |              |              |              |  | 0.54        | -1.89        | 30.00        | 31.89        |
| HE80, M0.1 to M11.1        | 3        | 8.77         |        | -6.56        | -6.60        | -6.15        |        |              |              |              |  | 0.54        | -1.12        | 30.00        | 31.12        |
| HE80, M0.1 to M11.1        | 4        | 10.02        | -10.94 | -7.59        | -7.28        | -7.28        |        |              |              |              |  | 0.54        | -1.47        | 30.00        | 31.47        |
| <b>HE80, M0.1 to M11.1</b> | <b>6</b> | <b>11.78</b> |        | <b>-8.70</b> | <b>-8.50</b> | <b>-8.36</b> |        | <b>-9.00</b> | <b>-7.96</b> | <b>-8.61</b> |  | <b>0.54</b> | <b>-0.19</b> | <b>30.00</b> | <b>30.19</b> |
| HE80, M0.1 to M11.1        | 8        | 13.03        | -13.93 | -10.49       | -10.21       | -10.07       | -13.63 | -10.46       | -10.04       | -10.46       |  | 0.54        | -1.36        | 30.00        | 31.36        |
| HE80, M0.1 to M11.1-BF     | 2        | 7.01         |        | -5.46        | -5.57        |              |        |              |              |              |  | 0.54        | -1.96        | 30.00        | 31.96        |
| HE80, M0.1 to M11.1-BF     | 3        | 8.77         |        | -7.52        | -7.10        | -7.21        |        |              |              |              |  | 0.54        | -1.96        | 30.00        | 31.96        |
| HE80, M0.1 to M11.1-BF     | 4        | 10.02        | -10.78 | -7.44        | -7.16        | -7.15        |        |              |              |              |  | 0.54        | -1.34        | 30.00        | 31.34        |
| HE80, M0.1 to M11.1-BF     | 6        | 11.78        |        | -9.61        | -9.15        | -9.59        |        | -9.68        | -9.01        | -9.47        |  | 0.54        | -1.09        | 30.00        | 31.09        |
| HE80, M0.1 to M11.1-BF     | 8        | 13.03        | -13.55 | -10.44       | -10.15       | -10.64       | -13.50 | -10.73       | -10.20       | -10.36       |  | 0.54        | -1.44        | 30.00        | 31.44        |

----- END OF REPORT -----