







NTNV-11AX20-Ant2-5320-5249~5249.8




NTNV-11AX20-Ant2-5320-5249.8~5250




NTNV-11AX20-Ant2-5320-5350~26000




NTNV-11AX40-Ant2-5270-30~5221.6



NTNV-11AX40-Ant2-5270-5221.6~5230




NTNV-11AX40-Ant2-5270-5230~5249




NTNV-11AX40-Ant2-5270-5249~5250




NTNV-11AX40-Ant2-5270-5350~5348.4




NTNV-11AX40-Ant2-5270-5348.4~26000




NTNV-11AX40-Ant2-5310-30~5221.6




NTNV-11AX40-Ant2-5310-5221.6~5230




NTNV-11AX40-Ant2-5310-5230~5249



NTNV-11AX40-Ant2-5310-5249~5250



NTNV-11AX40-Ant2-5310-5350~5348.4



NTNV-11AX40-Ant2-5310-5348.4~26000

Appendix E6: Spurious Emission of RX


Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant2	5260	30~1000	30.00	-86.66	≤-54	0.00216	≤4	PASS
NTNV	11A	Ant2	5260	1000~26000	2426.25	-58.16	≤-47	1.52757	≤20	PASS
NTNV	11A	Ant2	5280	30~1000	30.00	-87.13	≤-54	0.00194	≤4	PASS
NTNV	11A	Ant2	5280	1000~26000	2410.00	-60.84	≤-47	0.82414	≤20	PASS
NTNV	11A	Ant2	5320	30~1000	30.00	-87.46	≤-54	0.00179	≤4	PASS
NTNV	11A	Ant2	5320	1000~26000	2401.25	-61.31	≤-47	0.73961	≤20	PASS
NTNV	11N20	Ant2	5260	30~1000	461.17	-86.55	≤-54	0.00221	≤4	PASS
NTNV	11N20	Ant2	5260	1000~26000	4247.50	-61.22	≤-47	0.75509	≤20	PASS
NTNV	11N20	Ant2	5280	30~1000	258.92	-87.92	≤-54	0.00161	≤4	PASS
NTNV	11N20	Ant2	5280	1000~26000	4247.50	-63.30	≤-47	0.46774	≤20	PASS
NTNV	11N20	Ant2	5320	30~1000	460.68	-86.57	≤-54	0.00220	≤4	PASS
NTNV	11N20	Ant2	5320	1000~26000	4247.50	-61.06	≤-47	0.78343	≤20	PASS
NTNV	11N40	Ant2	5270	30~1000	236.61	-87.06	≤-54	0.00197	≤4	PASS
NTNV	11N40	Ant2	5270	1000~26000	4247.50	-61.07	≤-47	0.78163	≤20	PASS
NTNV	11N40	Ant2	5310	30~1000	30.00	-87.63	≤-54	0.00173	≤4	PASS
NTNV	11N40	Ant2	5310	1000~26000	1743.75	-57.10	≤-47	1.94984	≤20	PASS
NTNV	11AC20	Ant2	5260	30~1000	906.40	-72.20	≤-54	0.06026	≤4	PASS
NTNV	11AC20	Ant2	5260	1000~26000	2425.00	-59.44	≤-47	1.13763	≤20	PASS
NTNV	11AC20	Ant2	5280	30~1000	907.37	-81.09	≤-54	0.00778	≤4	PASS
NTNV	11AC20	Ant2	5280	1000~26000	4247.50	-60.89	≤-47	0.81470	≤20	PASS
NTNV	11AC20	Ant2	5320	30~1000	906.40	-73.54	≤-54	0.04426	≤4	PASS
NTNV	11AC20	Ant2	5320	1000~26000	4247.50	-61.22	≤-47	0.75509	≤20	PASS
NTNV	11AC40	Ant2	5270	30~1000	30.00	-88.04	≤-54	0.00157	≤4	PASS
NTNV	11AC40	Ant2	5270	1000~26000	2412.50	-57.76	≤-47	1.67494	≤20	PASS
NTNV	11AC40	Ant2	5310	30~1000	445.65	-87.18	≤-54	0.00191	≤4	PASS
NTNV	11AC40	Ant2	5310	1000~26000	1742.50	-58.92	≤-47	1.28233	≤20	PASS
NTNV	11AX20	Ant2	5260	30~1000	905.91	-71.94	≤-54	0.06397	≤4	PASS
NTNV	11AX20	Ant2	5260	1000~26000	4247.50	-60.88	≤-47	0.81658	≤20	PASS
NTNV	11AX20	Ant2	5280	30~1000	909.79	-69.84	≤-54	0.10375	≤4	PASS
NTNV	11AX20	Ant2	5280	1000~26000	4247.50	-61.30	≤-47	0.74131	≤20	PASS
NTNV	11AX20	Ant2	5310	30~1000	909.79	-69.10	≤-54	0.12303	≤4	PASS
NTNV	11AX20	Ant2	5310	1000~26000	4247.50	-61.30	≤-47	0.74131	≤20	PASS
NTNV	11AX40	Ant2	5270	30~1000	434.98	-87.20	≤-54	0.00191	≤4	PASS
NTNV	11AX40	Ant2	5270	1000~26000	4247.50	-61.10	≤-47	0.77625	≤20	PASS


Test Graphs




NTNV-11A-Ant2-5260-30~1000




NTNV-11A-Ant2-5260-1000~26000




NTNV-11A-Ant2-5280-30~1000




NTVN-11A-Ant2-5280-1000~26000




NTVN-11A-Ant2-5320-30~1000




NTVN-11A-Ant2-5320-1000~26000




NTNV-11N20-Ant2-5260-30~1000




NTNV-11N20-Ant2-5260-1000~26000




NTNV-11N20-Ant2-5280-30~1000




NTNV-11N20-Ant2-5280-1000~26000




NTNV-11N20-Ant2-5320-30~1000




NTNV-11N20-Ant2-5320-1000~26000




NTNV-11N40-Ant2-5270-30~1000




NTNV-11N40-Ant2-5270-1000~26000




NTNV-11N40-Ant2-5310-30~1000




NTNV-11N40-Ant2-5310-1000~26000




NTNV-11AC20-Ant2-5260-30~1000




NTNV-11AC20-Ant2-5260-1000~26000




NTNV-11AC20-Ant2-5280-30~1000




NTNV-11AC20-Ant2-5280-1000~26000




NTNV-11AC20-Ant2-5320-30~1000




NTNV-11AC20-Ant2-5320-1000~26000




NTNV-11AC40-Ant2-5270-30~1000




NTNV-11AC40-Ant2-5270-1000~26000




NTNV-11AC40-Ant2-5310-30~1000




NTNV-11AC40-Ant2-5310-1000~26000




NTNV-11AX20-Ant2-5260-30~1000




NTNV-11AX20-Ant2-5260-1000~26000




NTNV-11AX20-Ant2-5280-30~1000




NTNV-11AX20-Ant2-5280-1000~26000




NTNV-11AX20-Ant2-5310-30~1000



NTNV-11AX20-Ant2-5310-1000~26000



NTNV-11AX40-Ant2-5270-30~1000




Appendix E7: Transmission Burst Length


Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [ms]	Limit [ms]	Verdict
NTNV	11A	Ant2	5260	0.54	≤8	PASS
NTNV	11A	Ant2	5280	0.54	≤8	PASS
NTNV	11A	Ant2	5320	0.54	≤8	PASS
NTNV	11N20	Ant2	5260	0.54	≤8	PASS
NTNV	11N20	Ant2	5280	0.54	≤8	PASS
NTNV	11N20	Ant2	5320	0.54	≤8	PASS
NTNV	11N40	Ant2	5270	0.53	≤8	PASS
NTNV	11N40	Ant2	5310	0.53	≤8	PASS
NTNV	11AC20	Ant2	5260	0.46	≤8	PASS
NTNV	11AC20	Ant2	5280	0.46	≤8	PASS
NTNV	11AC20	Ant2	5320	0.46	≤8	PASS
NTNV	11AC40	Ant2	5270	0.41	≤8	PASS
NTNV	11AC40	Ant2	5310	0.53	≤8	PASS
NTNV	11AX20	Ant2	5260	0.34	≤8	PASS
NTNV	11AX20	Ant2	5280	0.34	≤8	PASS
NTNV	11AX20	Ant2	5320	0.34	≤8	PASS
NTNV	11AX40	Ant2	5270	0.34	≤8	PASS
NTNV	11AX40	Ant2	5310	0.34	≤8	PASS


Test Graphs






NTNV-11A-Ant2-5260




NTNV-11A-Ant2-5280




NTNV-11A-Ant2-5320







NTNV-11N40-Ant2-5270




NTNV-11N40-Ant2-5310




NTNV-11AC20-Ant2-5260




NTNV-11AC20-Ant2-5280




NTNV-11AC20-Ant2-5320




NTNV-11AC40-Ant2-5270



NTNV-11AC40-Ant2-5310




NTNV-11AX20-Ant2-5260




NTNV-11AX20-Ant2-5280



NTNV-11AX20-Ant2-5320



NTNV-11AX40-Ant2-5270



NTNV-11AX40-Ant2-5310


Appendix E8: Adjacent Channel Power Tolerance

Test Result


Test Condition	Test Mode	Antenna	Frequency [MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant2	5260	-40	-49.38	≤-40	PASS
NTNV	11A	Ant2	5260	-20	-27.41	≤-25	PASS
NTNV	11A	Ant2	5260	+20	-29.34	≤-25	PASS
NTNV	11A	Ant2	5260	+40	-50.04	≤-40	PASS
NTNV	11A	Ant2	5280	-40	-47.73	≤-40	PASS
NTNV	11A	Ant2	5280	-20	-27.15	≤-25	PASS
NTNV	11A	Ant2	5280	+20	-28.92	≤-25	PASS
NTNV	11A	Ant2	5280	+40	-48.22	≤-40	PASS
NTNV	11A	Ant2	5320	-40	-46.83	≤-40	PASS
NTNV	11A	Ant2	5320	-20	-27.16	≤-25	PASS
NTNV	11A	Ant2	5320	+20	-27.71	≤-25	PASS
NTNV	11A	Ant2	5320	+40	-46.07	≤-40	PASS
NTNV	11N20	Ant2	5260	-40	-48.66	≤-40	PASS
NTNV	11N20	Ant2	5260	-20	-27.28	≤-25	PASS
NTNV	11N20	Ant2	5260	+20	-28.34	≤-25	PASS
NTNV	11N20	Ant2	5260	+40	-48.41	≤-40	PASS
NTNV	11N20	Ant2	5280	-40	-47.90	≤-40	PASS
NTNV	11N20	Ant2	5280	-20	-27.07	≤-25	PASS
NTNV	11N20	Ant2	5280	+20	-28.54	≤-25	PASS
NTNV	11N20	Ant2	5280	+40	-48.60	≤-40	PASS
NTNV	11N20	Ant2	5320	-40	-47.08	≤-40	PASS
NTNV	11N20	Ant2	5320	-20	-27.66	≤-25	PASS
NTNV	11N20	Ant2	5320	+20	-28.08	≤-25	PASS
NTNV	11N20	Ant2	5320	+40	-46.47	≤-40	PASS
NTNV	11N40	Ant2	5270	-80	-52.07	≤-40	PASS
NTNV	11N40	Ant2	5270	-40	-32.34	≤-25	PASS
NTNV	11N40	Ant2	5270	+40	-32.50	≤-25	PASS
NTNV	11N40	Ant2	5270	+80	-50.08	≤-40	PASS
NTNV	11N40	Ant2	5310	-80	-49.99	≤-40	PASS
NTNV	11N40	Ant2	5310	-40	-30.47	≤-25	PASS
NTNV	11N40	Ant2	5310	+40	-31.03	≤-25	PASS
NTNV	11N40	Ant2	5310	+80	-49.13	≤-40	PASS
NTNV	11AC20	Ant2	5260	-40	-52.90	≤-40	PASS
NTNV	11AC20	Ant2	5260	-20	-27.29	≤-25	PASS
NTNV	11AC20	Ant2	5260	+20	-28.68	≤-25	PASS
NTNV	11AC20	Ant2	5260	+40	-52.48	≤-40	PASS
NTNV	11AC20	Ant2	5280	-40	-51.78	≤-40	PASS

NTNV	11AC20	Ant2	5280	-20	-27.36	≤-25	PASS
NTNV	11AC20	Ant2	5280	+20	-28.74	≤-25	PASS
NTNV	11AC20	Ant2	5280	+40	-51.76	≤-40	PASS
NTNV	11AC20	Ant2	5320	-40	-52.14	≤-40	PASS
NTNV	11AC20	Ant2	5320	-20	-27.74	≤-25	PASS
NTNV	11AC20	Ant2	5320	+20	-28.67	≤-25	PASS
NTNV	11AC20	Ant2	5320	+40	-51.90	≤-40	PASS
NTNV	11AC40	Ant2	5270	-80	-51.60	≤-40	PASS
NTNV	11AC40	Ant2	5270	-40	-32.66	≤-25	PASS
NTNV	11AC40	Ant2	5270	+40	-33.22	≤-25	PASS
NTNV	11AC40	Ant2	5270	+80	-50.29	≤-40	PASS
NTNV	11AC40	Ant2	5310	-80	-49.57	≤-40	PASS
NTNV	11AC40	Ant2	5310	-40	-32.66	≤-25	PASS
NTNV	11AC40	Ant2	5310	+40	-32.46	≤-25	PASS
NTNV	11AC40	Ant2	5310	+80	-48.50	≤-40	PASS
NTNV	11AX20	Ant2	5260	-40	-53.87	≤-40	PASS
NTNV	11AX20	Ant2	5260	-20	-27.36	≤-25	PASS
NTNV	11AX20	Ant2	5260	+20	-27.75	≤-25	PASS
NTNV	11AX20	Ant2	5260	+40	-53.38	≤-40	PASS
NTNV	11AX20	Ant2	5280	-40	-53.03	≤-40	PASS
NTNV	11AX20	Ant2	5280	-20	-26.84	≤-25	PASS
NTNV	11AX20	Ant2	5280	+20	-27.89	≤-25	PASS
NTNV	11AX20	Ant2	5280	+40	-52.95	≤-40	PASS
NTNV	11AX20	Ant2	5320	-40	-51.66	≤-40	PASS
NTNV	11AX20	Ant2	5320	-20	-26.61	≤-25	PASS
NTNV	11AX20	Ant2	5320	+20	-26.65	≤-25	PASS
NTNV	11AX20	Ant2	5320	+40	-51.16	≤-40	PASS
NTNV	11AX40	Ant2	5270	-80	-52.31	≤-40	PASS
NTNV	11AX40	Ant2	5270	-40	-31.86	≤-25	PASS
NTNV	11AX40	Ant2	5270	+40	-32.33	≤-25	PASS
NTNV	11AX40	Ant2	5270	+80	-50.78	≤-40	PASS
NTNV	11AX40	Ant2	5310	-80	-51.21	≤-40	PASS
NTNV	11AX40	Ant2	5310	-40	-31.00	≤-25	PASS
NTNV	11AX40	Ant2	5310	+40	-31.39	≤-25	PASS
NTNV	11AX40	Ant2	5310	+80	-50.08	≤-40	PASS


Test Graphs




NTNV-11A-Ant2-5260




NTNV-11A-Ant2-5280




NTNV-11A-Ant2-5320




NTVN-11N20-Ant2-5260




NTVN-11N20-Ant2-5280



NTVN-11N20-Ant2-5320




NTNV-11N40-Ant2-5270




NTNV-11N40-Ant2-5310



NTNV-11AC20-Ant2-5260




NTNV-11AC20-Ant2-5280



NTNV-11AC20-Ant2-5320



NTNV-11AC40-Ant2-5270




NTNV-11AC40-Ant2-5310




NTNV-11AX20-Ant2-5260




NTNV-11AX20-Ant2-5280



NTNV-11AX20-Ant2-5320



NTNV-11AX40-Ant2-5270



NTNV-11AX40-Ant2-5310

Appendix E9: Out band Emission Power


Test Result

Test Condition	Test Mode	Antenna	Channel	FreRang [MHz]	Max.Freq [MHz]	Result [dBm]	Gain [dB]	EIRP [dBm]	Limit [dBm]	EIRP [μW]	Limit [μW]	Verdict
NTNV	11A	Ant2	5260	5140~5233.3	5227.71	-42.74	0	-42.74	-26.02	0.05321	2.5	PASS
NTNV	11A	Ant2	5260	5233.3~5240	5236.27	-38.39	0	-38.39	-22.48	0.14488	5.65	PASS
NTNV	11A	Ant2	5260	5240~5249	5248.97	-20.34	0	-20.34	-10.03	9.24698	99.39	PASS
NTNV	11A	Ant2	5260	5249~5250	5250.00	-18.39	0	-18.39	0.00	14.48772	1000.00	PASS
NTNV	11A	Ant2	5260	5350~5360	5356.19	-45.60	0	-45.6	-26.02	0.02754	2.5	PASS
NTNV	11A	Ant2	5280	5140~5233.3	5141.54	-46.57	0	-46.57	-26.02	0.02203	2.5	PASS
NTNV	11A	Ant2	5280	5233.3~5240	5234.73	-46.77	0	-46.77	-24.32	0.02104	3.69	PASS
NTNV	11A	Ant2	5280	5240~5249	5246.52	-41.79	0	-41.79	-12.20	0.06622	60.19	PASS
NTNV	11A	Ant2	5280	5249~5250	5249.71	-47.29	0	-47.29	-2.90	0.01866	512.86	PASS
NTNV	11A	Ant2	5280	5350~5360	5352.91	-46.50	0	-46.5	-26.02	0.02239	2.5	PASS
NTNV	11A	Ant2	5320	5140~5233.3	5183.30	-47.01	0	-47.01	-26.02	0.01991	2.5	PASS
NTNV	11A	Ant2	5320	5233.3~5240	5236.25	-47.19	0	-47.19	-22.50	0.01910	5.62	PASS
NTNV	11A	Ant2	5320	5240~5249	5246.55	-46.96	0	-46.96	-12.18	0.02014	60.57	PASS
NTNV	11A	Ant2	5320	5249~5250	5250.00	-48.65	0	-48.65	0.00	0.01365	1000.00	PASS
NTNV	11A	Ant2	5320	5350~5360	5353.11	-42.20	0	-42.2	-26.02	0.06026	2.5	PASS
NTNV	11N20	Ant2	5260	5140~5233.3	5231.65	-42.34	0	-42.34	-26.02	0.05834	2.5	PASS
NTNV	11N20	Ant2	5260	5233.3~5240	5239.88	-37.77	0	-37.77	-18.14	0.16711	15.33	PASS
NTNV	11N20	Ant2	5260	5240~5249	5248.72	-20.46	0	-20.46	-10.25	8.99498	94.43	PASS
NTNV	11N20	Ant2	5260	5249~5250	5249.98	-16.57	0	-16.57	-0.20	22.02926	954.99	PASS
NTNV	11N20	Ant2	5260	5350~5360	5354.12	-45.95	0	-45.95	-26.02	0.02541	2.5	PASS
NTNV	11N20	Ant2	5280	5140~5233.3	5231.65	-46.77	0	-46.77	-26.02	0.02104	2.5	PASS
NTNV	11N20	Ant2	5280	5233.3~5240	5234.33	-46.96	0	-46.96	-24.80	0.02014	3.31	PASS
NTNV	11N20	Ant2	5280	5240~5249	5240.56	-45.03	0	-45.03	-17.50	0.03141	17.77	PASS
NTNV	11N20	Ant2	5280	5249~5250	5249.54	-46.59	0	-46.59	-4.60	0.02193	346.74	PASS
NTNV	11N20	Ant2	5280	5350~5360	5353.95	-45.81	0	-45.81	-26.02	0.02624	2.5	PASS
NTNV	11N20	Ant2	5320	5140~5233.3	5217.10	-46.97	0	-46.97	-26.02	0.02009	2.5	PASS
NTNV	11N20	Ant2	5320	5233.3~5240	5237.74	-47.03	0	-47.03	-20.71	0.01982	8.49	PASS
NTNV	11N20	Ant2	5320	5240~5249	5240.78	-47.02	0	-47.02	-17.31	0.01986	18.59	PASS
NTNV	11N20	Ant2	5320	5249~5250	5249.78	-48.56	0	-48.56	-2.20	0.01393	602.56	PASS
NTNV	11N20	Ant2	5320	5350~5360	5350.21	-42.59	0	-42.59	-26.02	0.05508	2.5	PASS
NTNV	11N40	Ant2	5270	5100~5221.6	5221.22	-44.25	0	-44.25	-26.02	0.03758	2.5	PASS
NTNV	11N40	Ant2	5270	5221.6~5230	5223.47	-39.07	0	-39.07	-24.93	0.12388	3.22	PASS
NTNV	11N40	Ant2	5270	5230~5249	5248.59	-25.17	0	-25.17	-13.18	3.04089	48.05	PASS
NTNV	11N40	Ant2	5270	5249~5250	5249.82	-25.30	0	-25.3	-4.81	2.95121	330.37	PASS
NTNV	11N40	Ant2	5270	5350~5358.4	5350.82	-46.04	0	-46.04	-18.24	0.02489	15	PASS
NTNV	11N40	Ant2	5270	5358.4~5400	5360.21	-45.40	0	-45.4	-26.02	0.02884	2.5	PASS
NTNV	11N40	Ant2	5310	5100~5221.6	5196.29	-46.69	0	-46.69	-26.02	0.02143	2.5	PASS


NTNV	11N40	Ant2	5310	5221.6~5230	5222.12	-47.55	0	-47.55	-25.74	0.01758	2.67	PASS
NTNV	11N40	Ant2	5310	5230~5249	5248.47	-45.64	0	-45.64	-13.23	0.02729	47.50	PASS
NTNV	11N40	Ant2	5310	5249~5250	5249.10	-46.90	0	-46.9	-12.01	0.02042	62.95	PASS
NTNV	11N40	Ant2	5310	5350~5358.4	5350.22	-35.98	0	-35.98	-18.24	0.25235	15	PASS
NTNV	11N40	Ant2	5310	5358.4~5400	5360.84	-40.46	0	-40.46	-26.02	0.08995	2.5	PASS
NTNV	11AC20	Ant2	5260	5140~5233.3	5166.52	-46.82	0	-46.82	-26.02	0.02080	2.5	PASS
NTNV	11AC20	Ant2	5260	5233.3~5240	5239.68	-44.02	0	-44.02	-18.38	0.03963	14.51	PASS
NTNV	11AC20	Ant2	5260	5240~5249	5248.48	-21.72	0	-21.72	-10.46	6.72977	89.90	PASS
NTNV	11AC20	Ant2	5260	5249~5250	5249.47	-20.17	0	-20.17	-5.30	9.61612	295.12	PASS
NTNV	11AC20	Ant2	5260	5350~5360	5355.20	-45.42	0	-45.42	-26.02	0.02871	2.5	PASS
NTNV	11AC20	Ant2	5280	5140~5233.3	5228.57	-47.33	0	-47.33	-26.02	0.01849	2.5	PASS
NTNV	11AC20	Ant2	5280	5233.3~5240	5237.17	-47.58	0	-47.58	-21.40	0.01746	7.25	PASS
NTNV	11AC20	Ant2	5280	5240~5249	5248.22	-46.32	0	-46.32	-10.69	0.02333	85.24	PASS
NTNV	11AC20	Ant2	5280	5249~5250	5249.16	-47.79	0	-47.79	-8.40	0.01663	144.54	PASS
NTNV	11AC20	Ant2	5280	5350~5360	5354.23	-46.31	0	-46.31	-26.02	0.02339	2.5	PASS
NTNV	11AC20	Ant2	5320	5140~5233.3	5226.76	-47.20	0	-47.2	-26.02	0.01905	2.5	PASS
NTNV	11AC20	Ant2	5320	5233.3~5240	5235.57	-47.34	0	-47.34	-23.32	0.01845	4.66	PASS
NTNV	11AC20	Ant2	5320	5240~5249	5247.10	-47.02	0	-47.02	-11.69	0.01986	67.78	PASS
NTNV	11AC20	Ant2	5320	5249~5250	5250.00	-48.21	0	-48.21	0.00	0.01510	1000.00	PASS
NTNV	11AC20	Ant2	5320	5350~5360	5350.12	-45.22	0	-45.22	-26.02	0.03006	2.5	PASS
NTNV	11AC40	Ant2	5270	5100~5221.6	5214.11	-45.15	0	-45.15	-26.02	0.03055	2.5	PASS
NTNV	11AC40	Ant2	5270	5221.6~5230	5223.83	-45.77	0	-45.77	-24.71	0.02649	3.38	PASS
NTNV	11AC40	Ant2	5270	5230~5249	5248.62	-29.17	0	-29.17	-13.17	1.21060	48.19	PASS
NTNV	11AC40	Ant2	5270	5249~5250	5249.52	-24.73	0	-24.73	-7.81	3.36512	165.58	PASS
NTNV	11AC40	Ant2	5270	5350~5358.4	5352.53	-46.56	0	-46.56	-18.24	0.02208	15	PASS
NTNV	11AC40	Ant2	5270	5358.4~5400	5380.29	-44.83	0	-44.83	-26.02	0.03289	2.5	PASS
NTNV	11AC40	Ant2	5310	5100~5221.6	5123.61	-46.87	0	-46.87	-26.02	0.02056	2.5	PASS
NTNV	11AC40	Ant2	5310	5221.6~5230	5226.09	-47.63	0	-47.63	-23.36	0.01726	4.62	PASS
NTNV	11AC40	Ant2	5310	5230~5249	5231.76	-47.01	0	-47.01	-20.27	0.01991	9.40	PASS
NTNV	11AC40	Ant2	5310	5249~5250	5249.40	-48.31	0	-48.31	-9.01	0.01476	125.60	PASS
NTNV	11AC40	Ant2	5310	5350~5358.4	5350.28	-42.96	0	-42.96	-18.24	0.05058	15	PASS
NTNV	11AC40	Ant2	5310	5358.4~5400	5359.04	-44.08	0	-44.08	-26.02	0.03908	2.5	PASS
NTNV	11AX20	Ant2	5260	5135~5233.3	5158.03	-46.78	0	-46.78	-26.02	0.02099	2.5	PASS
NTNV	11AX20	Ant2	5260	5233.3~5240	5239.88	-42.94	0	-42.94	-18.14	0.05082	15.33	PASS
NTNV	11AX20	Ant2	5260	5240~5249	5248.18	-24.06	0	-24.06	-10.73	3.92645	84.55	PASS
NTNV	11AX20	Ant2	5260	5249~5249.8	5249.79	-15.52	0	-15.52	-2.10	28.05434	616.60	PASS
NTNV	11AX20	Ant2	5260	5249.8~5250	5250.00	-11.43	0	-11.43	3.33	71.94490	2152.78	PASS
NTNV	11AX20	Ant2	5260	5350~5365	5362.70	-45.72	0	-45.72	-26.02	0.02679	2.5	PASS
NTNV	11AX20	Ant2	5280	5135~5233.3	5210.73	-46.39	0	-46.39	-26.02	0.02296	2.5	PASS
NTNV	11AX20	Ant2	5280	5233.3~5240	5239.81	-47.07	0	-47.07	-18.23	0.01963	15.04	PASS
NTNV	11AX20	Ant2	5280	5240~5249	5243.56	-47.10	0	-47.1	-14.84	0.01950	32.84	PASS
NTNV	11AX20	Ant2	5280	5249~5249.8	5249.19	-47.98	0	-47.98	-8.10	0.01592	154.88	PASS
NTNV	11AX20	Ant2	5280	5249.8~5250	5249.88	-48.66	0	-48.66	0.13	0.01361	1030.86	PASS

NTNV	11AX20	Ant2	5280	5350~5365	5354.00	-44.85	0	-44.85	-26.02	0.03273	2.5	PASS
NTNV	11AX20	Ant2	5320	5135~5233.3	5201.99	-46.63	0	-46.63	-26.02	0.02173	2.5	PASS
NTNV	11AX20	Ant2	5320	5233.3~5240	5236.38	-47.45	0	-47.45	-22.34	0.01799	5.83	PASS
NTNV	11AX20	Ant2	5320	5240~5249	5240.98	-46.80	0	-46.8	-17.13	0.02089	19.37	PASS
NTNV	11AX20	Ant2	5320	5249~5249.8	5249.36	-47.92	0	-47.92	-6.40	0.01614	229.09	PASS
NTNV	11AX20	Ant2	5320	5249.8~5250	5249.93	-49.28	0	-49.28	1.46	0.01180	1401.04	PASS
NTNV	11AX20	Ant2	5320	5350~5365	5353.38	-45.96	0	-45.96	-26.02	0.02535	2.5	PASS
NTNV	11AX40	Ant2	5270	5100~5221.6	5123.01	-46.37	0	-46.37	-26.02	0.02307	2.5	PASS
NTNV	11AX40	Ant2	5270	5221.6~5230	5229.42	-46.06	0	-46.06	-21.36	0.02477	7.31	PASS
NTNV	11AX40	Ant2	5270	5230~5249	5248.77	-29.04	0	-29.04	-13.11	1.24738	48.90	PASS
NTNV	11AX40	Ant2	5270	5249~5250	5250.00	-24.68	0	-24.68	-3.01	3.40408	500.03	PASS
NTNV	11AX40	Ant2	5270	5350~5358.4	5351.09	-46.37	0	-46.37	-18.24	0.02307	15	PASS
NTNV	11AX40	Ant2	5270	5358.4~5400	5374.82	-45.89	0	-45.89	-26.02	0.02576	2.5	PASS
NTNV	11AX40	Ant2	5310	5100~5221.6	5107.89	-46.68	0	-46.68	-26.02	0.02148	2.5	PASS
NTNV	11AX40	Ant2	5310	5221.6~5230	5223.92	-47.19	0	-47.19	-24.66	0.01910	3.42	PASS
NTNV	11AX40	Ant2	5310	5230~5249	5248.98	-47.41	0	-47.41	-13.02	0.01816	49.91	PASS
NTNV	11AX40	Ant2	5310	5249~5250	5249.01	-47.55	0	-47.55	-12.91	0.01758	51.17	PASS
NTNV	11AX40	Ant2	5310	5350~5358.4	5355.14	-43.71	0	-43.71	-18.24	0.04256	15	PASS
NTNV	11AX40	Ant2	5310	5358.4~5400	5396.25	-46.00	0	-46	-26.02	0.02512	2.5	PASS


Test Graphs




NTNV-11A-Ant2-5260-5140~5233.3




NTNV-11A-Ant2-5280-5140~5233.3




NTNV-11A-Ant2-5320-5140~5233.3




NTNV-11N20-Ant2-5260-5140~5233.3




NTNV-11N20-Ant2-5280-5140~5233.3




NTNV-11N20-Ant2-5320-5140~5233.3




NTNV-11N40-Ant2-5270-5100~5221.6




NTNV-11N40-Ant2-5310-5100~5221.6




NTNV-11AC20-Ant2-5260-5140~5233.3




NTNV-11AC20-Ant2-5280-5140~5233.3




NTNV-11AC20-Ant2-5320-5140~5233.3




NTNV-11AC40-Ant2-5270-5100~5221.6




NTNV-11AC40-Ant2-5310-5100~5221.6




NTNV-11AX20-Ant2-5260-5135~5233.3




NTNV-11AX20-Ant2-5280-5135~5233.3



NTNV-11AX20-Ant2-5320-5135~5233.3



NTNV-11AX40-Ant2-5270-5100~5221.6



NTNV-11AX40-Ant2-5310-5100~5221.6