
































































































































NTNV-11AX80MIMO-Ant2-5290-5376.8~26000-PASS















































































































































Appendix F: Secondary Radiated Emission Strength

Test Result

TestCondition	TestMode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5260	30~1000	31.70	-76.33	0.02328	≤4	PASS
NTNV	11A	Ant2	5260	30~1000	80.17	-78.42	0.01439	≤4	PASS
NTNV	11A	Ant3	5260	30~1000	35.09	-77.68	0.01706	≤4	PASS
NTNV	11A	Ant1	5260	1000~26000	19263.50	-58.07	1.55955	≤20	PASS
NTNV	11A	Ant2	5260	1000~26000	21655.80	-58.77	1.32739	≤20	PASS
NTNV	11A	Ant3	5260	1000~26000	19149.70	-57.31	1.85780	≤20	PASS
NTNV	11A	Ant1	5280	30~1000	34.61	-76.73	0.02123	≤4	PASS
NTNV	11A	Ant2	5280	30~1000	30.24	-78.13	0.01538	≤4	PASS
NTNV	11A	Ant3	5280	30~1000	34.61	-77.88	0.01629	≤4	PASS
NTNV	11A	Ant1	5280	1000~26000	19107.20	-57.50	1.77828	≤20	PASS
NTNV	11A	Ant2	5280	1000~26000	22012.10	-58.80	1.31826	≤20	PASS
NTNV	11A	Ant3	5280	1000~26000	21689.60	-58.44	1.43219	≤20	PASS
NTNV	11A	Ant1	5300	30~1000	35.57	-77.24	0.01888	≤4	PASS
NTNV	11A	Ant2	5300	30~1000	35.09	-77.92	0.01614	≤4	PASS
NTNV	11A	Ant3	5300	30~1000	35.09	-77.63	0.01726	≤4	PASS
NTNV	11A	Ant1	5300	1000~26000	19091.00	-58.02	1.57761	≤20	PASS
NTNV	11A	Ant2	5300	1000~26000	19153.50	-58.26	1.49279	≤20	PASS
NTNV	11A	Ant3	5300	1000~26000	19238.75	-56.74	2.11836	≤20	See table below
NTNV	11A	Ant1	5320	30~1000	33.64	-76.52	0.02228	≤4	PASS
NTNV	11A	Ant2	5320	30~1000	30.73	-78.03	0.01574	≤4	PASS
NTNV	11A	Ant3	5320	30~1000	34.61	-77.52	0.01770	≤4	PASS
NTNV	11A	Ant1	5320	1000~26000	21973.30	-58.20	1.51356	≤20	PASS
NTNV	11A	Ant2	5320	1000~26000	21985.80	-59.29	1.17761	≤20	PASS
NTNV	11A	Ant3	5320	1000~26000	21584.60	-57.00	1.99526	≤20	PASS
NTNV	11N20SI SO	Ant1	5260	30~1000	34.61	-76.76	0.02109	≤4	PASS
NTNV	11N20SI SO	Ant2	5260	30~1000	33.64	-78.13	0.01538	≤4	PASS
NTNV	11N20SI SO	Ant3	5260	30~1000	31.70	-76.64	0.02168	≤4	PASS
NTNV	11N20SI SO	Ant1	5260	1000~26000	19204.70	-57.42	1.81134	≤20	PASS

NTNV	11N20SI SO	Ant2	5260	1000~26000	21629.60	-59.11	1.22744	≤20	PASS
NTNV	11N20SI SO	Ant3	5260	1000~26000	19156.00	-58.60	1.38038	≤20	PASS
NTNV	11N20SI SO	Ant1	5280	30~1000	34.12	-77.73	0.01687	≤4	PASS
NTNV	11N20SI SO	Ant2	5280	30~1000	34.61	-77.96	0.01600	≤4	PASS
NTNV	11N20SI SO	Ant3	5280	30~1000	31.70	-77.15	0.01928	≤4	PASS
NTNV	11N20SI SO	Ant1	5280	1000~26000	19128.50	-57.16	1.92309	≤20	PASS
NTNV	11N20SI SO	Ant2	5280	1000~26000	22003.30	-58.44	1.43219	≤20	PASS
NTNV	11N20SI SO	Ant3	5280	1000~26000	21675.80	-58.41	1.44212	≤20	PASS
NTNV	11N20SI SO	Ant1	5300	30~1000	33.15	-76.92	0.02032	≤4	PASS
NTNV	11N20SI SO	Ant2	5300	30~1000	35.09	-78.16	0.01528	≤4	PASS
NTNV	11N20SI SO	Ant3	5300	30~1000	34.61	-77.37	0.01832	≤4	PASS
NTNV	11N20SI SO	Ant1	5300	1000~26000	19112.20	-57.19	1.90985	≤20	PASS
NTNV	11N20SI SO	Ant2	5300	1000~26000	19192.20	-57.83	1.64816	≤20	PASS
NTNV	11N20SI SO	Ant3	5300	1000~26000	19171.00	-57.78	1.66725	≤20	PASS
NTNV	11N20SI SO	Ant1	5320	30~1000	31.21	-77.11	0.01945	≤4	PASS
NTNV	11N20SI SO	Ant2	5320	30~1000	34.61	-77.68	0.01706	≤4	PASS
NTNV	11N20SI SO	Ant3	5320	30~1000	34.12	-77.22	0.01897	≤4	PASS
NTNV	11N20SI SO	Ant1	5320	1000~26000	19132.20	-57.61	1.73380	≤20	PASS
NTNV	11N20SI SO	Ant2	5320	1000~26000	21640.80	-58.70	1.34896	≤20	PASS
NTNV	11N20SI SO	Ant3	5320	1000~26000	19203.50	-58.33	1.46893	≤20	PASS
NTNV	11N20M IMO	Ant1 +Ant 2+An	5260	30~1000	49.63	-86.67	0.00215	≤4	PASS

		t3							
NTNV	11N20M IMO	Ant1 +Ant 2+An t3	5260	1000~26000	19146.00	-67.43	0.18072	≤20	PASS
NTNV	11N20M IMO	Ant1 +Ant 2+An t3	5280	30~1000	936.25	-86.93	0.00203	≤4	PASS
NTNV	11N20M IMO	Ant1 +Ant 2+An t3	5280	1000~26000	19201.00	-67.10	0.19498	≤20	PASS
NTNV	11N20M IMO	Ant1 +Ant 2+An t3	5300	30~1000	33.15	-86.36	0.00231	≤4	PASS
NTNV	11N20M IMO	Ant1 +Ant 2+An t3	5300	1000~26000	21689.60	-67.24	0.18880	≤20	PASS
NTNV	11N20M IMO	Ant1 +Ant 2+An t3	5320	30~1000	30.24	-86.64	0.00217	≤4	PASS
NTNV	11N20M IMO	Ant1 +Ant 2+An t3	5320	1000~26000	22034.60	-66.37	0.23067	≤20	PASS
NTNV	11N40SI SO	Ant1	5270	30~1000	35.57	-77.11	0.01945	≤4	PASS
NTNV	11N40SI SO	Ant2	5270	30~1000	35.09	-78.17	0.01524	≤4	PASS
NTNV	11N40SI SO	Ant3	5270	30~1000	69.02	-76.90	0.02042	≤4	PASS
NTNV	11N40SI SO	Ant1	5270	1000~26000	19174.70	-57.48	1.78649	≤20	PASS
NTNV	11N40SI SO	Ant2	5270	1000~26000	22038.30	-58.50	1.41254	≤20	PASS
NTNV	11N40SI SO	Ant3	5270	1000~26000	19182.20	-57.45	1.79887	≤20	PASS
NTNV	11N40SI SO	Ant1	5310	30~1000	30.24	-76.97	0.02009	≤4	PASS

NTNV	11N40SI SO	Ant2	5310	30~1000	34.61	-77.94	0.01607	≤4	PASS
NTNV	11N40SI SO	Ant3	5310	30~1000	84.54	-77.88	0.01629	≤4	PASS
NTNV	11N40SI SO	Ant1	5310	1000~26000	19126.00	-57.70	1.69824	≤20	PASS
NTNV	11N40SI SO	Ant2	5310	1000~26000	22097.10	-58.01	1.58125	≤20	PASS
NTNV	11N40SI SO	Ant3	5310	1000~26000	19287.20	-58.13	1.53815	≤20	PASS
NTNV	11N40M IMO	Ant1 +Ant 2+An t3	5270	30~1000	34.12	-87.10	0.00195	≤4	PASS
NTNV	11N40M IMO	Ant1 +Ant 2+An t3	5270	1000~26000	19178.50	-67.67	0.17100	≤20	PASS
NTNV	11N40M IMO	Ant1 +Ant 2+An t3	5310	30~1000	778.22	-86.43	0.00228	≤4	PASS
NTNV	11N40M IMO	Ant1 +Ant 2+An t3	5310	1000~26000	19124.70	-67.74	0.16827	≤20	PASS
NTNV	11AC20S ISO	Ant1	5260	30~1000	34.12	-77.17	0.01919	≤4	PASS
NTNV	11AC20S ISO	Ant2	5260	30~1000	35.57	-78.19	0.01517	≤4	PASS
NTNV	11AC20S ISO	Ant3	5260	30~1000	30.24	-78.03	0.01574	≤4	PASS
NTNV	11AC20S ISO	Ant1	5260	1000~26000	19193.50	-57.72	1.69044	≤20	PASS
NTNV	11AC20S ISO	Ant2	5260	1000~26000	19263.50	-58.50	1.41254	≤20	PASS
NTNV	11AC20S ISO	Ant3	5260	1000~26000	19096.00	-57.88	1.62930	≤20	PASS
NTNV	11AC20S ISO	Ant1	5280	30~1000	30.24	-77.02	0.01986	≤4	PASS
NTNV	11AC20S ISO	Ant2	5280	30~1000	34.12	-78.30	0.01479	≤4	PASS
NTNV	11AC20S	Ant3	5280	30~1000	31.70	-77.77	0.01671	≤4	PASS

ISO									
NTNV	11AC20S ISO	Ant1	5280	1000~26000	19196.00	-57.99	1.58855	≤20	PASS
NTNV	11AC20S ISO	Ant2	5280	1000~26000	22159.60	-58.58	1.38676	≤20	PASS
NTNV	11AC20S ISO	Ant3	5280	1000~26000	21982.10	-58.04	1.57036	≤20	PASS
NTNV	11AC20S ISO	Ant1	5300	30~1000	34.12	-77.11	0.01945	≤4	PASS
NTNV	11AC20S ISO	Ant2	5300	30~1000	50.60	-78.01	0.01581	≤4	PASS
NTNV	11AC20S ISO	Ant3	5300	30~1000	33.64	-77.57	0.01750	≤4	PASS
NTNV	11AC20S ISO	Ant1	5300	1000~26000	22000.80	-57.65	1.71791	≤20	PASS
NTNV	11AC20S ISO	Ant2	5300	1000~26000	19237.20	-58.93	1.27938	≤20	PASS
NTNV	11AC20S ISO	Ant3	5300	1000~26000	19168.50	-57.92	1.61436	≤20	PASS
NTNV	11AC20S ISO	Ant1	5320	30~1000	35.57	-77.22	0.01897	≤4	PASS
NTNV	11AC20S ISO	Ant2	5320	30~1000	34.12	-78.37	0.01455	≤4	PASS
NTNV	11AC20S ISO	Ant3	5320	30~1000	32.67	-77.38	0.01828	≤4	PASS
NTNV	11AC20S ISO	Ant1	5320	1000~26000	21923.30	-57.64	1.72187	≤20	PASS
NTNV	11AC20S ISO	Ant2	5320	1000~26000	19082.20	-58.64	1.36773	≤20	PASS
NTNV	11AC20S ISO	Ant3	5320	1000~26000	19218.50	-58.07	1.55955	≤20	PASS
NTNV	11AC20 MIMO	Ant1 +Ant 2+An t3	5260	30~1000	826.70	-77.35	0.01841	≤4	PASS
NTNV	11AC20 MIMO	Ant1 +Ant 2+An t3	5260	1000~26000	21759.60	-66.98	0.20045	≤20	PASS
NTNV	11AC20 MIMO	Ant1 +Ant 2+An t3	5280	30~1000	108.77	-86.72	0.00213	≤4	PASS

NTNV	11AC20 MIMO	Ant1 +Ant 2+Ant t3	5280	1000~26000	21904.60	-67.70	0.16982	≤20	PASS
NTNV	11AC20 MIMO	Ant1 +Ant 2+Ant t3	5300	30~1000	832.52	-75.20	0.03020	≤4	PASS
NTNV	11AC20 MIMO	Ant1 +Ant 2+Ant t3	5300	1000~26000	21602.10	-67.34	0.18450	≤20	PASS
NTNV	11AC20 MIMO	Ant1 +Ant 2+Ant t3	5320	30~1000	55.93	-85.93	0.00255	≤4	PASS
NTNV	11AC20 MIMO	Ant1 +Ant 2+Ant t3	5320	1000~26000	21975.80	-67.21	0.19011	≤20	PASS
NTNV	11AC40S ISO	Ant1	5270	30~1000	39.45	-76.82	0.02080	≤4	PASS
NTNV	11AC40S ISO	Ant2	5270	30~1000	34.12	-78.66	0.01361	≤4	PASS
NTNV	11AC40S ISO	Ant3	5270	30~1000	33.64	-76.80	0.02089	≤4	PASS
NTNV	11AC40S ISO	Ant1	5270	1000~26000	21578.30	-57.66	1.71396	≤20	PASS
NTNV	11AC40S ISO	Ant2	5270	1000~26000	21952.10	-58.93	1.27938	≤20	PASS
NTNV	11AC40S ISO	Ant3	5270	1000~26000	19234.70	-57.31	1.85780	≤20	PASS
NTNV	11AC40S ISO	Ant1	5310	30~1000	35.57	-76.73	0.02123	≤4	PASS
NTNV	11AC40S ISO	Ant2	5310	30~1000	41.39	-77.92	0.01614	≤4	PASS
NTNV	11AC40S ISO	Ant3	5310	30~1000	36.06	-77.40	0.01820	≤4	PASS
NTNV	11AC40S ISO	Ant1	5310	1000~26000	19132.20	-58.05	1.56675	≤20	PASS
NTNV	11AC40S ISO	Ant2	5310	1000~26000	19116.00	-58.73	1.33968	≤20	PASS
NTNV	11AC40S	Ant3	5310	1000~26000	21944.60	-58.19	1.51705	≤20	PASS

ISO									
NTNV	11AC40 MIMO	Ant1 +Ant 2+Ant 3	5270	30~1000	50.60	-86.48	0.00225	≤4	PASS
NTNV	11AC40 MIMO	Ant1 +Ant 2+Ant 3	5270	1000~26000	19153.50	-67.11	0.19454	≤20	PASS
NTNV	11AC40 MIMO	Ant1 +Ant 2+Ant 3	5310	30~1000	33.64	-87.20	0.00191	≤4	PASS
NTNV	11AC40 MIMO	Ant1 +Ant 2+Ant 3	5310	1000~26000	21572.10	-66.86	0.20606	≤20	PASS
NTNV	11AC80S ISO	Ant1	5290	30~1000	35.57	-76.31	0.02339	≤4	PASS
NTNV	11AC80S ISO	Ant2	5290	30~1000	34.12	-78.65	0.01365	≤4	PASS
NTNV	11AC80S ISO	Ant3	5290	30~1000	36.54	-77.25	0.01884	≤4	PASS
NTNV	11AC80S ISO	Ant1	5290	1000~26000	21938.30	-57.87	1.63305	≤20	PASS
NTNV	11AC80S ISO	Ant2	5290	1000~26000	19058.50	-59.07	1.23880	≤20	PASS
NTNV	11AC80S ISO	Ant3	5290	1000~26000	21655.80	-58.23	1.50314	≤20	PASS
NTNV	11AC80 MIMO	Ant1 +Ant 2+Ant 3	5290	30~1000	75.81	-86.78	0.00210	≤4	PASS
NTNV	11AC80 MIMO	Ant1 +Ant 2+Ant 3	5290	1000~26000	22055.80	-67.02	0.19861	≤20	PASS
NTNV	11AC160 SISO	Ant1	5250	30~1000	34.12	-77.16	0.01923	≤4	PASS
NTNV	11AC160 SISO	Ant2	5250	30~1000	34.12	-77.38	0.01828	≤4	PASS
NTNV	11AC160 SISO	Ant3	5250	30~1000	32.18	-77.47	0.01791	≤4	PASS

NTNV	11AC160 SISO	Ant1	5250	1000~26000	21993.30	-58.07	1.55955	≤20	PASS
NTNV	11AC160 SISO	Ant2	5250	1000~26000	22085.80	-58.73	1.33968	≤20	PASS
NTNV	11AC160 SISO	Ant3	5250	1000~26000	21932.10	-58.36	1.45881	≤20	PASS
NTNV	11AC160 MIMO	Ant1 +Ant 2+An t3	5250	30~1000	36.06	-86.88	0.00205	≤4	PASS
NTNV	11AC160 MIMO	Ant1 +Ant 2+An t3	5250	1000~26000	5306.70	-64.19	0.38107	≤20	PASS
NTNV	11AX20S ISO	Ant1	5260	30~1000	32.18	-76.84	0.02070	≤4	PASS
NTNV	11AX20S ISO	Ant2	5260	30~1000	31.70	-78.52	0.01406	≤4	PASS
NTNV	11AX20S ISO	Ant3	5260	30~1000	49.15	-77.28	0.01871	≤4	PASS
NTNV	11AX20S ISO	Ant1	5260	1000~26000	19192.20	-57.68	1.70608	≤20	PASS
NTNV	11AX20S ISO	Ant2	5260	1000~26000	19291.00	-58.83	1.30918	≤20	PASS
NTNV	11AX20S ISO	Ant3	5260	1000~26000	21967.10	-58.03	1.57398	≤20	PASS
NTNV	11AX20S ISO	Ant1	5280	30~1000	31.70	-76.54	0.02218	≤4	PASS
NTNV	11AX20S ISO	Ant2	5280	30~1000	30.73	-78.13	0.01538	≤4	PASS
NTNV	11AX20S ISO	Ant3	5280	30~1000	35.09	-77.11	0.01945	≤4	PASS
NTNV	11AX20S ISO	Ant1	5280	1000~26000	19136.00	-57.89	1.62555	≤20	PASS
NTNV	11AX20S ISO	Ant2	5280	1000~26000	21652.10	-58.43	1.43549	≤20	PASS
NTNV	11AX20S ISO	Ant3	5280	1000~26000	19086.00	-57.85	1.64059	≤20	PASS
NTNV	11AX20S ISO	Ant1	5300	30~1000	53.03	-76.73	0.02123	≤4	PASS
NTNV	11AX20S ISO	Ant2	5300	30~1000	34.12	-77.90	0.01622	≤4	PASS
NTNV	11AX20S	Ant3	5300	30~1000	35.57	-77.66	0.01714	≤4	PASS

	ISO								
NTNV	11AX20S ISO	Ant1	5300	1000~26000	22183.30	-57.74	1.68267	≤20	PASS
NTNV	11AX20S ISO	Ant2	5300	1000~26000	19214.70	-59.08	1.23595	≤20	PASS
NTNV	11AX20S ISO	Ant3	5300	1000~26000	21890.80	-58.08	1.55597	≤20	PASS
NTNV	11AX20S ISO	Ant1	5320	30~1000	30.73	-76.25	0.02371	≤4	PASS
NTNV	11AX20S ISO	Ant2	5320	30~1000	32.18	-78.40	0.01445	≤4	PASS
NTNV	11AX20S ISO	Ant3	5320	30~1000	35.57	-77.65	0.01718	≤4	PASS
NTNV	11AX20S ISO	Ant1	5320	1000~26000	19138.50	-58.02	1.57761	≤20	PASS
NTNV	11AX20S ISO	Ant2	5320	1000~26000	21589.60	-58.95	1.27350	≤20	PASS
NTNV	11AX20S ISO	Ant3	5320	1000~26000	22002.10	-57.77	1.67109	≤20	PASS
NTNV	11AX20 MIMO	Ant1 +Ant 2+An t3	5260	30~1000	35.09	-86.08	0.00247	≤4	PASS
NTNV	11AX20 MIMO	Ant1 +Ant 2+An t3	5260	1000~26000	19197.20	-66.47	0.22542	≤20	PASS
NTNV	11AX20 MIMO	Ant1 +Ant 2+An t3	5280	30~1000	34.61	-86.58	0.00220	≤4	PASS
NTNV	11AX20 MIMO	Ant1 +Ant 2+An t3	5280	1000~26000	19177.20	-67.19	0.19099	≤20	PASS
NTNV	11AX40S ISO	Ant1	5270	30~1000	33.64	-76.99	0.02000	≤4	PASS
NTNV	11AX40S ISO	Ant2	5270	30~1000	30.24	-78.87	0.01297	≤4	PASS
NTNV	11AX40S ISO	Ant3	5270	30~1000	32.67	-77.42	0.01811	≤4	PASS
NTNV	11AX40S ISO	Ant1	5270	1000~26000	22119.60	-58.09	1.55239	≤20	PASS

NTNV	11AX40S ISO	Ant2	5270	1000~26000	19198.50	-57.93	1.61065	≤20	PASS
NTNV	11AX40S ISO	Ant3	5270	1000~26000	18783.50	-57.99	1.58855	≤20	PASS
NTNV	11AX40S ISO	Ant1	5310	30~1000	35.57	-76.91	0.02037	≤4	PASS
NTNV	11AX40S ISO	Ant2	5310	30~1000	32.67	-78.75	0.01334	≤4	PASS
NTNV	11AX40S ISO	Ant3	5310	30~1000	34.61	-77.07	0.01963	≤4	PASS
NTNV	11AX40S ISO	Ant1	5310	1000~26000	21954.60	-57.47	1.79061	≤20	PASS
NTNV	11AX40S ISO	Ant2	5310	1000~26000	21622.10	-58.50	1.41254	≤20	PASS
NTNV	11AX40S ISO	Ant3	5310	1000~26000	19136.00	-58.16	1.52757	≤20	PASS
NTNV	11AX40 MIMO	Ant1 +Ant 2+An t3	5270	30~1000	64.66	-86.59	0.00219	≤4	PASS
NTNV	11AX40 MIMO	Ant1 +Ant 2+An t3	5270	1000~26000	5320.40	-64.69	0.33963	≤20	PASS
NTNV	11AX40 MIMO	Ant1 +Ant 2+An t3	5310	30~1000	35.57	-86.05	0.00248	≤4	PASS
NTNV	11AX40 MIMO	Ant1 +Ant 2+An t3	5310	1000~26000	5181.70	-63.94	0.40365	≤20	PASS
NTNV	11AX80S ISO	Ant1	5290	30~1000	32.18	-77.31	0.01858	≤4	PASS
NTNV	11AX80S ISO	Ant2	5290	30~1000	30.24	-78.53	0.01403	≤4	PASS
NTNV	11AX80S ISO	Ant3	5290	30~1000	54.00	-77.81	0.01656	≤4	PASS
NTNV	11AX80S ISO	Ant1	5290	1000~26000	22525.80	-57.93	1.61065	≤20	PASS
NTNV	11AX80S ISO	Ant2	5290	1000~26000	19139.70	-59.26	1.18577	≤20	PASS
NTNV	11AX80S	Ant3	5290	1000~26000	19184.70	-57.82	1.65196	≤20	PASS

ISO									
NTNV	11AX80 MIMO	Ant1 +Ant 2+Ant 3	5290	30~1000	33.64	-86.29	0.00235	≤4	PASS
NTNV	11AX80 MIMO	Ant1 +Ant 2+Ant 3	5290	1000~26000	5180.40	-62.94	0.50816	≤20	PASS
NTNV	11AX160 SISO	Ant1	5250	30~1000	31.70	-76.66	0.02158	≤4	PASS
NTNV	11AX160 SISO	Ant2	5250	30~1000	35.09	-78.57	0.01390	≤4	PASS
NTNV	11AX160 SISO	Ant3	5250	30~1000	33.15	-76.88	0.02051	≤4	PASS
NTNV	11AX160 SISO	Ant1	5250	1000~26000	19214.70	-57.99	1.58855	≤20	PASS
NTNV	11AX160 SISO	Ant2	5250	1000~26000	21897.10	-58.76	1.33045	≤20	PASS
NTNV	11AX160 SISO	Ant3	5250	1000~26000	21674.60	-58.09	1.55239	≤20	PASS
NTNV	11AX160 MIMO	Ant1 +Ant 2+Ant 3	5250	30~1000	36.06	-85.76	0.00265	≤4	PASS
NTNV	11AX160 MIMO	Ant1 +Ant 2+Ant 3	5250	1000~26000	21948.30	-67.30	0.18621	≤20	PASS
NTNV	11BE20S ISO	Ant1	5260	30~1000	35.57	-76.60	0.02188	≤4	PASS
NTNV	11BE20S ISO	Ant2	5260	30~1000	47.21	-78.02	0.01578	≤4	PASS
NTNV	11BE20S ISO	Ant3	5260	30~1000	35.57	-76.28	0.02355	≤4	PASS
NTNV	11BE20S ISO	Ant1	5260	1000~26000	19218.50	-57.62	1.72982	≤20	PASS
NTNV	11BE20S ISO	Ant2	5260	1000~26000	21954.60	-58.48	1.41906	≤20	PASS
NTNV	11BE20S ISO	Ant3	5260	1000~26000	19173.50	-57.70	1.69824	≤20	PASS
NTNV	11BE20S ISO	Ant1	5280	30~1000	34.12	-77.19	0.01910	≤4	PASS


NTNV	11BE20S ISO	Ant2	5280	30~1000	61.27	-78.45	0.01429	≤4	PASS
NTNV	11BE20S ISO	Ant3	5280	30~1000	34.61	-77.18	0.01914	≤4	PASS
NTNV	11BE20S ISO	Ant1	5280	1000~26000	19198.50	-58.00	1.58489	≤20	PASS
NTNV	11BE20S ISO	Ant2	5280	1000~26000	21878.30	-58.63	1.37088	≤20	PASS
NTNV	11BE20S ISO	Ant3	5280	1000~26000	19182.20	-58.51	1.40929	≤20	PASS
NTNV	11BE20S ISO	Ant1	5300	30~1000	35.57	-77.36	0.01837	≤4	PASS
NTNV	11BE20S ISO	Ant2	5300	30~1000	34.12	-77.67	0.01710	≤4	PASS
NTNV	11BE20S ISO	Ant3	5300	30~1000	30.73	-76.66	0.02158	≤4	PASS
NTNV	11BE20S ISO	Ant1	5300	1000~26000	19204.70	-57.88	1.62930	≤20	PASS
NTNV	11BE20S ISO	Ant2	5300	1000~26000	22167.10	-59.10	1.23027	≤20	PASS
NTNV	11BE20S ISO	Ant3	5300	1000~26000	19182.20	-58.25	1.49624	≤20	PASS
NTNV	11BE20S ISO	Ant1	5320	30~1000	34.61	-76.82	0.02080	≤4	PASS
NTNV	11BE20S ISO	Ant2	5320	30~1000	35.09	-77.81	0.01656	≤4	PASS
NTNV	11BE20S ISO	Ant3	5320	30~1000	30.24	-77.96	0.01600	≤4	PASS
NTNV	11BE20S ISO	Ant1	5320	1000~26000	19319.70	-57.34	1.84502	≤20	PASS
NTNV	11BE20S ISO	Ant2	5320	1000~26000	19166.00	-58.40	1.44544	≤20	PASS
NTNV	11BE20S ISO	Ant3	5320	1000~26000	19116.00	-57.98	1.59221	≤20	PASS
NTNV	11BE20 MIMO	Ant1 +Ant 2+An t3	5260	30~1000	34.61	-85.90	0.00257	≤4	PASS
NTNV	11BE20 MIMO	Ant1 +Ant 2+An t3	5260	1000~26000	5187.90	-64.20	0.38019	≤20	PASS
NTNV	11BE20	Ant1	5280	30~1000	30.73	-86.26	0.00237	≤4	PASS


	MIMO	+Ant 2+Ant t3							
NTNV	11BE20 MIMO	Ant1 +Ant 2+Ant t3	5280	1000~26000	5186.70	-64.88	0.32509	≤20	PASS
NTNV	11BE20 MIMO	Ant1 +Ant 2+Ant t3	5300	30~1000	80.66	-85.88	0.00258	≤4	PASS
NTNV	11BE20 MIMO	Ant1 +Ant 2+Ant t3	5300	1000~26000	21513.30	-67.22	0.18967	≤20	PASS
NTNV	11BE20 MIMO	Ant1 +Ant 2+Ant t3	5320	30~1000	30.73	-87.18	0.00191	≤4	PASS
NTNV	11BE20 MIMO	Ant1 +Ant 2+Ant t3	5320	1000~26000	21924.60	-66.93	0.20277	≤20	PASS
NTNV	11BE40S ISO	Ant1	5270	30~1000	33.15	-77.41	0.01816	≤4	PASS
NTNV	11BE40S ISO	Ant2	5270	30~1000	33.64	-78.04	0.01570	≤4	PASS
NTNV	11BE40S ISO	Ant3	5270	30~1000	31.70	-76.97	0.02009	≤4	PASS
NTNV	11BE40S ISO	Ant1	5270	1000~26000	19163.50	-57.08	1.95884	≤20	PASS
NTNV	11BE40S ISO	Ant2	5270	1000~26000	19209.70	-58.39	1.44877	≤20	PASS
NTNV	11BE40S ISO	Ant3	5270	1000~26000	19198.50	-57.51	1.77419	≤20	PASS
NTNV	11BE40S ISO	Ant1	5310	30~1000	32.67	-76.57	0.02203	≤4	PASS
NTNV	11BE40S ISO	Ant2	5310	30~1000	120.41	-78.70	0.01349	≤4	PASS
NTNV	11BE40S ISO	Ant3	5310	30~1000	31.21	-78.14	0.01535	≤4	PASS
NTNV	11BE40S ISO	Ant1	5310	1000~26000	19156.00	-57.50	1.77828	≤20	PASS


NTNV	11BE40S ISO	Ant2	5310	1000~26000	19119.70	-59.04	1.24738	≤20	PASS
NTNV	11BE40S ISO	Ant3	5310	1000~26000	19163.50	-57.76	1.67494	≤20	PASS
NTNV	11BE40 MIMO	Ant1 +Ant 2+Ant 3	5270	30~1000	32.67	-86.54	0.00222	≤4	PASS
NTNV	11BE40 MIMO	Ant1 +Ant 2+Ant 3	5270	1000~26000	19172.20	-67.79	0.16634	≤20	PASS
NTNV	11BE40 MIMO	Ant1 +Ant 2+Ant 3	5310	30~1000	31.21	-86.43	0.00228	≤4	PASS
NTNV	11BE40 MIMO	Ant1 +Ant 2+Ant 3	5310	1000~26000	21735.80	-67.21	0.19011	≤20	PASS
NTNV	11BE80S ISO	Ant1	5290	30~1000	30.73	-76.62	0.02178	≤4	PASS
NTNV	11BE80S ISO	Ant2	5290	30~1000	35.09	-77.87	0.01633	≤4	PASS
NTNV	11BE80S ISO	Ant3	5290	30~1000	30.73	-77.84	0.01644	≤4	PASS
NTNV	11BE80S ISO	Ant1	5290	1000~26000	19186.00	-58.00	1.58489	≤20	PASS
NTNV	11BE80S ISO	Ant2	5290	1000~26000	21767.10	-58.07	1.55955	≤20	PASS
NTNV	11BE80S ISO	Ant3	5290	1000~26000	20992.10	-57.96	1.59956	≤20	PASS
NTNV	11BE80 MIMO	Ant1 +Ant 2+Ant 3	5290	30~1000	34.12	-87.04	0.00198	≤4	PASS
NTNV	11BE80 MIMO	Ant1 +Ant 2+Ant 3	5290	1000~26000	19152.20	-66.92	0.20324	≤20	PASS
NTNV	11BE160 SISO	Ant1	5250	30~1000	32.67	-76.76	0.02109	≤4	PASS
NTNV	11BE160	Ant2	5250	30~1000	35.57	-77.72	0.01690	≤4	PASS

	SISO								
NTNV	11BE160 SISO	Ant3	5250	30~1000	30.73	-76.49	0.02244	≤4	PASS
NTNV	11BE160 SISO	Ant1	5250	1000~26000	19307.20	-58.00	1.58489	≤20	PASS
NTNV	11BE160 SISO	Ant2	5250	1000~26000	22012.10	-58.89	1.29122	≤20	PASS
NTNV	11BE160 SISO	Ant3	5250	1000~26000	19048.50	-58.77	1.32739	≤20	PASS
NTNV	11BE160 MIMO	Ant1 +Ant 2+Ant 3	5250	30~1000	30.73	-86.42	0.00228	≤4	PASS
NTNV	11BE160 MIMO	Ant1 +Ant 2+Ant 3	5250	1000~26000	5181.70	-64.25	0.37584	≤20	PASS


Test Graphs










NTNV-11A-Ant2-5260-1000~26000-PASS




NTNV-11A-Ant3-5260-1000~26000-PASS










NTNV-11A-Ant2-5280-1000~26000-PASS




NTNV-11A-Ant3-5280-1000~26000-PASS










NTVN-11A-Ant2-5300-1000~26000-PASS




NTVN-11A-Ant3-5300-1000~26000-See table below







NTNV-11A-Ant2-5320-1000~26000-PASS



NTNV-11A-Ant3-5320-1000~26000-PASS

