

Test Report No.60369878 001


Appendix D: Radiated and Mains Spurious Emission Data


(File: 60369878 001Appendix D)

Contents


Spurious Emissions, Bandedge	2
Spurious Emissions, TX Mode, 9kHz-30MHz	26
Spurious Emissions, TX Mode, 30MHz-1GHz	28
Spurious Emissions, TX Mode, 1GHz-26.5GHz.....	30
Spurious Emissions, RX Mode, 9kHz-30MHz	42
Spurious Emissions, RX Mode, 30MHz-1GHz	44
Spurious Emissions, RX Mode, 1GHz-26.5GHz	46


2402MHz, 1-DH5






	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.81	39.71	2.55	37.16	54.00	-14.29	295	263	Average	vertical
2 *	2402.00	100.01	62.86	37.15	54.00	46.01	295	263	Average	vertical
3	2791.56	41.26	3.14	38.12	54.00	-12.74	295	263	Average	vertical







	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2354.13	52.39	15.22	37.17	74.00	-21.61	300	309 Peak	vertical	
2 *	2402.00	100.45	63.30	37.15	74.00	26.45	300	267 Peak	vertical	
3	2610.55	54.51	16.78	37.73	74.00	-19.49	400	236 Peak	vertical	




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2364.63	39.60	2.44	37.16	54.00	-14.40	325	219	Average	Horizontal	
2 *	2441.00	97.76	60.41	37.35	54.00	43.76	325	219	Average	Horizontal	
3	2804.42	41.09	2.97	38.12	54.00	-12.91	325	219	Average	Horizontal	



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2353.42	39.68	2.51	37.17	54.00	-14.32	323	265	Average	Vertical
2 *	2441.00	94.23	56.88	37.35	54.00	40.23	323	265	Average	Vertical
3	2798.40	41.20	3.08	38.12	54.00	-12.80	323	265	Average	Vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2336.20	52.67	15.51	37.16	74.00	-21.33	343	360	Peak	horizontal
2 *	2441.00	98.17	60.82	37.35	74.00	24.17	325	219	Peak	horizontal
3	2805.60	54.65	16.53	38.12	74.00	-19.35	100	122	Peak	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.55	52.74	15.58	37.16	74.00	-21.26	400	259 Peak	vertical	
2 *	2441.00	94.63	57.28	37.35	74.00	20.63	323	265 Peak	vertical	
3	2824.60	53.96	15.85	38.11	74.00	-20.04	400	80 Peak	vertical	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
			dB/m	dBuV/m	dB	cm	deg			
1	2318.73	39.62	2.48	37.14	54.00	-14.38	285	211 Average	Horizontal	
2 *	2480.00	94.99	57.43	37.56	54.00	40.99	285	211 Average	Horizontal	
3	2813.98	41.28	3.17	38.11	54.00	-12.72	285	211 Average	Horizontal	



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2312.12	39.59	2.46	37.13	54.00	-14.41	311	265	Average	Vertical
2 *	2480.00	90.99	53.43	37.56	54.00	36.99	311	265	Average	Vertical
3	2800.88	41.04	2.91	38.13	54.00	-12.96	311	265	Average	Vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2327.11	52.37	15.22	37.15	74.00	-21.63	200	51 Peak	horizontal	
2 *	2480.00	95.45	57.89	37.56	74.00	21.45	285	211 Peak	horizontal	
3	2621.17	53.90	16.22	37.68	74.00	-20.10	200	9 Peak	horizontal	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.55	52.28	15.12	37.16	74.00	-21.72	200	18 Peak	vertical	
2 *	2480.00	91.46	53.90	37.56	74.00	17.46	311	265 Peak	vertical	
3	2805.60	53.97	15.85	38.12	74.00	-20.03	400	327 Peak	vertical	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.34	40.00	2.84	37.16	54.00	-14.00	299	221	Average	Horizontal
2 *	2402.00	100.35	63.20	37.15	54.00	46.35	299	221	Average	Horizontal
3	2800.64	41.15	3.02	38.13	54.00	-12.85	299	221	Average	Horizontal






	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2328.29	53.91	16.76	37.15	74.00	-20.09	300	0 Peak	horizontal	
2 *	2402.00	104.80	67.65	37.15	74.00	30.80	299	221 Peak	horizontal	
3	2786.72	54.35	16.24	38.11	74.00	-19.65	100	113 Peak	horizontal	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.03	53.15	16.00	37.15	74.00	-20.85	105	360 Peak	vertical	
2 *	2402.04	97.52	60.37	37.15	74.00	23.52	335	269 Peak	vertical	
3	2781.17	54.06	15.96	38.10	74.00	-19.94	300	212 Peak	vertical	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2312.48	39.62	2.49	37.13	54.00	-14.38	325	220	Average	Horizontal	
2 *	2441.00	100.14	62.79	37.35	54.00	46.14	325	220	Average	Horizontal	
3	2819.76	41.07	2.96	38.11	54.00	-12.93	325	220	Average	Horizontal	



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV		dBuV/m	dB	cm	deg		
1	2384.81	39.58	2.43	37.15	54.00	-14.42	292	274	Average	Vertical
2 *	2441.00	95.87	58.52	37.35	54.00	41.87	292	274	Average	Vertical
3	2805.95	41.26	3.14	38.12	54.00	-12.74	292	274	Average	Vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2312.71	52.76	15.63	37.13	74.00	-21.24	200	245 Peak	horizontal	
2 *	2441.00	104.46	67.11	37.35	74.00	30.46	325	220 Peak	horizontal	
3	2523.93	54.43	16.64	37.79	74.00	-19.57	400	51 Peak	horizontal	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.22	52.57	15.42	37.15	74.00	-21.43	300	137 Peak	vertical	
2 *	2441.00	100.20	62.85	37.35	74.00	26.20	292	274 Peak	vertical	
3	2836.28	54.10	16.00	38.10	74.00	-19.90	100	357 Peak	vertical	




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2348.94	39.69	2.52	37.17	54.00	-14.31	398	2 Average	Horizontal	
2 *	2480.00	94.29	56.73	37.56	54.00	40.29	398	2 Average	Horizontal	
3	2483.50	41.50	3.93	37.57	54.00	-12.50	398	2 Average	Horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2313.07	39.57	2.44	37.13	54.00	-14.43	400	132	Average	Vertical	
2 *	2480.00	89.82	52.26	37.56	54.00	35.82	400	132	Average	Vertical	
3	2796.51	41.24	3.12	38.12	54.00	-12.76	400	132	Average	Vertical	





	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.05	52.82	15.67	37.15	74.00	-21.18	300	301	Peak	horizontal	
2 *	2480.00	98.88	61.32	37.56	74.00	24.88	398	2	Peak	horizontal	
3	2830.38	54.50	16.40	38.10	74.00	-19.50	300	301	Peak	horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2320.74	52.83	15.69	37.14	74.00	-21.17	100	83	Peak	vertical	
2 *	2480.00	94.39	56.83	37.56	74.00	20.39	400	132	Peak	vertical	
3	2808.43	54.29	16.17	38.12	74.00	-19.71	400	0	Peak	vertical	

2402MHz, 1-DH5






Spurious Emissions, TX Mode, 30MHz-1GHz


2402MHz, 1-DH5



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
						cm	deg			
1	96.93	35.97	47.59	-11.62	43.50	-7.53	300	136 QP	horizontal	
2 !	145.62	40.85	47.19	-6.34	43.50	-2.65	200	171 QP	horizontal	
3 !	193.93	38.88	47.19	-8.31	43.50	-4.62	150	330 QP	horizontal	
4	235.25	38.29	45.38	-7.09	46.00	-7.71	100	275 QP	horizontal	
5	339.43	36.86	41.02	-4.16	46.00	-9.14	100	158 QP	horizontal	
6	845.38	34.05	30.62	3.43	46.00	-11.95	100	317 QP	horizontal	




Spurious Emissions, TX Mode, 1GHz-26.5GHz

2402MHz, 1-DH5, Horizontal




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4804	50.59	60.03	74	-23.41	-9.44	100	358	Peak	
4804	46.74	56.18	54	-7.26	-9.44	100	358	Average	
7206	58.89	65.71	84.79	-25.9	-6.82	208	117	Peak	Non-RB
7206	54.81	61.63	84.38	-29.57	-6.82	208	117	Average	Non-RB
14412	68.83	65.95	84.79	-15.96	2.88	300	54	Peak	Non-RB
14412	57.66	54.78	84.38	-26.72	2.88	300	54	Average	Non-RB

Note: 7206 MHz & 14412 MHz are not in restriction bands.




Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4804	50.37	59.81	74	-23.63	-9.44	100	300	Peak	
4804	46.72	56.16	54	-7.28	-9.44	100	300	Average	
7206	56.57	63.39	80.45	-23.88	-6.82	388	215	Peak	Non-RB
7206	52.09	58.91	80.1	-28.01	-6.82	388	215	Average	Non-RB
14412	70.83	67.95	80.45	-9.62	2.88	400	360	Peak	Non-RB
14412	60.08	57.2	80.1	-20.02	2.88	400	360	Average	Non-RB
19216	53.08	53.54	74	-20.92	-0.46	216	340	Peak	
19216	41.33	41.79	54	-12.67	-0.46	216	340	Average	

Note: 7206 MHz & 14412 MHz are not in restriction bands.



Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
7323	54.66	61.36	74	-19.34	-6.7	213	133	Peak	
7323	50.13	56.83	54	-3.87	-6.7	213	133	Average	
17087	62.13	54.89	78.17	-16.04	7.24	100	187	Peak	Non-RB
17087	50.85	43.61	77.76	-26.91	7.24	100	187	Average	Non-RB

Note: 17087 MHz is not in restriction bands.




Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
7323	51.33	58.03	74	-22.67	-6.7	301	346	Peak	
7323	46.91	53.61	54	-7.09	-6.7	301	346	Average	
17087	65.79	58.55	74.63	-8.84	7.24	331	0	Peak	Non-RB
17087	54.41	47.17	74.23	-19.82	7.24	331	0	Average	Non-RB


Note : 17087 MHz is not in restriction bands.




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.00	53.55	60.25	-6.70	74.00	-20.45	100	170 Peak	horizontal	
2 !	7440.00	48.54	55.24	-6.70	54.00	-5.46	100	170 Average	horizontal	
3	17360.00	60.70	53.21	7.49	74.00	-13.30	257	22 Peak	horizontal	
4 !	17360.00	49.62	42.13	7.49	54.00	-4.38	257	22 Average	horizontal	




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.00	51.46	58.16	-6.70	74.00	-22.54	335	207 Peak	vertical	
2	7440.00	46.13	52.83	-6.70	54.00	-7.87	335	207 Average	vertical	
3	17360.00	64.48	56.99	7.49	74.00	-9.52	321	360 Peak	vertical	
4 !	17360.00	53.03	45.54	7.49	54.00	-0.97	321	360 Average	vertical	



Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4804	50.08	59.52	74	-23.92	-9.44	370	360	Peak	
4804	44.42	53.86	54	-9.58	-9.44	370	360	Average	
7206	57.82	64.64	74	-16.18	-6.82	208	116	Peak	
7206	50.19	57.01	54	-3.81	-6.82	208	116	Average	
14412	68.66	65.78	84.8	-16.14	2.88	361	31	Peak	Non-RB
14412	58.58	55.7	80.35	-21.77	2.88	361	31	Average	Non-RB

Note: 14412 MHz is not in restriction bands.




Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4804	46.98	56.42	74	-27.02	-9.44	100	297	Peak	
7206	54.36	61.18	74	-19.64	-6.82	400	218	Peak	
7206	46.15	52.97	54	-7.85	-6.82	400	218	Average	
14412	70.89	68.01	77.52	-6.63	2.88	400	345	Peak	Non-RB
14412	60.72	57.84	75.51	-14.79	2.88	400	345	Average	Non-RB
19216	52.98	53.44	74	-21.02	-0.46	171	43	Peak	
19216	39.65	40.11	54	-14.35	-0.46	171	43	Average	

Note: 14412 MHz is not in restriction bands.




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4882	42.37	51.67	74	-31.63	-9.3	400	181	Peak	
7323	58.87	65.57	74	-15.13	-6.7	208	130	Peak	
7323	52.1	58.8	54	-1.9	-6.7	208	130	Average	
14646	70.86	67.45	84.46	-13.6	3.41	399	64	Peak	Non-RB
14646	59.21	55.8	80.14	-20.93	3.41	399	64	Average	Non-RB

Note: 14646 MHz is not in restriction bands.



Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4882	43.53	52.83	74	-30.47	-9.3	300	152	Peak	
7323	58.27	64.97	74	-15.73	-6.7	361	206	Peak	
7323	51.11	57.81	54	-2.89	-6.7	361	206	Average	
14646	72.5	69.09	80.2	-7.7	3.41	386	17	Peak	Non-RB
14646	60.73	57.32	75.87	-15.14	3.41	386	17	Average	Non-RB

Note: 14646 MHz is not in restriction bands.




Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4960	46.84	55.97	74	-27.16	-9.13	200	123	Peak	
7440	58.02	64.72	74	-15.98	-6.7	100	246	Peak	
7440	49.72	56.42	54	-4.28	-6.7	100	246	Average	
14880	68.11	64.41	78.88	-10.77	3.7	399	295	Peak	Non-RB
14880	57.21	53.51	74.29	-17.08	3.7	399	295	Average	Non-RB

Note: 146880 MHz is not in restriction bands.




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




Freq (MHz)	Level (dBuV/m)	Read_Level (dBuV)	Limit_Line (dBuV/m)	Over_Limit (dB)	Factor (dB/m)	A/Pos (cm)	T/Pos (deg)	Remark	Note
4960	46.99	56.12	74	-27.01	-9.13	100	307	Peak	
7440	57.29	63.99	74	-16.71	-6.7	364	209	Peak	
7440	49.05	55.75	54	-4.95	-6.7	364	209	Average	
14880	70.4	66.7	74.39	-3.99	3.7	308	337	Peak	Non-RB
14880	59.95	56.25	69.83	-9.88	3.7	308	337	Average	Non-RB
19840	53.19	53.05	74	-20.81	0.14	200	191	Peak	
19840	40.27	40.13	54	-13.73	0.14	200	191	Average	

Note: 146880 MHz is not in restriction bands.

2402MHz, 1-DH5






	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.19	65.92	11.99	53.93	101.94	-36.02	100	141 QP	vertical	
2	2.97	50.60	12.37	38.23	69.50	-18.90	100	49 QP	vertical	
3	7.34	50.73	12.46	38.27	69.50	-18.77	100	182 QP	vertical	
4	16.81	49.70	12.48	37.22	69.50	-19.80	100	331 QP	vertical	
5	21.47	48.70	12.72	35.98	69.50	-20.80	100	265 QP	vertical	
6	29.56	50.66	11.99	38.67	69.50	-18.84	100	183 QP	vertical	

Spurious Emissions, RX Mode, 30MHz-1GHz


2402MHz, 1-DH5



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos			
	MHz	dBuV/m	Level	Factor	Line	Limit			Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		Note
1	97.12	35.50	47.09	-11.59	43.50	-8.00	300	129	QP	horizontal
2 !	145.62	41.16	47.50	-6.34	43.50	-2.34	200	163	QP	horizontal
3 !	193.93	38.61	46.92	-8.31	43.50	-4.89	200	72	QP	horizontal
4	339.82	36.83	40.99	-4.16	46.00	-9.17	100	156	QP	horizontal
5	388.32	35.62	38.94	-3.32	46.00	-10.38	100	150	QP	horizontal
6	851.59	34.31	30.82	3.49	46.00	-11.69	300	360	QP	horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
				dB/m	dBuV/m	dB	cm	deg		
1 !	96.93	39.09	50.71	-11.62	43.50	-4.41	100	39 QP	vertical	
2	145.62	35.95	42.29	-6.34	43.50	-7.55	100	187 QP	vertical	
3	239.13	37.10	43.99	-6.89	46.00	-8.90	100	240 QP	vertical	
4	339.62	31.60	35.76	-4.16	46.00	-14.40	100	215 QP	vertical	
5	436.82	34.55	36.95	-2.40	46.00	-11.45	100	176 QP	vertical	
6	851.78	34.13	30.64	3.49	46.00	-11.87	300	71 QP	vertical	

Spurious Emissions, RX Mode, 1GHz-26.5GHz


2402MHz, 1-DH5



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
						cm	deg			
1	2396.83	42.51	56.45	-13.94	74.00	-31.49	300	138 Peak	horizontal	
2	4795.72	42.63	52.07	-9.44	74.00	-31.37	400	256 Peak	horizontal	
3	10987.50	44.99	46.97	-1.98	74.00	-29.01	400	263 Peak	horizontal	



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			Factor							
						cm	deg			
1	2394.00	45.99	59.94	-13.95	74.00	-28.01	100	0 Peak	vertical	
2	4785.33	45.97	55.40	-9.43	74.00	-28.03	200	154 Peak	vertical	
3	5988.56	44.62	52.48	-7.86	74.00	-29.38	100	43 Peak	vertical	