



4.6. Out-Band Leakage Power Measurement

Test Mode		Mode 1					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5180	5200	5240	Result	Notes
Channel Number		Ch.	36	40	48		
TX0	5140 - 5142 MHz	μ W/MHz	0.19	0.03	0.02	PASS	----
		MHz	5141.48	5141.07	5141.94	----	----
	Limit	μ W/MHz	2.5			----	----
	5142 - 5150 MHz	μ W/MHz	0.72	0.03	0.01	PASS	----
		MHz	5146.99	5149.96	5148.34	----	----
	Limit	μ W/MHz	15			----	----
	5250 - 5251 MHz	μ W/MHz	0.03	0.10	6.38	PASS	----
		MHz	5250.88	5250.99	5250.98	----	----
	Limit	μ W/MHz	130.58	101.39	103.99	----	----
	5251 - 5260 MHz	μ W/MHz	0.02	0.02	2.22	PASS	----
		MHz	5259.94	5259.87	5257.89	----	----
	Limit	μ W/MHz	16.05	16.26	24.42	----	----
	5260 - 5266.7 MHz	μ W/MHz	0.02	0.02	5.01	PASS	----
		MHz	5266.49	5266.57	5262.30	----	----
	Limit	μ W/MHz	2.64	2.58	8.39	----	----
	5266.7 - 5360 MHz	μ W/MHz	0.01	0.02	1.38	PASS	----
		MHz	5275.00	5268.10	5267.63	----	----
	Limit	μ W/MHz	2.5			----	----

Test Mode		Mode 2					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5260	5280	5320	Result	Notes
Channel Number		Ch.	52	56	64		
TX0	5140 - 5233.3 MHz	μ W/MHz	1.71	0.06	0.02	PASS	----
		MHz	5232.37	5232.27	5206.34	----	----
	Limit	μ W/MHz	2.5			----	----
	5233.3 - 5240 MHz	μ W/MHz	0.29	0.12	0.02	PASS	----
		MHz	5237.31	5233.86	5233.35	----	----
	Limit	μ W/MHz	7.54	2.91	2.53	----	----
	5240 - 5249 MHz	μ W/MHz	1.64	0.56	0.01	PASS	----
		MHz	5247.34	5246.92	5240.07	----	----
	Limit	μ W/MHz	71.15	65.37	16.08	----	----
	5249 - 5250 MHz	μ W/MHz	3.35	1.22	0.02	PASS	----
		MHz	5249.04	5249.01	5249.05	----	----
	Limit	μ W/MHz	109.39	101.62	112.97	----	----
	5350 - 5360 MHz	μ W/MHz	0.02	0.02	1.77	PASS	----
		MHz	5350.48	5354.36	5352.72	----	----
	Limit	μ W/MHz	2.5			----	----



Test Mode		Mode 3					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5500	5560	5700	Result	Notes
Channel Number		Ch.	100	112	140		
TX0	5455 - 5460 MHz	μ W/MHz	0.14	0.02	0.01	PASS	-----
		MHz	5459.85	5455.80	5455.16	-----	-----
	Limit	μ W/MHz	2.5			-----	-----
	5460 - 5470 MHz	μ W/MHz	2.18	0.02	0.01	PASS	-----
		MHz	5468.80	5467.34	5460.28	-----	-----
	Limit	μ W/MHz	12.5			-----	-----
	5725 - 5740 MHz	μ W/MHz	0.02	0.02	2.81	PASS	-----
		MHz	5739.97	5726.02	5727.27	-----	-----
	Limit	μ W/MHz	12.5			-----	-----
	5740 - 5745 MHz	μ W/MHz	0.02	0.02	0.15	PASS	-----
		MHz	5744.41	5741.59	5741.25	-----	-----
	Limit	μ W/MHz	2.5			-----	-----



Test Mode		Mode 4					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5180	5200	5240	Result	Notes
Channel Number		Ch.	36	40	48		
TX0	5140 - 5142 MHz	μ W/MHz	0.16	0.04	0.02	PASS	-----
		MHz	5141.69	5140.40	5141.95	-----	-----
	Limit	μ W/MHz	2.5			-----	-----
	5142 - 5150 MHz	μ W/MHz	2.64	0.04	0.02	PASS	-----
		MHz	5149.98	5149.71	5144.71	-----	-----
	Limit	μ W/MHz	15			-----	-----
	5250 - 5251 MHz	μ W/MHz	0.02	0.03	0.69	PASS	-----
		MHz	5250.99	5250.96	5250.98	-----	-----
	Limit	μ W/MHz	102.56	110.65	104.71	-----	-----
	5251 - 5260 MHz	μ W/MHz	0.02	0.03	0.82	PASS	-----
		MHz	5259.99	5259.32	5258.48	-----	-----
	Limit	μ W/MHz	15.88	18.23	21.63	-----	-----
	5260 - 5266.7 MHz	μ W/MHz	0.02	0.03	0.10	PASS	-----
		MHz	5266.37	5266.66	5264.37	-----	-----
	Limit	μ W/MHz	2.72	2.52	4.74	-----	-----
	5266.7 - 5360 MHz	μ W/MHz	0.02	0.02	1.18	PASS	-----
		MHz	5272.95	5294.88	5269.22	-----	-----
	Limit	μ W/MHz	2.5			-----	-----
TX1	5140 - 5142 MHz	μ W/MHz	0.39	0.04	0.02	PASS	-----
		MHz	5141.96	5140.75	5141.09	-----	-----
	Limit	μ W/MHz	2.5			-----	-----
	5142 - 5150 MHz	μ W/MHz	0.97	0.02	0.02	PASS	-----
		MHz	5149.70	5148.35	5149.69	-----	-----
	Limit	μ W/MHz	15			-----	-----
	5250 - 5251 MHz	μ W/MHz	0.02	0.03	0.55	PASS	-----
		MHz	5250.98	5250.99	5250.96	-----	-----
	Limit	μ W/MHz	104.23	101.39	110.14	-----	-----
	5251 - 5260 MHz	μ W/MHz	0.02	0.02	0.76	PASS	-----
		MHz	5259.84	5259.35	5251.04	-----	-----
	Limit	μ W/MHz	16.38	18.09	99.27	-----	-----
	5260 - 5266.7 MHz	μ W/MHz	0.02	0.02	0.06	PASS	-----
		MHz	5266.49	5265.98	5266.46	-----	-----
	Limit	μ W/MHz	2.64	3.03	2.66	-----	-----
	5266.7 - 5360 MHz	μ W/MHz	0.01	0.01	0.86	PASS	-----
		MHz	5266.70	5276.22	5268.19	-----	-----
	Limit	μ W/MHz	2.5			-----	-----



Test Mode		Mode 4					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5180	5200	5240	Result	Notes
Channel Number		Ch.	36	40	48		
TX0+1	5140 - 5142 MHz	μ W/MHz	0.55	0.08	0.04	PASS	-----
		MHz	-----	-----	-----		
	Limit	μ W/MHz	2.5			-----	-----
	5142 - 5150 MHz	μ W/MHz	3.61	0.06	0.04	PASS	-----
		MHz	-----	-----	-----		
	Limit	μ W/MHz	15			-----	-----
	5250 - 5251 MHz	μ W/MHz	0.04	0.06	1.24	PASS	-----
		MHz	5250.99	5250.99	5250.98		
	Limit	μ W/MHz	102.56	101.39	104.71	-----	-----
	5251 - 5260 MHz	μ W/MHz	0.04	0.04	1.58	PASS	-----
		MHz	5259.99	5259.35	5258.48		
	Limit	μ W/MHz	15.88	18.09	21.63	-----	-----
	5260 - 5266.7 MHz	μ W/MHz	0.04	0.04	0.16	PASS	-----
		MHz	5266.49	5266.66	5266.46		
	Limit	μ W/MHz	2.64	2.52	2.66	-----	-----
	5266.7 - 5360 MHz	μ W/MHz	0.03	0.04	2.04	PASS	-----
		MHz	-----	-----	-----		
	Limit	μ W/MHz	2.5			-----	-----



Test Mode		Mode 5					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5260	5280	5320	Result	Notes
Channel Number		Ch.	52	56	64		
TX0	5140 - 5233.3 MHz	μ W/MHz	1.87	0.04	0.02	PASS	-----
		MHz	5232.09	5233.11	5233.21	-----	-----
	Limit	μ W/MHz	2.5			-----	-----
	5233.3 - 5240 MHz	μ W/MHz	0.14	0.04	0.02	PASS	-----
		MHz	5234.64	5233.41	5233.34	-----	-----
	Limit	μ W/MHz	3.60	2.57	2.52	-----	-----
	5240 - 5249 MHz	μ W/MHz	0.98	0.02	0.03	PASS	-----
		MHz	5248.99	5240.78	5240.03	-----	-----
	Limit	μ W/MHz	99.82	18.60	15.94	-----	-----
	5249 - 5250 MHz	μ W/MHz	1.34	0.08	0.03	PASS	-----
		MHz	5249.05	5249.08	5249.06	-----	-----
	Limit	μ W/MHz	111.67	121.59	115.33	-----	-----
TX1	5140 - 5233.3 MHz	μ W/MHz	0.47	0.04	0.02	PASS	-----
		MHz	5233.21	5233.21	5183.76	-----	-----
	Limit	μ W/MHz	2.5			-----	-----
	5233.3 - 5240 MHz	μ W/MHz	0.03	0.05	0.02	PASS	-----
		MHz	5234.48	5233.47	5233.66	-----	-----
	Limit	μ W/MHz	3.45	2.61	2.75	-----	-----
	5240 - 5249 MHz	μ W/MHz	2.33	0.80	0.01	PASS	-----
		MHz	5248.96	5244.63	5240.14	-----	-----
	Limit	μ W/MHz	99.27	40.89	16.32	-----	-----
	5249 - 5250 MHz	μ W/MHz	3.28	0.98	0.02	PASS	-----
		MHz	5249.02	5249.03	5249.03	-----	-----
	Limit	μ W/MHz	105.19	106.16	106.16	-----	-----
	5350 - 5360 MHz	μ W/MHz	0.02	0.03	0.67	PASS	-----
		MHz	5357.71	5352.98	5352.96	-----	-----
	Limit	μ W/MHz	2.5			-----	-----



Test Mode		Mode 5					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5260	5280	5320	Result	Notes
Channel Number		Ch.	52	56	64		
TX0+1	5140 - 5233.3 MHz	μ W/MHz	2.34	0.07	0.04	PASS	-----
		MHz	-----	-----	-----		
	Limit	μ W/MHz	2.5			-----	-----
	5233.3 - 5240 MHz	μ W/MHz	0.17	0.09	0.04	PASS	-----
		MHz	5234.48	5233.41	5233.34		
	Limit	μ W/MHz	3.45	2.57	2.52	-----	-----
	5240 - 5249 MHz	μ W/MHz	3.30	0.82	0.04	PASS	-----
		MHz	5248.96	5240.78	5240.03		
	Limit	μ W/MHz	99.27	18.60	15.94	-----	-----
	5249 - 5250 MHz	μ W/MHz	4.62	1.05	0.04	PASS	-----
		MHz	5249.02	5249.03	5249.03		
	Limit	μ W/MHz	105.19	106.16	106.16	-----	-----
	5350 - 5360 MHz	μ W/MHz	0.04	0.06	1.63	PASS	-----
		MHz	-----	-----	-----		
	Limit	μ W/MHz	2.5			-----	-----



Test Mode		Mode 6					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5500	5560	5700	Result	Notes
Channel Number		Ch.	100	112	140		
TX0	5455 - 5460 MHz	μ W/MHz	0.02	0.01	0.01	PASS	----
		MHz	5459.00	5459.54	5457.67	----	----
	Limit	μ W/MHz	2.5			----	----
	5460 - 5470 MHz	μ W/MHz	0.39	0.01	0.01	PASS	----
		MHz	5469.87	5462.99	5469.11	----	----
	Limit	μ W/MHz	12.5			----	----
	5725 - 5740 MHz	μ W/MHz	0.01	0.01	4.17	PASS	----
		MHz	5735.56	5728.44	5725.08	----	----
	Limit	μ W/MHz	12.5			----	----
	5740 - 5745 MHz	μ W/MHz	0.01	0.01	0.11	PASS	----
		MHz	5742.62	5740.27	5740.14	----	----
	Limit	μ W/MHz	2.5			----	----
TX1	5455 - 5460 MHz	μ W/MHz	0.06	0.02	0.02	PASS	----
		MHz	5457.98	5458.63	5457.43	----	----
	Limit	μ W/MHz	2.5			----	----
	5460 - 5470 MHz	μ W/MHz	0.41	0.02	0.01	PASS	----
		MHz	5468.86	5464.95	5462.96	----	----
	Limit	μ W/MHz	12.5			----	----
	5725 - 5740 MHz	μ W/MHz	0.02	0.02	1.36	PASS	----
		MHz	5737.90	5727.39	5725.24	----	----
	Limit	μ W/MHz	12.5			----	----
	5740 - 5745 MHz	μ W/MHz	0.02	0.02	0.08	PASS	----
		MHz	5740.66	5741.01	5741.14	----	----
	Limit	μ W/MHz	2.5			----	----
TX0+1	5455 - 5460 MHz	μ W/MHz	0.07	0.03	0.03	PASS	----
		MHz	----	----	----	----	----
	Limit	μ W/MHz	2.5			----	----
	5460 - 5470 MHz	μ W/MHz	0.80	0.03	0.02	PASS	----
		MHz	----	----	----	----	----
	Limit	μ W/MHz	12.5			----	----
	5725 - 5740 MHz	μ W/MHz	0.03	0.03	5.53	PASS	----
		MHz	----	----	----	----	----
	Limit	μ W/MHz	12.5			----	----
	5740 - 5745 MHz	μ W/MHz	0.03	0.03	0.19	PASS	----
		MHz	----	----	----	----	----
	Limit	μ W/MHz	2.5			----	----



Test Mode		Mode 7				
Antenna Gain		2.90 dBi				
Test Voltage		5 Vdc	Normal Voltage			
Measurement Frequency		MHz	5190	5230	Result	Notes
Channel Number		Ch.	38	46		
TX0	5100 – 5141.6 MHz	μ W/MHz	0.55	0.01	PASS	-----
		MHz	5141.39	5139.56	-----	-----
	Limit	μ W/MHz	2.5		-----	-----
	5141.6 - 5150 MHz	μ W/MHz	1.68	0.05	PASS	-----
		MHz	5148.35	5148.67	-----	-----
	Limit	μ W/MHz	15		-----	-----
	5250 - 5251 MHz	μ W/MHz	0.70	1.32	PASS	-----
		MHz	5250.95	5250.99	-----	-----
	Limit	μ W/MHz	55.84	51.52	-----	-----
	5251 - 5270 MHz	μ W/MHz	0.23	1.03	PASS	-----
		MHz	5266.32	5251.00	-----	-----
	Limit	μ W/MHz	11.32	50.00	-----	-----
	5270 – 5278.4 MHz	μ W/MHz	0.05	0.17	PASS	-----
		MHz	5276.93	5274.41	-----	-----
	Limit	μ W/MHz	3.04	4.31	-----	-----
	5278.4 - 5400 MHz	μ W/MHz	0.03	0.06	PASS	-----
		MHz	5284.72	5278.40	-----	-----
	Limit	μ W/MHz	2.5		-----	-----
TX1	5100 – 5141.6 MHz	μ W/MHz	0.70	0.09	PASS	-----
		MHz	5141.52	5132.28	-----	-----
	Limit	μ W/MHz	2.5		-----	-----
	5141.6 - 5150 MHz	μ W/MHz	4.37	0.08	PASS	-----
		MHz	5149.31	5149.93	-----	-----
	Limit	μ W/MHz	15		-----	-----
	5250 - 5251 MHz	μ W/MHz	0.41	0.43	PASS	-----
		MHz	5250.97	5250.99	-----	-----
	Limit	μ W/MHz	53.08	51.40	-----	-----
	5251 - 5270 MHz	μ W/MHz	0.18	0.50	PASS	-----
		MHz	5263.85	5251.00	-----	-----
	Limit	μ W/MHz	14.39	50.00	-----	-----
	5270 – 5278.4 MHz	μ W/MHz	0.05	0.13	PASS	-----
		MHz	5278.13	5275.95	-----	-----
	Limit	μ W/MHz	2.58	3.48	-----	-----
	5278.4 - 5400 MHz	μ W/MHz	0.03	0.09	PASS	-----
		MHz	5282.29	5278.76	-----	-----
	Limit	μ W/MHz	2.5		-----	-----



Test Mode		Mode 7				
Antenna Gain		2.90 dBi				
Test Voltage		5 Vdc	Normal Voltage			
Measurement Frequency		MHz	5190	5230	Result	Notes
Channel Number		Ch.	38	46		
TX0+1	5100 – 5141.6 MHz	μ W/MHz	1.24	0.10	PASS	-----
		MHz	-----	-----	-----	-----
	Limit	μ W/MHz	2.5		-----	-----
	5141.6 - 5150 MHz	μ W/MHz	6.04	0.12	PASS	-----
		MHz	-----	-----	-----	-----
	Limit	μ W/MHz	15		-----	-----
	5250 - 5251 MHz	μ W/MHz	1.11	1.75	PASS	-----
		MHz	5250.97	5250.99	-----	-----
	Limit	μ W/MHz	53.08	51.52	-----	-----
	5251 - 5270 MHz	μ W/MHz	0.41	1.53	PASS	-----
		MHz	5266.32	5251.00	-----	-----
	Limit	μ W/MHz	11.32	50.00	-----	-----
	5270 – 5278.4 MHz	μ W/MHz	0.10	0.30	PASS	-----
		MHz	5278.13	5275.95	-----	-----
	Limit	μ W/MHz	2.58	3.48	-----	-----
	5278.4 - 5400 MHz	μ W/MHz	0.06	0.15	PASS	-----
		MHz	-----	-----	-----	-----
	Limit	μ W/MHz	2.5		-----	-----



Test Mode		Mode 8				
Antenna Gain		2.90 dBi				
Test Voltage		5 Vdc	Normal Voltage			
Measurement Frequency		MHz	5270	5310	Result	Notes
Channel Number		Ch.	54	62		
TX0	5100 - 5210 MHz	μ W/MHz	0.24	0.01	PASS	----
		MHz	5206.59	5209.89	----	----
	Limit	μ W/MHz	2.5		----	----
	5210 – 5221.6 MHz	μ W/MHz	0.02	0.01	PASS	----
		MHz	5221.57	5214.27	----	----
	Limit	μ W/MHz	2.5		----	----
	5221.6 - 5230 MHz	μ W/MHz	0.06	0.02	PASS	----
		MHz	5223.92	5221.86	----	----
	Limit	μ W/MHz	3.42	2.57	----	----
	5230 - 5249 MHz	μ W/MHz	0.41	0.13	PASS	----
		MHz	5248.92	5237.86	----	----
	Limit	μ W/MHz	49.63	16.98	----	----
	5249 - 5250 MHz	μ W/MHz	0.50	0.18	PASS	----
		MHz	5249.00	5249.03	----	----
	Limit	μ W/MHz	50.00	53.45	----	----
	5350 – 5358.4 MHz	μ W/MHz	0.06	1.80	PASS	----
		MHz	5353.73	5352.84	----	----
	Limit	μ W/MHz	15		----	----
TX1	5100 - 5210 MHz	μ W/MHz	0.82	0.07	PASS	----
		MHz	5199.77	5207.58	----	----
	Limit	μ W/MHz	2.5		----	----
	5210 – 5221.6 MHz	μ W/MHz	0.06	0.13	PASS	----
		MHz	5221.53	5213.41	----	----
	Limit	μ W/MHz	2.5		----	----
	5221.6 - 5230 MHz	μ W/MHz	0.12	0.09	PASS	----
		MHz	5226.17	5222.31	----	----
	Limit	μ W/MHz	4.67	2.74	----	----
	5230 - 5249 MHz	μ W/MHz	0.73	0.71	PASS	----
		MHz	5248.98	5240.15	----	----
	Limit	μ W/MHz	49.91	21.21	----	----
	5249 - 5250 MHz	μ W/MHz	0.70	0.70	PASS	----
		MHz	5249.01	5249.00	----	----
	Limit	μ W/MHz	51.28	50.46	----	----
	5350 – 5358.4 MHz	μ W/MHz	0.13	1.75	PASS	----
		MHz	5350.18	5353.40	----	----
	Limit	μ W/MHz	15		----	----
	5358.4- 5400 MHz	μ W/MHz	0.06	0.98	PASS	----
		MHz	5358.94	5358.48	----	----
	Limit	μ W/MHz	2.5		----	----



Test Mode		Mode 8				
Antenna Gain		2.90 dBi				
Test Voltage		5 Vdc	Normal Voltage			
Measurement Frequency		MHz	5270	5310	Result	Notes
Channel Number		Ch.	54	62		
TX0+1	5100 - 5210 MHz	μ W/MHz	1.06	0.08	PASS	-----
		MHz	-----	-----		
	Limit	μ W/MHz	2.5		-----	-----
	5210 – 5221.6 MHz	μ W/MHz	0.08	0.14	PASS	-----
		MHz	0.00	0.00		
	Limit	μ W/MHz	2.5		-----	-----
	5221.6 - 5230 MHz	μ W/MHz	0.18	0.11	PASS	-----
		MHz	5223.92	5221.86		
	Limit	μ W/MHz	3.42	2.57	-----	-----
	5230 - 5249 MHz	μ W/MHz	1.14	0.83	PASS	-----
		MHz	5248.98	5240.15		
	Limit	μ W/MHz	49.91	21.21	-----	-----
	5249 - 5250 MHz	μ W/MHz	1.19	0.88	PASS	-----
		MHz	5249.00	5249.00		
	Limit	μ W/MHz	50.00	50.46	-----	-----
	5350 – 5358.4 MHz	μ W/MHz	0.19	3.55	PASS	-----
		MHz	-----	-----		
	Limit	μ W/MHz	15		-----	-----
	5358.4- 5400 MHz	μ W/MHz	0.08	1.52	PASS	-----
		MHz	-----	-----		
	Limit	μ W/MHz	2.5		-----	-----



Test Mode		Mode 9					
Antenna Gain		2.90 dBi					
Test Voltage		5 Vdc	Normal Voltage				
Measurement Frequency		MHz	5510	5550	5670	Result	Notes
Channel Number		Ch.	102	110	134		
TX0	5420 - 5460 MHz	μ W/MHz	0.17	0.01	0.01	PASS	----
		MHz	5459.88	5437.84	5424.12	----	----
	Limit	μ W/MHz	12.5			----	----
	5460 - 5470 MHz	μ W/MHz	0.65	0.01	0.01	PASS	----
		MHz	5469.75	5469.20	5465.35	----	----
	Limit	μ W/MHz	50			----	----
	5725 - 5760 MHz	μ W/MHz	0.01	0.01	0.14	PASS	----
		MHz	5743.90	5734.21	5726.33	----	----
	Limit	μ W/MHz	12.5			----	----
TX1	5420 - 5460 MHz	μ W/MHz	0.17	0.01	0.01	PASS	----
		MHz	5459.88	5437.84	5424.12	----	----
	Limit	μ W/MHz	12.5			----	----
	5460 - 5470 MHz	μ W/MHz	0.65	0.01	0.01	PASS	----
		MHz	5469.75	5469.20	5465.35	----	----
	Limit	μ W/MHz	50			----	----
	5725 - 5760 MHz	μ W/MHz	0.01	0.01	0.14	PASS	----
		MHz	5743.90	5734.21	5726.33	----	----
	Limit	μ W/MHz	12.5			----	----
TX0+1	5420 - 5460 MHz	μ W/MHz	0.35	0.02	0.01	PASS	----
		MHz	----	----	----	----	----
	Limit	μ W/MHz	12.5			----	----
	5460 - 5470 MHz	μ W/MHz	1.30	0.02	0.01	PASS	----
		MHz	----	----	----	----	----
	Limit	μ W/MHz	50			----	----
	5725 - 5760 MHz	μ W/MHz	0.02	0.03	0.28	PASS	----
		MHz	----	----	----	----	----
	Limit	μ W/MHz	12.5			----	----



Test Mode		Mode 10			
Antenna Gain		2.90 dBi			
Test Voltage		5 Vdc	Normal Voltage		
Measurement Frequency		MHz	5210	Result	Notes
Channel Number		Ch.	42		
TX0	5020 - 5123.2 MHz	μ W/MHz	0.52	PASS	-----
		MHz	5122.06	-----	-----
	Limit	μ W/MHz	2.5	-----	-----
	5123.2 - 5150 MHz	μ W/MHz	1.31	PASS	-----
		MHz	5148.55	-----	-----
	Limit	μ W/MHz	15	-----	-----
	5250 - 5251 MHz	μ W/MHz	0.30	PASS	-----
		MHz	5250.98	-----	-----
	Limit	μ W/MHz	26.24	-----	-----
	5251 - 5290 MHz	μ W/MHz	0.06	PASS	-----
		MHz	5289.96	-----	-----
	Limit	μ W/MHz	3.97	-----	-----
	5290 - 5296.7 MHz	μ W/MHz	0.04	PASS	-----
		MHz	5294.37	-----	-----
	Limit	μ W/MHz	2.93	-----	-----
TX1	5020 - 5123.2 MHz	μ W/MHz	1.69	PASS	-----
		MHz	5119.18	-----	-----
	Limit	μ W/MHz	2.5	-----	-----
	5123.2 - 5150 MHz	μ W/MHz	2.08	PASS	-----
		MHz	5138.29	-----	-----
	Limit	μ W/MHz	15	-----	-----
	5250 - 5251 MHz	μ W/MHz	0.40	PASS	-----
		MHz	5250.99	-----	-----
	Limit	μ W/MHz	25.46	-----	-----
	5251 - 5290 MHz	μ W/MHz	0.35	PASS	-----
		MHz	5251.04	-----	-----
	Limit	μ W/MHz	24.95	-----	-----
	5290 - 5296.7 MHz	μ W/MHz	0.06	PASS	-----
		MHz	5296.09	-----	-----
	Limit	μ W/MHz	2.60	-----	-----
	5296.7 - 5480 MHz	μ W/MHz	0.03	PASS	-----
		MHz	5309.16	-----	-----
	Limit	μ W/MHz	2.5	-----	-----



Test Mode		Mode 10			
Antenna Gain		2.90 dBi			
Test Voltage		5 Vdc	Normal Voltage		
Measurement Frequency		MHz	5210	Result	Notes
Channel Number		Ch.	42		
TX0+1	5020 - 5123.2 MHz	μ W/MHz	2.21	PASS	-----
		MHz	-----	-----	-----
	Limit	μ W/MHz	2.5	-----	-----
	5123.2 - 5150 MHz	μ W/MHz	3.39	PASS	-----
		MHz	-----	-----	-----
	Limit	μ W/MHz	15	-----	-----
	5250 - 5251 MHz	μ W/MHz	0.70	PASS	-----
		MHz	5250.99	-----	-----
	Limit	μ W/MHz	25.46	-----	-----
	5251 - 5290 MHz	μ W/MHz	0.41	PASS	-----
		MHz	5289.96	-----	-----
	Limit	μ W/MHz	3.97	-----	-----
	5290 - 5296.7 MHz	μ W/MHz	0.41	PASS	-----
		MHz	5296.09	-----	-----
	Limit	μ W/MHz	2.60	-----	-----
	5296.7 - 5480 MHz	μ W/MHz	0.05	PASS	-----
		MHz	-----	-----	-----
	Limit	μ W/MHz	2.5	-----	-----



Test Mode		Mode 11			
Antenna Gain		2.90 dBi			
Test Voltage		5 Vdc	Normal Voltage		
Measurement Frequency		MHz	5290	Result	Notes
Channel Number		Ch.	58		
TX0	5020 - 5203.3 MHz	μ W/MHz	0.62	PASS	-----
		MHz	5193.40	-----	-----
	Limit	μ W/MHz	2.5	-----	-----
	5203.3 - 5210 MHz	μ W/MHz	0.69	PASS	-----
		MHz	5203.81	-----	-----
	Limit	μ W/MHz	2.58	-----	-----
	5210 - 5249 MHz	μ W/MHz	0.49	PASS	-----
		MHz	5248.88	-----	-----
	Limit	μ W/MHz	24.86	-----	-----
	5249 - 5250 MHz	μ W/MHz	0.39	PASS	-----
		MHz	5249.01	-----	-----
	Limit	μ W/MHz	25.70	-----	-----
	5350 - 5376.8 MHz	μ W/MHz	3.83	PASS	-----
		MHz	5355.60	-----	-----
	Limit	μ W/MHz	15	-----	-----
	5376.8 - 5480 MHz	μ W/MHz	0.07	PASS	-----
		MHz	5379.79	-----	-----
	Limit	μ W/MHz	2.5	-----	-----
TX1	5020 - 5203.3 MHz	μ W/MHz	0.84	PASS	-----
		MHz	5199.45	-----	-----
	Limit	μ W/MHz	2.5	-----	-----
	5203.3 - 5210 MHz	μ W/MHz	0.72	PASS	-----
		MHz	5204.76	-----	-----
	Limit	μ W/MHz	2.76	-----	-----
	5210 - 5249 MHz	μ W/MHz	0.37	PASS	-----
		MHz	5248.88	-----	-----
	Limit	μ W/MHz	24.86	-----	-----
	5249 - 5250 MHz	μ W/MHz	0.32	PASS	-----
		MHz	5249.01	-----	-----
	Limit	μ W/MHz	25.58	-----	-----
	5350 - 5376.8 MHz	μ W/MHz	1.39	PASS	-----
		MHz	5350.40	-----	-----
	Limit	μ W/MHz	15	-----	-----
	5376.8 - 5480 MHz	μ W/MHz	0.03	PASS	-----
		MHz	5382.06	-----	-----
	Limit	μ W/MHz	2.5	-----	-----



Test Mode		Mode 11			
Antenna Gain		2.90 dBi			
Test Voltage		5 Vdc	Normal Voltage		
Measurement Frequency		MHz	5290	Result	Notes
Channel Number		Ch.	58		
TX0+1	5020 - 5203.3 MHz	μ W/MHz	1.46	PASS	-----
		MHz	-----	-----	-----
	Limit	μ W/MHz	2.5	-----	-----
	5203.3 - 5210 MHz	μ W/MHz	1.41	PASS	-----
		MHz	5203.81	-----	-----
	Limit	μ W/MHz	2.58	-----	-----
	5210 - 5249 MHz	μ W/MHz	0.86	PASS	-----
		MHz	5248.88	-----	-----
	Limit	μ W/MHz	24.86		-----
	5249 - 5250 MHz	μ W/MHz	0.71	PASS	-----
		MHz	5249.01	-----	-----
	Limit	μ W/MHz	25.58	-----	-----
	5350 - 5376.8 MHz	μ W/MHz	5.22	PASS	-----
		MHz	-----	-----	-----
	Limit	μ W/MHz	15	-----	-----
	5376.8 - 5480 MHz	μ W/MHz	0.10	PASS	-----
		MHz	-----	-----	-----
	Limit	μ W/MHz	2.5	-----	-----



Test Mode		Mode 12				
Antenna Gain		2.90 dBi				
Test Voltage		5 Vdc	Normal Voltage			
Measurement Frequency		MHz	5530	5610	Result	Notes
Channel Number		Ch.	106	122		
TX0	5340 - 5460 MHz	μ W/MHz	0.44	0.05	PASS	----
		MHz	5450.04	5458.80	----	----
	Limit	μ W/MHz	12.5		----	----
	5460 - 5469.5 MHz	μ W/MHz	0.52	0.15	PASS	----
		MHz	5468.40	5469.37	----	----
	Limit	μ W/MHz	50		----	----
	5469.5 - 5470 MHz	μ W/MHz	0.55	0.17	PASS	----
		MHz	5469.87	5469.64	----	----
	Limit	μ W/MHz	51.2		----	----
	5725 - 5800 MHz	μ W/MHz	0.01	0.26	PASS	----
		MHz	5770.68	5726.65	----	----
	Limit	μ W/MHz	12.5		----	----
TX1	5340 - 5460 MHz	μ W/MHz	1.23	0.07	PASS	----
		MHz	5458.56	5459.88	----	----
	Limit	μ W/MHz	12.5		----	----
	5460 - 5469.5 MHz	μ W/MHz	1.07	0.15	PASS	----
		MHz	5468.97	5468.67	----	----
	Limit	μ W/MHz	50		----	----
	5469.5 - 5470 MHz	μ W/MHz	0.81	0.14	PASS	----
		MHz	5469.79	5469.61	----	----
	Limit	μ W/MHz	51.2		----	----
	5725 - 5800 MHz	μ W/MHz	0.01	0.20	PASS	----
		MHz	5746.38	5726.88	----	----
	Limit	μ W/MHz	12.5		----	----
TX0+1	5340 - 5460 MHz	μ W/MHz	1.67	0.12	PASS	----
		MHz	----	----	----	----
	Limit	μ W/MHz	12.5		----	----
	5460 - 5469.5 MHz	μ W/MHz	1.59	0.30	PASS	----
		MHz	----	----	----	----
	Limit	μ W/MHz	50		----	----
	5469.5 - 5470 MHz	μ W/MHz	1.36	0.32	PASS	----
		MHz	----	----	----	----
	Limit	μ W/MHz	51.2		----	----
	5725 - 5800 MHz	μ W/MHz	0.02	0.47	PASS	----
		MHz	----	----	----	----
	Limit	μ W/MHz	12.5		----	----



■ Test Graphs

Mode 1 _ Normal Voltage_5140 - 5142 MHz_TX0

5180 MHz



5200 MHz






5240 MHz






Mode 1 _ Normal Voltage_ 5142 - 5150 MHz _TX0	
5180 MHz	
5200 MHz	
5240 MHz	




Mode 1 _ Normal Voltage_5250 - 5251 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	





Mode 1 _ Normal Voltage_5251 - 5260 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	





Mode 1 _ Normal Voltage_5260 - 5266.7 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	




Mode 1 _ Normal Voltage_5266.7 - 5360 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	



Mode 2 _ Normal Voltage_5140 - 5233.3 MHz_TX0	
5260 MHz	
5280 MHz	
5320 MHz	




Mode 2 _ Normal Voltage_ 5233.3 - 5240 MHz_TX0	
5260 MHz	
5260 MHz	
5280 MHz	







Mode 2 _ Normal Voltage_ 5240 - 5249 MHz_ TX0	
5260 MHz	
5260 MHz	
5280 MHz	






Mode 2 _ Normal Voltage_ 5249 - 5250 MHz_ TX0	
5260 MHz	
5260 MHz	
5280 MHz	





Mode 2 _ Normal Voltage_ 5350 - 5360 MHz _TX0	
5260 MHz	
5280 MHz	
5320 MHz	



Mode 3 _ Normal Voltage_ 5455 - 5460 MHz_ TX0	
5500 MHz	
5560 MHz	
5700 MHz	



Mode 3 _ Normal Voltage_5460 - 5470 MHz_TX0	
5500 MHz	
5560 MHz	
5700 MHz	



Mode 3 _ Normal Voltage_5725 - 5740 MHz_TX0	
5500 MHz	
5560 MHz	
5700 MHz	




Mode 3 _ Normal Voltage_5740 - 5745 MHz_TX0	
5500 MHz	
5560 MHz	
5700 MHz	




Mode 4 _ Normal Voltage_5140 - 5142 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	



Mode 4 _ Normal Voltage_5142 - 5150 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	






Mode 4 _ Normal Voltage_5250 - 5251 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	




5240 MHz





Mode 4 _ Normal Voltage_5251 - 5260 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	




5240 MHz





Mode 4 _ Normal Voltage_5260 - 5266.7 MHz_TX0	
5180 MHz	
5200 MHz	
5240 MHz	






Mode 4 _ Normal Voltage_ 5266.7 - 5360 MHz_ TX0	
5180 MHz	
5200 MHz	
5240 MHz	



Mode 4 _ Normal Voltage_5140 - 5142 MHz_TX1

5180 MHz




5200 MHz



5240 MHz






Mode 4 _ Normal Voltage_ 5142 - 5150 MHz _TX1	
5180 MHz	
5200 MHz	
5240 MHz	




Mode 4 _ Normal Voltage_ 5250 - 5251 MHz_ TX1	
5180 MHz	
5200 MHz	
5240 MHz	






Mode 4 _ Normal Voltage_ 5251 - 5260 MHz_TX1	
5180 MHz	
5200 MHz	
5240 MHz	





Mode 4 _ Normal Voltage_5260 - 5266.7 MHz_TX1	
5180 MHz	
5200 MHz	
5240 MHz	






Mode 4 _ Normal Voltage_5266.7 - 5360 MHz_TX1	
5180 MHz	
5200 MHz	
5240 MHz	





Mode 5 _ Normal Voltage_5140 - 5233.3 MHz_TX0	
5260 MHz	
5280 MHz	
5320 MHz	




Mode 5 _ Normal Voltage_ 5233.3 - 5240 MHz_TX0	
5260 MHz	
5260 MHz	
5280 MHz	






Mode 5 _ Normal Voltage_5240 - 5249 MHz_TX0	
5260 MHz	
5260 MHz	
5280 MHz	





Mode 5 _ Normal Voltage_ 5249 - 5250 MHz_ TX0	
5260 MHz	
5260 MHz	
5280 MHz	






Mode 5 _ Normal Voltage_ 5350 - 5360 MHz_ TX0	
5260 MHz	
5280 MHz	
5320 MHz	




Mode 5 _ Normal Voltage_5140 - 5233.3 MHz_TX1	
5260 MHz	
5280 MHz	
5320 MHz	



Mode 5 _ Normal Voltage_ 5233.3 - 5240 MHz_TX1	
5260 MHz	
5260 MHz	
5280 MHz	






Mode 5 _ Normal Voltage_ 5240 - 5249 MHz_ TX1	
5260 MHz	
5260 MHz	
5280 MHz	




Mode 5 _ Normal Voltage_5240 - 5249 MHz_TX1

5320 MHz






Mode 5 _ Normal Voltage_ 5249 - 5250 MHz _TX1	
5260 MHz	
5260 MHz	
5280 MHz	





Mode 5 _ Normal Voltage_ 5350 - 5360 MHz_TX1	
5260 MHz	
5280 MHz	
5320 MHz	



Mode 6 _ Normal Voltage_ 5455 - 5460 MHz_ TX0	
5500 MHz	
5560 MHz	
5700 MHz	





Mode 6 _ Normal Voltage_5460 - 5470 MHz_TX0	
5500 MHz	
5560 MHz	
5700 MHz	




Mode 6 _ Normal Voltage_ 5725 - 5740 MHz_ TX0	
5500 MHz	
5560 MHz	
5700 MHz	



Mode 6 _ Normal Voltage_5740 - 5745 MHz_TX0	
5500 MHz	
5560 MHz	
5700 MHz	




Mode 6 _ Normal Voltage_ 5455 - 5460 MHz_ TX1	
5500 MHz	
5560 MHz	
5700 MHz	



Mode 6 _ Normal Voltage_5460 - 5470 MHz_TX1	
5500 MHz	
5560 MHz	
5700 MHz	



Mode 6 _ Normal Voltage_ 5725 - 5740 MHz_ TX1	
5500 MHz	
5560 MHz	
5700 MHz	



Mode 6 _ Normal Voltage_5740 - 5745 MHz_TX1	
5500 MHz	
5560 MHz	
5700 MHz	





Mode 7 _ Normal Voltage_ 5100 – 5141.6 MHz_TX0	
5190 MHz	
5230 MHz	



Mode 7 _ Normal Voltage_5141.6 - 5150 MHz_TX0	
5190 MHz	
5230 MHz	





Mode 7 _ Normal Voltage_ 5250 - 5251 MHz_ TX0	
5190 MHz	
5230 MHz	
5230 MHz	



Mode 7 _ Normal Voltage_5251 - 5270 MHz_TX0	
5190 MHz	
5230 MHz	
5230 MHz	



Mode 7 _ Normal Voltage_5270 – 5278.4 MHz_TX0	
5190 MHz	
5230 MHz	
5230 MHz	



Mode 7 _ Normal Voltage_5278.4 - 5400 MHz_TX0	
5190 MHz	
5230 MHz	
5230 MHz	



Mode 7 _ Normal Voltage_5100 – 5141.6 MHz_TX1	
5190 MHz	
5230 MHz	




Mode 7 _ Normal Voltage_5141.6 - 5150 MHz_TX1	
5190 MHz	
5230 MHz	



Mode 7 _ Normal Voltage_ 5250 - 5251 MHz_ TX1	
5190 MHz	
5230 MHz	
5230 MHz	



Mode 7 _ Normal Voltage_5251 - 5270 MHz_TX1	
5190 MHz	
5230 MHz	
5230 MHz	

285 of 406



Mode 7 _ Normal Voltage_5278.4 - 5400 MHz_TX1	
5190 MHz	
5230 MHz	
5230 MHz	



Mode 8 _ Normal Voltage_ 5100 - 5210 MHz_ TX0	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_5210 – 5221.6 MHz_TX0	
5270 MHz	
5270 MHz	
5310 MHz	





Mode 8 _ Normal Voltage_5221.6 - 5230 MHz_TX0	
5270 MHz	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5230 - 5249 MHz_ TX0	
5270 MHz	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5249 - 5250 MHz_ TX0	
5270 MHz	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5350 – 5358.4 MHz_TX0	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5358.4- 5400 MHz_ TX0	
5270 MHz	
5310 MHz	





Mode 8 _ Normal Voltage_ 5100 - 5210 MHz_ TX1	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_5210 – 5221.6 MHz_TX1	
5270 MHz	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5221.6 - 5230 MHz_ TX1	
5270 MHz	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5230 - 5249 MHz _TX1	
5270 MHz	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5249 - 5250 MHz _TX1	
5270 MHz	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5350 – 5358.4 MHz_TX1	
5270 MHz	
5310 MHz	



Mode 8 _ Normal Voltage_ 5358.4- 5400 MHz_ TX1	
5270 MHz	
5310 MHz	



Mode 9 _ Normal Voltage_5420 - 5460 MHz_TX0	
5510 MHz	
5550 MHz	
5670 MHz	



Mode 9 _ Normal Voltage_5460 - 5470 MHz_TX0	
5510 MHz	
5550 MHz	
5670 MHz	



Mode 9 _ Normal Voltage_5725 - 5760 MHz_TX0	
5510 MHz	
5550 MHz	
5670 MHz	





Mode 9 _ Normal Voltage_ 5420 - 5460 MHz_ TX1	
5510 MHz	
5550 MHz	
5670 MHz	




Mode 9 _ Normal Voltage_5460 - 5470 MHz_TX1	
5510 MHz	
5550 MHz	
5670 MHz	




Mode 9 _ Normal Voltage_5725 - 5760 MHz_TX1	
5510 MHz	
5550 MHz	
5670 MHz	







Mode 10 _ Normal Voltage_5250 - 5251 MHz_TX0	
5210 MHz	
5210 MHz	




Mode 10 _ Normal Voltage_5251 - 5290 MHz_TX0	
5210 MHz	
5210 MHz	



Mode 10 _ Normal Voltage_5290 - 5296.7 MHz_TX0	
5210 MHz	
5210 MHz	



Mode 10 _ Normal Voltage_5296.7 - 5480 MHz_TX0	
5210 MHz	
5210 MHz	






Mode 10 _ Normal Voltage_5123.2 - 5150 MHz_TX1

5210 MHz





Mode 10 _ Normal Voltage_5250 - 5251 MHz_TX1	
5210 MHz	
5210 MHz	




Mode 10 _ Normal Voltage_5251 - 5290 MHz_TX1	
5210 MHz	
5210 MHz	





Mode 10 _ Normal Voltage_5290 - 5296.7 MHz_TX1	
5210 MHz	
5210 MHz	



Mode 10 _ Normal Voltage_5296.7 - 5480 MHz_TX1	
5210 MHz	
5210 MHz	








Mode 11 _ Normal Voltage_5210 - 5249 MHz_TX0	
5290 MHz	
5290 MHz	





Mode 11 _ Normal Voltage_5249 - 5250 MHz_TX0	
5290 MHz	
5290 MHz	






Mode 11 _ Normal Voltage_5376.8 - 5480 MHz_TX0	
5290 MHz	
5290 MHz	







Mode 11 _ Normal Voltage_5210 - 5249 MHz_TX1	
5290 MHz	
5290 MHz	



5290 MHz





Mode 11 _ Normal Voltage_5376.8 - 5480 MHz_TX1	
5290 MHz	
5290 MHz	



Mode 12 _ Normal Voltage_5340 - 5460 MHz_TX0	
5530 MHz	
5610 MHz	



Mode 12 _ Normal Voltage_5460 - 5469.5 MHz_TX0	
5530 MHz	
5610 MHz	



Mode 12 _ Normal Voltage_5469.5 - 5470 MHz_TX0	
5530 MHz	
5610 MHz	



Mode 12 _ Normal Voltage_5725 - 5800 MHz_TX0	
5530 MHz	
5610 MHz	



Mode 12 _ Normal Voltage_5340 - 5460 MHz_TX1	
5530 MHz	
5610 MHz	



Mode 12 _ Normal Voltage_5460 - 5469.5 MHz_TX1	
5530 MHz	
5610 MHz	



Mode 12 _ Normal Voltage_5469.5 - 5470 MHz_TX1


5530 MHz



5610 MHz





Mode 12 _ Normal Voltage_5725 - 5800 MHz_TX1	
5530 MHz	
5610 MHz	