

Table of Contents

1. Frequency Tolerance	2
2. Occupied Frequency Bandwidth	5
3. Burst Length.....	16
4. RF output power && E.I.R.P(Without TPC).....	22
5. Secondary emission of radio wave	43
6. Spurious Emissions.....	54
7. ACP Measure.....	84


Telec WIFI5.2G

MIC 5.2G WIFI Test Data


1. Frequency Tolerance

Condition	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	5180	Ant1	5179.977	-4.44	50	Pass
NVNT	5200	Ant1	5199.976	-4.62	50	Pass
NVNT	5240	Ant1	5239.973	-5.15	50	Pass
NVNT	5190	Ant1	5189.972	-5.39	50	Pass
NVNT	5230	Ant1	5229.97	-5.74	50	Pass
NVNT	5210	Ant1	5209.97	-5.76	50	Pass


Freq. Error NVNT a 5180MHz Ant1




Freq. Error NVNT a 5200MHz Ant1




Freq. Error NVNT a 5240MHz Ant1




Freq. Error NVNT ac40 5190MHz Ant1



Freq. Error NVNT ac40 5230MHz Ant1



Freq. Error NVNT ac80 5210MHz Ant1




2. Occupied Frequency Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5180	Ant1	16.33206395	20	Pass
NVNT	a	5200	Ant1	16.31386061	20	Pass
NVNT	a	5240	Ant1	16.31250805	20	Pass
NVNT	ac20	5180	Ant1	17.54272374	20	Pass
NVNT	ac20	5200	Ant1	17.52720436	20	Pass
NVNT	ac20	5240	Ant1	17.52334667	20	Pass
NVNT	ac40	5190	Ant1	35.78545212	40	Pass
NVNT	ac40	5230	Ant1	35.91688554	40	Pass
NVNT	ac80	5210	Ant1	75.34653276	80	Pass
NVNT	n20	5180	Ant1	17.54523058	20	Pass
NVNT	n20	5200	Ant1	17.52789647	20	Pass
NVNT	n20	5240	Ant1	17.53094997	20	Pass
NVNT	n40	5190	Ant1	35.78692207	40	Pass
NVNT	n40	5230	Ant1	35.92075688	40	Pass

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5180	Ant2	16.32404637	20	Pass
NVNT	a	5200	Ant2	16.31565226	20	Pass
NVNT	a	5240	Ant2	16.31040454	20	Pass
NVNT	ac20	5180	Ant2	17.53805863	20	Pass
NVNT	ac20	5200	Ant2	17.52957126	20	Pass
NVNT	ac20	5240	Ant2	17.52347849	20	Pass
NVNT	ac40	5190	Ant2	35.78922244	40	Pass
NVNT	ac40	5230	Ant2	35.92020235	40	Pass
NVNT	ac80	5210	Ant2	75.30339666	80	Pass
NVNT	n20	5180	Ant2	17.54760253	20	Pass
NVNT	n20	5200	Ant2	17.53172552	20	Pass
NVNT	n20	5240	Ant2	17.52184894	20	Pass
NVNT	n40	5190	Ant2	35.79516352	40	Pass
NVNT	n40	5230	Ant2	35.91615143	40	Pass


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1



OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1



OBW NVNT a 5180MHz Ant2




OBW NVNT a 5200MHz Ant2




OBW NVNT a 5240MHz Ant2




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant2




OBW NVNT ac80 5210MHz Ant2



OBW NVNT n20 5180MHz Ant2




OBW NVNT n20 5200MHz Ant2




OBW NVNT n20 5240MHz Ant2



OBW NVNT n40 5190MHz Ant2




OBW NVNT n40 5230MHz Ant2




3. Burst Length

Condition	Mode	Frequency (MHz)	Antenna	Burst Length (ms)	Limit (ms)	Verdict
NVNT	a	Ant1	5180	0.176	8	Pass
NVNT	a	Ant1	5200	0.177	8	Pass
NVNT	a	Ant1	5240	0.177	8	Pass
NVNT	ac20	Ant1	5180	1.312	8	Pass
NVNT	ac20	Ant1	5200	1.313	8	Pass
NVNT	ac20	Ant1	5240	1.313	8	Pass
NVNT	ac40	Ant1	5190	0.653	8	Pass
NVNT	ac40	Ant1	5230	0.653	8	Pass
NVNT	ac80	Ant1	5210	0.325	8	Pass
NVNT	n20	Ant1	5180	1.3	8	Pass
NVNT	n20	Ant1	5200	1.3	8	Pass
NVNT	n20	Ant1	5240	1.301	8	Pass
NVNT	n40	Ant1	5190	0.649	8	Pass
NVNT	n40	Ant1	5230	0.649	8	Pass


Burst Length NVNT a 5180MHz Ant1




Burst Length NVNT a 5200MHz Ant1




Burst Length NVNT a 5240MHz Ant1




Burst Length NVNT ac20 5180MHz Ant1




Burst Length NVNT ac20 5200MHz Ant1



Burst Length NVNT ac20 5240MHz Ant1




Burst Length NVNT ac40 5190MHz Ant1




Burst Length NVNT ac40 5230MHz Ant1




Burst Length NVNT ac80 5210MHz Ant1




Burst Length NVNT n20 5180MHz Ant1




Burst Length NVNT n20 5200MHz Ant1



Burst Length NVNT n20 5240MHz Ant1



Burst Length NVNT n40 5190MHz Ant1



Burst Length NVNT n40 5230MHz Ant1



4. RF output power & E.I.R.P(Without TPC)

Condition	Mode	Frequency	Antenna Power(mW/MHz)		Rated Power(mW/MHz)	Power Limit(mW/MHz)	Power Tolerance(%)		Tolerance Limit(%)	Result
			ANT1	ANT2			ANT1	ANT2		
NVNT	a	5180	0.51	0.576	2	10	-74.50	-71.20	-80~20	Pass
NVNT	a	5200	0.839	0.812	2	10	-58.05	-59.40	-80~20	Pass
NVNT	a	5240	0.731	0.927	2	10	-63.45	-53.65	-80~20	Pass
NVNT	ac20	5180	0.768	0.784	2	10	-61.60	-60.80	-80~20	Pass
NVNT	ac20	5200	0.826	0.92	2	10	-58.70	-54.00	-80~20	Pass
NVNT	ac20	5240	0.819	0.793	2	10	-59.05	-60.35	-80~20	Pass
NVNT	ac40	5190	0.435	0.441	2	5	-78.25	-77.95	-80~20	Pass
NVNT	ac40	5230	0.385	0.417	2	5	-80.75	-79.15	-80~20	Pass
NVNT	ac80	5210	0.361	0.442	2	2.5	-81.95	-77.90	-80~20	Pass
NVNT	n20	5180	0.737	0.612	2	10	-63.15	-69.40	-80~20	Pass
NVNT	n20	5200	0.743	0.944	2	10	-62.85	-52.80	-80~20	Pass
NVNT	n20	5240	0.923	0.956	2	10	-53.85	-52.20	-80~20	Pass
NVNT	n40	5190	0.374	0.449	2	5	-81.30	-77.55	-80~20	Pass
NVNT	n40	5230	0.405	0.401	2	5	-79.75	-79.95	-80~20	Pass

Condition	Mode	Frequency (MHz)	Antenna Power (dBm/MHz)		Gain (dBi)	EIRP Power (dBm/MHz)		EIRP Power (mW/MHz)		Power Limit(mW/MHz)	Verdict
			ANT1	ANT2		ANT1	ANT2	ANT1	ANT2		
NVNT	a	5180	-2.921	-2.395	2.10	-0.821	-0.295	0.8278	0.9343	10	Pass
NVNT	a	5200	-0.763	-0.903	2.10	1.337	1.197	1.3605	1.3173	10	Pass
NVNT	a	5240	-1.362	-0.329	2.10	0.738	1.771	1.1852	1.5035	10	Pass
NVNT	ac20	5180	-1.148	-1.057	2.10	0.952	1.043	1.2451	1.2715	10	Pass
NVNT	ac20	5200	-0.828	-0.361	2.10	1.272	1.739	1.3403	1.4925	10	Pass
NVNT	ac20	5240	-0.869	-1.009	2.10	1.231	1.091	1.3277	1.2856	10	Pass
NVNT	ac40	5190	-3.612	-3.556	2.10	-1.512	-1.456	0.7060	0.7152	5	Pass
NVNT	ac40	5230	-4.415	-3.799	2.10	-2.315	-1.699	0.5868	0.6762	5	Pass
NVNT	ac80	5210	-4.419	-3.550	2.10	-2.319	-1.45	0.5863	0.7161	2.5	Pass
NVNT	n20	5180	-1.328	-2.134	2.10	0.772	-0.034	1.1945	0.9922	10	Pass
NVNT	n20	5200	-1.290	-0.252	2.10	0.81	1.848	1.2050	1.5304	10	Pass
NVNT	n20	5240	-0.350	-0.194	2.10	1.75	1.906	1.4962	1.5510	10	Pass
NVNT	n40	5190	-4.269	-3.478	2.10	-2.169	-1.378	0.6069	0.7281	5	Pass
NVNT	n40	5230	-3.924	-3.966	2.10	-1.824	-1.866	0.6571	0.6507	5	Pass


EIRP = Antenna Power (dBm/MHz) + Antenna Gain (dBi)

Condition	Mode	Frequency	Antenna Power (dBm/MHz)		ANT1&ANT2 MIMO Antenna Power		ANT1&ANT2 MIMO Tolerance (%)	Rated Power(mW/MHz)	Power Limit(mW/MHz)	Tolerance Limit(%)	Result
			ANT1	ANT2	(dBm/MHz)	(mW/MHz)					
NVNT	ac20	5180	-1.148	-1.057	1.91	1.5524	-22.38	2	10	-80~20	Pass
NVNT	ac20	5200	-0.828	-0.361	2.42	1.7458	-12.71	2	10	-80~20	Pass
NVNT	ac20	5240	-0.869	-1.009	2.07	1.6106	-19.47	2	10	-80~20	Pass
NVNT	ac40	5190	-3.612	-3.556	-0.57	0.8770	-56.15	2	5	-80~20	Pass
NVNT	ac40	5230	-4.415	-3.799	-1.09	0.7780	-61.1	2	5	-80~20	Pass
NVNT	ac80	5210	-4.419	-3.550	-0.95	0.8035	-59.83	2	2.5	-80~20	Pass
NVNT	n20	5180	-1.328	-2.134	1.30	1.3490	-32.55	2	10	-80~20	Pass
NVNT	n20	5200	-1.290	-0.252	2.27	1.6866	-15.67	2	10	-80~20	Pass
NVNT	n20	5240	-0.350	-0.194	2.74	1.8793	-6.04	2	10	-80~20	Pass
NVNT	n40	5190	-4.269	-3.478	-0.85	0.8222	-58.89	2	5	-80~20	Pass
NVNT	n40	5230	-3.924	-3.966	-0.93	0.8072	-59.64	2	5	-80~20	Pass


Condition	Mode	Frequency (MHz)	ANT1&ANT2 MIMO Antenna Power (dBm/MHz)	Gain (dBi)	ANT1&ANT2 MIMO EIRP Antenna Power		ANT1&ANT2 MIMO EIRP Antenna Power	Verdict
					(dBm/MHz)	(mW/MHz)		
NVNT	ac20	5180	1.91	2.10	4.01	2.5177	10	Pass
NVNT	ac20	5200	2.42	2.10	4.52	2.8314	10	Pass
NVNT	ac20	5240	2.07	2.10	4.17	2.6122	10	Pass
NVNT	ac40	5190	-0.57	2.10	1.53	1.4223	5	Pass
NVNT	ac40	5230	-1.09	2.10	1.01	1.2618	5	Pass
NVNT	ac80	5210	-0.95	2.10	1.15	1.3032	2.5	Pass
NVNT	n20	5180	1.30	2.10	3.4	2.1878	10	Pass
NVNT	n20	5200	2.27	2.10	4.37	2.7353	10	Pass
NVNT	n20	5240	2.74	2.10	4.84	3.0479	10	Pass
NVNT	n40	5190	-0.85	2.10	1.25	1.3335	5	Pass
NVNT	n40	5230	-0.93	2.10	1.17	1.3092	5	Pass

EIRP = Antenna Power (dBm/MHz) + Antenna Gain (dBi)


Power NVNT a 5180MHz Ant1 Pre Scan



Power NVNT a 5180MHz Ant1 Zero Span




Power NVNT a 5200MHz Ant1 Pre Scan



Power NVNT a 5200MHz Ant1 Zero Span




Power NVNT a 5240MHz Ant1 Pre Scan




Power NVNT a 5240MHz Ant1 Zero Span




Power NVNT ac20 5180MHz Ant1 Pre Scan




Power NVNT ac20 5180MHz Ant1 Zero Span




Power NVNT ac20 5200MHz Ant1 Pre Scan



Power NVNT ac20 5200MHz Ant1 Zero Span




Power NVNT ac20 5240MHz Ant1 Pre Scan



Power NVNT ac20 5240MHz Ant1 Zero Span



Power NVNT ac40 5190MHz Ant1 Pre Scan



Power NVNT ac40 5190MHz Ant1 Zero Span




Power NVNT ac40 5230MHz Ant1 Pre Scan



Power NVNT ac40 5230MHz Ant1 Zero Span




Power NVNT ac80 5210MHz Ant1 Pre Scan




Power NVNT ac80 5210MHz Ant1 Zero Span



Power NVNT n20 5180MHz Ant1 Pre Scan



Power NVNT n20 5180MHz Ant1 Zero Span



Power NVNT n20 5200MHz Ant1 Pre Scan



Power NVNT n20 5200MHz Ant1 Zero Span




Power NVNT n20 5240MHz Ant1 Pre Scan



Power NVNT n20 5240MHz Ant1 Zero Span



Power NVNT n40 5190MHz Ant1 Pre Scan



Power NVNT n40 5190MHz Ant1 Zero Span




Power NVNT n40 5230MHz Ant1 Pre Scan




Power NVNT n40 5230MHz Ant1 Zero Span




Power NVNT a 5180MHz Ant2 Pre Scan




Power NVNT a 5180MHz Ant2 Zero Span




Power NVNT a 5200MHz Ant2 Pre Scan



Power NVNT a 5200MHz Ant2 Zero Span




Power NVNT a 5240MHz Ant2 Pre Scan



Power NVNT a 5240MHz Ant2 Zero Span




Power NVNT ac20 5180MHz Ant2 Pre Scan




Power NVNT ac20 5180MHz Ant2 Zero Span




Power NVNT ac20 5200MHz Ant2 Pre Scan




Power NVNT ac20 5200MHz Ant2 Zero Span




Power NVNT ac20 5240MHz Ant2 Pre Scan



Power NVNT ac20 5240MHz Ant2 Zero Span




Power NVNT ac40 5190MHz Ant2 Pre Scan



Power NVNT ac40 5190MHz Ant2 Zero Span




Power NVNT ac40 5230MHz Ant2 Pre Scan



Power NVNT ac40 5230MHz Ant2 Zero Span




Power NVNT ac80 5210MHz Ant2 Pre Scan



Power NVNT ac80 5210MHz Ant2 Zero Span



Power NVNT n20 5180MHz Ant2 Pre Scan



Power NVNT n20 5180MHz Ant2 Zero Span



Power NVNT n20 5200MHz Ant2 Pre Scan



The screenshot shows a spectrum analyzer interface. The title bar reads "Power Spectrum Analyzer - Setup 08". The main display area shows "Center Freq 5.200000000 GHz". Below this, there are controls for "Tune Fast" and "Tune Slow", and a "Trip: From Run" indicator. The "Avg Type: Log-Pwr" and "Avg Hold: 50.15" are also visible. The y-axis is labeled "10 dBm" and "Ref 18.00 dBm". The x-axis is labeled "MHz" and "5.2". A green trace shows a signal peak at 5.2 GHz, with a green arrow pointing to it. The background has a large, semi-transparent watermark that reads "複製禁止" (Copying Prohibited).



Power NVNT n20 5200MHz Ant2 Zero Spar




Power NVNT n20 5240MHz Ant2 Pre Scan



Power NVNT n20 5240MHz Ant2 Zero Span




Power NVNT n40 5190MHz Ant2 Pre Scan




Power NVNT n40 5190MHz Ant2 Zero Span



Power NVNT n40 5230MHz Ant2 Pre Scan




Power NVNT n40 5230MHz Ant2 Zero Span




5. Secondary emission of radio wave

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm/MHz)	Max Value (nW/MHz)	Limit (nW/MHz)	Verdict
NVNT	a	5180	Ant1	30-1000	954.41	-91.45	0.0007	4	Pass
NVNT	a	5180	Ant1	1000-26000	25900	-65.76	0.2655	20	Pass
NVNT	a	5200	Ant1	30-1000	899.12	-90.45	0.0009	4	Pass
NVNT	a	5200	Ant1	1000-26000	25950	-65.75	0.2661	20	Pass
NVNT	a	5240	Ant1	30-1000	905.91	-90.83	0.0008	4	Pass
NVNT	a	5240	Ant1	1000-26000	25925	-65.51	0.2812	20	Pass
NVNT	ac20	5180	Ant1	30-1000	763.32	-91.11	0.0008	4	Pass
NVNT	ac20	5180	Ant1	1000-26000	25925	-65.81	0.2624	20	Pass
NVNT	ac20	5200	Ant1	30-1000	920.46	-91.34	0.0007	4	Pass
NVNT	ac20	5200	Ant1	1000-26000	25925	-65.73	0.2673	20	Pass
NVNT	ac20	5240	Ant1	30-1000	894.27	-90.99	0.0008	4	Pass
NVNT	ac20	5240	Ant1	1000-26000	25925	-65.54	0.2793	20	Pass
NVNT	ac40	5190	Ant1	30-1000	789.51	-91.46	0.0007	4	Pass
NVNT	ac40	5190	Ant1	1000-26000	25900	-65.93	0.2553	20	Pass
NVNT	ac40	5230	Ant1	30-1000	890.39	-90.71	0.0008	4	Pass
NVNT	ac40	5230	Ant1	1000-26000	25925	-65.63	0.2735	20	Pass
NVNT	ac80	5210	Ant1	30-1000	782.72	-91.29	0.0007	4	Pass
NVNT	ac80	5210	Ant1	1000-26000	25950	-65.77	0.2649	20	Pass
NVNT	n20	5180	Ant1	30-1000	960.23	-91.42	0.0007	4	Pass
NVNT	n20	5180	Ant1	1000-26000	25900	-65.87	0.2588	20	Pass
NVNT	n20	5200	Ant1	30-1000	938.89	-90.7	0.0009	4	Pass
NVNT	n20	5200	Ant1	1000-26000	26000	-65.47	0.2838	20	Pass
NVNT	n20	5240	Ant1	30-1000	967.02	-91.07	0.0008	4	Pass
NVNT	n20	5240	Ant1	1000-26000	25900	-65.26	0.2979	20	Pass
NVNT	n40	5190	Ant1	30-1000	510.15	-91.07	0.0008	4	Pass
NVNT	n40	5190	Ant1	1000-26000	25950	-65.63	0.2735	20	Pass
NVNT	n40	5230	Ant1	30-1000	963.14	-90.84	0.0008	4	Pass
NVNT	n40	5230	Ant1	1000-26000	26000	-65.47	0.2838	20	Pass


Rx. Spurious NVNT a 5180MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT a 5180MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT a 5200MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT a 5200MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT a 5240MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT a 5240MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac20 5180MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac20 5180MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac20 5200MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac20 5200MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac20 5240MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac20 5240MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac40 5190MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac40 5190MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac40 5230MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac40 5230MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac80 5210MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac80 5210MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n20 5180MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT n20 5180MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n20 5200MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT n20 5200MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n20 5240MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT n20 5240MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n40 5190MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT n40 5190MHz Ant1 @ 1000MHz-26000MHz



Rx. Spurious NVNT n40 5230MHz Ant1 @ 30MHz-1000MHz



Rx. Spurious NVNT n40 5230MHz Ant1 @ 1000MHz-26000MHz




6. Spurious Emissions

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm/MHz)	Max Value (uW/MHz)	Limit Start(uW/MHz)	Limit Stop (uW/MHz)	Verdict
NVNT	a	5180	Ant1	30-5142	2776.29	-45.79	0.0264	2.5	2.5	Pass
NVNT	a	5180	Ant1	5142-5150	5149.32	-38.6	0.138	15	15	Pass
NVNT	a	5180	Ant1	5250-5251	5250.86	-44.02	0.0396	1000	100	Pass
NVNT	a	5180	Ant1	5251-5260	5251.09	-43.31	0.0467	100	15.85	Pass
NVNT	a	5180	Ant1	5260-5266.7	5261.67	-44.13	0.0386	15.85	2.49	Pass
NVNT	a	5180	Ant1	5266.7-26000	25937.42	-34.83	0.3289	2.5	2.5	Pass
NVNT	a	5200	Ant1	30-5142	2647.34	-45.63	0.0274	2.5	2.5	Pass
NVNT	a	5200	Ant1	5142-5150	5149.84	-44.04	0.0394	15	15	Pass
NVNT	a	5200	Ant1	5250-5251	5250.99	-43.73	0.0424	1000	100	Pass
NVNT	a	5200	Ant1	5251-5260	5252.45	-43.89	0.0408	100	15.85	Pass
NVNT	a	5200	Ant1	5260-5266.7	5261.41	-42.73	0.0533	15.85	2.49	Pass
NVNT	a	5200	Ant1	5266.7-26000	25917.07	-34.88	0.3251	2.5	2.5	Pass
NVNT	a	5240	Ant1	30-5142	2488.87	-46.27	0.0236	2.5	2.5	Pass
NVNT	a	5240	Ant1	5142-5150	5144.1	-43.33	0.0465	15	15	Pass
NVNT	a	5240	Ant1	5250-5251	5250.01	-13.93	40.4576	1000	100	Pass
NVNT	a	5240	Ant1	5251-5260	5252.5	-21.85	6.5313	100	15.85	Pass
NVNT	a	5240	Ant1	5260-5266.7	5261.11	-29.17	1.2106	15.85	2.49	Pass
NVNT	a	5240	Ant1	5266.7-26000	25937.8	-34.02	0.3963	2.5	2.5	Pass
NVNT	ac20	5180	Ant1	30-5142	2632.01	-46.4	0.0229	2.5	2.5	Pass
NVNT	ac20	5180	Ant1	5142-5150	5148.4	-35.05	0.3126	15	15	Pass
NVNT	ac20	5180	Ant1	5250-5251	5250.55	-43.7	0.0427	1000	100	Pass
NVNT	ac20	5180	Ant1	5251-5260	5256.11	-42.7	0.0537	100	15.85	Pass
NVNT	ac20	5180	Ant1	5260-5266.7	5261.51	-44.16	0.0384	15.85	2.49	Pass
NVNT	ac20	5180	Ant1	5266.7-26000	25917.07	-34.99	0.317	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	30-5142	2601.34	-45.84	0.0261	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	5142-5150	5149.45	-42.93	0.0509	15	15	Pass
NVNT	ac20	5200	Ant1	5250-5251	5250.29	-43.04	0.0497	1000	100	Pass
NVNT	ac20	5200	Ant1	5251-5260	5251.64	-42.41	0.0574	100	15.85	Pass
NVNT	ac20	5200	Ant1	5260-5266.7	5261.27	-44.08	0.0391	15.85	2.49	Pass
NVNT	ac20	5200	Ant1	5266.7-26000	25958.53	-35.13	0.3069	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	30-5142	3276.12	-45.72	0.0268	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	5142-5150	5143.98	-44.78	0.0333	15	15	Pass
NVNT	ac20	5240	Ant1	5250-5251	5250.01	-9.97	100.6932	1000	100	Pass
NVNT	ac20	5240	Ant1	5251-5260	5254.5	-21.88	6.4863	100	15.85	Pass
NVNT	ac20	5240	Ant1	5260-5266.7	5260.87	-29.16	1.2134	15.85	2.49	Pass
NVNT	ac20	5240	Ant1	5266.7-26000	25917.07	-34.57	0.3491	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	30-5141.6	5141.6	-44.42	0.0361	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	5141.6-5150	5149.89	-32.55	0.5559	15	15	Pass
NVNT	ac40	5190	Ant1	5250-5251	5250.61	-40.76	0.0839	500	50	Pass
NVNT	ac40	5190	Ant1	5251-5270	5254.36	-42.58	0.0552	50	7.92	Pass
NVNT	ac40	5190	Ant1	5270-5278.4	5276.38	-43.73	0.0424	7.92	2.48	Pass
NVNT	ac40	5190	Ant1	5278.4-26000	25917.11	-34.74	0.3357	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	30-5141.6	3142.96	-45.75	0.0266	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	5141.6-5150	5142.01	-43.87	0.041	15	15	Pass
NVNT	ac40	5230	Ant1	5250-5251	5250.13	-18.13	15.3815	500	50	Pass
NVNT	ac40	5230	Ant1	5251-5270	5253.89	-24.7	3.3884	50	7.92	Pass
NVNT	ac40	5230	Ant1	5270-5278.4	5270.09	-34.02	0.3963	7.92	2.48	Pass
NVNT	ac40	5230	Ant1	5278.4-26000	26000	-34.78	0.3327	2.5	2.5	Pass
NVNT	ac80	5210	Ant1	30-5123.2	5123.2	-42.95	0.0507	2.5	2.5	Pass
NVNT	ac80	5210	Ant1	5123.2-5150	5147.8	-30.48	0.8954	15	15	Pass
NVNT	ac80	5210	Ant1	5250-5251	5250.15	-21.77	6.6527	250	25	Pass
NVNT	ac80	5210	Ant1	5251-5290	5253.77	-27.46	1.7947	25	3.96	Pass
NVNT	ac80	5210	Ant1	5290-5296.7	5293.98	-34.35	0.3673	3.96	2.49	Pass
NVNT	ac80	5210	Ant1	5296.7-26000	26000	-34.8	0.3311	2.5	2.5	Pass
NVNT	n20	5180	Ant1	30-5142	5142	-45.53	0.028	2.5	2.5	Pass
NVNT	n20	5180	Ant1	5142-5150	5149.57	-33.06	0.4943	15	15	Pass
NVNT	n20	5180	Ant1	5250-5251	5250.3	-43.41	0.0456	1000	100	Pass


NVNT	n20	5180	Ant1	5251-5260	5252.81	-44.06	0.0393	100	15.85	Pass
NVNT	n20	5180	Ant1	5260-5266.7	5262.17	-44.14	0.0385	15.85	2.49	Pass
NVNT	n20	5180	Ant1	5266.7-26000	25979.27	-34.79	0.3319	2.5	2.5	Pass
NVNT	n20	5200	Ant1	30-5142	2662.68	-45.65	0.0272	2.5	2.5	Pass
NVNT	n20	5200	Ant1	5142-5150	5149.24	-42.33	0.0585	15	15	Pass
NVNT	n20	5200	Ant1	5250-5251	5250.81	-42.72	0.0535	1000	100	Pass
NVNT	n20	5200	Ant1	5251-5260	5252.28	-43.22	0.0476	100	15.85	Pass
NVNT	n20	5200	Ant1	5260-5266.7	5263.74	-43.94	0.0404	15.85	2.49	Pass
NVNT	n20	5200	Ant1	5266.7-26000	25958.53	-34.52	0.3532	2.5	2.5	Pass
NVNT	n20	5240	Ant1	30-5142	2683.13	-45.96	0.0254	2.5	2.5	Pass
NVNT	n20	5240	Ant1	5142-5150	5148.24	-43.92	0.0406	15	15	Pass
NVNT	n20	5240	Ant1	5250-5251	5250.11	-11.87	65.013	1000	100	Pass
NVNT	n20	5240	Ant1	5251-5260	5251.25	-19.75	10.5925	100	15.85	Pass
NVNT	n20	5240	Ant1	5260-5266.7	5260.17	-28.48	1.4191	15.85	2.49	Pass
NVNT	n20	5240	Ant1	5266.7-26000	25917.07	-34.64	0.3436	2.5	2.5	Pass
NVNT	n40	5190	Ant1	30-5141.6	5141.6	-43.71	0.0426	2.5	2.5	Pass
NVNT	n40	5190	Ant1	5141.6-5150	5149.75	-28.31	1.4757	15	15	Pass
NVNT	n40	5190	Ant1	5250-5251	5250.04	-39.99	0.1002	500	50	Pass
NVNT	n40	5190	Ant1	5251-5270	5251.15	-40.3	0.0933	50	7.92	Pass
NVNT	n40	5190	Ant1	5270-5278.4	5272.22	-43.86	0.0411	7.92	2.48	Pass
NVNT	n40	5190	Ant1	5278.4-26000	25937.84	-35.18	0.3034	2.5	2.5	Pass
NVNT	n40	5230	Ant1	30-5141.6	2657.36	-45.85	0.026	2.5	2.5	Pass
NVNT	n40	5230	Ant1	5141.6-5150	5149.17	-39.99	0.1002	15	15	Pass
NVNT	n40	5230	Ant1	5250-5251	5250.12	-18.71	13.4586	500	50	Pass
NVNT	n40	5230	Ant1	5251-5270	5253.91	-24.88	3.2509	50	7.92	Pass
NVNT	n40	5230	Ant1	5270-5278.4	5270.12	-31.99	0.6324	7.92	2.48	Pass
NVNT	n40	5230	Ant1	5278.4-26000	25979.28	-34.79	0.3319	2.5	2.5	Pass

Note: The antenna gain plus line loss is compensated in the test data.


Tx. Spurious NVNT a 5180MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5250MHz-5251MHz



Tx. Spurious NVNT a 5200MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5250MHz-5251MHz



Tx. Spurious NVNT a 5240MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5251MHz-5260MHz



Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5251MHz-5270MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5278.4MHz-26000MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5251MHz-5270MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5278.4MHz-26000MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 30MHz-5123.2MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5123.2MHz-5150MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5251MHz-5290MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5290MHz-5296.7MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5296.7MHz-26000MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5251MHz-5270MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5278.4MHz-26000MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 5251MHz-5270MHz



Tx. Spurious NVNT n40 5230MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 5278.4MHz-26000MHz




7. ACP Measure

ENV	Mode	TX Type	Frequency (MHz)	ANT	Test Result	Limit	Verdict
NTNV	802.11a	SISO	5180	1	Refer To Test Graph		Pass
			5200	1	Refer To Test Graph		Pass
			5240	1	Refer To Test Graph		Pass
	802.11n (HT20)	SISO	5180	1	Refer To Test Graph		Pass
			5200	1	Refer To Test Graph		Pass
			5240	1	Refer To Test Graph		Pass
	802.11n (HT40)	SISO	5190	1	Refer To Test Graph		Pass
			5230	1	Refer To Test Graph		Pass
	802.11ac (VHT20)	SISO	5180	1	Refer To Test Graph		Pass
			5200	1	Refer To Test Graph		Pass
			5240	1	Refer To Test Graph		Pass
	802.11ac (VHT40)	SISO	5190	1	Refer To Test Graph		Pass
			5230	1	Refer To Test Graph		Pass
	802.11ac (VHT80)	SISO	5210	1	Refer To Test Graph		Pass

ACEP NVNT a 5180MHz Ant1




ACEP NVNT a 5200MHz Ant1




ACEP NVNT a 5240MHz Ant1




ACEP NVNT ac20 5180MHz Ant1




ACEP NVNT ac20 5200MHz Ant1




ACEP NVNT ac20 5240MHz Ant1




ACEP NVNT ac40 5190MHz Ant1



ACEP NVNT ac40 5230MHz Ant1




ACEP NVNT ac80 5210MHz Ant1




ACEP NVNT n20 5180MHz Ant1




ACEP NVNT n20 5200MHz Ant1



ACEP NVNT n20 5240MHz Ant1



ACEP NVNT n40 5190MHz Ant1



ACEP NVNT n40 5230MHz Ant1

