

NTNV	11AC160 SISO	Ant1	5250	30~5099.6	5096.05	-32.70	-28.70	1.34896	≤2.5	See table below
NTNV	11AC160 SISO	Ant2	5250	30~5099.6	5096.05	-30.15	-26.15	2.42661	≤2.5	See table below
NTNV	11AC160 SISO	Ant3	5250	30~5099.6	5095.54	-35.82	-31.82	0.65766	≤2.5	PASS
NTNV	11AC160 SISO	Ant1	5250	5099.6~5150	5134.43	-27.16	-23.16	4.83059	≤15	PASS
NTNV	11AC160 SISO	Ant2	5250	5099.6~5150	5134.98	-34.90	-30.90	0.81283	≤15	PASS
NTNV	11AC160 SISO	Ant3	5250	5099.6~5150	5140.27	-30.76	-26.76	2.10863	≤15	PASS
NTNV	11AC160 SISO	Ant1	5250	5350~5400.4	5395.71	-34.11	-30.11	0.97499	≤15	PASS
NTNV	11AC160 SISO	Ant2	5250	5350~5400.4	5353.78	-33.42	-29.42	1.14288	≤15	PASS
NTNV	11AC160 SISO	Ant3	5250	5350~5400.4	5374.65	-35.32	-31.32	0.73790	≤15	PASS
NTNV	11AC160 SISO	Ant1	5250	5400.4~26000	5401.77	-35.93	-31.93	0.64121	≤2.5	PASS
NTNV	11AC160 SISO	Ant2	5250	5400.4~26000	5401.09	-40.44	-36.44	0.22699	≤2.5	PASS
NTNV	11AC160 SISO	Ant3	5250	5400.4~26000	5402.46	-38.87	-34.87	0.32584	≤2.5	PASS
NTNV	11AC160 MIMO	Ant1	5250	30~5099.6	5096.05	-45.53	-41.53	0.07031	≤2.5	PASS
NTNV	11AC160 MIMO	Ant2	5250	30~5099.6	5095.54	-42.54	-38.54	0.13996	≤2.5	PASS
NTNV	11AC160 MIMO	Ant3	5250	30~5099.6	5095.54	-44.97	-40.97	0.07998	≤2.5	PASS
NTNV	11AC160 MIMO	total	5250	30~5099.6	---	---	---	0.29025	≤2.5	PASS
NTNV	11AC160 MIMO	Ant1	5250	5099.6~5150	5144.05	-39.80	-35.80	0.26303	≤15	PASS
NTNV	11AC160 MIMO	Ant2	5250	5099.6~5150	5115.17	-40.76	-36.76	0.21086	≤15	PASS
NTNV	11AC160 MIMO	Ant3	5250	5099.6~5150	5115.32	-41.96	-37.96	0.15996	≤15	PASS
NTNV	11AC160	total	5250	5099.6~5150	---	---	---	0.63385	≤15	PASS

	MIMO									
NTNV	11AC160 MIMO	Ant1	5250	5350~5400.4	5383.92	-44.52	-40.52	0.08872	≤15	PASS
NTNV	11AC160 MIMO	Ant2	5250	5350~5400.4	5372.48	-41.89	-37.89	0.16255	≤15	PASS
NTNV	11AC160 MIMO	Ant3	5250	5350~5400.4	5369.71	-45.16	-41.16	0.07656	≤15	PASS
NTNV	11AC160 MIMO	total	5250	5350~5400.4	---	---	---	0.32783	≤15	PASS
NTNV	11AC160 MIMO	Ant1	5250	5400.4~26000	21952.87	-44.53	-40.53	0.08851	≤2.5	PASS
NTNV	11AC160 MIMO	Ant2	5250	5400.4~26000	21812.10	-44.46	-40.46	0.08995	≤2.5	PASS
NTNV	11AC160 MIMO	Ant3	5250	5400.4~26000	21573.83	-44.55	-40.55	0.08810	≤2.5	PASS
NTNV	11AC160 MIMO	total	5250	5400.4~26000	---	---	---	0.26656	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5260	30~5233.3	5233.30	-36.04	-32.04	0.62517	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5260	30~5233.3	5230.70	-37.53	-33.53	0.44361	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5260	30~5233.3	5232.78	-37.78	-33.78	0.41879	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5260	5233.3~5240	5233.35	-29.07	-25.07	3.11172	≤2.5	See table below
NTNV	11AX20S ISO	Ant2	5260	5233.3~5240	5234.26	-27.15	-23.15	4.84172	≤3.2	See table below
NTNV	11AX20S ISO	Ant3	5260	5233.3~5240	5233.39	-30.61	-26.61	2.18273	≤2.6	See table below
NTNV	11AX20S ISO	Ant1	5260	5240~5249	5240.25	-28.26	-24.26	3.74973	≤16.7	PASS
NTNV	11AX20S ISO	Ant2	5260	5240~5249	5248.96	-11.73	-7.73	168.6553 0	≤99.2	See table below
NTNV	11AX20S ISO	Ant3	5260	5240~5249	5248.96	-12.60	-8.60	138.0384 3	≤99.2	See table below
NTNV	11AX20S	Ant1	5260	5249~5249.8	5249.04	-28.45	-24.45	3.58922	≤109.6	PASS

	ISO									
NTNV	11AX20S ISO	Ant2	5260	5249~5249.8	5249.03	-9.87	-5.87	258.8212 9	≤107.2	See table below
NTNV	11AX20S ISO	Ant3	5260	5249~5249.8	5249.19	-9.16	-5.16	304.7895 0	≤154.9	See table below
NTNV	11AX20S ISO	Ant1	5260	5249.8~5250	5249.82	-28.85	-24.85	3.27341	≤713.4	PASS
NTNV	11AX20S ISO	Ant2	5260	5249.8~5250	5249.82	-2.92	1.08	1282.330 58	≤713.4	See table below
NTNV	11AX20S ISO	Ant3	5260	5249.8~5250	5249.81	-5.02	-1.02	790.6786 3	≤670.9	See table below
NTNV	11AX20S ISO	Ant1	5260	5350~26000	21643.54	-40.10	-36.10	0.24547	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5260	5350~26000	21507.94	-43.81	-39.81	0.10447	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5260	5350~26000	22094.40	-44.56	-40.56	0.08790	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5280	30~5233.3	5232.78	-39.30	-35.30	0.29512	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5280	30~5233.3	5229.14	-41.77	-37.77	0.16711	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5280	30~5233.3	5220.81	-44.36	-40.36	0.09204	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5280	5233.3~5240	5234.19	-28.44	-24.44	3.59749	≤3.2	See table below
NTNV	11AX20S ISO	Ant2	5280	5233.3~5240	5233.38	-31.36	-27.36	1.83654	≤2.5	See table below
NTNV	11AX20S ISO	Ant3	5280	5233.3~5240	5233.3	-31.38	-27.38	1.82810	≤2.5	See table below
NTNV	11AX20S ISO	Ant1	5280	5240~5249	5240.52	-28.97	-24.97	3.18420	≤17.6	PASS
NTNV	11AX20S ISO	Ant2	5280	5240~5249	5240.16	-31.07	-27.07	1.96336	≤16.4	PASS
NTNV	11AX20S ISO	Ant3	5280	5240~5249	5240.14	-31.11	-27.11	1.94536	≤16.3	PASS

NTNV	11AX20S ISO	Ant1	5280	5249~5249.8	5249.02	-28.40	-24.40	3.63078	≤104.7	PASS
NTNV	11AX20S ISO	Ant2	5280	5249~5249.8	5249.01	-31.54	-27.54	1.76198	≤102.3	PASS
NTNV	11AX20S ISO	Ant3	5280	5249~5249.8	5249.02	-31.06	-27.06	1.96789	≤104.7	PASS
NTNV	11AX20S ISO	Ant1	5280	5249.8~5250	5249.81	-28.51	-24.51	3.53997	≤670.9	PASS
NTNV	11AX20S ISO	Ant2	5280	5249.8~5250	5249.80	-31.23	-27.23	1.89234	≤631.0	PASS
NTNV	11AX20S ISO	Ant3	5280	5249.8~5250	5249.83	-30.79	-26.79	2.09411	≤758.6	PASS
NTNV	11AX20S ISO	Ant1	5280	5350~26000	22171.49	-40.63	-36.63	0.21727	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5280	5350~26000	21490.04	-44.57	-40.57	0.08770	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5280	5350~26000	21957.42	-44.85	-40.85	0.08222	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5300	30~5233.3	5229.14	-43.09	-39.09	0.12331	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5300	30~5233.3	5231.74	-46.37	-42.37	0.05794	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5300	30~5233.3	5221.33	-45.69	-41.69	0.06776	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5300	5233.3~5240	5233.58	-28.66	-24.66	3.41979	≤2.7	See table below
NTNV	11AX20S ISO	Ant2	5300	5233.3~5240	5233.84	-30.15	-26.15	2.42661	≤2.9	See table below
NTNV	11AX20S ISO	Ant3	5300	5233.3~5240	5233.53	-31.13	-27.13	1.93642	≤2.7	See table below
NTNV	11AX20S ISO	Ant1	5300	5240~5249	5240.16	-29.30	-25.30	2.95121	≤16.4	PASS
NTNV	11AX20S ISO	Ant2	5300	5240~5249	5240.47	-30.72	-26.72	2.12814	≤17.4	PASS
NTNV	11AX20S ISO	Ant3	5300	5240~5249	5240.45	-30.83	-26.83	2.07491	≤17.4	PASS
NTNV	11AX20S ISO	Ant1	5300	5249~5249.8	5249.02	-28.93	-24.93	3.21366	≤104.7	PASS

NTNV	11AX20S ISO	Ant2	5300	5249~5249.8	5249.02	-30.84	-26.84	2.07014	≤104.7	PASS
NTNV	11AX20S ISO	Ant3	5300	5249~5249.8	5249.01	-31.36	-27.36	1.83654	≤102.3	PASS
NTNV	11AX20S ISO	Ant1	5300	5249.8~5250	5249.80	-29.03	-25.03	3.14051	≤631.0	PASS
NTNV	11AX20S ISO	Ant2	5300	5249.8~5250	5249.81	-30.74	-26.74	2.11836	≤670.9	PASS
NTNV	11AX20S ISO	Ant3	5300	5249.8~5250	5249.80	-31.32	-27.32	1.85353	≤631.0	PASS
NTNV	11AX20S ISO	Ant1	5300	5350~26000	22051.72	-39.08	-35.08	0.31046	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5300	5350~26000	21581.59	-44.87	-40.87	0.08185	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5300	5350~26000	18866.11	-45.06	-41.06	0.07834	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5320	30~5233.3	5157.33	-42.94	-38.94	0.12764	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5320	30~5233.3	5166.18	-47.16	-43.16	0.04831	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5320	30~5233.3	5221.33	-46.67	-42.67	0.05408	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5320	5233.3~5240	5233.51	-29.01	-25.01	3.15500	≤2.6	See table below
NTNV	11AX20S ISO	Ant2	5320	5233.3~5240	5233.46	-31.66	-27.66	1.71396	≤2.6	See table below
NTNV	11AX20S ISO	Ant3	5320	5233.3~5240	5233.49	-30.84	-26.84	2.07014	≤2.6	See table below
NTNV	11AX20S ISO	Ant1	5320	5240~5249	5240.23	-28.20	-24.20	3.80189	≤16.6	PASS
NTNV	11AX20S ISO	Ant2	5320	5240~5249	5240.02	-30.89	-26.89	2.04644	≤15.9	PASS
NTNV	11AX20S ISO	Ant3	5320	5240~5249	5240.63	-31.01	-27.01	1.99067	≤18.0	PASS
NTNV	11AX20S ISO	Ant1	5320	5249~5249.8	5249.00	-29.23	-25.23	2.99916	≤100.0	PASS
NTNV	11AX20S ISO	Ant2	5320	5249~5249.8	5249.00	-31.82	-27.82	1.65196	≤100.0	PASS

NTNV	11AX20S ISO	Ant3	5320	5249~5249.8	5249.00	-30.93	-26.93	2.02768	≤100.0	PASS
NTNV	11AX20S ISO	Ant1	5320	5249.8~5250	5249.80	-28.56	-24.56	3.49945	≤631.0	PASS
NTNV	11AX20S ISO	Ant2	5320	5249.8~5250	5249.80	-30.96	-26.96	2.01372	≤631.0	PASS
NTNV	11AX20S ISO	Ant3	5320	5249.8~5250	5249.82	-30.92	-26.92	2.03236	≤713.4	PASS
NTNV	11AX20S ISO	Ant1	5320	5350~26000	21962.24	-40.60	-36.60	0.21878	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5320	5350~26000	18924.62	-44.49	-40.49	0.08933	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5320	5350~26000	22134.32	-44.61	-40.61	0.08690	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5260	30~5233.3	5232.26	-47.42	-43.42	0.04550	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5260	30~5233.3	1746.05	-40.40	-36.40	0.22909	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5260	30~5233.3	5232.78	-46.60	-42.60	0.05495	≤2.5	PASS
NTNV	11AX20 MIMO	total	5260	30~5233.3	---	---	---	0.32954	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5233.6	-31.13	-27.13	1.93642	≤2.7	See table below
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.74	-30.69	-26.69	2.14289	≤2.8	See table below
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.44	-31.04	-27.04	1.97697	≤2.6	See table below
NTNV	11AX20 MIMO	total	5260	5233.3~5240	---	---	---	6.05628	≤2.6	See table below
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.89	-17.19	-13.19	47.97334	≤97.8	See table below
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.96	-16.40	-12.40	57.54399	≤99.2	See table below
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.86	-17.45	-13.45	45.18559	≤97.2	See table

										below
NTNV	11AX20 MIMO	total	5260	5240~5249	---	---	---	150.7029 2	≤97.2	See table below
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.09	-15.24	-11.24	75.16229	≤123.0	See table below
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.01	-15.59	-11.59	69.34258	≤102.3	See table below
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.06	-15.37	-11.37	72.94575	≤114.8	See table below
NTNV	11AX20 MIMO	total	5260	5249~5249.8	---	---	---	217.4506 2	≤102.3	See table below
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	-10.50	-6.50	223.8721 1	≤670.9	See table below
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.80	-10.47	-6.47	225.4239 2	≤631.0	See table below
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.80	-10.53	-6.53	222.3309 9	≤631.0	See table below
NTNV	11AX20 MIMO	total	5260	5249.8~5250	---	---	---	671.6270 2	≤631.0	See table below
NTNV	11AX20 MIMO	Ant1	5260	5350~26000	18928.75	-44.10	-40.10	0.09772	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5260	5350~26000	22159.79	-45.00	-41.00	0.07943	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5260	5350~26000	21532.72	-44.19	-40.19	0.09572	≤2.5	PASS
NTNV	11AX20 MIMO	total	5260	5350~26000	---	---	---	0.27287	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5280	30~5233.3	5196.88	-47.36	-43.36	0.04613	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5280	30~5233.3	2438.09	-47.23	-43.23	0.04753	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5280	30~5233.3	5214.05	-48.18	-44.18	0.03819	≤2.5	PASS

NTNV	11AX20 MIMO	total	5280	30~5233.3	---	---	---	0.13185	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5280	5233.3~5240	5233.43	-31.00	-27.00	1.99526	≤2.6	See table below
NTNV	11AX20 MIMO	Ant2	5280	5233.3~5240	5233.31	-31.10	-27.10	1.94984	≤2.5	See table below
NTNV	11AX20 MIMO	Ant3	5280	5233.3~5240	5233.49	-30.64	-26.64	2.16770	≤2.6	See table below
NTNV	11AX20 MIMO	total	5280	5233.3~5240	---	---	---	6.11280	≤2.5	See table below
NTNV	11AX20 MIMO	Ant1	5280	5240~5249	5240.99	-30.59	-26.59	2.19280	≤19.4	PASS
NTNV	11AX20 MIMO	Ant2	5280	5240~5249	5240.00	-31.46	-27.46	1.79473	≤15.8	PASS
NTNV	11AX20 MIMO	Ant3	5280	5240~5249	5240.05	-31.41	-27.41	1.81552	≤16.0	PASS
NTNV	11AX20 MIMO	total	5280	5240~5249	---	---	---	5.80305	≤15.8	PASS
NTNV	11AX20 MIMO	Ant1	5280	5249~5249.8	5249.03	-31.16	-27.16	1.92309	≤107.2	PASS
NTNV	11AX20 MIMO	Ant2	5280	5249~5249.8	5249.06	-30.30	-26.30	2.34423	≤114.8	PASS
NTNV	11AX20 MIMO	Ant3	5280	5249~5249.8	5249.01	-30.87	-26.87	2.05589	≤102.3	PASS
NTNV	11AX20 MIMO	total	5280	5249~5249.8	---	---	---	6.32321	≤102.3	PASS
NTNV	11AX20 MIMO	Ant1	5280	5249.8~5250	5249.80	-30.89	-26.89	2.04644	≤631.0	PASS
NTNV	11AX20 MIMO	Ant2	5280	5249.8~5250	5249.81	-30.59	-26.59	2.19280	≤670.9	PASS
NTNV	11AX20 MIMO	Ant3	5280	5249.8~5250	5249.80	-30.98	-26.98	2.00447	≤631.0	PASS
NTNV	11AX20 MIMO	total	5280	5249.8~5250	---	---	---	6.24371	≤631.0	PASS
NTNV	11AX20 MIMO	Ant1	5280	5350~26000	21429.47	-44.10	-40.10	0.09772	≤2.5	PASS
NTNV	11AX20	Ant2	5280	5350~26000	22048.28	-44.69	-40.69	0.08531	≤2.5	PASS

	MIMO									
NTNV	11AX20 MIMO	Ant3	5280	5350~26000	22159.10	-44.58	-40.58	0.08750	≤2.5	PASS
NTNV	11AX20 MIMO	total	5280	5350~26000	---	---	---	0.27053	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	30~5233.3	5206.76	-47.16	-43.16	0.04831	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	30~5233.3	2440.69	-47.92	-43.92	0.04055	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5300	30~5233.3	1747.61	-41.79	-37.79	0.16634	≤2.5	PASS
NTNV	11AX20 MIMO	total	5300	30~5233.3	---	---	---	0.25520	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.34	-31.37	-27.37	1.83231	≤2.5	See table below
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.35	-31.14	-27.14	1.93197	≤2.5	See table below
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.3	-31.00	-27.00	1.99526	≤2.5	See table below
NTNV	11AX20 MIMO	total	5300	5233.3~5240	---	---	---	5.75954	≤2.5	See table below
NTNV	11AX20 MIMO	Ant1	5300	5240~5249	5240.19	-30.61	-26.61	2.18273	≤16.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5240~5249	5240.67	-30.83	-26.83	2.07491	≤18.2	PASS
NTNV	11AX20 MIMO	Ant3	5300	5240~5249	5240.23	-31.59	-27.59	1.74181	≤16.6	PASS
NTNV	11AX20 MIMO	total	5300	5240~5249	---	---	---	5.99945	≤16.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	5249~5249.8	5249.07	-30.57	-26.57	2.20293	≤117.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5249~5249.8	5249.03	-30.75	-26.75	2.11349	≤107.2	PASS
NTNV	11AX20 MIMO	Ant3	5300	5249~5249.8	5249.00	-31.07	-27.07	1.96336	≤100.0	PASS
NTNV	11AX20 MIMO	total	5300	5249~5249.8	---	---	---	6.27978	≤100.0	PASS

NTNV	11AX20 MIMO	Ant1	5300	5249.8~5250	5249.82	-30.61	-26.61	2.18273	≤713.4	PASS
NTNV	11AX20 MIMO	Ant2	5300	5249.8~5250	5249.80	-31.26	-27.26	1.87932	≤631.0	PASS
NTNV	11AX20 MIMO	Ant3	5300	5249.8~5250	5249.80	-31.02	-27.02	1.98609	≤631.0	PASS
NTNV	11AX20 MIMO	total	5300	5249.8~5250	---	---	---	6.04814	≤631.0	PASS
NTNV	11AX20 MIMO	Ant1	5300	5350~26000	18779.38	-45.04	-41.04	0.07870	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5350~26000	21589.16	-44.41	-40.41	0.09099	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5300	5350~26000	22106.79	-44.65	-40.65	0.08610	≤2.5	PASS
NTNV	11AX20 MIMO	total	5300	5350~26000	---	---	---	0.25579	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5320	30~5233.3	5185.95	-47.78	-43.78	0.04188	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5320	30~5233.3	2438.61	-46.33	-42.33	0.05848	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	30~5233.3	1748.13	-43.42	-39.42	0.11429	≤2.5	PASS
NTNV	11AX20 MIMO	total	5320	30~5233.3	---	---	---	0.21465	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.87	-30.76	-26.76	2.10863	≤2.9	See table below
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5234.43	-29.21	-25.21	3.01301	≤3.4	See table below
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.86	-30.88	-26.88	2.05116	≤2.9	See table below
NTNV	11AX20 MIMO	total	5320	5233.3~5240	---	---	---	7.17280	≤2.9	See table below
NTNV	11AX20 MIMO	Ant1	5320	5240~5249	5240.03	-31.14	-27.14	1.93197	≤15.9	PASS
NTNV	11AX20 MIMO	Ant2	5320	5240~5249	5240.27	-30.94	-26.94	2.02302	≤16.7	PASS
NTNV	11AX20	Ant3	5320	5240~5249	5241.09	-30.56	-26.56	2.20800	≤19.8	PASS

	MIMO									
NTNV	11AX20 MIMO	total	5320	5240~5249	---	---	---	6.16299	≤15.9	PASS
NTNV	11AX20 MIMO	Ant1	5320	5249~5249.8	5249.06	-30.94	-26.94	2.02302	≤114.8	PASS
NTNV	11AX20 MIMO	Ant2	5320	5249~5249.8	5249.03	-30.57	-26.57	2.20293	≤107.2	PASS
NTNV	11AX20 MIMO	Ant3	5320	5249~5249.8	5249.00	-31.23	-27.23	1.89234	≤100.0	PASS
NTNV	11AX20 MIMO	total	5320	5249~5249.8	---	---	---	6.11829	≤100.0	PASS
NTNV	11AX20 MIMO	Ant1	5320	5249.8~5250	5249.81	-31.33	-27.33	1.84927	≤670.9	PASS
NTNV	11AX20 MIMO	Ant2	5320	5249.8~5250	5249.81	-30.80	-26.80	2.08930	≤670.9	PASS
NTNV	11AX20 MIMO	Ant3	5320	5249.8~5250	5249.80	-31.31	-27.31	1.85780	≤631.0	PASS
NTNV	11AX20 MIMO	total	5320	5249.8~5250	---	---	---	5.79637	≤631.0	PASS
NTNV	11AX20 MIMO	Ant1	5320	5350~26000	18782.14	-44.85	-40.85	0.08222	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5320	5350~26000	22055.16	-44.85	-40.85	0.08222	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	5350~26000	22060.67	-44.64	-40.64	0.08630	≤2.5	PASS
NTNV	11AX20 MIMO	total	5320	5350~26000	---	---	---	0.25074	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5270	30~5221.6	5221.08	-30.20	-26.20	2.39883	≤2.5	See table below
NTNV	11AX40S ISO	Ant2	5270	30~5221.6	5221.60	-33.05	-29.05	1.24451	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5270	30~5221.6	5221.60	-43.31	-39.31	0.11722	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5270	5221.6~5230	5221.6	-28.89	-24.89	3.24340	≤2.5	See table below
NTNV	11AX40S ISO	Ant2	5270	5221.6~5230	5223.94	-24.45	-20.45	9.01571	≤3.4	See table below
NTNV	11AX40S	Ant3	5270	5221.6~5230	5222.21	-30.10	-26.10	2.45471	≤2.7	See

	ISO									table below
NTNV	11AX40S ISO	Ant1	5270	5230~5249	5230.19	-28.77	-24.77	3.33426	≤8.1	PASS
NTNV	11AX40S ISO	Ant2	5270	5230~5249	5230.70	-28.56	-24.56	3.49945	≤8.5	PASS
NTNV	11AX40S ISO	Ant3	5270	5230~5249	5231.18	-29.98	-25.98	2.52348	≤8.9	PASS
NTNV	11AX40S ISO	Ant1	5270	5249~5250	5249.05	-28.60	-24.60	3.46737	≤56.1	PASS
NTNV	11AX40S ISO	Ant2	5270	5249~5250	5249.97	-15.70	-11.70	67.60830	≤466.6	PASS
NTNV	11AX40S ISO	Ant3	5270	5249~5250	5249.95	-18.17	-14.17	38.28247	≤445.6	PASS
NTNV	11AX40S ISO	Ant1	5270	5350~5358.4	5351.01	-27.51	-23.51	4.45656	≤15	PASS
NTNV	11AX40S ISO	Ant2	5270	5350~5358.4	5356.75	-30.36	-26.36	2.31206	≤15	PASS
NTNV	11AX40S ISO	Ant3	5270	5350~5358.4	5352.56	-30.27	-26.27	2.36048	≤15	PASS
NTNV	11AX40S ISO	Ant1	5270	5358.4~26000	19246.76	-40.37	-36.37	0.23067	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5270	5358.4~26000	18814.66	-44.49	-40.49	0.08933	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5270	5358.4~26000	21630.86	-45.12	-41.12	0.07727	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5310	30~5221.6	5220.04	-41.60	-37.60	0.17378	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5310	30~5221.6	5200.83	-47.98	-43.98	0.03999	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5310	30~5221.6	4985.38	-47.51	-43.51	0.04457	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5310	5221.6~5230	5223.04	-27.98	-23.98	3.99945	≤3.0	See table below
NTNV	11AX40S ISO	Ant2	5310	5221.6~5230	5222.16	-30.73	-26.73	2.12324	≤2.7	See table below
NTNV	11AX40S ISO	Ant3	5310	5221.6~5230	5221.71	-30.34	-26.34	2.32274	≤2.5	See table below

NTNV	11AX40S ISO	Ant1	5310	5230~5249	5232.09	-28.66	-24.66	3.41979	≤9.7	PASS
NTNV	11AX40S ISO	Ant2	5310	5230~5249	5230.10	-30.90	-26.90	2.04174	≤8.0	PASS
NTNV	11AX40S ISO	Ant3	5310	5230~5249	5230.68	-31.35	-27.35	1.84077	≤8.5	PASS
NTNV	11AX40S ISO	Ant1	5310	5249~5250	5249.07	-28.40	-24.40	3.63078	≤58.7	PASS
NTNV	11AX40S ISO	Ant2	5310	5249~5250	5249.00	-31.49	-27.49	1.78238	≤50	PASS
NTNV	11AX40S ISO	Ant3	5310	5249~5250	5249.06	-31.45	-27.45	1.79887	≤57.4	PASS
NTNV	11AX40S ISO	Ant1	5310	5350~5358.4	5356.43	-27.90	-23.90	4.07380	≤15	PASS
NTNV	11AX40S ISO	Ant2	5310	5350~5358.4	5351.21	-30.24	-26.24	2.37684	≤15	PASS
NTNV	11AX40S ISO	Ant3	5310	5350~5358.4	5350.52	-30.58	-26.58	2.19786	≤15	PASS
NTNV	11AX40S ISO	Ant1	5310	5358.4~26000	5361.84	-37.92	-33.92	0.40551	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5310	5358.4~26000	22000.35	-44.70	-40.70	0.08511	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5310	5358.4~26000	22050.57	-44.03	-40.03	0.09931	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	30~5221.6	5216.93	-47.72	-43.72	0.04246	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	30~5221.6	5025.88	-48.41	-44.41	0.03622	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	30~5221.6	5188.89	-46.96	-42.96	0.05058	≤2.5	PASS
NTNV	11AX40 MIMO	total	5270	30~5221.6	---	---	---	0.12926	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5222.14	-31.09	-27.09	1.95434	≤2.7	See table below
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5221.68	-30.87	-26.87	2.05589	≤2.5	See table below
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.64	-31.32	-27.32	1.85353	≤2.5	See table below

NTNV	11AX40 MIMO	total	5270	5221.6~5230	---	---	---	5.86376	≤2.5	See table below
NTNV	11AX40 MIMO	Ant1	5270	5230~5249	5230.08	-30.81	-26.81	2.08449	≤8.0	PASS
NTNV	11AX40 MIMO	Ant2	5270	5230~5249	5230.36	-30.05	-26.05	2.48313	≤8.2	PASS
NTNV	11AX40 MIMO	Ant3	5270	5230~5249	5230.19	-31.05	-27.05	1.97242	≤8.1	PASS
NTNV	11AX40 MIMO	total	5270	5230~5249	---	---	---	6.54004	≤8.0	PASS
NTNV	11AX40 MIMO	Ant1	5270	5249~5250	5249.97	-21.40	-17.40	18.19701	≤466.6	PASS
NTNV	11AX40 MIMO	Ant2	5270	5249~5250	5249.02	-30.53	-26.53	2.22331	≤52.4	PASS
NTNV	11AX40 MIMO	Ant3	5270	5249~5250	5249.07	-29.96	-25.96	2.53513	≤58.7	PASS
NTNV	11AX40 MIMO	total	5270	5249~5250	---	---	---	22.95545	≤52.4	PASS
NTNV	11AX40 MIMO	Ant1	5270	5350~5358.4	5354.61	-29.49	-25.49	2.82488	≤15	PASS
NTNV	11AX40 MIMO	Ant2	5270	5350~5358.4	5357.59	-30.42	-26.42	2.28034	≤15	PASS
NTNV	11AX40 MIMO	Ant3	5270	5350~5358.4	5356.55	-29.87	-25.87	2.58821	≤15	PASS
NTNV	11AX40 MIMO	total	5270	5350~5358.4	---	---	---	7.69343	≤15	PASS
NTNV	11AX40 MIMO	Ant1	5270	5358.4~26000	18814.66	-44.82	-40.82	0.08279	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	5358.4~26000	21492.56	-44.81	-40.81	0.08299	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	5358.4~26000	21536.60	-44.60	-40.60	0.08710	≤2.5	PASS
NTNV	11AX40 MIMO	total	5270	5358.4~26000	---	---	---	0.25288	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5310	30~5221.6	4874.28	-48.34	-44.34	0.03681	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5310	30~5221.6	2330.92	-45.97	-41.97	0.06353	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	30~5221.6	5025.88	-48.12	-44.12	0.03873	≤2.5	PASS

NTNV	11AX40 MIMO	total	5310	30~5221.6	---	---	---	0.13907	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.89	-31.37	-27.37	1.83231	≤2.6	See table below
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.79	-30.55	-26.55	2.21309	≤2.5	See table below
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5222.7	-30.63	-26.63	2.17270	≤2.9	See table below
NTNV	11AX40 MIMO	total	5310	5221.6~5230	---	---	---	6.21810	≤2.5	See table below
NTNV	11AX40 MIMO	Ant1	5310	5230~5249	5230.49	-31.27	-27.27	1.87499	≤8.3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5230~5249	5231.39	-30.50	-26.50	2.23872	≤9.1	PASS
NTNV	11AX40 MIMO	Ant3	5310	5230~5249	5230.86	-31.16	-27.16	1.92309	≤8.6	PASS
NTNV	11AX40 MIMO	total	5310	5230~5249	---	---	---	6.03680	≤8.3	PASS
NTNV	11AX40 MIMO	Ant1	5310	5249~5250	5249.04	-31.09	-27.09	1.95434	≤54.8	PASS
NTNV	11AX40 MIMO	Ant2	5310	5249~5250	5249.02	-31.04	-27.04	1.97697	≤52.4	PASS
NTNV	11AX40 MIMO	Ant3	5310	5249~5250	5249.03	-30.92	-26.92	2.03236	≤53.6	PASS
NTNV	11AX40 MIMO	total	5310	5249~5250	---	---	---	5.96367	≤52.4	PASS
NTNV	11AX40 MIMO	Ant1	5310	5350~5358.4	5351.93	-30.20	-26.20	2.39883	≤15	PASS
NTNV	11AX40 MIMO	Ant2	5310	5350~5358.4	5356.07	-30.26	-26.26	2.36592	≤15	PASS
NTNV	11AX40 MIMO	Ant3	5310	5350~5358.4	5358.11	-30.13	-26.13	2.43781	≤15	PASS
NTNV	11AX40 MIMO	total	5310	5350~5358.4	---	---	---	7.20256	≤15	PASS
NTNV	11AX40 MIMO	Ant1	5310	5358.4~26000	18776.82	-44.00	-40.00	0.10000	≤2.5	PASS
NTNV	11AX40	Ant2	5310	5358.4~26000	21559.30	-43.95	-39.95	0.10116	≤2.5	PASS

	MIMO									
NTNV	11AX40 MIMO	Ant3	5310	5358.4~26000	21546.23	-44.22	-40.22	0.09506	≤2.5	PASS
NTNV	11AX40 MIMO	total	5310	5358.4~26000	---	---	---	0.29622	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5290	30~5203.3	5200.2	-26.95	-22.95	5.06991	≤2.5	See table below
NTNV	11AX80S ISO	Ant2	5290	30~5203.3	5193.99	-41.46	-37.46	0.17947	≤2.5	PASS
NTNV	11AX80S ISO	Ant3	5290	30~5203.3	5200.71	-43.55	-39.55	0.11092	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5290	5203.3~5210	5209.37	-28.28	-24.28	3.73250	≤3.8	See table below
NTNV	11AX80S ISO	Ant2	5290	5203.3~5210	5208.88	-31.80	-27.80	1.65959	≤3.7	PASS
NTNV	11AX80S ISO	Ant3	5290	5203.3~5210	5204.43	-40.70	-36.70	0.21380	≤2.7	PASS
NTNV	11AX80S ISO	Ant1	5290	5210~5249	5214.8	-28.66	-24.66	3.41979	≤5.0	See table below
NTNV	11AX80S ISO	Ant2	5290	5210~5249	5248.77	-30.64	-26.64	2.16770	≤24.7	PASS
NTNV	11AX80S ISO	Ant3	5290	5210~5249	5248.96	-30.88	-26.88	2.05116	≤25.0	PASS
NTNV	11AX80S ISO	Ant1	5290	5249~5250	5249.03	-24.80	-20.80	8.31764	≤26.8	PASS
NTNV	11AX80S ISO	Ant2	5290	5249~5250	5249.98	-11.66	-7.66	171.3957 3	≤238.7	See table below
NTNV	11AX80S ISO	Ant3	5290	5249~5250	5249.97	-12.96	-8.96	127.0574 1	≤233.3	See table below
NTNV	11AX80S ISO	Ant1	5290	5350~5376.8	5352.81	-29.42	-25.42	2.87078	≤15	PASS
NTNV	11AX80S ISO	Ant2	5290	5350~5376.8	5353.67	-38.23	-34.23	0.37757	≤15	PASS
NTNV	11AX80S ISO	Ant3	5290	5350~5376.8	5362.17	-46.55	-42.55	0.05559	≤15	PASS
NTNV	11AX80S	Ant1	5290	5376.8~26000	5387.11	-36.87	-32.87	0.51642	≤2.5	PASS

	ISO									
NTNV	11AX80S ISO	Ant2	5290	5376.8~26000	21638.88	-44.52	-40.52	0.08872	≤2.5	PASS
NTNV	11AX80S ISO	Ant3	5290	5376.8~26000	20848.32	-44.41	-40.41	0.09099	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5290	30~5203.3	5193.47	-46.58	-42.58	0.05521	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5290	30~5203.3	1772.37	-47.94	-43.94	0.04036	≤2.5	PASS
NTNV	11AX80 MIMO	Ant3	5290	30~5203.3	5151.57	-48.46	-44.46	0.03581	≤2.5	PASS
NTNV	11AX80 MIMO	total	5290	30~5203.3	---	---	---	0.13138	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5290	5203.3~5210	5203.52	-45.35	-41.35	0.07328	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5290	5203.3~5210	5203.31	-48.35	-44.35	0.03673	≤2.5	PASS
NTNV	11AX80 MIMO	Ant3	5290	5203.3~5210	5209.02	-45.26	-41.26	0.07482	≤3.7	PASS
NTNV	11AX80 MIMO	total	5290	5203.3~5210	---	---	---	0.18483	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5290	5210~5249	5249.00	-36.24	-32.24	0.59704	≤25.0	PASS
NTNV	11AX80 MIMO	Ant2	5290	5210~5249	5248.84	-37.60	-33.60	0.43652	≤24.8	PASS
NTNV	11AX80 MIMO	Ant3	5290	5210~5249	5248.96	-36.05	-32.05	0.62373	≤25.0	PASS
NTNV	11AX80 MIMO	total	5290	5210~5249	---	---	---	1.65729	≤24.8	PASS
NTNV	11AX80 MIMO	Ant1	5290	5249~5250	5249.87	-19.63	-15.63	27.35269	≤185.3	PASS
NTNV	11AX80 MIMO	Ant2	5290	5249~5250	5249.99	-19.97	-15.97	25.29298	≤244.3	PASS
NTNV	11AX80 MIMO	Ant3	5290	5249~5250	5249.98	-18.45	-14.45	35.89219	≤238.7	PASS
NTNV	11AX80 MIMO	total	5290	5249~5250	---	---	---	88.53786	≤185.3	PASS
NTNV	11AX80 MIMO	Ant1	5290	5350~5376.8	5350.94	-45.32	-41.32	0.07379	≤15	PASS
NTNV	11AX80 MIMO	Ant2	5290	5350~5376.8	5350.38	-44.37	-40.37	0.09183	≤15	PASS

NTNV	11AX80 MIMO	Ant3	5290	5350~5376.8	5350.19	-45.92	-41.92	0.06427	≤15	PASS
NTNV	11AX80 MIMO	total	5290	5350~5376.8	---	---	---	0.22989	≤15	PASS
NTNV	11AX80 MIMO	Ant1	5290	5376.8~26000	22080.22	-44.60	-40.60	0.08710	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5290	5376.8~26000	22118.71	-44.46	-40.46	0.08995	≤2.5	PASS
NTNV	11AX80 MIMO	Ant3	5290	5376.8~26000	22120.09	-44.65	-40.65	0.08610	≤2.5	PASS
NTNV	11AX80 MIMO	total	5290	5376.8~26000	---	---	---	0.26315	≤2.5	PASS
NTNV	11AX160 SISO	Ant1	5250	30~5099.6	5097.07	-33.69	-29.69	1.07399	≤2.5	PASS
NTNV	11AX160 SISO	Ant2	5250	30~5099.6	5093.01	-31.88	-27.88	1.62930	≤2.5	See table below
NTNV	11AX160 SISO	Ant3	5250	30~5099.6	5092.50	-36.55	-32.55	0.55590	≤2.5	PASS
NTNV	11AX160 SISO	Ant1	5250	5099.6~5150	5140.17	-26.53	-22.53	5.58470	≤15	PASS
NTNV	11AX160 SISO	Ant2	5250	5099.6~5150	5136.90	-35.64	-31.64	0.68549	≤15	PASS
NTNV	11AX160 SISO	Ant3	5250	5099.6~5150	5137.00	-32.05	-28.05	1.56675	≤15	PASS
NTNV	11AX160 SISO	Ant1	5250	5350~5400.4	5383.11	-32.79	-28.79	1.32130	≤15	PASS
NTNV	11AX160 SISO	Ant2	5250	5350~5400.4	5357.26	-37.46	-33.46	0.45082	≤15	PASS
NTNV	11AX160 SISO	Ant3	5250	5350~5400.4	5360.74	-35.22	-31.22	0.75509	≤15	PASS
NTNV	11AX160 SISO	Ant1	5250	5400.4~26000	5407.27	-35.04	-31.04	0.78705	≤2.5	PASS
NTNV	11AX160 SISO	Ant2	5250	5400.4~26000	5401.09	-42.27	-38.27	0.14894	≤2.5	PASS
NTNV	11AX160 SISO	Ant3	5250	5400.4~26000	5402.46	-39.81	-35.81	0.26242	≤2.5	PASS
NTNV	11AX160 MIMO	Ant1	5250	30~5099.6	5098.59	-46.17	-42.17	0.06067	≤2.5	PASS
NTNV	11AX160 MIMO	Ant2	5250	30~5099.6	5097.57	-44.06	-40.06	0.09863	≤2.5	PASS

NTNV	11AX160 MIMO	Ant3	5250	30~5099.6	5097.07	-45.46	-41.46	0.07145	≤2.5	PASS
NTNV	11AX160 MIMO	total	5250	30~5099.6	---	---	---	0.23075	≤2.5	PASS
NTNV	11AX160 MIMO	Ant1	5250	5099.6~5150	5147.13	-42.12	-38.12	0.15417	≤15	PASS
NTNV	11AX160 MIMO	Ant2	5250	5099.6~5150	5128.28	-42.11	-38.11	0.15453	≤15	PASS
NTNV	11AX160 MIMO	Ant3	5250	5099.6~5150	5127.98	-43.50	-39.50	0.11220	≤15	PASS
NTNV	11AX160 MIMO	total	5250	5099.6~5150	---	---	---	0.42090	≤15	PASS
NTNV	11AX160 MIMO	Ant1	5250	5350~5400.4	5367.54	-45.62	-41.62	0.06887	≤15	PASS
NTNV	11AX160 MIMO	Ant2	5250	5350~5400.4	5356.10	-43.62	-39.62	0.10914	≤15	PASS
NTNV	11AX160 MIMO	Ant3	5250	5350~5400.4	5362.00	-46.17	-42.17	0.06067	≤15	PASS
NTNV	11AX160 MIMO	total	5250	5350~5400.4	---	---	---	0.23868	≤15	PASS
NTNV	11AX160 MIMO	Ant1	5250	5400.4~26000	21838.88	-44.76	-40.76	0.08395	≤2.5	PASS
NTNV	11AX160 MIMO	Ant2	5250	5400.4~26000	22120.41	-44.37	-40.37	0.09183	≤2.5	PASS
NTNV	11AX160 MIMO	Ant3	5250	5400.4~26000	21977.58	-44.47	-40.47	0.08974	≤2.5	PASS
NTNV	11AX160 MIMO	total	5250	5400.4~26000	---	---	---	0.26552	≤2.5	PASS

Test Result_Step2

Test Condition	Test Mode	Ant.	Freq. [MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5260	5233.3~5240	5235.76	-40.47	-36.47	0.22542	≤2.5	PASS
NTNV	11A	Ant2	5260	5233.3~5240	5235.35	-40.44	-36.44	0.22699	≤2.6	PASS
NTNV	11A	Ant3	5260	5233.3~5240	5239.30	-42.75	-38.75	0.13335	≤4	PASS
NTNV	11A	Ant1	5260	5240~5249	5248.79	-40.37	-36.37	0.23067	≤42	PASS
NTNV	11A	Ant3	5260	5240~5249	5248.68	-36.50	-32.50	0.56234	≤91	PASS
NTNV	11A	Ant1	5260	5249~5250	5249.25	-40.31	-36.31	0.23388	≤117	PASS
NTNV	11A	Ant3	5260	5249~5250	5249.32	-34.83	-30.83	0.82604	≤102	PASS
NTNV	11A	Ant1	5280	5233.3~5240	5235.31	-40.48	-36.48	0.22491	≤2.8	PASS
NTNV	11A	Ant2	5280	5233.3~5240	5235.83	-40.44	-36.44	0.22699	≤2.8	PASS
NTNV	11A	Ant3	5280	5233.3~5240	5233.61	-42.95	-38.95	0.12735	≤2.7	PASS
NTNV	11A	Ant1	5300	5233.3~5240	5235.64	-40.50	-36.50	0.22387	≤2.5	PASS
NTNV	11A	Ant2	5300	5233.3~5240	5235.77	-40.46	-36.46	0.22594	≤2.5	PASS
NTNV	11A	Ant3	5300	5233.3~5240	5233.34	-42.96	-38.96	0.12706	≤2.5	PASS
NTNV	11A	Ant1	5320	5233.3~5240	5233.88	-40.48	-36.48	0.22491	≤2.6	PASS
NTNV	11A	Ant2	5320	5233.3~5240	5235.42	-40.45	-36.45	0.22646	≤2.6	PASS
NTNV	11A	Ant3	5320	5233.3~5240	5233.84	-42.94	-38.94	0.12764	≤3	PASS
NTNV	11N20SI SO	Ant1	5260	5233.3~5240	5234.57	-40.48	-36.48	0.22491	≤3.5	PASS
NTNV	11N20SI SO	Ant2	5260	5233.3~5240	5237.11	-40.44	-36.44	0.22699	≤2.9	PASS
NTNV	11N20SI SO	Ant3	5260	5233.3~5240	5239.48	-42.72	-38.72	0.13428	≤5	PASS
NTNV	11N20SI SO	Ant1	5260	5240~5249	5248.98	-40.35	-36.35	0.23174	≤37	PASS
NTNV	11N20SI SO	Ant3	5260	5240~5249	5248.97	-33.47	-29.47	1.12980	≤99	PASS
NTNV	11N20SI SO	Ant1	5260	5249~5250	5249.97	-40.35	-36.35	0.23174	≤105	PASS
NTNV	11N20SI SO	Ant3	5260	5249~5250	5249.94	-32.80	-28.80	1.31826	≤112	PASS
NTNV	11N20SI SO	Ant1	5280	5233.3~5240	5236.68	-40.47	-36.47	0.22542	≤2.6	PASS
NTNV	11N20SI SO	Ant2	5280	5233.3~5240	5233.68	-40.45	-36.45	0.22646	≤2.8	PASS
NTNV	11N20SI SO	Ant3	5280	5233.3~5240	5235.34	-42.95	-38.95	0.12735	≤3	PASS

NTNV	11N20SI SO	Ant1	5300	5233.3~5240	5235.42	-40.46	-36.46	0.22594	≤2.6	PASS
NTNV	11N20SI SO	Ant2	5300	5233.3~5240	5237.23	-40.43	-36.43	0.22751	≤4	PASS
NTNV	11N20SI SO	Ant3	5300	5233.3~5240	5235.02	-42.99	-38.99	0.12618	≤2.7	PASS
NTNV	11N20SI SO	Ant1	5320	5233.3~5240	5237.01	-40.46	-36.46	0.22594	≤2.7	PASS
NTNV	11N20SI SO	Ant2	5320	5233.3~5240	5236.76	-40.45	-36.45	0.22646	≤2.7	PASS
NTNV	11N20SI SO	Ant3	5320	5233.3~5240	5235.21	-42.94	-38.94	0.12764	≤2.7	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.42	-43.02	-39.02	0.12531	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.45	-43.03	-39.03	0.12503	≤2.6	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.32	-43.04	-39.04	0.12474	≤3	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.42	-43.04	-39.04	0.12474	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.45	-43.04	-39.04	0.12474	≤2.6	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.32	-43.05	-39.05	0.12445	≤3	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.42	-42.98	-38.98	0.12647	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.45	-42.99	-38.99	0.12618	≤2.6	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.32	-42.98	-38.98	0.12647	≤3	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.42	---	---	0.37652	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.45	---	---	0.37595	≤2.6	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.32	---	---	0.37566	≤3	PASS
NTNV	11N20MI MO	Ant1	5260	5240~5249	5240.36	-42.99	-38.99	0.12618	≤16	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5240.05	-43.01	-39.01	0.12560	≤18	PASS
NTNV	11N20MI	Ant3	5260	5240~5249	5240.99	-42.99	-38.99	0.12618	≤18	PASS

	MO									
NTNV	11N20MI MO	Ant1	5260	5240~5249	5240.36	-43.00	-39.00	0.12589	≤16	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5240.05	-43.01	-39.01	0.12560	≤18	PASS
NTNV	11N20MI MO	Ant3	5260	5240~5249	5240.99	-43.00	-39.00	0.12589	≤18	PASS
NTNV	11N20MI MO	Ant1	5260	5240~5249	5240.36	-42.94	-38.94	0.12764	≤16	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5240.05	-42.94	-38.94	0.12764	≤18	PASS
NTNV	11N20MI MO	Ant3	5260	5240~5249	5240.99	-42.95	-38.95	0.12735	≤18	PASS
NTNV	11N20MI MO	Ant1	5260	5240~5249	5240.36	---	---	0.37971	≤16	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5240.05	---	---	0.37884	≤18	PASS
NTNV	11N20MI MO	Ant3	5260	5240~5249	5240.99	---	---	0.37942	≤18	PASS
NTNV	11N20MI MO	Ant1	5280	5233.3~5240	5233.31	-43.05	-39.05	0.12445	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5280	5233.3~5240	5233.31	-43.05	-39.05	0.12445	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5280	5233.3~5240	5233.78	-43.05	-39.05	0.12445	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5280	5233.3~5240	5233.31	-43.03	-39.03	0.12503	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5280	5233.3~5240	5233.31	-43.03	-39.03	0.12503	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5280	5233.3~5240	5233.78	-43.04	-39.04	0.12474	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5280	5233.3~5240	5233.31	-42.97	-38.97	0.12677	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5280	5233.3~5240	5233.31	-42.97	-38.97	0.12677	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5280	5233.3~5240	5233.78	-43.01	-39.01	0.12560	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5280	5233.3~5240	5233.31	---	---	0.37625	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5280	5233.3~5240	5233.31	---	---	0.37625	≤2.5	PASS

NTNV	11N20MI MO	Ant3	5280	5233.3~5240	5233.78	---	---	0.37479	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.39	-42.77	-38.77	0.13274	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.95	-42.78	-38.78	0.13243	≤3.0	PASS
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.77	-42.78	-38.78	0.13243	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.39	-42.74	-38.74	0.13366	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.95	-42.74	-38.74	0.13366	≤3.0	PASS
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.77	-42.75	-38.75	0.13335	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.39	-42.72	-38.72	0.13428	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.95	-42.69	-38.69	0.13521	≤3.0	PASS
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.77	-42.72	-38.72	0.13428	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.39	---	---	0.40068	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.95	---	---	0.40130	≤3.0	PASS
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.77	---	---	0.40006	≤2.8	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.54	-42.75	-38.75	0.13335	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.47	-42.75	-38.75	0.13335	≤2.6	PASS
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.40	-42.77	-38.77	0.13274	≤3	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.54	-42.78	-38.78	0.13243	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.47	-42.78	-38.78	0.13243	≤2.6	PASS
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.40	-42.79	-38.79	0.13213	≤3	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.54	-42.67	-38.67	0.13583	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.47	-42.69	-38.69	0.13521	≤2.6	PASS

	MO									
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.40	-42.70	-38.70	0.13490	≤3	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.54	---	---	0.40161	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.47	---	---	0.40099	≤2.6	PASS
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.4	---	---	0.39977	≤3	PASS
NTNV	11N40SI SO	Ant1	5270	30~5221.6	5199.28	-40.73	-36.73	0.21232	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	30~5221.6	5221.08	-40.58	-36.58	0.21979	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5270	30~5221.6	5221.60	-40.55	-36.55	0.22131	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	5221.6~5230	5226.93	-40.57	-36.57	0.22029	≤3	PASS
NTNV	11N40SI SO	Ant2	5270	5221.6~5230	5224.18	-40.56	-36.56	0.22080	≤2.7	PASS
NTNV	11N40SI SO	Ant3	5270	5221.6~5230	5229.03	-42.92	-38.92	0.12823	≤4	PASS
NTNV	11N40SI SO	Ant1	5270	5230~5249	5248.15	-40.38	-36.38	0.23014	≤33	PASS
NTNV	11N40SI SO	Ant1	5270	5249~5250	5249.05	-40.35	-36.35	0.23174	≤71	PASS
NTNV	11N40SI SO	Ant2	5310	5221.6~5230	5222.78	-40.53	-36.53	0.22233	≤2.9	PASS
NTNV	11N40SI SO	Ant3	5310	5221.6~5230	5222.51	-43.00	-39.00	0.12589	≤2.8	PASS
NTNV	11N40SI SO	Ant1	5310	5350~5358.4	5350.05	-39.80	-35.80	0.26303	≤15	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.75	-42.83	-38.83	0.13092	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5221.98	-42.83	-38.83	0.13092	≤2.6	PASS
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.70	-42.83	-38.83	0.13092	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.75	-42.82	-38.82	0.13122	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5221.98	-42.85	-38.85	0.13032	≤2.6	PASS

NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.70	-42.82	-38.82	0.13122	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.75	-42.77	-38.77	0.13274	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5221.98	-42.77	-38.77	0.13274	≤2.6	PASS
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.70	-42.76	-38.76	0.13305	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.75	---	---	0.39488	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5221.98	---	---	0.39398	≤2.6	PASS
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.7	---	---	0.39519	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.15	-42.84	-38.84	0.13062	≤2.7	PASS
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.45	-42.84	-38.84	0.13062	≤2.8	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.35	-42.82	-38.82	0.13122	≤2.8	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.15	-42.85	-38.85	0.13032	≤2.7	PASS
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.45	-42.86	-38.86	0.13002	≤2.8	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.35	-42.85	-38.85	0.13032	≤2.8	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.15	-42.74	-38.74	0.13366	≤2.7	PASS
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.45	-42.73	-38.73	0.13397	≤2.8	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.35	-42.74	-38.74	0.13366	≤2.8	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.15	---	---	0.39460	≤2.7	PASS
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.45	---	---	0.39461	≤2.8	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.35	---	---	0.39520	≤2.8	PASS
NTNV	11AC20S ISO	Ant1	5260	5233.3~5240	5236.29	-40.45	-36.45	0.22646	≤2.5	PASS
NTNV	11AC20S	Ant2	5260	5233.3~5240	5238.44	-42.64	-38.64	0.13677	≤2.7	PASS

	ISO									
NTNV	11AC20S ISO	Ant3	5260	5233.3~5240	5236.32	-42.93	-38.93	0.12794	≤2.8	PASS
NTNV	11AC20S ISO	Ant1	5260	5240~5249	5248.77	-40.36	-36.36	0.23121	≤35	PASS
NTNV	11AC20S ISO	Ant2	5260	5240~5249	5248.96	-33.43	-29.43	1.14025	≤99	PASS
NTNV	11AC20S ISO	Ant3	5260	5240~5249	5248.93	-34.89	-30.89	0.81470	≤100	PASS
NTNV	11AC20S ISO	Ant1	5260	5249~5250	5249.95	-40.33	-36.33	0.23281	≤107	PASS
NTNV	11AC20S ISO	Ant2	5260	5249~5250	5249.91	-33.04	-29.04	1.24738	≤105	PASS
NTNV	11AC20S ISO	Ant3	5260	5249~5250	5249.51	-34.65	-30.65	0.86099	≤110	PASS
NTNV	11AC20S ISO	Ant1	5280	5233.3~5240	5236.94	-40.47	-36.47	0.22542	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5280	5233.3~5240	5235.28	-42.80	-38.80	0.13183	≤2.8	PASS
NTNV	11AC20S ISO	Ant3	5280	5233.3~5240	5233.35	-42.98	-38.98	0.12647	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5300	5233.3~5240	5235.84	-40.47	-36.47	0.22542	≤2.7	PASS
NTNV	11AC20S ISO	Ant2	5300	5233.3~5240	5234.14	-42.79	-38.79	0.13213	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5300	5233.3~5240	5233.35	-42.97	-38.97	0.12677	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5320	5233.3~5240	5234.41	-40.44	-36.44	0.22699	≤2.7	PASS
NTNV	11AC20S ISO	Ant2	5320	5233.3~5240	5235.29	-42.84	-38.84	0.13062	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5320	5233.3~5240	5235.30	-42.97	-38.97	0.12677	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.35	-42.76	-38.76	0.13305	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.42	-42.78	-38.78	0.13243	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.34	-42.75	-38.75	0.13335	≤3	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.35	-42.76	-38.76	0.13305	≤2.5	PASS

NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.42	-42.77	-38.77	0.13274	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.34	-42.78	-38.78	0.13243	≤3	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.35	-42.70	-38.70	0.13490	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.42	-42.70	-38.70	0.13490	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.34	-42.71	-38.71	0.13459	≤3	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.35	---	---	0.40100	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.42	---	---	0.40007	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.34	---	---	0.40037	≤3	PASS
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5249.00	-37.95	-33.95	0.40272	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.86	-38.73	-34.73	0.33651	≤95	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.93	-38.50	-34.50	0.35481	≤97	PASS
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5249.00	-37.73	-33.73	0.42364	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.86	-38.48	-34.48	0.35645	≤95	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.93	-38.27	-34.27	0.37411	≤97	PASS
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5249.00	-37.64	-33.64	0.43251	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.86	-38.42	-34.42	0.36141	≤95	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.93	-38.20	-34.20	0.38019	≤97	PASS
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5249.00	---	---	1.25887	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.86	---	---	1.05437	≤95	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.93	---	---	1.10911	≤97	PASS
NTNV	11AC20	Ant1	5280	5233.3~5240	5234.22	-42.77	-38.77	0.13274	≤3.2	PASS

	MIMO									
NTNV	11AC20 MIMO	Ant2	5280	5233.3~5240	5233.47	-42.75	-38.75	0.13335	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5280	5233.3~5240	5233.35	-42.76	-38.76	0.13305	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5280	5233.3~5240	5234.22	-42.74	-38.74	0.13366	≤3.2	PASS
NTNV	11AC20 MIMO	Ant2	5280	5233.3~5240	5233.47	-42.78	-38.78	0.13243	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5280	5233.3~5240	5233.35	-42.75	-38.75	0.13335	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5280	5233.3~5240	5234.22	-42.71	-38.71	0.13459	≤3.2	PASS
NTNV	11AC20 MIMO	Ant2	5280	5233.3~5240	5233.47	-42.72	-38.72	0.13428	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5280	5233.3~5240	5233.35	-42.71	-38.71	0.13459	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5280	5233.3~5240	5234.22	---	---	0.40099	≤3.2	PASS
NTNV	11AC20 MIMO	Ant2	5280	5233.3~5240	5233.47	---	---	0.40006	≤2.6	PASS
NTNV	11AC20 MIMO	Ant3	5280	5233.3~5240	5233.35	---	---	0.40099	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.40	-42.76	-38.76	0.13305	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.33	-42.77	-38.77	0.13274	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.87	-42.77	-38.77	0.13274	≤2.9	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.40	-42.78	-38.78	0.13243	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.33	-42.77	-38.77	0.13274	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.87	-42.76	-38.76	0.13305	≤2.9	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.40	-42.69	-38.69	0.13521	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.33	-42.72	-38.72	0.13428	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.87	-42.73	-38.73	0.13397	≤2.9	PASS

NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.4	---	---	0.40069	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.33	---	---	0.39976	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.87	---	---	0.39976	≤2.9	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.59	-42.78	-38.78	0.13243	≤2.7	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.30	-42.75	-38.75	0.13335	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.39	-42.77	-38.77	0.13274	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.59	-42.75	-38.75	0.13335	≤2.7	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.30	-42.77	-38.77	0.13274	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.39	-42.77	-38.77	0.13274	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.59	-42.68	-38.68	0.13552	≤2.7	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.30	-42.69	-38.69	0.13521	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.39	-42.68	-38.68	0.13552	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.59	---	---	0.40130	≤2.7	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.3	---	---	0.40130	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.39	---	---	0.40100	≤2.6	PASS
NTNV	11AC40S ISO	Ant1	5270	30~5221.6	5220.04	-40.60	-36.60	0.21878	≤2.5	PASS
NTNV	11AC40S ISO	Ant2	5270	30~5221.6	5220.04	-42.69	-38.69	0.13521	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5270	5221.6~5230	5229.78	-40.54	-36.54	0.22182	≤4	PASS
NTNV	11AC40S ISO	Ant2	5270	5221.6~5230	5229.47	-42.51	-38.51	0.14093	≤5	PASS
NTNV	11AC40S ISO	Ant3	5270	5221.6~5230	5224.72	-42.99	-38.99	0.12618	≤3	PASS
NTNV	11AC40S	Ant1	5270	5230~5249	5248.75	-40.37	-36.37	0.23067	≤30	PASS

	ISO									
NTNV	11AC40S ISO	Ant2	5270	5230~5249	5235.68	-42.15	-38.15	0.15311	≤10	PASS
NTNV	11AC40S ISO	Ant1	5270	5249~5250	5249.05	-40.32	-36.32	0.23335	≤50	PASS
NTNV	11AC40S ISO	Ant2	5310	5221.6~5230	5223.15	-42.86	-38.86	0.13002	≤2.5	PASS
NTNV	11AC40S ISO	Ant3	5310	5221.6~5230	5225.32	-43.03	-39.03	0.12503	≤2.6	PASS
NTNV	11AC40S ISO	Ant1	5310	5350~5358.4	5350.39	-39.80	-35.80	0.26303	≤15	PASS
NTNV	11AC40 MIMO	Ant1	5270	5221.6~5230	5221.79	-42.84	-38.84	0.13062	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5270	5221.6~5230	5221.61	-42.83	-38.83	0.13092	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5270	5221.6~5230	5223.86	-42.83	-38.83	0.13092	≤3.4	PASS
NTNV	11AC40 MIMO	Ant1	5270	5221.6~5230	5221.79	-42.82	-38.82	0.13122	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5270	5221.6~5230	5221.61	-42.81	-38.81	0.13152	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5270	5221.6~5230	5223.86	-42.82	-38.82	0.13122	≤3.4	PASS
NTNV	11AC40 MIMO	Ant1	5270	5221.6~5230	5221.79	-42.78	-38.78	0.13243	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5270	5221.6~5230	5221.61	-42.77	-38.77	0.13274	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5270	5221.6~5230	5223.86	-42.78	-38.78	0.13243	≤3.4	PASS
NTNV	11AC40 MIMO	Ant1	5270	5221.6~5230	5221.79	---	---	0.39427	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5270	5221.6~5230	5221.61	---	---	0.39518	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5270	5221.6~5230	5223.86	---	---	0.39457	≤3.4	PASS
NTNV	11AC40 MIMO	Ant1	5310	5221.6~5230	5222.33	-42.82	-38.82	0.13122	≤2.7	PASS
NTNV	11AC40 MIMO	Ant2	5310	5221.6~5230	5221.60	-42.83	-38.83	0.13092	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5310	5221.6~5230	5223.06	-42.82	-38.82	0.13122	≤3.0	PASS

NTNV	11AC40 MIMO	Ant1	5310	5221.6~5230	5222.33	-42.86	-38.86	0.13002	≤2.7	PASS
NTNV	11AC40 MIMO	Ant2	5310	5221.6~5230	5221.60	-42.85	-38.85	0.13032	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5310	5221.6~5230	5223.06	-42.85	-38.85	0.13032	≤3.0	PASS
NTNV	11AC40 MIMO	Ant1	5310	5221.6~5230	5222.33	-42.74	-38.74	0.13366	≤2.7	PASS
NTNV	11AC40 MIMO	Ant2	5310	5221.6~5230	5221.60	-42.73	-38.73	0.13397	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5310	5221.6~5230	5223.06	-42.75	-38.75	0.13335	≤3.0	PASS
NTNV	11AC40 MIMO	Ant1	5310	5221.6~5230	5222.33	---	---	0.39490	≤2.7	PASS
NTNV	11AC40 MIMO	Ant2	5310	5221.6~5230	5221.6	---	---	0.39521	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5310	5221.6~5230	5223.06	---	---	0.39489	≤3.0	PASS
NTNV	11AC80S ISO	Ant1	5290	30~5203.3	5199.16	-40.71	-36.71	0.21330	≤2.5	PASS
NTNV	11AC80S ISO	Ant1	5290	5203.3~5210	5209.42	-40.71	-36.71	0.21330	≤2.6	PASS
NTNV	11AC80S ISO	Ant2	5290	5203.3~5210	5208.91	-42.82	-38.82	0.13122	≤3	PASS
NTNV	11AC160 SISO	Ant2	5250	30~5099.6	5096.05	-50.48	-46.48	0.02249	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5260	5233.3~5240	5234.14	-40.47	-36.47	0.22542	≤3	PASS
NTNV	11AX20S ISO	Ant2	5260	5233.3~5240	5238.90	-42.66	-38.66	0.13614	≤4	PASS
NTNV	11AX20S ISO	Ant3	5260	5233.3~5240	5234.18	-42.87	-38.87	0.12972	≤2.6	PASS
NTNV	11AX20S ISO	Ant2	5260	5240~5249	5248.96	-34.30	-30.30	0.93325	≤100	PASS
NTNV	11AX20S ISO	Ant3	5260	5240~5249	5248.96	-34.88	-30.88	0.81658	≤99	PASS
NTNV	11AX20S ISO	Ant2	5260	5249~5249.8	5249.76	-33.13	-29.13	1.22180	≤102	PASS
NTNV	11AX20S ISO	Ant3	5260	5249~5249.8	5249.80	-34.86	-30.86	0.82035	≤107	PASS
NTNV	11AX20S	Ant2	5260	5249.8~5250	5249.99	-18.13	-14.13	38.6367	≤671	PASS

	ISO							0		
NTNV	11AX20S ISO	Ant3	5260	5249.8~5250	5249.95	-19.41	-15.41	28.7739 8	≤631	PASS
NTNV	11AX20S ISO	Ant1	5280	5233.3~5240	5235.22	-40.48	-36.48	0.22491	≤3.2	PASS
NTNV	11AX20S ISO	Ant2	5280	5233.3~5240	5234.35	-43.01	-39.01	0.12560	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5280	5233.3~5240	5234.02	-42.98	-38.98	0.12647	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5300	5233.3~5240	5235.13	-40.48	-36.48	0.22491	≤2.7	PASS
NTNV	11AX20S ISO	Ant2	5300	5233.3~5240	5233.84	-43.06	-39.06	0.12417	≤2.9	PASS
NTNV	11AX20S ISO	Ant3	5300	5233.3~5240	5233.53	-42.95	-38.95	0.12735	≤2.7	PASS
NTNV	11AX20S ISO	Ant1	5320	5233.3~5240	5235.73	-40.46	-36.46	0.22594	≤2.6	PASS
NTNV	11AX20S ISO	Ant2	5320	5233.3~5240	5234.08	-43.06	-39.06	0.12417	≤2.6	PASS
NTNV	11AX20S ISO	Ant3	5320	5233.3~5240	5233.49	-42.94	-38.94	0.12764	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5233.60	-42.75	-38.75	0.13335	≤2.7	PASS
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.74	-42.76	-38.76	0.13305	≤2.8	PASS
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.44	-42.77	-38.77	0.13274	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5233.60	-42.75	-38.75	0.13335	≤2.7	PASS
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.74	-42.76	-38.76	0.13305	≤2.8	PASS
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.44	-42.75	-38.75	0.13335	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5233.60	-42.71	-38.71	0.13459	≤2.7	PASS
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.74	-42.71	-38.71	0.13459	≤2.8	PASS
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.44	-42.70	-38.70	0.13490	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5233.6	---	---	0.40129	≤2.7	PASS

NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.74	---	---	0.40069	≤2.8	PASS
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.44	---	---	0.40099	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.89	-39.81	-35.81	0.26242	≤97	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.96	-38.98	-34.98	0.31769	≤100	PASS
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.86	-39.66	-35.66	0.27164	≤98	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.89	-39.68	-35.68	0.27040	≤97	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.96	-38.85	-34.85	0.32734	≤100	PASS
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.86	-39.50	-35.50	0.28184	≤98	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.89	-39.54	-35.54	0.27925	≤97	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.96	-38.67	-34.67	0.34119	≤100	PASS
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.86	-39.32	-35.32	0.29376	≤98	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.89	---	---	0.81207	≤97	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.96	---	---	0.98622	≤100	PASS
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.86	---	---	0.84724	≤98	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.09	-38.03	-34.03	0.39537	≤123	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.01	-38.24	-34.24	0.37670	≤120	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.06	-38.85	-34.85	0.32734	≤105	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.09	-37.89	-33.89	0.40832	≤123	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.01	-37.95	-33.95	0.40272	≤120	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.06	-38.60	-34.60	0.34674	≤105	PASS
NTNV	11AX20	Ant1	5260	5249~5249.8	5249.09	-37.69	-33.69	0.42756	≤123	PASS

	MIMO									
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.01	-37.81	-33.81	0.41591	≤120	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.06	-38.39	-34.39	0.36392	≤105	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.09	---	---	1.23125	≤123	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.01	---	---	1.19533	≤120	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.06	---	---	1.03800	≤105	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	-24.14	-20.14	9.68278	≤671	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.80	-24.54	-20.54	8.83080	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.80	-24.54	-20.54	8.83080	≤631	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	-23.68	-19.68	10.7646 5	≤671	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.80	-23.65	-19.65	10.8392 7	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.80	-23.94	-19.94	10.13911	≤631	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	-23.38	-19.38	11.53453	≤671	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.80	-23.86	-19.86	10.3276 1	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.80	-23.54	-19.54	11.11732	≤631	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	---	---	31.9819 6	≤671	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.80	---	---	29.9976 8	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.80	---	---	30.0872 3	≤631	PASS
NTNV	11AX20 MIMO	Ant1	5280	5233.3~5240	5233.43	-42.77	-38.77	0.13274	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5280	5233.3~5240	5233.31	-42.79	-38.79	0.13213	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5280	5233.3~5240	5233.49	-42.76	-38.76	0.13305	≤2.6	PASS





NTNV	11AX20 MIMO	Ant1	5280	5233.3~5240	5233.43	-42.75	-38.75	0.13335	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5280	5233.3~5240	5233.31	-42.77	-38.77	0.13274	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5280	5233.3~5240	5233.49	-42.76	-38.76	0.13305	≤2.6	PASS
NTNV	11AX20 MIMO	Ant1	5280	5233.3~5240	5233.43	-42.72	-38.72	0.13428	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5280	5233.3~5240	5233.31	-42.72	-38.72	0.13428	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5280	5233.3~5240	5233.49	-42.71	-38.71	0.13459	≤2.6	PASS
NTNV	11AX20 MIMO	Ant1	5280	5233.3~5240	5233.43	---	---	0.40037	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5280	5233.3~5240	5233.31	---	---	0.39915	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5280	5233.3~5240	5233.49	---	---	0.40069	≤2.6	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.34	-42.77	-38.77	0.13274	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.35	-42.78	-38.78	0.13243	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.30	-42.79	-38.79	0.13213	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.34	-42.76	-38.76	0.13305	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.35	-42.76	-38.76	0.13305	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.30	-42.75	-38.75	0.13335	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.34	-42.72	-38.72	0.13428	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.35	-42.70	-38.70	0.13490	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.30	-42.70	-38.70	0.13490	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.34	---	---	0.40007	≤3	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.35	---	---	0.40038	≤2.5	PASS
NTNV	11AX20	Ant3	5300	5233.3~5240	5233.3	---	---	0.40038	≤2.5	PASS




	MIMO									
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.87	-42.76	-38.76	0.13305	≤2.9	PASS
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5234.43	-42.75	-38.75	0.13335	≤3.4	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.86	-42.74	-38.74	0.13366	≤2.9	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.87	-42.79	-38.79	0.13213	≤2.9	PASS
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5234.43	-42.79	-38.79	0.13213	≤3.4	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.86	-42.77	-38.77	0.13274	≤2.9	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.87	-42.67	-38.67	0.13583	≤2.9	PASS
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5234.43	-42.69	-38.69	0.13521	≤3.4	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.86	-42.67	-38.67	0.13583	≤2.9	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.87	---	---	0.40101	≤2.9	PASS
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5234.43	---	---	0.40069	≤3.4	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.86	---	---	0.40223	≤2.9	PASS
NTNV	11AX40S ISO	Ant1	5270	30~5221.6	5221.08	-40.59	-36.59	0.21928	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5270	5221.6~5230	5228.39	-40.54	-36.54	0.22182	≤4	PASS
NTNV	11AX40S ISO	Ant2	5270	5221.6~5230	5229.13	-42.87	-38.87	0.12972	≤5	PASS
NTNV	11AX40S ISO	Ant3	5270	5221.6~5230	5222.92	-43.05	-39.05	0.12445	≤3	PASS
NTNV	11AX40S ISO	Ant1	5310	5221.6~5230	5223.04	-40.56	-36.56	0.22080	≤3.0	PASS
NTNV	11AX40S ISO	Ant2	5310	5221.6~5230	5222.16	-43.13	-39.13	0.12218	≤3	PASS
NTNV	11AX40S ISO	Ant3	5310	5221.6~5230	5221.71	-43.02	-39.02	0.12531	≤3	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5222.14	-42.82	-38.82	0.13122	≤2.7	PASS




NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5221.68	-42.84	-38.84	0.13062	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.64	-42.83	-38.83	0.13092	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5222.14	-42.81	-38.81	0.13152	≤2.7	PASS
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5221.68	-42.82	-38.82	0.13122	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.64	-42.83	-38.83	0.13092	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5222.14	-42.78	-38.78	0.13243	≤2.7	PASS
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5221.68	-42.76	-38.76	0.13305	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.64	-42.77	-38.77	0.13274	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5222.14	---	---	0.39517	≤2.7	PASS
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5221.68	---	---	0.39489	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.64	---	---	0.39458	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.89	-42.82	-38.82	0.13122	≤3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.79	-42.82	-38.82	0.13122	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5222.70	-42.80	-38.80	0.13183	≤3	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.89	-42.81	-38.81	0.13152	≤3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.79	-42.84	-38.84	0.13062	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5222.70	-42.84	-38.84	0.13062	≤3	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.89	-42.74	-38.74	0.13366	≤3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.79	-42.75	-38.75	0.13335	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5222.70	-42.72	-38.72	0.13428	≤3	PASS
NTNV	11AX40	Ant1	5310	5221.6~5230	5221.89	---	---	0.39640	≤3	PASS


	MIMO									
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.79	---	---	0.39519	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5222.7	---	---	0.39673	≤3	PASS
NTNV	11AX80S ISO	Ant1	5290	30~5203.3	5200.20	-40.71	-36.71	0.21330	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5290	5203.3~5210	5209.37	-40.67	-36.67	0.21528	≤3	PASS
NTNV	11AX80S ISO	Ant1	5290	5210~5249	5233.32	-40.49	-36.49	0.22439	≤10	PASS
NTNV	11AX80S ISO	Ant2	5290	5249~5250	5250.00	-33.73	-29.73	1.06414	≤239	PASS
NTNV	11AX80S ISO	Ant3	5290	5249~5250	5250.00	-34.28	-30.28	0.93756	≤239	PASS
NTNV	11AX160 SISO	Ant2	5250	30~5099.6	5093.01	-51.49	-47.49	0.01782	≤2.5	PASS



Test Graphs

 01:35:09 AM 02/05/2026	 03:35:20 AM 02/05/2026
NTVN-11A-Ant1-5260-30~5233.3-PASS	NTVN-11A-Ant2-5260-30~5233.3-PASS
 11:14:10 AM 02/16/2026	 03:35:20 AM 02/05/2026
NTVN-11A-Ant3-5260-30~5233.3-PASS	NTVN-11A-Ant1-5260-5233.3~5240-See table below


 09:35:30 AM 02/05/2026	 11:14:20 AM 02/05/2026
NTNV-11A-Ant2-5260-5233.3~5240-See table below	NTNV-11A-Ant3-5260-5233.3~5240-See table below
 01:55:52 AM 02/05/2026	 03:36:03 AM 02/05/2026
NTNV-11A-Ant1-5260-5240~5249-See table below	NTNV-11A-Ant2-5260-5240~5249-PASS




 11:14:52 AM 02/05/2026	 01:36:25 AM 02/05/2026
NTNV-11A-Ant3-5260-5240~5249-See table below	NTNV-11A-Ant1-5260-5249~5250-See table below
 03:36:13 AM 02/05/2026	 11:15:23 AM 02/05/2026
NTNV-11A-Ant2-5260-5249~5250-PASS	NTNV-11A-Ant3-5260-5249~5250-See table below








 01:42:58 AM 02/05/2026	 02:42:46 AM 02/05/2026
NTNV-11A-Ant1-5280-5233.3~5240-See table below	NTNV-11A-Ant2-5280-5233.3~5240-See table below
 11:17:13 AM 02/05/2026	 02:43:30 AM 02/05/2026
NTNV-11A-Ant3-5280-5233.3~5240-See table below	NTNV-11A-Ant1-5280-5240~5249-PASS











	below
	
NTVN-11A-Ant2-5300-5233.3~5240-See table below	NTVN-11A-Ant3-5300-5233.3~5240-See table below
	
NTVN-11A-Ant1-5300-5240~5249-PASS	NTVN-11A-Ant2-5300-5240~5249-PASS










 11:19:38 AM 02/05/2026	 01:52:56 AM 02/05/2026
NTNV-11A-Ant3-5300-5350~26000-PASS	NTNV-11A-Ant1-5320-30~5233.3-PASS
 03:50:49 AM 02/05/2026	 11:20:05 AM 02/05/2026
NTNV-11A-Ant2-5320-30~5233.3-PASS	NTNV-11A-Ant3-5320-30~5233.3-PASS
 01:50:04 AM 02/05/2026	 01:50:59 AM 02/05/2026
NTNV-11A-Ant1-5320-5233.3~5240-See table	NTNV-11A-Ant2-5320-5233.3~5240-See table


below	
	
NTNV-11A-Ant3-5320-5233.3~5240-See table below	
	
NTNV-11A-Ant2-5320-5240~5249-PASS	
NTNV-11A-Ant3-5320-5240~5249-PASS	






NTNV-11N20SISO-Ant2-5260-5233.3~5240-See table below	NTNV-11N20SISO-Ant3-5260-5233.3~5240-See table below
 01:57:39 AM 02/05/2026	 01:55:20 AM 02/05/2026
NTNV-11N20SISO-Ant1-5260-5240~5249-See table below	NTNV-11N20SISO-Ant2-5260-5240~5249-PASS
 11:22:19 AM 02/05/2026	 01:58:11 AM 02/05/2026
NTNV-11N20SISO-Ant3-5260-5240~5249-See table below	NTNV-11N20SISO-Ant1-5260-5249~5250-See table below


 09:55:31 AM 02/05/2026	 11:02:52 AM 02/05/2026
NTVN-11N20SISO-Ant2-5260-5249~5250-PASS	NTVN-11N20SISO-Ant3-5260-5249~5250-See table below
 01:58:45 AM 02/05/2026	 03:55:43 AM 02/05/2026
NTVN-11N20SISO-Ant1-5260-5350~26000-PAS S	NTVN-11N20SISO-Ant2-5260-5350~26000-PAS S




NTVN-11N20SISO-Ant3-5260-5350~26000-PAS




NTVN-11N20SISO-Ant1-5280-30~5233.3-PASS






NTVN-11N20SISO-Ant2-5280-30~5233.3-PASS



NTVN-11N20SISO-Ant3-5280-30~5233.3-PASS



NTNV-11N20SISO-Ant1-5280-5233.3~5240-See table below	NTNV-11N20SISO-Ant2-5280-5233.3~5240-See table below
 11:24:04 AM 02/16/2026	 02:01:35 AM 02/05/2026
NTNV-11N20SISO-Ant3-5280-5233.3~5240-See table below	NTNV-11N20SISO-Ant1-5280-5240~5249-PASS
 03:58:56 AM 02/05/2026	 11:24:35 AM 02/16/2026
NTNV-11N20SISO-Ant2-5280-5240~5249-PASS	NTNV-11N20SISO-Ant3-5280-5240~5249-PASS



NTNV-11N20SISO-Ant2-5280-5350~26000-PAS S	NTNV-11N20SISO-Ant3-5280-5350~26000-PAS S
NTNV-11N20SISO-Ant1-5300-30~5233.3-PASS	NTNV-11N20SISO-Ant2-5300-30~5233.3-PASS
NTNV-11N20SISO-Ant3-5300-30~5233.3-PASS	NTNV-11N20SISO-Ant1-5300-5233.3~5240-See table below




NTNV-11N20SISO-Ant2-5300-5233.3~5240-See table below



NTNV-11N20SISO-Ant3-5300-5233.3~5240-See table below







NTNV-11N20SISO-Ant1-5300-5240~5249-PASS




NTNV-11N20SISO-Ant2-5300-5240~5249-PASS




NTNV-11N20SISO-Ant3-5300-5249~5249-PASS  04:03:51 AM 02/05/2026	NTNV-11N20SISO-Ant1-5300-5249~5250-PASS  11:26:35 AM 03/24/2026
NTNV-11N20SISO-Ant2-5300-5249~5250-PASS  02:06:23 AM 02/05/2026	NTNV-11N20SISO-Ant3-5300-5249~5250-PASS  04:04:03 AM 02/05/2026
NTNV-11N20SISO-Ant1-5300-5350~26000-PAS S	NTNV-11N20SISO-Ant2-5300-5350~26000-PAS S




NTVN-11N20SISO-Ant3-5300-5350~26000-PAS




NTVN-11N20SISO-Ant1-5320-30~5233.3-PASS



NTVN-11N20SISO-Ant2-5320-30~5233.3-PASS






NTVN-11N20SISO-Ant3-5320-30~5233.3-PASS



NTNV-11N20SISO-Ant1-5320-5233.3~5240-See table below	NTNV-11N20SISO-Ant2-5320-5233.3~5240-See table below
NTNV-11N20SISO-Ant3-5320-5233.3~5240-See table below	NTNV-11N20SISO-Ant1-5320-5240~5249-PASS
NTNV-11N20SISO-Ant2-5320-5240~5249-PASS	NTNV-11N20SISO-Ant3-5320-5240~5249-PASS



NTNV-11N20SISO-Ant2-5320-5350~26000-PAS	
S	
NTNV-11N20SISO-Ant3-5320-5350~26000-PAS	
S	
NTNV-11N20MIMO-Ant1-5260-30~5233.3-PASS	
NTNV-11N20MIMO-Ant2-5260-30~5233.3-PASS	
NTNV-11N20MIMO-Ant3-5260-30~5233.3-PASS	
NTNV-11N20MIMO-Ant1-5260-5233.3~5240-Se e table below	

 12:29:40 PM 03/16/2026	 12:32:12 PM 03/16/2026
NTNV-11N20MIMO-Ant2-5260-5233.3~5240-Se e table below	NTNV-11N20MIMO-Ant3-5260-5233.3~5240-Se e table below
 12:29:07 PM 03/16/2026	 12:30:38 PM 03/16/2026
NTNV-11N20MIMO-Ant1-5260-5240~5249-See table below	NTNV-11N20MIMO-Ant2-5260-5240~5249-See table below