


GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.60	43.97	10.11	33.86	74.00	-30.03	293	342	Peak	Horizontal	
2 *	2468.00	91.60	57.10	34.50	74.00	17.60	293	342	Peak	Horizontal	
3	2636.51	47.93	13.66	34.27	74.00	-26.07	293	342	Peak	Horizontal	





TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2324.49	50.29	16.62	33.67	74.00	-23.71	390	256	Peak	Vertical	
2 *	2468.00	90.32	55.82	34.50	74.00	16.32	390	256	Peak	Vertical	
3	2528.73	55.15	20.66	34.49	74.00	-18.85	390	256	Peak	Vertical	

GFSK
High Channel (Horizontal) Average


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322

High Channel (Vertical) Average

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


8DPSK
Low Channel (Horizontal) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2324.02	49.61	15.94	33.67	74.00	-24.39	279	340	Peak	Horizontal	
2 *	2402.00	99.17	65.11	34.06	74.00	25.17	279	340	Peak	Horizontal	
3	2728.03	50.03	15.72	34.31	74.00	-23.97	279	340	Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2327.00	51.39	17.72	33.67	74.00	-22.61	376	256	Peak	Vertical	
2 *	2402.00	97.07	63.01	34.06	74.00	23.07	376	256	Peak	Vertical	
3	2530.15	50.91	16.43	34.48	74.00	-23.09	376	256	Peak	Vertical	

8DPSK
Low Channel (Horizontal) Average


TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322


Low Channel (Vertical) Average


TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2336.15	46.56	12.87	33.69	74.00	-27.44	293	342	Peak	Horizontal		
2 *	2480.00	97.38	62.88	34.50	74.00	23.38	293	342	Peak	Horizontal		
3	2483.74	48.58	14.07	34.51	74.00	-25.42	293	342	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2336.68	53.31	19.33	33.98	74.00	-20.69	390	253	Peak	Vertical		
2 *	2480.00	96.34	61.84	34.50	74.00	22.34	390	253	Peak	Vertical		
3	2638.28	53.53	19.27	34.26	74.00	-20.47	390	253	Peak	Vertical		

8DPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.21	30.33	-3.65	33.98	54.00	-23.67	293	342	Average	Horizontal		
2	2488.00	49.47	14.97	34.50	54.00	-4.53	293	342	Average	Horizontal		
3	2518.96	31.98	-2.54	34.52	54.00	-22.02	293	342	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.57	30.31	-3.67	33.98	54.00	-23.69	390	253	Average	Vertical		
2	2488.00	50.12	15.62	34.50	54.00	-3.88	390	253	Average	Vertical		
3	2731.45	31.73	-2.58	34.31	54.00	-22.27	390	253	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


GFSK

Low Channel(Open) 9kHz~150kHz

Low Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	82.00	3.91	78.09	127.62	-44.82	100	150	QP	Open	
2	0.03	72.00	1.77	71.03	118.53	-45.73	100	360	QP	Open	
3	0.06	62.43	-1.09	63.52	111.88	-49.45	100	150	QP	Open	
4	0.09	58.01	-2.16	60.17	108.28	-50.27	100	56	QP	Open	
5	0.12	55.70	-2.16	57.86	105.73	-50.03	100	0	QP	Open	
6	0.13	54.47	-2.82	57.29	105.06	-50.59	100	111	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.47	59.67	12.34	47.33	94.23	-34.56	100	280	QP	Open	
2	4.43	51.18	12.04	38.34	69.50	-18.32	100	118	QP	Open	
3	9.70	50.15	12.51	37.64	69.50	-19.35	100	283	QP	Open	
4	15.76	49.90	12.33	37.57	69.50	-19.60	100	358	QP	Open	
5	21.20	53.56	17.54	36.02	69.50	-15.94	100	180	QP	Open	
6	26.51	47.33	13.03	34.30	69.50	-22.17	100	191	QP	Open	

GFSK

Low Channel(Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	83.40	4.31	79.09	127.78	-44.38	100	10	QP	Close		
2	0.03	72.30	1.19	71.11	118.66	-46.36	100	55	QP	Close		
3	0.06	61.89	-1.52	63.41	111.77	-49.88	100	106	QP	Close		
4	0.08	60.81	-0.15	60.96	109.13	-48.32	100	235	QP	Close		
5	0.09	56.88	-3.31	60.19	108.29	-51.41	100	186	QP	Close		
6	0.14	55.83	-1.19	57.02	104.76	-48.93	100	49	QP	Close		

Low Channel(Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.37	61.08	12.15	48.93	96.15	-35.07	100	118	QP	Close		
2	4.43	60.34	22.00	38.34	69.50	-9.16	100	345	QP	Close		
3	5.93	59.11	20.75	38.36	69.50	-10.39	100	283	QP	Close		
4	7.70	54.57	16.41	38.16	69.50	-14.93	100	49	QP	Close		
5	20.54	61.72	25.57	36.15	69.50	-7.78	100	67	QP	Close		
6	25.89	49.97	15.70	34.27	69.50	-19.53	100	132	QP	Close		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7286.00	53.77	59.82	-6.05	54.00	-0.23	100	285	Average	Horizontal		
2	7286.00	64.42	70.47	-6.05	74.00	-9.58	100	285	Peak	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7286.00	53.36	59.41	-6.05	54.00	-0.64	110	76	Average	Vertical		
2	7286.00	63.96	70.01	-6.05	74.00	-10.04	110	76	Peak	Vertical		

GFSK


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	44.89	54.09	-9.20	74.00	-29.11	100	135	Peak	Horizontal	
2	7206.00	37.38	43.43	-6.05	54.00	-16.62	100	283	Average	Horizontal	
3	7206.00	64.67	70.72	-6.05	74.00	-9.33	100	283	Peak	Horizontal	
4	14412.00	35.32	32.14	3.18	54.00	-18.68	392	177	Average	Horizontal	
5	14412.00	54.97	51.79	3.18	74.00	-19.03	392	177	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	47.10	56.30	-9.20	74.00	-26.90	300	201	Peak	Vertical	
2	7206.00	37.35	43.40	-6.05	54.00	-16.65	100	50	Average	Vertical	
3	7206.00	64.20	70.25	-6.05	74.00	-9.80	100	50	Peak	Vertical	
4	14412.00	36.30	33.12	3.18	54.00	-17.70	104	251	Average	Vertical	
5	14412.00	57.25	54.07	3.18	74.00	-16.75	104	251	Peak	Vertical	

8DPSK


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

High Channel (Horizontal)

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

