


26 dB & 99% BANDWIDTH



Variant: 802.11n HT-40, Channel: 5230.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5192.244 MHz : -21.935 dBm M2 : 5215.972 MHz : 4.594 dBm Delta1 : 85.050 MHz : 0.561 dB T1 : 5210.882 MHz : -8.191 dBm T2 : 5249.599 MHz : -14.355 dBm OBW : 38.717 MHz	Measured 26 dB Bandwidth: 85.050 MHz Measured 99% Bandwidth: 38.717 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-40, Channel: 5230.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5197.375 MHz : -20.914 dBm M2 : 5233.607 MHz : 5.291 dBm Delta1 : 55.311 MHz : 0.620 dB T1 : 5211.643 MHz : 0.343 dBm T2 : 5248.036 MHz : 0.392 dBm OBW : 36.393 MHz	Measured 26 dB Bandwidth: 55.311 MHz Measured 99% Bandwidth: 36.393 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5260.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5241.082 MHz : -22.034 dBm M2 : 5263.166 MHz : 3.443 dBm Delta1 : 41.202 MHz : -0.173 dB T1 : 5251.283 MHz : -7.564 dBm T2 : 5269.078 MHz : -15.119 dBm OBW : 17.796 MHz	Measured 26 dB Bandwidth: 41.202 MHz Measured 99% Bandwidth: 17.796 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5260.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5243.046 MHz : -20.912 dBm M2 : 5267.335 MHz : 5.135 dBm Delta1 : 30.862 MHz : -0.183 dB T1 : 5251.463 MHz : -2.893 dBm T2 : 5268.216 MHz : -2.962 dBm OBW : 16.754 MHz	Measured 26 dB Bandwidth: 30.862 MHz Measured 99% Bandwidth: 16.754 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5300.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5281.042 MHz : -22.506 dBm M2 : 5303.166 MHz : 3.239 dBm Delta1 : 38.557 MHz : -0.417 dB T1 : 5291.162 MHz : -9.759 dBm T2 : 5308.717 MHz : -12.524 dBm OBW : 17.555 MHz	Measured 26 dB Bandwidth: 38.557 MHz Measured 99% Bandwidth: 17.555 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5300.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5288.257 MHz : -21.280 dBm M2 : 5307.335 MHz : 5.096 dBm Delta1 : 24.609 MHz : 1.302 dB T1 : 5291.383 MHz : -3.836 dBm T2 : 5308.216 MHz : -3.185 dBm OBW : 16.834 MHz	Measured 26 dB Bandwidth: 24.609 MHz Measured 99% Bandwidth: 16.834 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5320.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5309.539 MHz : -29.720 dBm M2 : 5322.605 MHz : 2.407 dBm Delta1 : 20.361 MHz : 7.214 dB T1 : 5311.784 MHz : -4.005 dBm T2 : 5328.457 MHz : -4.914 dBm OBW : 16.673 MHz	Measured 26 dB Bandwidth: 20.361 MHz Measured 99% Bandwidth: 16.673 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5320.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5309.940 MHz : -28.323 dBm M2 : 5312.585 MHz : -1.156 dBm Delta1 : 19.960 MHz : 1.058 dB T1 : 5311.784 MHz : -8.127 dBm T2 : 5328.457 MHz : -8.756 dBm OBW : 16.673 MHz	Measured 26 dB Bandwidth: 19.960 MHz Measured 99% Bandwidth: 16.673 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5248.798 MHz : -28.168 dBm M2 : 5287.275 MHz : -0.184 dBm Delta1 : 82.405 MHz : 4.135 dB T1 : 5252.004 MHz : -5.831 dBm T2 : 5328.637 MHz : -5.959 dBm OBW : 76.633 MHz	Measured 26 dB Bandwidth: 82.405 MHz Measured 99% Bandwidth: 76.633 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11ac-80, Channel: 5290.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5218.337 MHz : -33.789 dBm M2 : 5300.741 MHz : -0.836 dBm Delta1 : 112.224 MHz : 12.540 dB T1 : 5252.004 MHz : -5.964 dBm T2 : 5328.317 MHz : -5.327 dBm OBW : 76.313 MHz	Measured 26 dB Bandwidth: 112.224 MHz Measured 99% Bandwidth: 76.313 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5241.202 MHz : -22.669 dBm M2 : 5262.525 MHz : 3.320 dBm Delta1 : 41.443 MHz : 0.142 dB T1 : 5251.283 MHz : -8.184 dBm T2 : 5269.198 MHz : -16.576 dBm OBW : 17.916 MHz	Measured 26 dB Bandwidth: 41.443 MHz Measured 99% Bandwidth: 17.916 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-20, Channel: 5260.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5242.645 MHz : -22.842 dBm M2 : 5267.335 MHz : 5.096 dBm Delta1 : 30.301 MHz : 2.770 dB T1 : 5251.383 MHz : -4.143 dBm T2 : 5268.216 MHz : -2.382 dBm OBW : 16.834 MHz	Measured 26 dB Bandwidth: 30.301 MHz Measured 99% Bandwidth: 16.834 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5281.002 MHz : -22.408 dBm M2 : 5303.166 MHz : 3.178 dBm Delta1 : 38.597 MHz : -0.466 dB T1 : 5291.162 MHz : -10.265 dBm T2 : 5308.717 MHz : -12.128 dBm OBW : 17.555 MHz	Channel Frequency: 5300.00 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-20, Channel: 5300.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	ERROR!!! MULTIPLE TEST RESULTS MATCHES...	Measured 26 dB Bandwidth: 29.659 MHz Measured 99% Bandwidth: 16.834 MHz ERROR!!! MULTIPLE TEST RESULTS MATCHES...

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5310.020 MHz : -25.457 dBm M2 : 5322.124 MHz : 1.407 dBm Delta1 : 20.120 MHz : 3.423 dB T1 : 5311.222 MHz : -5.294 dBm T2 : 5328.938 MHz : -3.741 dBm OBW : 17.715 MHz	Measured 26 dB Bandwidth: 20.120 MHz Measured 99% Bandwidth: 17.715 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-20, Channel: 5320.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5309.860 MHz : -31.097 dBm M2 : 5317.635 MHz : -3.165 dBm Delta1 : 20.200 MHz : 4.074 dB T1 : 5311.222 MHz : -9.610 dBm T2 : 5328.938 MHz : -7.790 dBm OBW : 17.715 MHz	Measured 26 dB Bandwidth: 20.200 MHz Measured 99% Bandwidth: 17.715 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5236.894 MHz : -21.638 dBm M2 : 5285.531 MHz : 5.425 dBm Delta1 : 75.992 MHz : 1.871 dB T1 : 5251.463 MHz : -3.049 dBm T2 : 5289.138 MHz : -10.249 dBm OBW : 37.675 MHz	Measured 26 dB Bandwidth: 75.992 MHz Measured 99% Bandwidth: 37.675 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-40, Channel: 5270.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5236.253 MHz : -17.058 dBm M2 : 5285.952 MHz : 7.778 dBm Delta1 : 72.946 MHz : -0.618 dB T1 : 5251.463 MHz : 0.575 dBm T2 : 5288.337 MHz : 0.248 dBm OBW : 36.874 MHz	Measured 26 dB Bandwidth: 72.946 MHz Measured 99% Bandwidth: 36.874 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5288.918 MHz : -26.368 dBm M2 : 5303.988 MHz : 1.813 dBm Delta1 : 41.363 MHz : 3.710 dB T1 : 5291.964 MHz : -4.178 dBm T2 : 5328.357 MHz : -4.941 dBm OBW : 36.393 MHz	Measured 26 dB Bandwidth: 41.363 MHz Measured 99% Bandwidth: 36.393 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11n HT-40, Channel: 5310.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5289.399 MHz : -29.813 dBm M2 : 5313.928 MHz : -1.414 dBm Delta1 : 43.447 MHz : -4.436 dB T1 : 5291.964 MHz : -6.781 dBm T2 : 5328.196 MHz : -6.140 dBm OBW : 36.232 MHz	Measured 26 dB Bandwidth: 43.447 MHz Measured 99% Bandwidth: 36.232 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5500.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5490.100 MHz : -25.400 dBm M2 : 5502.365 MHz : 1.826 dBm Delta1 : 19.880 MHz : 2.266 dB T1 : 5491.784 MHz : -5.467 dBm T2 : 5508.457 MHz : -4.644 dBm OBW : 16.673 MHz	Measured 26 dB Bandwidth: 19.880 MHz Measured 99% Bandwidth: 16.673 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5500.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5489.860 MHz : -29.974 dBm M2 : 5507.655 MHz : -1.520 dBm Delta1 : 20.040 MHz : 3.097 dB T1 : 5491.784 MHz : -9.120 dBm T2 : 5508.457 MHz : -8.856 dBm OBW : 16.673 MHz	Measured 26 dB Bandwidth: 20.040 MHz Measured 99% Bandwidth: 16.673 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5580.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5560.321 MHz : -21.314 dBm M2 : 5572.365 MHz : 3.813 dBm Delta1 : 38.156 MHz : 1.212 dB T1 : 5571.042 MHz : -12.122 dBm T2 : 5590.160 MHz : -16.594 dBm OBW : 19.118 MHz	Measured 26 dB Bandwidth: 38.156 MHz Measured 99% Bandwidth: 19.118 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5580.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5561.523 MHz : -22.061 dBm M2 : 5587.335 MHz : 5.582 dBm Delta1 : 36.072 MHz : 1.879 dB T1 : 5571.142 MHz : -7.981 dBm T2 : 5588.457 MHz : -7.184 dBm OBW : 17.315 MHz	Measured 26 dB Bandwidth: 36.072 MHz Measured 99% Bandwidth: 17.315 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5720.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5700.080 MHz : -20.792 dBm M2 : 5712.365 MHz : 4.919 dBm Delta1 : 38.036 MHz : 0.346 dB T1 : 5708.998 MHz : -14.225 dBm T2 : 5729.319 MHz : -15.022 dBm OBW : 20.321 MHz	Measured 26 dB Bandwidth: 38.036 MHz Measured 99% Bandwidth: 20.321 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11a, Channel: 5720.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5701.603 MHz : -22.063 dBm M2 : 5727.335 MHz : 5.454 dBm Delta1 : 35.912 MHz : 1.983 dB T1 : 5711.142 MHz : -8.007 dBm T2 : 5728.537 MHz : -8.622 dBm OBW : 17.395 MHz	Measured 26 dB Bandwidth: 35.912 MHz Measured 99% Bandwidth: 17.395 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5488.798 MHz : -31.054 dBm M2 : 5522.144 MHz : -2.236 dBm Delta1 : 82.405 MHz : 3.555 dB T1 : 5492.004 MHz : -7.755 dBm T2 : 5568.317 MHz : -7.365 dBm OBW : 76.313 MHz	Measured 26 dB Bandwidth: 82.405 MHz Measured 99% Bandwidth: 76.313 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11ac-80, Channel: 5530.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5488.798 MHz : -28.152 dBm M2 : 5544.910 MHz : -0.810 dBm Delta1 : 82.405 MHz : 2.268 dB T1 : 5492.004 MHz : -6.120 dBm T2 : 5568.317 MHz : -5.864 dBm OBW : 76.313 MHz	Measured 26 dB Bandwidth: 82.405 MHz Measured 99% Bandwidth: 76.313 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11ac-80, Channel: 5610.00 MHz, Chain a, Temp: 20, Voltage: 55 Vdc




Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5511.603 MHz : -20.918 dBm M2 : 5632.244 MHz : 6.141 dBm Delta1 : 196.794 MHz : 1.729 dB T1 : 5558.497 MHz : -15.961 dBm T2 : 5657.896 MHz : -12.768 dBm OBW : 99.399 MHz	Measured 26 dB Bandwidth: 196.794 MHz Measured 99% Bandwidth: 99.399 MHz

[back to matrix](#)

26 dB & 99% BANDWIDTH



Variant: 802.11ac-80, Channel: 5610.00 MHz, Chain b, Temp: 20, Voltage: 55 Vdc



Analyzer Setup	Marker:Frequency:Amplitude	Test Results
Detector = MAX PEAK Sweep Count = 0 RF Atten (dB) = 20 Trace Mode = MAX HOLD	M1 : 5510.000 MHz : -18.697 dBm M2 : 5638.257 MHz : 7.522 dBm Delta1 : 199.599 MHz : -0.224 dB T1 : 5558.898 MHz : -13.938 dBm T2 : 5651.884 MHz : -11.111 dBm OBW : 92.986 MHz	Measured 26 dB Bandwidth: 199.599 MHz Measured 99% Bandwidth: 92.986 MHz

[back to matrix](#)