

附件 8 (CCAH17LP4350T0 第八次增列)

本公司依申請者於108年04月24日販賣用電信管制射頻器材型式認證申請書，同意增列30組天線 (PIFA Antenna:1-30, Dipole Antenna:27-30)，第八次增列次同意增列日期: 108年04月26日，其廠牌/型號如下：

- (1) WNC / 025.901ID.0001 (Main), 025.901IE.0001 (Aux)
天線增益: 2400-2500MHz: -3.75dBi, 5150-5250MHz: -3.10dBi, 5250-5350MHz: -2.42dBi,
5470-5725 MHz: -1.31dBi, 5725-5850MHz: -0.28dBi
- (2) SPEED / F.0G.FS-6076-001-00 (025.901ID.0011) (Main), F.0G.FS-6076-002-00 (025901IE.0011) (Aux)
天線增益: 2400-2500MHz: -2.16dBi, 5150-5250MHz: -3.02dBi, 5250-5350MHz: -2.82dBi,
5470-5725 MHz: -3.51dBi, 5725-5850MHz: -3.69dBi
- (3) WNC / 025.901IJ.00011 (Main), 025.901IJ.00011 (Aux)
天線增益: 2400-2500MHz: -0.64dBi, 5150-5250MHz: 0.87dBi, 5250-5350MHz: 0.95dBi,
5470-5725 MHz: 0.79dBi, 5725-5850MHz: 0.79dBi
- (4) SPEED / F.0G.FS-6077-001-00 (025.901IJ.0001) (Main), F.0G.FS-6077-001-00 (025.901IJ.0001) (Aux)
天線增益: 2400-2500MHz: -1.42dBi, 5150-5250MHz: -2.08dBi, 5250-5350MHz: -1.01dBi,
5470-5725 MHz: -0.77dBi, 5725-5850MHz: -1.29dBi
- (5) AWAN / AYP6Y-100014_Tx2 (Main), AYP6Y-100025_Tx1 (Aux)
天線增益: 2400-2500MHz: 0.90dBi, 5150-5250MHz: 1.39dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.57dBi, 5725-5850MHz: 0.25dBi
- (6) INPAQ / WA-P-LB-03-122_Tx2 (Main), WA-P-LB-01-226_Tx1 (Aux)
天線增益: 2400-2500MHz: 1.85dBi, 5150-5250MHz: 1.38dBi, 5250-5350MHz: 2.47dBi,
5470-5725 MHz: 1.22dBi, 5725-5850MHz: -0.44dBi
- (7) AWAN / AYP6Y-100010_Tx2 (Main), AYP6Y-100025_Tx1 (Aux)
天線增益: 2400-2500MHz: 1.75dBi, 5150-5250MHz: 1.70dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.98dBi, 5725-5850MHz: 0.30dBi
- (8) INPAQ / WA-P-LB-03-125_Tx2 (Main), WA-P-LB-01-226_Tx1 (Aux)
天線增益: 2400-2500MHz: 1.50dBi, 5150-5250MHz: 1.93dBi, 5250-5350MHz: 3.06dBi,
5470-5725 MHz: 1.89dBi, 5725-5850MHz: 2.53dBi
- (9) AWAN / ANP6Y-100306 (Main), ANP6Y-100307 (Aux)
天線增益: 2400-2500MHz: 1.24dBi, 5150-5250MHz: 2.67dBi, 5250-5350MHz: 1.78dBi,
5470-5725 MHz: 0.84dBi, 5725-5850MHz: -0.60dBi
- (10) INPAQ / WA-P-LB-02-614 (Main), WA-P-LB-01-219 (Aux)
天線增益: 2400-2500MHz: 0.80dBi, 5150-5250MHz: -0.40dBi, 5250-5350MHz: 0.00dBi,
5470-5725 MHz: 1.50dBi, 5725-5850MHz: 0.60dBi
- (11) Hong-bo / 290-30867 (Main), 290-30867 (Aux)
天線增益: 2400-2500MHz: 2.69dBi, 5150-5250MHz: 2.72dBi, 5250-5350MHz: 2.73dBi,
5470-5725 MHz: 2.66dBi, 5725-5850MHz: 0.87dBi
- (12) Speed / F.0G.LS-6009-001-00 (Main), F.0G.LS-6009-001-00 (Aux)
天線增益: 2400-2500MHz: 2.70dBi, 5150-5250MHz: 1.10dBi, 5250-5350MHz: 0.17dBi,
5470-5725 MHz: 0.69dBi, 5725-5850MHz: 0.57dBi

- (13) Hong-bo / 290-30867 (Main), 290-30867 (Aux)
天線增益: 2400-2500MHz: 2.96dBi, 5150-5250MHz: 3.63dBi, 5250-5350MHz: 3.63dBi,
5470-5725 MHz: 2.61dBi, 5725-5850MHz: 1.78dBi
- (14) Speed / F.0G.LS-6009-001-00 (Main), F.0G.LS-6009-001-00 (Aux)
天線增益: 2400-2500MHz: 2.54dBi, 5150-5250MHz: 2.65dBi, 5250-5350MHz: 0.68dBi,
5470-5725 MHz: 0.78dBi, 5725-5850MHz: 0.78dBi
- (15) WNC / 81EABA15.G56 (DC33002BR00) (Main), 81EABA15.G57 (DC33002BR10) (Aux)
天線增益: 2400-2500MHz: 2.07dBi, 5150-5250MHz: 0.42dBi, 5250-5350MHz: 0.21dBi,
5470-5725 MHz: 2.78dBi, 5725-5850MHz: 2.87dBi
- (16) Wistron Neweb Corporation / 81EABA15.G47 (DC33002BN00) (Main),
81EABA15.G48 (DC33002BN10) (Aux)
天線增益: 2400-2500MHz: 1.16dBi, 5150-5250MHz: -0.63dBi, 5250-5350MHz: 0.01dBi,
5470-5725 MHz: -0.71dBi, 5725-5850MHz: -0.76dBi
- (17) Luxshare-ICT Corporation / L01RF031-DT-R + L01RF072-DT-R (Main), L01RF086-DT-R
(Aux)
天線增益: 2400-2500MHz: -0.06dBi, 5150-5250MHz: -0.28dBi, 5250-5350MHz: -0.32dBi,
5470-5725 MHz: -0.14dBi, 5725-5850MHz: -0.32dBi
- (18) Luxshare-ICT Corporation / L01RF112-DT-H (Main), L01RF092-DT-R, L01RF126-DT-R
(Aux)
天線增益: 2400-2500MHz: 1.59dBi, 5150-5250MHz: -1.60dBi, 5250-5350MHz: -1.80dBi,
5470-5725 MHz: 0.90dBi, 5725-5850MHz: 0.90dBi
- (19) ICT / DC33001J800 (Main), DC33001J800 (Aux)
天線增益: 2400-2500MHz: 2.72dBi, 5150-5250MHz: 2.70dBi, 5250-5350MHz: 2.98dBi,
5470-5725 MHz: 2.76dBi, 5725-5850MHz: 2.80dBi
- (20) Speed Wireless Technical Co., LTD. / DC33001J900 (Main), DC33001J900 (Aux)
天線增益: 2400-2500MHz: 1.60dBi, 5150-5250MHz: 2.67dBi, 5250-5350MHz: 2.67dBi,
5470-5725 MHz: 1.89dBi, 5725-5850MHz: 1.89dBi
- (21) Amphenol / DC33001KX00 (Main), DC33001KX00 (Aux)
天線增益: 2400-2500MHz: 1.72dBi, 5150-5250MHz: 1.68dBi, 5250-5350MHz: 1.68dBi,
5470-5725 MHz: 1.25dBi, 5725-5850MHz: 0.08dBi
- (22) Speed Wireless Technical Co., LTD. / DC33001KV00 (Main), DC33001KV00 (Aux)
天線增益: 2400-2500MHz: 1.56dBi, 5150-5250MHz: 1.82dBi, 5250-5350MHz: 1.99dBi,
5470-5725 MHz: 1.80dBi, 5725-5850MHz: 1.52dBi
- (23) Speed Wireless Technical Co., LTD. / DC33001L100 (Main), N/A (Aux)
天線增益: 2400-2500MHz: 1.86dBi, 5150-5250MHz: 2.91dBi, 5250-5350MHz: 2.91dBi,
5470-5725 MHz: 3.01dBi, 5725-5850MHz: 2.34dBi
- (24) Speed Wireless Technical Co., LTD. / N/A (Main), DC33001L110 (Aux)
天線增益: 2400-2500MHz: 2.03dBi, 5150-5250MHz: 2.43dBi, 5250-5350MHz: 2.92dBi,
5470-5725 MHz: 3.94dBi, 5725-5850MHz: 3.53dBi
- (25) Speed Wireless Technical Co., LTD. / DC33001L100 (Main), N/A (Aux)
天線增益: 2400-2500MHz: 1.86dBi, 5150-5250MHz: 2.91dBi, 5250-5350MHz: 2.91dBi,
5470-5725 MHz: 3.01dBi, 5725-5850MHz: 2.34dBi

(26) Speed Wireless Technical Co., LTD. / N/A (Main), DC33001L600 (Aux)

天線增益: 2400-2500MHz: -3.62dBi, 5150-5250MHz: -0.34dBi, 5250-5350MHz: -0.34dBi,
5470-5725 MHz: -0.74dBi, 5725-5850MHz: -1.07dBi

(27) Luxshare-ICT / DC33001L300 (Main), N/A (Aux)

天線增益: 2400-2500MHz: 0.56dBi, 5150-5250MHz: 1.64dBi, 5250-5350MHz: 1.05dBi,
5470-5725 MHz: -0.47dBi, 5725-5850MHz: -0.47dBi

(28) Luxshare-ICT / N/A (Main), DC33001L310 (Aux)

天線增益: 2400-2500MHz: 0.19dBi, 5150-5250MHz: -1.04dBi, 5250-5350MHz: -0.67dBi,
5470-5725 MHz: 0.34dBi, 5725-5850MHz: 0.15dBi

(29) Luxshare-ICT / DC33001L300 (Main), N/A (Aux)

天線增益: 2400-2500MHz: 0.56dBi, 5150-5250MHz: 1.64dBi, 5250-5350MHz: 1.05dBi,
5470-5725 MHz: -0.47dBi, 5725-5850MHz: -0.47dBi

(30) Luxshare-ICT / N/A (Main), DC33001L500 (Aux)

天線增益: 2400-2500MHz: 0.19dBi, 5150-5250MHz: -1.04dBi, 5250-5350MHz: -0.67dBi,
5470-5725 MHz: 0.34dBi, 5725-5850MHz: 0.15dBi

(以下空白)