


8DPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.78	53.11	15.86	37.25	74.00	-20.89	301	241	Peak	Horizontal	
2 *	2402.00	98.17	60.88	37.29	74.00	24.17	301	241	Peak	Horizontal	
3	2894.70	54.54	16.61	37.93	74.00	-19.46	301	241	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2365.60	53.04	15.80	37.24	74.00	-20.96	197	125	Peak	Vertical	
2 *	2402.00	97.67	60.38	37.29	74.00	23.67	197	125	Peak	Vertical	
3	2654.53	54.44	16.57	37.87	74.00	-19.56	197	125	Peak	Vertical	

8DPSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.56	39.84	2.57	37.27	54.00	-14.16	301	241	Average	Horizontal		
2 *	2402.00	93.72	56.43	37.29	54.00	39.72	301	241	Average	Horizontal		
3	2819.32	41.47	3.35	38.12	54.00	-12.53	301	241	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.60	39.89	2.65	37.24	54.00	-14.11	197	125	Average	Vertical		
2 *	2402.00	93.45	56.16	37.29	54.00	39.45	197	125	Average	Vertical		
3	2812.48	41.69	3.57	38.12	54.00	-12.31	197	125	Average	Vertical		

8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2359.35	53.58	16.27	37.23	74.00	-20.50	132	83	Peak	Horizontal	
2 *	2488.00	99.00	62.14	37.66	74.00	25.00	132	83	Peak	Horizontal	
3	2632.62	54.78	16.91	37.87	74.00	-19.22	132	83	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2356.64	53.37	16.14	37.23	74.00	-20.63	269	203	Peak	Vertical	
2 *	2488.00	99.44	61.78	37.66	74.00	25.44	269	203	Peak	Vertical	
3	2851.12	54.87	16.73	38.14	74.00	-19.13	269	203	Peak	Vertical	

8DPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2339.68	40.02	2.87	37.15	54.00	-13.98	132	83	Average	Horizontal		
2 *	2488.00	95.47	57.81	37.66	54.00	41.47	132	83	Average	Horizontal		
3	2816.61	41.46	3.34	38.12	54.00	-12.54	132	83	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2372.66	39.84	2.59	37.25	54.00	-14.16	269	203	Average	Vertical		
2 *	2488.00	95.09	57.43	37.66	54.00	41.09	269	203	Average	Vertical		
3	2821.20	41.41	3.29	38.12	54.00	-12.59	269	203	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


GFSK

Low Channel(Open) 9kHz~150kHz

Low Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	84.21	4.61	79.60	128.21	-44.00	100	317 QP	Open	
2	0.02	79.94	4.95	74.99	123.45	-43.51	100	309 QP	Open	
3	0.04	69.45	0.41	69.04	116.63	-47.18	100	356 QP	Open	
4	0.07	61.86	-1.10	62.96	111.29	-49.43	100	128 QP	Open	
5	0.09	59.70	-1.05	60.75	108.87	-49.17	100	339 QP	Open	
6	0.13	54.90	-2.69	57.59	105.41	-50.51	100	302 QP	Open	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.31	63.70	13.34	50.36	97.91	-34.21	100	174 QP	Open	
2	3.86	50.90	12.56	38.34	69.50	-18.60	100	360 QP	Open	
3	12.80	51.71	14.30	37.41	69.50	-17.79	100	176 QP	Open	
4	17.28	50.15	13.08	37.07	69.50	-19.35	100	1 QP	Open	
5	21.31	49.60	13.57	36.03	69.50	-19.90	100	154 QP	Open	
6	28.81	49.76	12.91	36.85	69.50	-19.74	100	292 QP	Open	

GFSK
Low Channel(Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	79.72	3.82	75.98	124.26	-44.54	100	65 QP	Close	
2	0.03	69.52	0.24	69.28	116.81	-47.29	100	108 QP	Close	
3	0.06	62.45	-0.90	63.35	111.71	-49.26	100	351 QP	Close	
4	0.09	59.83	-0.84	60.67	108.77	-48.94	100	154 QP	Close	
5	0.11	56.72	-1.86	58.58	106.64	-49.92	100	44 QP	Close	
6	0.13	54.75	-2.72	57.47	105.26	-50.51	100	237 QP	Close	

Low Channel(Close) 150kHz~30MHz


TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.25	64.47	12.55	51.92	99.59	-35.12	100	13 QP	Close	
2	2.62	51.19	12.78	38.41	69.50	-18.31	100	341 QP	Close	
3	7.13	50.05	11.70	38.35	69.50	-19.45	100	142 QP	Close	
4	12.80	50.63	13.22	37.41	69.50	-18.87	100	350 QP	Close	
5	23.75	51.56	16.47	35.09	69.50	-17.94	100	57 QP	Close	
6	28.89	50.88	13.07	37.01	69.50	-19.42	100	254 QP	Close	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


GFSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	78.79	34.40	44.63	-10.23	40.00	-5.60	200	295	Peak	horizontal	
2	202.56	32.47	40.74	-8.27	43.50	-11.03	100	214	QP	horizontal	
3	340.01	35.82	39.64	-3.82	46.00	-10.18	100	157	QP	horizontal	
4	456.02	33.97	35.96	-1.99	46.00	-12.03	300	172	QP	horizontal	
5	752.07	32.54	29.86	2.68	46.00	-13.46	400	207	QP	horizontal	
6	906.09	34.80	29.90	4.90	46.00	-11.20	200	184	QP	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	78.99	32.33	42.58	-10.25	40.00	-7.67	200	188	QP	vertical	
2	194.03	24.89	33.33	-8.44	43.50	-18.61	200	142	QP	vertical	
3	347.29	27.09	30.96	-3.87	46.00	-18.91	100	290	QP	vertical	
4	451.37	31.38	33.42	-2.04	46.00	-14.62	200	265	QP	vertical	
5	599.10	31.12	30.94	0.18	46.00	-14.88	300	22	QP	vertical	
6	808.13	32.40	29.16	3.24	46.00	-13.60	100	155	QP	vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


GFSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	52.12	61.60	-9.48	74.00	-21.88	187	33	Peak	Horizontal	
2	4804.00	48.77	58.25	-9.48	54.00	-5.23	187	33	Average	Horizontal	
3	7206.00	55.58	62.32	-6.74	74.00	-18.42	317	347	Peak	Horizontal	
4	7206.00	50.75	57.49	-6.74	54.00	-3.25	317	347	Average	Horizontal	
5	9608.00	55.82	59.94	-4.12	74.00	-18.18	103	238	Peak	Horizontal	
6	9608.00	48.25	52.37	-4.12	54.00	-5.75	103	238	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	46.69	56.17	-9.48	74.00	-27.31	380	77	Peak	Vertical	
2	7206.00	53.16	59.90	-6.74	74.00	-20.84	100	208	Peak	Vertical	
3	7206.00	47.45	54.19	-6.74	54.00	-6.55	100	208	Average	Vertical	
4	9608.00	57.87	61.99	-4.12	74.00	-16.13	110	77	Peak	Vertical	
5	9608.00	50.43	54.55	-4.12	54.00	-3.57	110	77	Average	Vertical	
6	14412.00	51.95	48.97	2.98	74.00	-22.05	108	336	Peak	Vertical	
7	14412.00	41.27	38.29	2.98	54.00	-12.73	108	336	Average	Vertical	

GFSK


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	52.56	61.88	-9.32	74.00	-21.44	390	195	Peak	Horizontal	
2	4960.00	49.15	58.47	-9.32	54.00	-4.85	390	195	Average	Horizontal	
3	7440.00	51.17	57.88	-6.71	74.00	-22.83	334	360	Peak	Horizontal	
4	7440.00	45.29	52.00	-6.71	54.00	-8.71	334	360	Average	Horizontal	
5	9920.00	56.83	60.28	-3.45	74.00	-17.17	103	237	Peak	Horizontal	
6	9920.00	49.44	52.89	-3.45	54.00	-4.56	103	237	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	51.79	61.11	-9.32	74.00	-22.21	100	257	Peak	Vertical	
2	4960.00	48.13	57.45	-9.32	54.00	-5.87	100	257	Average	Vertical	
3	7440.00	46.39	53.10	-6.71	74.00	-27.61	200	160	Peak	Vertical	
4	9920.00	55.44	58.89	-3.45	74.00	-18.56	267	358	Peak	Vertical	
5	9920.00	47.76	51.21	-3.45	54.00	-6.24	267	358	Average	Vertical	


8DPSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	50.98	60.46	-9.48	74.00	-23.02	180	23	Peak	Horizontal	
2	4804.00	44.74	54.22	-9.48	54.00	-9.26	180	23	Average	Horizontal	
3	7206.00	54.68	61.42	-6.74	74.00	-19.32	318	348	Peak	Horizontal	
4	7206.00	46.87	53.61	-6.74	54.00	-7.13	318	348	Average	Horizontal	
5	9608.00	54.76	58.88	-4.12	74.00	-19.24	219	145	Peak	Horizontal	
6	9608.00	44.50	48.62	-4.12	54.00	-9.50	219	145	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4804.00	46.19	55.67	-9.48	74.00	-27.81	180	158	Peak	Vertical	
2	7206.00	51.36	58.10	-6.74	74.00	-22.64	301	32	Peak	Vertical	
3	7206.00	42.94	49.68	-6.74	54.00	-11.06	301	32	Average	Vertical	
4	9608.00	55.77	59.89	-4.12	74.00	-18.23	110	77	Peak	Vertical	
5	9608.00	45.43	49.55	-4.12	54.00	-8.57	110	77	Average	Vertical	
6	14412.00	50.75	47.77	2.98	74.00	-23.25	100	343	Peak	Vertical	
7	14412.00	38.41	35.43	2.98	54.00	-15.59	100	343	Average	Vertical	

8DPSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	51.09	60.51	-9.42	74.00	-22.91	180	35	Peak	Horizontal	
2	4882.00	44.90	54.32	-9.42	54.00	-9.10	180	35	Average	Horizontal	
3	7323.00	52.49	59.22	-6.73	74.00	-21.51	319	355	Peak	Horizontal	
4	7323.00	44.35	51.08	-6.73	54.00	-9.65	319	355	Average	Horizontal	
5	9764.00	55.98	59.72	-3.74	74.00	-18.02	110	238	Peak	Horizontal	
6	9764.00	46.51	50.25	-3.74	54.00	-7.49	110	238	Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	46.23	55.65	-9.42	74.00	-27.77	180	272	Peak	Vertical	
2	7323.00	50.49	57.22	-6.73	74.00	-23.51	221	157	Peak	Vertical	
3	7323.00	41.64	48.37	-6.73	54.00	-12.36	221	157	Average	Vertical	
4	9764.00	56.05	59.79	-3.74	74.00	-17.95	109	105	Peak	Vertical	
5	9764.00	46.45	50.19	-3.74	54.00	-7.55	109	105	Average	Vertical	

8DPSK
High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	51.63	60.95	-9.32	74.00	-22.37	301	194	Peak	Horizontal		
2	4960.00	45.75	55.07	-9.32	54.00	-8.25	301	194	Average	Horizontal		
3	7440.00	46.83	53.54	-6.71	74.00	-27.17	324	360	Peak	Horizontal		
4	9920.00	53.57	57.02	-3.45	74.00	-20.43	100	150	Peak	Horizontal		
5	9920.00	43.67	47.12	-3.45	54.00	-10.33	100	150	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	50.61	59.93	-9.32	74.00	-23.39	100	255	Peak	Vertical		
2	4960.00	44.64	53.96	-9.32	54.00	-9.36	100	255	Average	Vertical		
3	7440.00	45.45	52.16	-6.71	74.00	-28.55	100	203	Peak	Vertical		
4	9920.00	54.01	57.46	-3.45	74.00	-19.99	288	358	Peak	Vertical		
5	9920.00	44.29	47.74	-3.45	54.00	-9.71	288	358	Average	Vertical		

Spurious Emissions, Rx Mode, 9kHz ~ 30MHz


GFSK

Low Channel(Open) 9kHz~150kHz

Low Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	83.73	4.57	79.16	127.85	-44.12	100	245	QP	Open	
2	0.03	71.72	1.05	70.67	117.97	-46.25	100	32	QP	Open	
3	0.05	65.16	0.17	64.99	113.54	-48.38	100	269	QP	Open	
4	0.07	60.93	-1.09	62.02	110.33	-49.40	100	146	QP	Open	
5	0.12	56.82	-1.53	58.35	106.33	-49.51	100	281	QP	Open	
6	0.13	54.02	-3.32	57.34	105.12	-51.10	100	48	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.29	64.44	13.78	50.66	98.26	-33.82	100	230	QP	Open	
2	4.13	50.45	12.18	38.35	69.50	-19.05	100	42	QP	Open	
3	9.06	50.16	12.37	37.79	69.50	-19.34	100	162	QP	Open	
4	12.80	52.82	15.41	37.41	69.50	-16.68	100	360	QP	Open	
5	22.73	50.88	15.20	35.68	69.50	-18.62	100	89	QP	Open	
6	29.28	49.35	11.39	37.96	69.50	-20.15	100	42	QP	Open	