


802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)

5785MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7886G	98.91	Inf	-Inf	3.71	3	Horizontal	269	2.77	-
PK	5.6242G	55.30	68.20	-12.90	3.39	3	Horizontal	269	2.77	-
PK	5.7802G	107.75	Inf	-Inf	3.69	3	Horizontal	269	2.77	-
PK	5.9254G	56.12	68.20	-12.08	3.99	3	Horizontal	269	2.77	-

802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)

5785MHz_TX

08/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.5712G	42.73	54.00	-11.27	13.50	3	Vertical	1	1.38	-
PK	11.5714G	55.56	74.00	-18.44	13.50	3	Vertical	1	1.38	-

802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)

5785MHz_TX

08/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.5711G	41.32	54.00	-12.68	13.50	3	Horizontal	131	1.65	-
PK	11.57022G	55.23	74.00	-18.77	13.51	3	Horizontal	131	1.65	-

802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)

5825MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8202G	101.85	Inf	-Inf	3.77	3	Vertical	103	2.15	-
PK	5.5358G	54.87	68.20	-13.33	3.22	3	Vertical	103	2.15	-
PK	5.8322G	110.49	Inf	-Inf	3.79	3	Vertical	103	2.15	-
PK	5.9846G	56.37	68.20	-11.83	4.10	3	Vertical	103	2.15	-

802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)

5825MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8202G	98.35	Inf	-Inf	3.77	3	Horizontal	268	2.84	-
PK	5.615G	55.76	68.20	-12.44	3.37	3	Horizontal	268	2.84	-
PK	5.8322G	106.65	Inf	-Inf	3.79	3	Horizontal	268	2.84	-
PK	5.951G	55.33	68.20	-12.87	4.03	3	Horizontal	268	2.84	-

802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)

5825MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.6458G	42.23	54.00	-11.77	13.44	3	Vertical	303	1.95	-
PK	11.6546G	54.25	74.00	-19.75	13.43	3	Vertical	303	1.95	-

802.11ac VHT20_Nss1,(MCS0)_1TX(Port1)

5825MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.64986G	42.31	54.00	-11.69	13.43	3	Horizontal	125	2.49	-
PK	11.65118G	54.19	74.00	-19.81	13.43	3	Horizontal	125	2.49	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5190MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	52.88	54.00	-1.12	2.74	3	Vertical	141	2.10	-
AV	5.1804G	94.72	Inf	-Inf	2.78	3	Vertical	141	2.10	-
PK	5.149995G	68.42	74.00	-5.58	2.74	3	Vertical	141	2.10	-
PK	5.1876G	104.15	Inf	-Inf	2.79	3	Vertical	141	2.10	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5190MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1488G	52.85	54.00	-1.15	2.74	3	Horizontal	158	2.90	-
AV	5.18G	94.95	Inf	-Inf	2.78	3	Horizontal	158	2.90	-
PK	5.1484G	68.99	74.00	-5.01	2.74	3	Horizontal	158	2.90	-
PK	5.1876G	104.46	Inf	-Inf	2.79	3	Horizontal	158	2.90	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5190MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.3762G	41.40	54.00	-12.60	12.67	3	Vertical	313	2.03	-
PK	10.38092G	53.87	74.00	-20.13	12.68	3	Vertical	313	2.03	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5190MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.37736G	41.57	54.00	-12.43	12.67	3	Horizontal	237	1.12	-
PK	10.38492G	53.55	74.00	-20.45	12.69	3	Horizontal	237	1.12	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5230MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	52.23	54.00	-1.77	2.74	3	Vertical	78	2.19	-
AV	5.2404G	99.17	Inf	-Inf	2.84	3	Vertical	78	2.19	-
PK	5.1496G	65.38	74.00	-8.62	2.74	3	Vertical	78	2.19	-
PK	5.2352G	109.16	Inf	-Inf	2.84	3	Vertical	78	2.19	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5230MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	50.36	54.00	-3.64	2.74	3	Horizontal	304	2.40	-
AV	5.2168G	95.69	Inf	-Inf	2.82	3	Horizontal	304	2.40	-
PK	5.1496G	63.23	74.00	-10.77	2.74	3	Horizontal	304	2.40	-
PK	5.2348G	104.97	Inf	-Inf	2.84	3	Horizontal	304	2.40	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5230MHz_TX

08/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.45958G	43.67	54.00	-10.33	12.85	3	Vertical	311	1.52	-
PK	10.46114G	53.92	74.00	-20.08	12.86	3	Vertical	311	1.52	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5230MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.45752G	41.72	54.00	-12.28	12.85	3	Horizontal	53	1.75	-
PK	10.46394G	54.16	74.00	-19.84	12.86	3	Horizontal	53	1.75	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5270MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2804G	99.83	Inf	-Inf	2.89	3	Vertical	75	2.04	-
AV	5.350005G	52.88	54.00	-1.12	2.97	3	Vertical	75	2.04	-
PK	5.2752G	109.77	Inf	-Inf	2.88	3	Vertical	75	2.04	-
PK	5.354G	65.82	74.00	-8.18	2.97	3	Vertical	75	2.04	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5270MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2584G	95.83	Inf	-Inf	2.86	3	Horizontal	304	3.16	-
AV	5.3504G	47.56	54.00	-6.44	2.97	3	Horizontal	304	3.16	-
PK	5.2752G	105.43	Inf	-Inf	2.88	3	Horizontal	304	3.16	-
PK	5.3572G	61.15	74.00	-12.85	2.97	3	Horizontal	304	3.16	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5270MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5398G	44.22	54.00	-9.78	13.03	3	Vertical	132	2.50	-
PK	10.5404G	58.77	74.00	-15.23	13.03	3	Vertical	132	2.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5270MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.54G	42.43	54.00	-11.57	13.03	3	Horizontal	327	2.27	-
PK	10.5254G	57.22	74.00	-16.78	13.00	3	Horizontal	327	2.27	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5310MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2972G	95.18	Inf	-Inf	2.91	3	Vertical	79	2.16	-
AV	5.3508G	52.29	54.00	-1.71	2.97	3	Vertical	79	2.16	-
PK	5.3152G	104.86	Inf	-Inf	2.93	3	Vertical	79	2.16	-
PK	5.3536G	70.13	74.00	-3.87	2.97	3	Vertical	79	2.16	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5310MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3156G	93.95	Inf	-Inf	2.93	3	Horizontal	270	3.19	-
AV	5.3504G	51.01	54.00	-2.99	2.97	3	Horizontal	270	3.19	-
PK	5.3148G	103.97	Inf	-Inf	2.93	3	Horizontal	270	3.19	-
PK	5.3536G	69.90	74.00	-4.10	2.97	3	Horizontal	270	3.19	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5310MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62436G	41.99	54.00	-12.01	13.21	3	Vertical	340	2.26	-
PK	10.61568G	54.80	74.00	-19.20	13.19	3	Vertical	340	2.26	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5310MHz_TX

08/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.61736G	42.03	54.00	-11.97	13.20	3	Horizontal	292	1.50	-
PK	10.61962G	53.82	74.00	-20.18	13.20	3	Horizontal	292	1.50	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5510MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4528G	44.43	54.00	-9.57	3.09	3	Vertical	132	1.61	-
AV	5.5156G	92.66	Inf	-Inf	3.17	3	Vertical	132	1.61	-
PK	5.4552G	58.86	74.00	-15.14	3.09	3	Vertical	132	1.61	-
PK	5.4676G	63.53	68.20	-4.67	3.11	3	Vertical	132	1.61	-
PK	5.5152G	102.70	Inf	-Inf	3.17	3	Vertical	132	1.61	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5510MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	46.27	54.00	-7.73	3.10	3	Horizontal	271	3.19	-
AV	5.4984G	95.15	Inf	-Inf	3.14	3	Horizontal	271	3.19	-
PK	5.4552G	61.57	74.00	-12.43	3.09	3	Horizontal	271	3.19	-
PK	5.4668G	67.09	68.20	-1.11	3.11	3	Horizontal	271	3.19	-
PK	5.5152G	104.97	Inf	-Inf	3.17	3	Horizontal	271	3.19	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5510MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.01562G	42.57	54.00	-11.43	14.02	3	Vertical	55	2.32	-
PK	11.01586G	55.26	74.00	-18.74	14.02	3	Vertical	55	2.32	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5510MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02292G	42.77	54.00	-11.23	14.01	3	Horizontal	210	1.87	-
PK	11.024G	56.15	74.00	-17.85	14.01	3	Horizontal	210	1.87	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5550MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	48.12	54.00	-5.88	3.10	3	Vertical	132	1.87	-
AV	5.5384G	97.90	Inf	-Inf	3.22	3	Vertical	132	1.87	-
PK	5.4528G	61.63	74.00	-12.37	3.09	3	Vertical	132	1.87	-
PK	5.466G	63.41	68.20	-4.79	3.11	3	Vertical	132	1.87	-
PK	5.552G	107.61	Inf	-Inf	3.25	3	Vertical	132	1.87	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5550MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	50.45	54.00	-3.55	3.10	3	Horizontal	269	3.15	-
AV	5.5368G	99.14	Inf	-Inf	3.21	3	Horizontal	269	3.15	-
PK	5.459995G	65.20	74.00	-8.80	3.10	3	Horizontal	269	3.15	-
PK	5.4696G	66.59	68.20	-1.61	3.11	3	Horizontal	269	3.15	-
PK	5.5552G	109.10	Inf	-Inf	3.25	3	Horizontal	269	3.15	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5550MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.117G	44.44	54.00	-9.56	13.92	3	Vertical	310	1.62	-
PK	11.1004G	58.49	74.00	-15.51	13.94	3	Vertical	310	1.62	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5550MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.09836G	42.51	54.00	-11.49	13.94	3	Horizontal	172	2.28	-
PK	11.09702G	54.92	74.00	-19.08	13.94	3	Horizontal	172	2.28	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5670MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6754G	93.31	Inf	-Inf	3.49	3	Vertical	102	1.99	-
PK	5.6754G	103.36	Inf	-Inf	3.49	3	Vertical	102	1.99	-
PK	5.7252G	66.97	68.20	-1.23	3.59	3	Vertical	102	1.99	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5670MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6736G	92.18	Inf	-Inf	3.49	3	Horizontal	270	3.13	-
PK	5.6748G	101.97	Inf	-Inf	3.49	3	Horizontal	270	3.13	-
PK	5.7258G	64.93	68.20	-3.27	3.59	3	Horizontal	270	3.13	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5670MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3408G	42.42	54.00	-11.58	13.72	3	Vertical	267	1.16	-
PK	11.3438G	54.85	74.00	-19.15	13.71	3	Vertical	267	1.16	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5670MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.34132G	42.04	54.00	-11.96	13.72	3	Horizontal	160	2.44	-
PK	11.33594G	54.53	74.00	-19.47	13.72	3	Horizontal	160	2.44	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5710MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.452G	43.67	54.00	-10.33	3.09	3	Vertical	101	2.18	-
AV	5.7208G	99.18	Inf	-Inf	3.58	3	Vertical	101	2.18	-
PK	5.4688G	54.67	74.00	-19.33	3.11	3	Vertical	101	2.18	-
PK	5.7148G	108.85	Inf	-Inf	3.57	3	Vertical	101	2.18	-
PK	5.86G	59.56	68.20	-8.64	3.84	3	Vertical	101	2.18	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5710MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	43.47	54.00	-10.53	3.10	3	Horizontal	270	3.12	-
AV	5.6968G	96.98	Inf	-Inf	3.53	3	Horizontal	270	3.12	-
PK	5.4676G	55.13	74.00	-18.87	3.11	3	Horizontal	270	3.12	-
PK	5.7148G	106.90	Inf	-Inf	3.57	3	Horizontal	270	3.12	-
PK	5.8636G	57.34	68.20	-10.86	3.85	3	Horizontal	270	3.12	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5710MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4198G	43.18	54.00	-10.82	13.64	3	Vertical	197	2.22	-
PK	11.4274G	56.28	74.00	-17.72	13.64	3	Vertical	197	2.22	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5710MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.41734G	42.61	54.00	-11.39	13.65	3	Horizontal	309	1.40	-
PK	11.41724G	56.96	74.00	-17.04	13.65	3	Horizontal	309	1.40	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5755MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.761G	99.70	Inf	-Inf	3.66	3	Vertical	102	2.18	-
PK	5.6494G	63.30	68.20	-4.90	3.44	3	Vertical	102	2.18	-
PK	5.7598G	109.79	Inf	-Inf	3.65	3	Vertical	102	2.18	-
PK	5.9374G	57.50	68.20	-10.70	4.01	3	Vertical	102	2.18	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5755MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7418G	97.26	Inf	-Inf	3.62	3	Horizontal	271	2.80	-
PK	5.647G	61.99	68.20	-6.21	3.44	3	Horizontal	271	2.80	-
PK	5.7598G	106.74	Inf	-Inf	3.65	3	Horizontal	271	2.80	-
PK	5.9302G	56.60	68.20	-11.60	3.99	3	Horizontal	271	2.80	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5755MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5076G	42.19	54.00	-11.81	13.56	3	Vertical	80	1.52	-
PK	11.50772G	54.30	74.00	-19.70	13.56	3	Vertical	80	1.52	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5755MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.50528G	42.21	54.00	-11.79	13.57	3	Horizontal	70	1.40	-
PK	11.51422G	54.26	74.00	-19.74	13.56	3	Horizontal	70	1.40	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5795MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.783G	99.72	Inf	-Inf	3.70	3	Vertical	104	2.17	-
PK	5.6474G	57.23	68.20	-10.97	3.44	3	Vertical	104	2.17	-
PK	5.7998G	109.34	Inf	-Inf	3.73	3	Vertical	104	2.17	-
PK	5.9318G	58.76	68.20	-9.44	3.99	3	Vertical	104	2.17	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5795MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7842G	96.54	Inf	-Inf	3.70	3	Horizontal	269	2.99	-
PK	5.6474G	57.68	68.20	-10.52	3.44	3	Horizontal	269	2.99	-
PK	5.7998G	105.82	Inf	-Inf	3.73	3	Horizontal	269	2.99	-
PK	5.9366G	56.64	68.20	-11.56	4.01	3	Horizontal	269	2.99	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5795MHz_TX

08/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.58956G	42.46	54.00	-11.54	13.49	3	Vertical	22	1.52	-
PK	11.58964G	54.16	74.00	-19.84	13.49	3	Vertical	22	1.52	-

802.11ac VHT40_Nss1,(MCS0)_1TX(Port1)

5795MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.59492G	42.04	54.00	-11.96	13.48	3	Horizontal	254	2.17	-
PK	11.59336G	54.23	74.00	-19.77	13.48	3	Horizontal	254	2.17	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5210MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.148G	52.87	54.00	-1.13	2.74	3	Vertical	79	2.11	-
AV	5.193G	91.50	Inf	-Inf	2.79	3	Vertical	79	2.11	-
AV	5.439G	44.45	54.00	-9.55	3.07	3	Vertical	79	2.11	-
PK	5.147G	65.13	74.00	-8.87	2.74	3	Vertical	79	2.11	-
PK	5.195G	99.42	Inf	-Inf	2.79	3	Vertical	79	2.11	-
PK	5.427G	54.40	74.00	-19.60	3.06	3	Vertical	79	2.11	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5210MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.148G	50.43	54.00	-3.57	2.74	3	Horizontal	303	2.80	-
AV	5.19G	88.20	Inf	-Inf	2.79	3	Horizontal	303	2.80	-
AV	5.445G	44.71	54.00	-9.29	3.08	3	Horizontal	303	2.80	-
PK	5.147G	63.35	74.00	-10.65	2.74	3	Horizontal	303	2.80	-
PK	5.195G	96.13	Inf	-Inf	2.79	3	Horizontal	303	2.80	-
PK	5.45G	54.70	74.00	-19.30	3.08	3	Horizontal	303	2.80	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5210MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.41908G	40.34	54.00	-13.66	12.76	3	Vertical	177	2.26	-
PK	10.41778G	54.10	74.00	-19.90	12.76	3	Vertical	177	2.26	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5210MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.41916G	40.35	54.00	-13.65	12.76	3	Horizontal	211	2.06	-
PK	10.42184G	53.34	74.00	-20.66	12.77	3	Horizontal	211	2.06	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5290MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.14G	45.79	54.00	-8.21	2.73	3	Vertical	77	2.18	-
AV	5.295G	92.64	Inf	-Inf	2.90	3	Vertical	77	2.18	-
AV	5.350005G	52.89	54.00	-1.11	2.97	3	Vertical	77	2.18	-
PK	5.089G	56.07	74.00	-17.93	2.66	3	Vertical	77	2.18	-
PK	5.294G	100.54	Inf	-Inf	2.90	3	Vertical	77	2.18	-
PK	5.365G	68.81	74.00	-5.19	2.99	3	Vertical	77	2.18	-
PK	5.492G	56.13	68.20	-12.07	3.13	3	Vertical	77	2.18	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5290MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	45.47	54.00	-8.53	2.74	3	Horizontal	267	3.16	-
AV	5.27G	91.30	Inf	-Inf	2.88	3	Horizontal	267	3.16	-
AV	5.350005G	52.99	54.00	-1.01	2.97	3	Horizontal	267	3.16	-
PK	5.061G	55.88	74.00	-18.12	2.64	3	Horizontal	267	3.16	-
PK	5.278G	99.50	Inf	-Inf	2.89	3	Horizontal	267	3.16	-
PK	5.364G	69.42	74.00	-4.58	2.98	3	Horizontal	267	3.16	-
PK	5.506G	54.55	68.20	-13.65	3.15	3	Horizontal	267	3.16	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5290MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5772G	40.74	54.00	-13.26	13.11	3	Vertical	61	1.07	-
PK	10.58076G	54.98	74.00	-19.02	13.12	3	Vertical	61	1.07	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5290MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.58476G	40.76	54.00	-13.24	13.12	3	Horizontal	43	1.14	-
PK	10.58078G	53.28	74.00	-20.72	13.12	3	Horizontal	43	1.14	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5530MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.458G	47.68	54.00	-6.32	3.09	3	Vertical	128	2.12	-
AV	5.535G	91.89	Inf	-Inf	3.21	3	Vertical	128	2.12	-
PK	5.345G	54.72	68.20	-13.48	2.97	3	Vertical	128	2.12	-
PK	5.459G	58.79	74.00	-15.21	3.10	3	Vertical	128	2.12	-
PK	5.465G	63.62	68.20	-4.58	3.11	3	Vertical	128	2.12	-
PK	5.534G	99.47	Inf	-Inf	3.21	3	Vertical	128	2.12	-
PK	5.767G	55.58	68.20	-12.62	3.67	3	Vertical	128	2.12	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5530MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	50.21	54.00	-3.79	3.10	3	Horizontal	265	3.02	-
AV	5.535G	92.93	Inf	-Inf	3.21	3	Horizontal	265	3.02	-
PK	5.284G	55.40	68.20	-12.80	2.89	3	Horizontal	265	3.02	-
PK	5.457G	62.87	74.00	-11.13	3.09	3	Horizontal	265	3.02	-
PK	5.466G	66.99	68.20	-1.21	3.11	3	Horizontal	265	3.02	-
PK	5.534G	100.53	Inf	-Inf	3.21	3	Horizontal	265	3.02	-
PK	5.736G	55.86	68.20	-12.34	3.61	3	Horizontal	265	3.02	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5530MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.06456G	41.69	54.00	-12.31	13.97	3	Vertical	245	1.76	-
PK	11.06128G	55.39	74.00	-18.61	13.97	3	Vertical	245	1.76	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5530MHz_TX

08/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.05548G	41.61	54.00	-12.39	13.98	3	Horizontal	263	1.83	-
PK	11.05992G	54.58	74.00	-19.42	13.97	3	Horizontal	263	1.83	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5610MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	48.10	54.00	-5.90	3.10	3	Vertical	126	1.93	-
AV	5.615G	94.02	Inf	-Inf	3.37	3	Vertical	126	1.93	-
PK	5.455G	58.27	74.00	-15.73	3.09	3	Vertical	126	1.93	-
PK	5.463G	59.92	68.20	-8.28	3.10	3	Vertical	126	1.93	-
PK	5.614G	101.66	Inf	-Inf	3.37	3	Vertical	126	1.93	-
PK	5.726G	65.44	68.20	-2.76	3.59	3	Vertical	126	1.93	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5610MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	49.52	54.00	-4.48	3.10	3	Horizontal	265	2.20	-
AV	5.615G	93.61	Inf	-Inf	3.37	3	Horizontal	265	2.20	-
PK	5.45G	60.52	74.00	-13.48	3.08	3	Horizontal	265	2.20	-
PK	5.463G	60.95	68.20	-7.25	3.10	3	Horizontal	265	2.20	-
PK	5.595G	101.97	Inf	-Inf	3.33	3	Horizontal	265	2.20	-
PK	5.726G	67.04	68.20	-1.16	3.59	3	Horizontal	265	2.20	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5610MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.22002G	41.32	54.00	-12.68	13.83	3	Vertical	227	1.83	-
PK	11.21904G	54.66	74.00	-19.34	13.83	3	Vertical	227	1.83	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5610MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.21908G	41.30	54.00	-12.70	13.83	3	Horizontal	18	1.11	-
PK	11.222G	54.80	74.00	-19.20	13.83	3	Horizontal	18	1.11	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5690MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	45.72	54.00	-8.28	3.10	3	Vertical	94	2.01	-
AV	5.6948G	96.70	Inf	-Inf	3.53	3	Vertical	94	2.01	-
PK	5.4656G	56.90	74.00	-17.10	3.11	3	Vertical	94	2.01	-
PK	5.6936G	104.64	Inf	-Inf	3.53	3	Vertical	94	2.01	-
PK	5.8568G	65.07	68.20	-3.13	3.84	3	Vertical	94	2.01	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5690MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.456G	47.43	54.00	-6.57	3.09	3	Horizontal	262	3.12	-
AV	5.6792G	95.45	Inf	-Inf	3.50	3	Horizontal	262	3.12	-
PK	5.4668G	57.15	74.00	-16.85	3.11	3	Horizontal	262	3.12	-
PK	5.6936G	103.23	Inf	-Inf	3.53	3	Horizontal	262	3.12	-
PK	5.8532G	61.14	68.20	-7.06	3.83	3	Horizontal	262	3.12	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5690MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.37668G	41.07	54.00	-12.93	13.68	3	Vertical	253	2.25	-
PK	11.37614G	54.87	74.00	-19.13	13.68	3	Vertical	253	2.25	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5690MHz Straddle 5.47-5.725GHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.37524G	41.08	54.00	-12.92	13.68	3	Horizontal	61	1.30	-
PK	11.3827G	54.02	74.00	-19.98	13.68	3	Horizontal	61	1.30	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7582G	96.36	Inf	-Inf	3.65	3	Vertical	146	2.15	-
PK	5.6466G	66.54	68.20	-1.66	3.44	3	Vertical	146	2.15	-
PK	5.7486G	105.09	Inf	-Inf	3.63	3	Vertical	146	2.15	-
PK	5.9286G	62.80	68.20	-5.40	3.99	3	Vertical	146	2.15	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7702G	93.50	Inf	-Inf	3.67	3	Horizontal	154	2.46	-
PK	5.649G	66.27	68.20	-1.93	3.44	3	Horizontal	154	2.46	-
PK	5.7678G	102.63	Inf	-Inf	3.67	3	Horizontal	154	2.46	-
PK	5.9334G	61.08	68.20	-7.12	4.00	3	Horizontal	154	2.46	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5461G	40.81	54.00	-13.19	13.53	3	Vertical	281	1.96	-
PK	11.55394G	54.52	74.00	-19.48	13.52	3	Vertical	281	1.96	-

802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX

08/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.55032G	40.85	54.00	-13.15	13.52	3	Horizontal	31	1.37	-
PK	11.55084G	55.03	74.00	-18.97	13.52	3	Horizontal	31	1.37	-

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1.	Pass	AV	4.824G	48.55	54.00	-5.45	2.13	3	Vertical	215	1.53	-
Mode 2.	Pass	AV	4.804G	47.56	54.00	-6.44	2.08	3	Vertical	175	1.67	-

Radiation-above 1GHz_Mode 1


31/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.80481G	29.00	54.00	-25.00	2.08	3	Vertical	102	1.74	-
AV	4.824G	48.55	54.00	-5.45	2.13	3	Vertical	215	1.53	-
PK	4.80481G	44.26	74.00	-29.74	2.08	3	Vertical	102	1.74	-
PK	4.82405G	52.34	74.00	-21.66	2.13	3	Vertical	215	1.53	-

Radiation-above 1GHz_Mode 1


31/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.80654G	29.17	54.00	-24.83	2.09	3	Horizontal	305	1.57	-
AV	4.824G	46.36	54.00	-7.64	2.13	3	Horizontal	185	1.49	-
PK	4.80654G	42.84	74.00	-31.16	2.09	3	Horizontal	305	1.57	-
PK	4.82406G	51.67	74.00	-22.33	2.13	3	Horizontal	185	1.49	-

Radiation-above 1GHz_Mode 2


31/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.804G	47.56	54.00	-6.44	2.08	3	Vertical	175	1.67	-
AV	10.36548G	41.06	54.00	-12.94	12.65	3	Vertical	212	1.58	-
PK	4.80405G	53.44	74.00	-20.56	2.08	3	Vertical	175	1.67	-
PK	10.37128G	53.73	74.00	-20.27	12.66	3	Vertical	212	1.58	-

Radiation-above 1GHz_Mode 2

31/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	4.80637G	27.76	54.00	-26.24	2.09	3	Horizontal	321	1.56	-
AV	10.36876G	41.86	54.00	-12.14	12.65	3	Horizontal	179	1.84	-
PK	4.80635G	42.37	74.00	-31.63	2.09	3	Horizontal	321	1.56	-
PK	10.36432G	53.88	74.00	-20.12	12.64	3	Horizontal	179	1.84	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	Pass	PK	31.94M	36.15	40.00	-3.85	-14.36	3	Vertical	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.94M	36.15	40.00	-3.85	-14.36	3	Vertical	360	1.00	-
5775MHz	Pass	PK	125.06M	28.17	43.50	-15.33	-19.22	3	Vertical	360	1.00	-
5775MHz	Pass	PK	249.22M	29.51	46.00	-16.49	-17.26	3	Vertical	360	1.00	-
5775MHz	Pass	PK	429.64M	30.37	46.00	-15.63	-13.12	3	Vertical	360	1.00	-
5775MHz	Pass	PK	485.9M	31.63	46.00	-14.37	-12.30	3	Vertical	360	1.00	-
5775MHz	Pass	PK	788.54M	32.28	46.00	-13.72	-8.12	3	Vertical	360	1.00	-
5775MHz	Pass	PK	57.16M	27.06	40.00	-12.94	-25.37	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	249.22M	26.77	46.00	-19.23	-17.26	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	286.08M	33.45	46.00	-12.55	-16.97	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	375.32M	23.94	46.00	-22.06	-14.84	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	480.08M	23.92	46.00	-22.08	-12.38	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	953.44M	36.76	46.00	-9.24	-4.71	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port1)

5775MHz_PoE

07/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	31.94M	36.15	40.00	-3.85	-14.36	3	Vertical	360	1.00	-
PK	125.06M	28.17	43.50	-15.33	-19.22	3	Vertical	360	1.00	-
PK	249.22M	29.51	46.00	-16.49	-17.26	3	Vertical	360	1.00	-
PK	429.64M	30.37	46.00	-15.63	-13.12	3	Vertical	360	1.00	-
PK	485.9M	31.63	46.00	-14.37	-12.30	3	Vertical	360	1.00	-
PK	788.54M	32.28	46.00	-13.72	-8.12	3	Vertical	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port1)

5775MHz_PoE

07/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	57.16M	27.06	40.00	-12.94	-25.37	3	Horizontal	0	1.00	-
PK	249.22M	26.77	46.00	-19.23	-17.26	3	Horizontal	0	1.00	-
PK	286.08M	33.45	46.00	-12.55	-16.97	3	Horizontal	0	1.00	-
PK	375.32M	23.94	46.00	-22.06	-14.84	3	Horizontal	0	1.00	-
PK	480.08M	23.92	46.00	-22.08	-12.38	3	Horizontal	0	1.00	-
PK	953.44M	36.76	46.00	-9.24	-4.71	3	Horizontal	0	1.00	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	Pass	AV	3.73G	40.36	54.00	-13.64	-0.80	3	Vertical	0	1.09	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.6G	34.83	54.00	-19.17	-5.66	3	Vertical	193	1.49	-
5775MHz	Pass	AV	2.58G	37.71	54.00	-16.29	-3.08	3	Vertical	212	1.33	-
5775MHz	Pass	AV	3.73G	40.36	54.00	-13.64	-0.80	3	Vertical	0	1.09	-
5775MHz	Pass	PK	1.6G	49.54	74.00	-24.46	-5.66	3	Vertical	193	1.49	-
5775MHz	Pass	PK	2.58G	50.78	74.00	-23.22	-3.08	3	Vertical	212	1.33	-
5775MHz	Pass	PK	3.73G	53.33	74.00	-20.67	-0.80	3	Vertical	0	1.09	-
5775MHz	Pass	AV	1.49G	35.39	54.00	-18.61	-5.90	3	Horizontal	69	1.45	-
5775MHz	Pass	AV	2.65G	37.97	54.00	-16.03	-2.91	3	Horizontal	323	1.01	-
5775MHz	Pass	AV	3.67G	39.84	54.00	-14.16	-0.96	3	Horizontal	42	1.35	-
5775MHz	Pass	PK	1.49G	48.48	74.00	-25.52	-5.90	3	Horizontal	69	1.45	-
5775MHz	Pass	PK	2.65G	50.34	74.00	-23.66	-2.91	3	Horizontal	323	1.01	-
5775MHz	Pass	PK	3.67G	53.11	74.00	-20.89	-0.96	3	Horizontal	42	1.35	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port1)

5775MHz_RX

07/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.6G	34.83	54.00	-19.17	-5.66	3	Vertical	193	1.49	-
AV	2.58G	37.71	54.00	-16.29	-3.08	3	Vertical	212	1.33	-
AV	3.73G	40.36	54.00	-13.64	-0.80	3	Vertical	0	1.09	-
PK	1.6G	49.54	74.00	-24.46	-5.66	3	Vertical	193	1.49	-
PK	2.58G	50.78	74.00	-23.22	-3.08	3	Vertical	212	1.33	-
PK	3.73G	53.33	74.00	-20.67	-0.80	3	Vertical	0	1.09	-

802.11ac VHT80_Nss1,(MCS0)_1RX(Port1)

5775MHz_RX

07/08/2018



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	1.49G	35.39	54.00	-18.61	-5.90	3	Horizontal	69	1.45	-
AV	2.65G	37.97	54.00	-16.03	-2.91	3	Horizontal	323	1.01	-
AV	3.67G	39.84	54.00	-14.16	-0.96	3	Horizontal	42	1.35	-
PK	1.49G	48.48	74.00	-25.52	-5.90	3	Horizontal	69	1.45	-
PK	2.65G	50.34	74.00	-23.66	-2.91	3	Horizontal	323	1.01	-
PK	3.67G	53.11	74.00	-20.89	-0.96	3	Horizontal	42	1.35	-