

Appendix Test Data

Report No.:	1819C60031912501-02	Test Sample No.:	1-2-2
Start Test Date:	2026-3-31	Finish Test Date:	2026-4-10
Test Engineer:	Huisen Guan	Auditor:	Justin Feng
Temperature:	26.5°C	Relative Humidity:	46%
Pressure:	101kPa		

Appendix A: Frequency_Error


Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Center Freq. [MHz]	Result[ppm]	Limit[ppm]	Verdict
NTLV	CW	Ant1	2402	2401.9965	-1.45712	±50	PASS
NTNV	CW	Ant1	2402	2401.9945	-2.28976	±50	PASS
NTHV	CW	Ant1	2402	2401.993	-2.91424	±50	PASS
NTLV	CW	Ant1	2441	2440.989	-4.50635	±50	PASS
NTNV	CW	Ant1	2441	2440.989	-4.50635	±50	PASS
NTHV	CW	Ant1	2441	2440.989	-4.50635	±50	PASS
NTLV	CW	Ant1	2480	2479.9885	-4.63710	±50	PASS
NTNV	CW	Ant1	2480	2479.9885	-4.63710	±50	PASS
NTHV	CW	Ant1	2480	2479.988	-4.83871	±50	PASS

Note: Result[ppm]= (Center Freq.[MHz] - Frequency[MHz])/ Frequency[MHz]*1000000



Test Graphs





NTLV-CW-Ant1-2402-PASS





NTNV-CW-Ant1-2402-PASS











Appendix B: Antenna Power

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Result (mW)	Spread Bandwidth (MHz)	Result [mW/MHz]	Limit [mW/MHz]	Verdict
NTLV	DH5	Ant1	Hop	14.94	31.1889	71.446	0.4365	≤3	PASS
NTNV	DH5	Ant1	Hop	14.93	31.1172	71.449	0.4355	≤3	PASS
NTHV	DH5	Ant1	Hop	14.93	31.1172	71.449	0.4355	≤3	PASS
NTLV	2DH5	Ant1	Hop	12.05	16.0325	71.442	0.2244	≤3	PASS
NTNV	2DH5	Ant1	Hop	12.04	15.9956	71.435	0.2239	≤3	PASS
NTHV	2DH5	Ant1	Hop	12.05	16.0325	71.435	0.2244	≤3	PASS
NTLV	3DH5	Ant1	Hop	12.04	15.9956	71.436	0.2239	≤3	PASS
NTNV	3DH5	Ant1	Hop	12.06	16.0694	71.426	0.2250	≤3	PASS
NTHV	3DH5	Ant1	Hop	12.06	16.0694	71.434	0.2250	≤3	PASS

Note: Result[mW]= 10^(Test Result[dBm]/10)

Test Condition	Test Mode	Antenna	Frequency [MHz]	Power [mW/MHz]	Rated Power [mW/MHz]	Result [%]	Limit [%]	Verdict
NTLV	DH5	Ant1	Hop	0.4365	0.5	-12.70	+20	PASS
NTNV	DH5	Ant1	Hop	0.4355	0.5	-12.90	+20	PASS
NTHV	DH5	Ant1	Hop	0.4355	0.5	-12.90	+20	PASS
NTLV	2DH5	Ant1	Hop	0.2244	0.5	-55.12	+20	PASS
NTNV	2DH5	Ant1	Hop	0.2239	0.5	-55.22	+20	PASS
NTHV	2DH5	Ant1	Hop	0.2244	0.5	-55.12	+20	PASS
NTLV	3DH5	Ant1	Hop	0.2239	0.5	-55.22	+20	PASS
NTNV	3DH5	Ant1	Hop	0.2250	0.5	-55.00	+20	PASS
NTHV	3DH5	Ant1	Hop	0.2250	0.5	-55.00	+20	PASS

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP (dBm/MHz)	Limit (dBm/MHz)	Verdict
NTLV	DH5	Ant1	Hop	-3.60	-1.71	-5.31	≤6.91	PASS
NTNV	DH5	Ant1	Hop	-3.61	-1.71	-5.32	≤6.91	PASS
NTHV	DH5	Ant1	Hop	-3.61	-1.71	-5.32	≤6.91	PASS
NTLV	2DH5	Ant1	Hop	-6.49	-1.71	-8.20	≤6.91	PASS
NTNV	2DH5	Ant1	Hop	-6.50	-1.71	-8.21	≤6.91	PASS
NTHV	2DH5	Ant1	Hop	-6.49	-1.71	-8.20	≤6.91	PASS
NTLV	3DH5	Ant1	Hop	-6.50	-1.71	-8.21	≤6.91	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com



NTNV	3DH5	Ant1	Hop	-6.48	-1.71	-8.19	≤6.91	PASS
NTHV	3DH5	Ant1	Hop	-6.48	-1.71	-8.19	≤6.91	PASS

Note:Result[dBm]=10log(Power [mW])

EIRP[dBm]=Result[dBm]+Gain(dBi)



Test Graphs





NTLV-DH5-Ant1-Hop-PASS





NTNV-DH5-Ant1-Hop-PASS











Appendix C: Occupied Bandwidth

Test Result


Test Condition	Test Mode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTLV	DH5	Ant1	Hop	78.568	≤83.5	PASS
NTNV	DH5	Ant1	Hop	78.564	≤83.5	PASS
NTHV	DH5	Ant1	Hop	78.566	≤83.5	PASS
NTLV	2DH5	Ant1	Hop	78.564	≤83.5	PASS
NTNV	2DH5	Ant1	Hop	78.567	≤83.5	PASS
NTHV	2DH5	Ant1	Hop	78.564	≤83.5	PASS
NTLV	3DH5	Ant1	Hop	78.562	≤83.5	PASS
NTNV	3DH5	Ant1	Hop	78.567	≤83.5	PASS
NTHV	3DH5	Ant1	Hop	78.566	≤83.5	PASS



Test Graphs



NTLV-DH5-Ant1-Hop-PASS




NTNV-DH5-Ant1-Hop-PASS







NTNV-2DH5-Ant1-Hop-PASS




NTHV-2DH5-Ant1-Hop-PASS






NTLV-3DH5-Ant1-Hop-PASS



NTNV-3DH5-Ant1-Hop-PASS






Appendix D: Spread Bandwidth

Test Result


Test Condition	Test Mode	Antenna	Frequency[MHz]	Result [MHz]
NTLV	DH5	Ant1	Hop	71.446
NTNV	DH5	Ant1	Hop	71.449
NTHV	DH5	Ant1	Hop	71.449
NTLV	2DH5	Ant1	Hop	71.442
NTNV	2DH5	Ant1	Hop	71.435
NTHV	2DH5	Ant1	Hop	71.435
NTLV	3DH5	Ant1	Hop	71.436
NTNV	3DH5	Ant1	Hop	71.426
NTHV	3DH5	Ant1	Hop	71.434



Test Graphs




NTLV-DH5-Ant1-Hop-PASS





NTNV-DH5-Ant1-Hop-PASS











Appendix E: Spurious Emission of TX

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTLV	DH5	Ant1	2402	30~1000	185.44	-47.56	≤-26	0.01754	≤2.5	PASS
NTNV	DH5	Ant1	2402	30~1000	210.91	-48.05	≤-26	0.01567	≤2.5	PASS
NTHV	DH5	Ant1	2402	30~1000	208.97	-47.89	≤-26	0.01626	≤2.5	PASS
NTLV	DH5	Ant1	2402	1000~2387	2358.22	-46.62	≤-26	0.02178	≤2.5	PASS
NTNV	DH5	Ant1	2402	1000~2387	2368.97	-46.92	≤-26	0.02032	≤2.5	PASS
NTHV	DH5	Ant1	2402	1000~2387	2352.67	-46.82	≤-26	0.02080	≤2.5	PASS
NTLV	DH5	Ant1	2402	2387~2400	2399.97	-35.76	≤-16	0.26546	≤25	PASS
NTNV	DH5	Ant1	2402	2387~2400	2399.99	-35.41	≤-16	0.28774	≤25	PASS
NTHV	DH5	Ant1	2402	2387~2400	2399.99	-35.87	≤-16	0.25882	≤25	PASS
NTLV	DH5	Ant1	2402	2483.5~2496.5	2484.87	-45.85	≤-16	0.02600	≤25	PASS
NTNV	DH5	Ant1	2402	2483.5~2496.5	2492.09	-46.26	≤-16	0.02366	≤25	PASS
NTHV	DH5	Ant1	2402	2483.5~2496.5	2490.42	-46.08	≤-16	0.02466	≤25	PASS
NTLV	DH5	Ant1	2402	2496.5~13000	4804.12	-31.13	≤-26	0.77090	≤2.5	PASS
NTNV	DH5	Ant1	2402	2496.5~13000	4804.12	-31.24	≤-26	0.75162	≤2.5	PASS
NTHV	DH5	Ant1	2402	2496.5~13000	4804.12	-30.95	≤-26	0.80353	≤2.5	PASS
NTNV	DH5	Ant1	2441	30~1000	210.18	-48.30	≤-26	0.01479	≤2.5	PASS
NTHV	DH5	Ant1	2441	30~1000	198.54	-47.90	≤-26	0.01622	≤2.5	PASS
NTLV	DH5	Ant1	2441	30~1000	197.08	-47.32	≤-26	0.01854	≤2.5	PASS
NTNV	DH5	Ant1	2441	1000~2387	2375.56	-46.37	≤-26	0.02307	≤2.5	PASS
NTHV	DH5	Ant1	2441	1000~2387	2086.02	-46.36	≤-26	0.02312	≤2.5	PASS
NTLV	DH5	Ant1	2441	1000~2387	2187.27	-46.75	≤-26	0.02113	≤2.5	PASS
NTNV	DH5	Ant1	2441	2387~2400	2398.34	-46.63	≤-16	0.02173	≤25	PASS
NTHV	DH5	Ant1	2441	2387~2400	2388.72	-46.30	≤-16	0.02344	≤25	PASS
NTLV	DH5	Ant1	2441	2387~2400	2399.17	-46.22	≤-16	0.02388	≤25	PASS
NTLV	DH5	Ant1	2441	2483.5~2496.5	2489.14	-45.38	≤-16	0.02897	≤25	PASS
NTNV	DH5	Ant1	2441	2483.5~2496.5	2487.54	-45.72	≤-16	0.02679	≤25	PASS
NTHV	DH5	Ant1	2441	2483.5~2496.5	2495.86	-45.62	≤-16	0.02742	≤25	PASS
NTLV	DH5	Ant1	2441	2496.5~13000	4881.84	-31.07	≤-26	0.78163	≤2.5	PASS
NTNV	DH5	Ant1	2441	2496.5~13000	4882.37	-30.81	≤-26	0.82985	≤2.5	PASS
NTHV	DH5	Ant1	2441	2496.5~13000	4882.37	-31.06	≤-26	0.78343	≤2.5	PASS
NTLV	DH5	Ant1	2480	30~1000	201.21	-48.05	≤-26	0.01567	≤2.5	PASS
NTNV	DH5	Ant1	2480	30~1000	200.96	-47.42	≤-26	0.01811	≤2.5	PASS
NTHV	DH5	Ant1	2480	30~1000	203.87	-47.10	≤-26	0.01950	≤2.5	PASS
NTLV	DH5	Ant1	2480	1000~2387	2314.53	-46.47	≤-26	0.02254	≤2.5	PASS
NTNV	DH5	Ant1	2480	1000~2387	2327.36	-46.45	≤-26	0.02265	≤2.5	PASS
NTHV	DH5	Ant1	2480	1000~2387	2101.62	-47.14	≤-26	0.01932	≤2.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com



NTLV	DH5	Ant1	2480	2387~2400	2391.41	-46.11	≤-16	0.02449	≤25	PASS
NTNV	DH5	Ant1	2480	2387~2400	2388.09	-46.40	≤-16	0.02291	≤25	PASS
NTHV	DH5	Ant1	2480	2387~2400	2393.19	-46.47	≤-16	0.02254	≤25	PASS
NTLV	DH5	Ant1	2480	2483.5~2496.5	2483.70	-45.09	≤-16	0.03097	≤25	PASS
NTNV	DH5	Ant1	2480	2483.5~2496.5	2484.05	-45.46	≤-16	0.02844	≤25	PASS
NTHV	DH5	Ant1	2480	2483.5~2496.5	2483.53	-44.64	≤-16	0.03436	≤25	PASS
NTLV	DH5	Ant1	2480	2496.5~13000	4960.10	-30.79	≤-26	0.83368	≤2.5	PASS
NTNV	DH5	Ant1	2480	2496.5~13000	4960.10	-30.68	≤-26	0.85507	≤2.5	PASS
NTHV	DH5	Ant1	2480	2496.5~13000	4960.10	-30.63	≤-26	0.86497	≤2.5	PASS
NTLV	2DH5	Ant1	2402	30~1000	222.55	-47.79	≤-26	0.01663	≤2.5	PASS
NTNV	2DH5	Ant1	2402	30~1000	413.39	-48.33	≤-26	0.01469	≤2.5	PASS
NTHV	2DH5	Ant1	2402	30~1000	199.02	-47.47	≤-26	0.01791	≤2.5	PASS
NTLV	2DH5	Ant1	2402	1000~2387	2368.28	-47.25	≤-26	0.01884	≤2.5	PASS
NTNV	2DH5	Ant1	2402	1000~2387	2198.02	-46.88	≤-26	0.02051	≤2.5	PASS
NTHV	2DH5	Ant1	2402	1000~2387	1754.87	-37.55	≤-26	0.17579	≤2.5	PASS
NTLV	2DH5	Ant1	2402	2387~2400	2399.89	-35.97	≤-16	0.25293	≤25	PASS
NTNV	2DH5	Ant1	2402	2387~2400	2399.94	-36.15	≤-16	0.24266	≤25	PASS
NTHV	2DH5	Ant1	2402	2387~2400	2399.96	-35.66	≤-16	0.27164	≤25	PASS
NTLV	2DH5	Ant1	2402	2483.5~2496.5	2493.89	-45.59	≤-16	0.02761	≤25	PASS
NTNV	2DH5	Ant1	2402	2483.5~2496.5	2495.30	-45.96	≤-16	0.02535	≤25	PASS
NTHV	2DH5	Ant1	2402	2483.5~2496.5	2496.19	-45.79	≤-16	0.02636	≤25	PASS
NTLV	2DH5	Ant1	2402	2496.5~13000	4804.12	-35.85	≤-26	0.26002	≤2.5	PASS
NTNV	2DH5	Ant1	2402	2496.5~13000	4804.12	-35.40	≤-26	0.28840	≤2.5	PASS
NTHV	2DH5	Ant1	2402	2496.5~13000	4804.12	-35.88	≤-26	0.25823	≤2.5	PASS
NTLV	2DH5	Ant1	2441	30~1000	189.32	-48.03	≤-26	0.01574	≤2.5	PASS
NTNV	2DH5	Ant1	2441	30~1000	210.18	-47.40	≤-26	0.01820	≤2.5	PASS
NTHV	2DH5	Ant1	2441	30~1000	215.76	-47.72	≤-26	0.01690	≤2.5	PASS
NTLV	2DH5	Ant1	2441	1000~2387	2127.63	-47.15	≤-26	0.01928	≤2.5	PASS
NTNV	2DH5	Ant1	2441	1000~2387	2165.43	-46.88	≤-26	0.02051	≤2.5	PASS
NTHV	2DH5	Ant1	2441	1000~2387	1764.24	-45.10	≤-26	0.03090	≤2.5	PASS
NTLV	2DH5	Ant1	2441	2387~2400	2392.96	-46.06	≤-16	0.02477	≤25	PASS
NTNV	2DH5	Ant1	2441	2387~2400	2392.14	-46.43	≤-16	0.02275	≤25	PASS
NTHV	2DH5	Ant1	2441	2387~2400	2398.49	-46.46	≤-16	0.02259	≤25	PASS
NTLV	2DH5	Ant1	2441	2483.5~2496.5	2494.29	-45.63	≤-16	0.02735	≤25	PASS
NTNV	2DH5	Ant1	2441	2483.5~2496.5	2486.77	-46.07	≤-16	0.02472	≤25	PASS
NTHV	2DH5	Ant1	2441	2483.5~2496.5	2485.50	-46.28	≤-16	0.02355	≤25	PASS
NTLV	2DH5	Ant1	2441	2496.5~13000	4881.84	-36.10	≤-26	0.24547	≤2.5	PASS
NTNV	2DH5	Ant1	2441	2496.5~13000	4882.37	-35.85	≤-26	0.26002	≤2.5	PASS
NTHV	2DH5	Ant1	2441	2496.5~13000	4882.37	-35.59	≤-26	0.27606	≤2.5	PASS
NTLV	2DH5	Ant1	2480	30~1000	910.52	-47.81	≤-26	0.01656	≤2.5	PASS
NTNV	2DH5	Ant1	2480	30~1000	219.15	-47.93	≤-26	0.01611	≤2.5	PASS
NTHV	2DH5	Ant1	2480	30~1000	240.49	-48.08	≤-26	0.01556	≤2.5	PASS



NTLV	2DH5	Ant1	2480	1000~2387	2342.96	-46.74	≤-26	0.02118	≤2.5	PASS
NTNV	2DH5	Ant1	2480	1000~2387	2213.28	-45.92	≤-26	0.02559	≤2.5	PASS
NTHV	2DH5	Ant1	2480	1000~2387	2294.07	-46.71	≤-26	0.02133	≤2.5	PASS
NTLV	2DH5	Ant1	2480	2387~2400	2395.59	-46.55	≤-16	0.02213	≤25	PASS
NTNV	2DH5	Ant1	2480	2387~2400	2390.07	-45.62	≤-16	0.02742	≤25	PASS
NTHV	2DH5	Ant1	2480	2387~2400	2394.51	-46.29	≤-16	0.02350	≤25	PASS
NTLV	2DH5	Ant1	2480	2483.5~2496.5	2483.60	-46.21	≤-16	0.02393	≤25	PASS
NTNV	2DH5	Ant1	2480	2483.5~2496.5	2492.90	-45.56	≤-16	0.02780	≤25	PASS
NTHV	2DH5	Ant1	2480	2483.5~2496.5	2484.81	-45.32	≤-16	0.02938	≤25	PASS
NTLV	2DH5	Ant1	2480	2496.5~13000	4960.10	-35.70	≤-26	0.26915	≤2.5	PASS
NTNV	2DH5	Ant1	2480	2496.5~13000	4960.10	-35.91	≤-26	0.25645	≤2.5	PASS
NTHV	2DH5	Ant1	2480	2496.5~13000	4960.10	-35.88	≤-26	0.25823	≤2.5	PASS
NTLV	3DH5	Ant1	2402	30~1000	213.33	-47.14	≤-26	0.01932	≤2.5	PASS
NTNV	3DH5	Ant1	2402	30~1000	228.85	-47.83	≤-26	0.01648	≤2.5	PASS
NTHV	3DH5	Ant1	2402	30~1000	232.00	-46.31	≤-26	0.02339	≤2.5	PASS
NTLV	3DH5	Ant1	2402	1000~2387	2263.90	-47.10	≤-26	0.01950	≤2.5	PASS
NTNV	3DH5	Ant1	2402	1000~2387	2283.32	-47.26	≤-26	0.01879	≤2.5	PASS
NTHV	3DH5	Ant1	2402	1000~2387	2182.76	-46.50	≤-26	0.02239	≤2.5	PASS
NTLV	3DH5	Ant1	2402	2387~2400	2399.94	-35.85	≤-16	0.26002	≤25	PASS
NTNV	3DH5	Ant1	2402	2387~2400	2399.99	-35.69	≤-16	0.26977	≤25	PASS
NTHV	3DH5	Ant1	2402	2387~2400	2399.97	-35.37	≤-16	0.29040	≤25	PASS
NTLV	3DH5	Ant1	2402	2483.5~2496.5	2489.06	-46.23	≤-16	0.02382	≤25	PASS
NTNV	3DH5	Ant1	2402	2483.5~2496.5	2486.04	-45.81	≤-16	0.02624	≤25	PASS
NTHV	3DH5	Ant1	2402	2483.5~2496.5	2488.39	-45.89	≤-16	0.02576	≤25	PASS
NTLV	3DH5	Ant1	2402	2496.5~13000	4804.12	-36.03	≤-26	0.24946	≤2.5	PASS
NTNV	3DH5	Ant1	2402	2496.5~13000	4804.12	-36.03	≤-26	0.24946	≤2.5	PASS
NTHV	3DH5	Ant1	2402	2496.5~13000	4804.12	-35.97	≤-26	0.25293	≤2.5	PASS
NTLV	3DH5	Ant1	2441	30~1000	176.23	-47.32	≤-26	0.01854	≤2.5	PASS
NTNV	3DH5	Ant1	2441	30~1000	211.39	-46.96	≤-26	0.02014	≤2.5	PASS
NTHV	3DH5	Ant1	2441	30~1000	204.84	-48.12	≤-26	0.01542	≤2.5	PASS
NTLV	3DH5	Ant1	2441	1000~2387	2143.93	-46.50	≤-26	0.02239	≤2.5	PASS
NTNV	3DH5	Ant1	2441	1000~2387	2342.62	-46.10	≤-26	0.02455	≤2.5	PASS
NTHV	3DH5	Ant1	2441	1000~2387	2374.17	-46.36	≤-26	0.02312	≤2.5	PASS
NTLV	3DH5	Ant1	2441	2387~2400	2395.79	-46.22	≤-16	0.02388	≤25	PASS
NTNV	3DH5	Ant1	2441	2387~2400	2396.48	-46.46	≤-16	0.02259	≤25	PASS
NTHV	3DH5	Ant1	2441	2387~2400	2396.12	-46.39	≤-16	0.02296	≤25	PASS
NTLV	3DH5	Ant1	2441	2483.5~2496.5	2484.32	-45.88	≤-16	0.02582	≤25	PASS
NTNV	3DH5	Ant1	2441	2483.5~2496.5	2492.37	-46.06	≤-16	0.02477	≤25	PASS
NTHV	3DH5	Ant1	2441	2483.5~2496.5	2485.09	-45.84	≤-16	0.02606	≤25	PASS
NTLV	3DH5	Ant1	2441	2496.5~13000	4881.84	-35.75	≤-26	0.26607	≤2.5	PASS
NTNV	3DH5	Ant1	2441	2496.5~13000	4882.37	-35.90	≤-26	0.25704	≤2.5	PASS
NTHV	3DH5	Ant1	2441	2496.5~13000	4882.37	-36.17	≤-26	0.24155	≤2.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
 Tel: (86)0755-26066440 Email: service@anbotech.com






Hotline
 400-003-0500
www.anbotech.com




NTLV	3DH5	Ant1	2480	30~1000	222.55	-47.22	≤-26	0.01897	≤2.5	PASS
NTNV	3DH5	Ant1	2480	30~1000	208.48	-47.23	≤-26	0.01892	≤2.5	PASS
NTHV	3DH5	Ant1	2480	30~1000	183.02	-48.11	≤-26	0.01545	≤2.5	PASS
NTLV	3DH5	Ant1	2480	1000~2387	2356.49	-46.84	≤-26	0.02070	≤2.5	PASS
NTNV	3DH5	Ant1	2480	1000~2387	2255.24	-46.67	≤-26	0.02153	≤2.5	PASS
NTHV	3DH5	Ant1	2480	1000~2387	1914.73	-46.91	≤-26	0.02037	≤2.5	PASS
NTLV	3DH5	Ant1	2480	2387~2400	2392.27	-46.73	≤-16	0.02123	≤25	PASS
NTNV	3DH5	Ant1	2480	2387~2400	2394.56	-46.25	≤-16	0.02371	≤25	PASS
NTHV	3DH5	Ant1	2480	2387~2400	2398.33	-45.44	≤-16	0.02858	≤25	PASS
NTLV	3DH5	Ant1	2480	2483.5~2496.5	2483.51	-44.63	≤-16	0.03443	≤25	PASS
NTNV	3DH5	Ant1	2480	2483.5~2496.5	2486.99	-45.58	≤-16	0.02767	≤25	PASS
NTHV	3DH5	Ant1	2480	2483.5~2496.5	2483.51	-45.57	≤-16	0.02773	≤25	PASS
NTLV	3DH5	Ant1	2480	2496.5~13000	4960.10	-35.96	≤-26	0.25351	≤2.5	PASS
NTNV	3DH5	Ant1	2480	2496.5~13000	4960.10	-36.03	≤-26	0.24946	≤2.5	PASS
NTHV	3DH5	Ant1	2480	2496.5~13000	4960.10	-35.81	≤-26	0.26242	≤2.5	PASS


Test Graphs









NTLV-DH5-Ant1-2402-1000~2387-PASS






NTNV-DH5-Ant1-2402-1000~2387-PASS















NTHV-DH5-Ant1-2402-2483.5~2496.5-PASS




NTLV-DH5-Ant1-2402-2496.5~13000-PASS











NTHV-DH5-Ant1-2441-30~1000-PASS




NTLV-DH5-Ant1-2441-1000~2387-PASS







NTNV-DH5-Ant1-2441-1000~2387-PASS






NTHV-DH5-Ant1-2441-1000~2387-PASS













NTLV-DH5-Ant1-2441-2496.5~13000-PASS




NTNV-DH5-Ant1-2441-2496.5~13000-PASS






NTHV-DH5-Ant1-2441-2496.5~13000-PASS




NTLV-DH5-Ant1-2480-30~1000-PASS








NTNV-DH5-Ant1-2480-30~1000-PASS




NTHV-DH5-Ant1-2480-30~1000-PASS








NTHV-DH5-Ant1-2480-1000~2387-PASS




NTLV-DH5-Ant1-2480-2387~2400-PASS






NTLV-DH5-Ant1-2480-2483.5~2496.5-PASS




NTNV-DH5-Ant1-2480-2483.5~2496.5-PASS






NTHV-DH5-Ant1-2480-2483.5~2496.5-PASS




NTLV-DH5-Ant1-2480-2496.5~13000-PASS








NTNV-DH5-Ant1-2480-2496.5~13000-PASS




NTHV-DH5-Ant1-2480-2496.5~13000-PASS










NTHV-2DH5-Ant1-2402-30~1000-PASS





NTLV-2DH5-Ant1-2402-1000~2387-PASS




















NTHV-2DH5-Ant1-2402-2496.5~13000-PASS




NTLV-2DH5-Ant1-2441-30~1000-PASS







NTNV-2DH5-Ant1-2441-30~1000-PASS




NTHV-2DH5-Ant1-2441-30~1000-PASS











NTVN-2DH5-Ant1-2441-2387~2400-PASS




NTHV-2DH5-Ant1-2441-2387~2400-PASS








NTLV-2DH5-Ant1-2441-2483.5~2496.5-PASS






NTNV-2DH5-Ant1-2441-2483.5~2496.5-PASS















NTHV-2DH5-Ant1-2480-30~1000-PASS




NTLV-2DH5-Ant1-2480-1000~2387-PASS











NTHV-2DH5-Ant1-2480-2387~2400-PASS




NTLV-2DH5-Ant1-2480-2483.5~2496.5-PASS






NTNV-2DH5-Ant1-2480-2483.5~2496.5-PASS




NTHV-2DH5-Ant1-2480-2483.5~2496.5-PASS






NTLV-2DH5-Ant1-2480-2496.5~13000-PASS




NTNV-2DH5-Ant1-2480-2496.5~13000-PASS






NTHV-2DH5-Ant1-2480-2496.5~13000-PASS




NTLV-3DH5-Ant1-2402-30~1000-PASS








NTNV-3DH5-Ant1-2402-30~1000-PASS




NTHV-3DH5-Ant1-2402-30~1000-PASS











NTVN-3DH5-Ant1-2402-2387~2400-PASS




NTHV-3DH5-Ant1-2402-2387~2400-PASS







NTLV-3DH5-Ant1-2402-2483.5~2496.5-PASS




NTNV-3DH5-Ant1-2402-2483.5~2496.5-PASS








NTNV-3DH5-Ant1-2402-2496.5~13000-PASS




NTHV-3DH5-Ant1-2402-2496.5~13000-PASS






NTLV-3DH5-Ant1-2441-30~1000-PASS




NTNV-3DH5-Ant1-2441-30~1000-PASS









NTHV-3DH5-Ant1-2441-30~1000-PASS




NTLV-3DH5-Ant1-2441-1000~2387-PASS












NTHV-3DH5-Ant1-2441-2387~2400-PASS




NTLV-3DH5-Ant1-2441-2483.5~2496.5-PASS








NTLV-3DH5-Ant1-2441-2496.5~13000-PASS




NTNV-3DH5-Ant1-2441-2496.5~13000-PASS





NTHV-3DH5-Ant1-2441-2496.5~13000-PASS



NTLV-3DH5-Ant1-2480-30~1000-PASS



