

附件 7 (CCAH18LP3520T2 第七次增列)

本公司依申請者於109年02月04日販賣用電信管制射頻器材型式認證申請書，同意增列共165組天線 (Dipole Antenna:76、78、80、82，其餘皆為PIFA Antenna)，第七次同意增列日期: 109年02月07日，其廠牌/型號如下：

- (1) ICT / LA9RF206-CS-H (Main), LA9RF206-CS-H (Aux)
天線增益: 2400-2500MHz: 2.60dBi, 5150-5250MHz: -1.20dBi, 5250-5350MHz: -0.90dBi,
5470-5725 MHz: 2.50dBi, 5725-5850MHz: 2.90dBi
- (2) Yageo / ANTA0AQ13512WLAN3 (Main), ANTA0AQ13512WLAN3 (Aux)
天線增益: 2400-2500MHz: 0.29dBi, 5150-5250MHz: 1.00dBi, 5250-5350MHz: 1.00dBi,
5470-5725 MHz: 0.34dBi, 5725-5850MHz: 0.87dBi
- (3) WNC / 025.901MN.0011(81EABC15.G20) (Main), 025.901MN.0011(81EABC15.G20) (Aux)
天線增益: 2400-2500MHz: -1.24dBi, 5150-5250MHz: -2.80dBi, 5250-5350MHz: -2.71dBi,
5470-5725 MHz: 0.08dBi, 5725-5850MHz: 0.08dBi
- (4) WNC / 025.901MP.0011(81EABC15.G22) (Main), 025.901MP.0011(81EABC15.G22) (Aux)
天線增益: 2400-2500MHz: -0.40dBi, 5150-5250MHz: -2.16dBi, 5250-5350MHz: -1.89dBi,
5470-5725 MHz: -0.88dBi, 5725-5850MHz: 1.11dBi
- (5) Speed / 025.901MN.0001(F.0G.FS-6087-003-00) (Main), 025.901MN.0001(F.0G.FS-6087-003-00) (Aux)
天線增益: 2400-2500MHz: -0.69dBi, 5150-5250MHz: -1.39dBi, 5250-5350MHz: -0.44dBi,
5470-5725 MHz: 0.10dBi, 5725-5850MHz: -0.26dBi
- (6) speed / 025.901MP.0001(F.0G.FS-6089-003-00) (Main), 025.901MP.0001(F.0G.FS-6089-003-00) (Aux)
天線增益: 2400-2500MHz: -0.24dBi, 5150-5250MHz: -2.36dBi, 5250-5350MHz: -1.47dBi,
5470-5725 MHz: 0.49dBi, 5725-5850MHz: -0.11dBi
- (7) WNC / 81.EEW15.GMW (Main), 81.EEW15.GMX (Aux)
天線增益: 2400-2500MHz: -0.50dBi, 5150-5250MHz: 2.82dBi, 5250-5350MHz: 2.96dBi,
5470-5725 MHz: 2.15dBi, 5725-5850MHz: 1.30dBi
- (8) WNC / 81.EEW15.GN6 (Main), 81.EEW15.GN7 (Aux)
天線增益: 2400-2500MHz: 0.91dBi, 5150-5250MHz: 0.33dBi, 5250-5350MHz: 0.91dBi,
5470-5725 MHz: 2.03dBi, 5725-5850MHz: 1.94dBi
- (9) HTK / DQ60ACQD065 (0ACQD019071N) (Main), DQ60ACQD065 (0ACQD019071N) (Aux)
天線增益: 2400-2500MHz: 1.00dBi, 5150-5250MHz: 0.63dBi, 5250-5350MHz: 1.42dBi,
5470-5725 MHz: 2.73dBi, 5725-5850MHz: 2.81dBi
- (10) WNC / DQ6615G8700(81EAA615.G87) (Main), DQ6615G8700(81EAA615.G87) (Aux)
天線增益: 2400-2500MHz: -0.20dBi, 5150-5250MHz: 2.49dBi, 5250-5350MHz: 2.49dBi,
5470-5725 MHz: 1.28dBi, 5725-5850MHz: 0.64dBi
- (11) WNC / DQ6615G8600 (81EAA615.G86) (Main), DQ6615G8600 (81EAA615.G86) (Aux)
天線增益: 2400-2500MHz: -1.18dBi, 5150-5250MHz: -0.15dBi, 5250-5350MHz: -0.15dBi,
5470-5725 MHz: -1.13dBi, 5725-5850MHz: -0.80dBi
- (12) WNC / DQ6615G9300 (81EAA615.G93) (Main), DQ6615G9300 (81EAA615.G93) (Aux)
天線增益: 2400-2500MHz: -0.53dBi, 5150-5250MHz: -0.29dBi, 5250-5350MHz: -0.90dBi,
5470-5725 MHz: -0.82dBi, 5725-5850MHz: -0.99dBi

- (13) WNC / DQ6615G9500(81EAA615.G95) (Main), DQ6615G9500(81EAA615.G95) (Aux)
天線增益: 2400-2500MHz: -1.30dBi, 5150-5250MHz: -1.61dBi, 5250-5350MHz: -0.86dBi,
5470-5725 MHz: 0.15dBi, 5725-5850MHz: -0.75dBi
- (14) WNC / DQ6615G9600 (81EAA615.G96) (Main), DQ6615G9600 (81EAA615.G96) (Aux)
天線增益: 2400-2500MHz: -0.09dBi, 5150-5250MHz: 1.47dBi, 5250-5350MHz: 0.71dBi,
5470-5725 MHz: -0.23dBi, 5725-5850MHz: -0.12dBi
- (15) High-Tek Electronics Co., Ltd / DQ60ACQD070 (0ACQD019093N) (Main), DQ60ACQD070
(0ACQD019093N) (Aux)
天線增益: 2400-2500MHz: -0.57dBi, 5150-5250MHz: 2.42dBi, 5250-5350MHz: 2.42dBi,
5470-5725 MHz: 2.73dBi, 5725-5850MHz: 2.96dBi
- (16) High-Tek Electronics Co., Ltd / DQ60ACQD071(0ACQD019095N) (Main), DQ60ACQD071
(0ACQD019095N) (Aux)
天線增益: 2400-2500MHz: 0.04dBi, 5150-5250MHz: 2.42dBi, 5250-5350MHz: 2.85dBi,
5470-5725 MHz: 2.19dBi, 5725-5850MHz: 2.76dBi
- (17) Luxshare-ICT Corporation / L01RF123-DT-H (Main), L01RF116-DT-H (Aux)
天線增益: 2400-2500MHz: 2.80dBi, 5150-5250MHz: 3.00dBi, 5250-5350MHz: 3.00dBi,
5470-5725 MHz: 2.90dBi, 5725-5850MHz: 2.90dBi
- (18) Luxshare-ICT Corporation / L01RF066-DT-R (Main), L01RF117-DT-H (Aux)
天線增益: 2400-2500MHz: 1.60dBi, 5150-5250MHz: 3.00dBi, 5250-5350MHz: 3.00dBi,
5470-5725 MHz: 3.00dBi, 5725-5850MHz: 2.90dBi
- (19) Luxshare-ICT Corporation / L01RF031-DT-R + L01RF062-DT-R (Main), L01RF115-DT-H (Aux)
天線增益: 2400-2500MHz: 3.00dBi, 5150-5250MHz: 3.00dBi, 5250-5350MHz: 2.90dBi,
5470-5725 MHz: 2.90dBi, 5725-5850MHz: 2.90dBi
- (20) WNC / 025.901MD.0001(81EABC15.G26) (Main), 025.901MD.0001(81EABC15.G26) (Aux)
天線增益: 2400-2500MHz: -0.93dBi, 5150-5250MHz: -2.55dBi, 5250-5350MHz: -1.52dBi,
5470-5725 MHz: 0.89dBi, 5725-5850MHz: 0.53dBi
- (21) SPEED / 025.901MD.0011(F.0G.FS-6092-003-00) (Main), 025.901MD.0011(F.0G.FS-6092-003-00)
(Aux)
天線增益: 2400-2500MHz: -0.19dBi, 5150-5250MHz: 2.54dBi, 5250-5350MHz: 2.43dBi,
5470-5725 MHz: 1.63dBi, 5725-5850MHz: 1.28dBi
- (22) AWAN / AYP6Y-100081_Tx1 (Main), AYP6Y-100013_Tx2 (Aux)
天線增益: 2400-2500MHz: 0.90dBi, 5150-5250MHz: 1.32dBi, 5250-5350MHz: 1.67dBi,
5470-5725 MHz: 1.42dBi, 5725-5850MHz: 1.48dBi
- (23) AWAN / AYP6Y-100081_Tx1 (Main), AYP6Y-100015_Tx4 (Aux)
天線增益: 2400-2500MHz: 0.17dBi, 5150-5250MHz: 0.76dBi, 5250-5350MHz: 1.34dBi,
5470-5725 MHz: 1.37dBi, 5725-5850MHz: 1.48dBi
- (24) AWAN / AYP6Y-100082_Tx3 (Main), AYP6Y-100013_Tx2 (Aux)
天線增益: 2400-2500MHz: 0.90dBi, 5150-5250MHz: 1.39dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.57dBi, 5725-5850MHz: 0.25dBi
- (25) AWAN / AYP6Y-100082_Tx3 (Main), AYP6Y-100015_Tx4 (Aux)
天線增益: 2400-2500MHz: 0.39dBi, 5150-5250MHz: 1.39dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.57dBi, 5725-5850MHz: 0.36dBi

- (26) AWAN / AYP6Y-100112_Tx1 (Main), AYP6Y-100013_Tx2 (Aux)
天線增益: 2400-2500MHz: 0.90dBi, 5150-5250MHz: 1.32dBi, 5250-5350MHz: 1.67dBi,
5470-5725 MHz: 2.04dBi, 5725-5850MHz: 1.11dBi
- (27) AWAN / AYP6Y-100112_Tx1 (Main), AYP6Y-100015_Tx4 (Aux)
天線增益: 2400-2500MHz: 0.17dBi, 5150-5250MHz: 0.65dBi, 5250-5350MHz: 1.17dBi,
5470-5725 MHz: 2.04dBi, 5725-5850MHz: 1.11dBi
- (28) AWAN / AYP6Y-100082_Tx3 (Main), AYP6Y-100013_Tx2 (Aux)
天線增益: 2400-2500MHz: 0.90dBi, 5150-5250MHz: 1.39dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.57dBi, 5725-5850MHz: 0.25dBi
- (29) AWAN / AYP6Y-100082_Tx3 (Main), AYP6Y-100015_Tx4 (Aux)
天線增益: 2400-2500MHz: 0.39dBi, 5150-5250MHz: 1.39dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.57dBi, 5725-5850MHz: 0.36dBi
- (30) AWAN / AYP6Y-100014_Tx2 (Main), AYP6Y-100025_Tx1 (Aux)
天線增益: 2400-2500MHz: 0.90dBi, 5150-5250MHz: 1.39dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.57dBi, 5725-5850MHz: 0.25dBi
- (31) INPAQ / WA-P-LB-02-728_Tx1 (Main), WA-P-LB-01-221_Tx2 (Aux)
天線增益: 2400-2500MHz: 0.63dBi, 5150-5250MHz: 1.31dBi, 5250-5350MHz: 1.68dBi,
5470-5725 MHz: 1.13dBi, 5725-5850MHz: 0.49dBi
- (32) INPAQ / WA-P-LB-02-728_Tx1 (Main), WA-P-LB-05-003_Tx4 (Aux)
天線增益: 2400-2500MHz: -0.57dBi, 5150-5250MHz: 0.61dBi, 5250-5350MHz: 1.09dBi,
5470-5725 MHz: 0.79dBi, 5725-5850MHz: 0.49dBi
- (33) INPAQ / WA-P-LB-03-146_Tx3 (Main), WA-P-LB-01-221_Tx2 (Aux)
天線增益: 2400-2500MHz: 1.85dBi, 5150-5250MHz: 1.38dBi, 5250-5350MHz: 2.47dBi,
5470-5725 MHz: 1.22dBi, 5725-5850MHz: -0.44dBi
- (34) INPAQ / WA-P-LB-03-146_Tx3 (Main), WA-P-LB-05-003_Tx4 (Aux)
天線增益: 2400-2500MHz: 1.85dBi, 5150-5250MHz: 1.38dBi, 5250-5350MHz: 2.47dBi,
5470-5725 MHz: 1.22dBi, 5725-5850MHz: 0.24dBi
- (35) INPAQ / WA-P-LB-03-122_Tx2 (Main), WA-P-LB-01-226_Tx1 (Aux)
天線增益: 2400-2500MHz: 1.85dBi, 5150-5250MHz: 1.38dBi, 5250-5350MHz: 2.47dBi,
5470-5725 MHz: 1.22dBi, 5725-5850MHz: -0.44dBi
- (36) INPAQ / WA-P-LB-02-700_Tx1 (Main), WA-P-LB-01-221_Tx2 (Aux)
天線增益: 2400-2500MHz: 0.63dBi, 5150-5250MHz: 1.31dBi, 5250-5350MHz: 1.68dBi,
5470-5725 MHz: 2.17dBi, 5725-5850MHz: 1.12dBi
- (37) INPAQ / WA-P-LB-02-700_Tx1 (Main), WA-P-LB-05-003_Tx4 (Aux)
天線增益: 2400-2500MHz: -0.57dBi, 5150-5250MHz: 0.23dBi, 5250-5350MHz: 1.12dBi,
5470-5725 MHz: 2.17dBi, 5725-5850MHz: 1.12dBi
- (38) INPAQ / WA-P-LB-03-146_Tx3 (Main), WA-P-LB-01-221_Tx2 (Aux)
天線增益: 2400-2500MHz: 1.85dBi, 5150-5250MHz: 1.38dBi, 5250-5350MHz: 2.47dBi,
5470-5725 MHz: 1.22dBi, 5725-5850MHz: -0.44dBi
- (39) INPAQ / WA-P-LB-03-146_Tx3 (Main), WA-P-LB-05-003_Tx4 (Aux)
天線增益: 2400-2500MHz: 1.85dBi, 5150-5250MHz: 1.38dBi, 5250-5350MHz: 2.47dBi,
5470-5725 MHz: 1.22dBi, 5725-5850MHz: 0.24dBi

- (40) AWAN / AYP6Y-100024_Tx1 (Main), AYP6Y-100025_Tx2 (Aux)
天線增益: 2400-2500MHz: 2.12dBi, 5150-5250MHz: 1.43dBi, 5250-5350MHz: 2.22dBi,
5470-5725 MHz: 1.37dBi, 5725-5850MHz: 1.13dBi
- (41) AWAN / AYP6Y-100024_Tx1 (Main), AYP6Y-100011_Tx4 (Aux)
天線增益: 2400-2500MHz: 2.12dBi, 5150-5250MHz: 1.43dBi, 5250-5350MHz: 1.72dBi,
5470-5725 MHz: 0.94dBi, 5725-5850MHz: 1.13dBi
- (42) AWAN / AYP6Y-100010_Tx3 (Main), AYP6Y-100025_Tx2 (Aux)
天線增益: 2400-2500MHz: 1.75dBi, 5150-5250MHz: 1.70dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.98dBi, 5725-5850MHz: 0.30dBi
- (43) AWAN / AYP6Y-100010_Tx3 (Main), AYP6Y-100011_Tx4 (Aux)
天線增益: 2400-2500MHz: -0.54dBi, 5150-5250MHz: 1.72dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.98dBi, 5725-5850MHz: 0.30dBi
- (44) AWAN / AYP6Y-100010_Tx2 (Main), AYP6Y-100025_Tx1 (Aux)
天線增益: 2400-2500MHz: 1.75dBi, 5150-5250MHz: 1.70dBi, 5250-5350MHz: 2.58dBi,
5470-5725 MHz: 1.98dBi, 5725-5850MHz: 0.30dBi
- (45) INPAQ / WA-P-LB-02-648_Tx1 (Main), WA-P-LB-01-226_Tx2 (Aux)
天線增益: 2400-2500MHz: 1.61dBi, 5150-5250MHz: 2.64dBi, 5250-5350MHz: 3.06dBi,
5470-5725 MHz: 1.89dBi, 5725-5850MHz: 2.53dBi
- (46) INPAQ / WA-P-LB-02-648_Tx1 (Main), WA-P-LB-05-006_Tx4 (Aux)
天線增益: 2400-2500MHz: 1.61dBi, 5150-5250MHz: 2.64dBi, 5250-5350MHz: 1.70dBi,
5470-5725 MHz: 1.16dBi, 5725-5850MHz: 0.06dBi
- (47) INPAQ / WA-P-LB-03-125_Tx3 (Main), WA-P-LB-01-226_Tx2 (Aux)
天線增益: 2400-2500MHz: 1.50dBi, 5150-5250MHz: 1.93dBi, 5250-5350MHz: 3.06dBi,
5470-5725 MHz: 1.89dBi, 5725-5850MHz: 2.53dBi
- (48) INPAQ / WA-P-LB-03-125_Tx3 (Main), WA-P-LB-05-006_Tx4 (Aux)
天線增益: 2400-2500MHz: 0.28dBi, 5150-5250MHz: 1.56dBi, 5250-5350MHz: 2.42dBi,
5470-5725 MHz: 1.56dBi, 5725-5850MHz: 0.40dBi
- (49) INPAQ / WA-P-LB-03-125_Tx2 (Main), WA-P-LB-01-226_Tx1 (Aux)
天線增益: 2400-2500MHz: 1.50dBi, 5150-5250MHz: 1.93dBi, 5250-5350MHz: 3.06dBi,
5470-5725 MHz: 1.89dBi, 5725-5850MHz: 2.53dBi
- (50) ACON / ANP6Y-100283 (Main), ANL6Y-100000 (Aux)
天線增益: 2400-2500MHz: 2.49dBi, 5150-5250MHz: 1.73dBi, 5250-5350MHz: 2.56dBi,
5470-5725 MHz: 2.63dBi, 5725-5850MHz: 1.95dBi
- (51) YAGEO / ANTA0AA13001WLAN1 (Main), ANTA0AA13001WLAN2 (Aux)
天線增益: 2400-2500MHz: 2.42dBi, 5150-5250MHz: 0.47dBi, 5250-5350MHz: 0.47dBi,
5470-5725 MHz: 1.12dBi, 5725-5850MHz: 0.50dBi
- (52) AWAN / ANP6Y-100294 (Main), ANP6Y-100295 (Aux)
天線增益: 2400-2500MHz: -0.47dBi, 5150-5250MHz: 2.59dBi, 5250-5350MHz: 2.57dBi,
5470-5725 MHz: 1.85dBi, 5725-5850MHz: 0.97dBi
- (53) LUXSHARE-ICT / LA9RF146-CS-H (Main), LA9RF147-CS-H (Aux)
天線增益: 2400-2500MHz: 1.30dBi, 5150-5250MHz: 2.75dBi, 5250-5350MHz: 2.67dBi,
5470-5725 MHz: 1.94dBi, 5725-5850MHz: 1.25dBi

- (54) AWAN / AYP6Y-200002 (Main), AYP6Y-200002 (Aux)
天線增益: 2400-2500MHz: 0.85dBi, 5150-5250MHz: -0.16dBi, 5250-5350MHz: -0.12dBi,
5470-5725 MHz: 0.36dBi, 5725-5850MHz: 0.36dBi
- (55) LUXSHARE-ICT / LA9RF236-CS-H (Main), LA9RF236-CS-H (Aux)
天線增益: 2400-2500MHz: -1.00dBi, 5150-5250MHz: -3.00dBi, 5250-5350MHz: -3.20dBi,
5470-5725 MHz: -4.10dBi, 5725-5850MHz: -3.30dBi
- (56) WNC / 025.901MV.0011 (Main), 025.901MU.0011 (Aux)
天線增益: 2400-2500MHz: -1.65dBi, 5150-5250MHz: 2.47dBi, 5250-5350MHz: 2.47dBi,
5470-5725 MHz: 1.72dBi, 5725-5850MHz: 0.80dBi
- (57) HongBo / 260-29053(025.901MV.0001) (Main), 260-29052(025.901MU.0001) (Aux)
天線增益: 2400-2500MHz: 0.06dBi, 5150-5250MHz: -0.02dBi, 5250-5350MHz: -0.02dBi,
5470-5725 MHz: -0.42dBi, 5725-5850MHz: -0.60dBi
- (58) INPAQ / WA-P-LBLB-04-073 (Main), WA-P-LBLB-04-073 (Aux)
天線增益: 2400-2500MHz: 2.00dBi, 5150-5250MHz: 0.85dBi, 5250-5350MHz: 1.07dBi,
5470-5725 MHz: 2.95dBi, 5725-5850MHz: 2.97dBi
- (59) INPAQ / WA-P-LBLB-04-072 (Main), WA-P-LBLB-04-072 (Aux)
天線增益: 2400-2500MHz: 1.59dBi, 5150-5250MHz: 1.96dBi, 5250-5350MHz: 2.90dBi,
5470-5725 MHz: 2.91dBi, 5725-5850MHz: 2.91dBi
- (60) AWAN / AUP6Y-200005 (Main), AUP6Y-200005 (Aux)
天線增益: 2400-2500MHz: 2.54dBi, 5150-5250MHz: 1.37dBi, 5250-5350MHz: 1.41dBi,
5470-5725 MHz: 2.00dBi, 5725-5850MHz: 2.22dBi
- (61) AWAN / AUP6Y-200006 (Main), AUP6Y-200006 (Aux)
天線增益: 2400-2500MHz: 1.45dBi, 5150-5250MHz: 1.50dBi, 5250-5350MHz: 1.23dBi,
5470-5725 MHz: 1.89dBi, 5725-5850MHz: 1.54dBi
- (62) WNC / 025.901J6.0001(81EAA915.G22) (Main), 025.901J6.0001(81EAA915.G22) (Aux)
天線增益: 2400-2500MHz: 1.94dBi, 5150-5250MHz: -0.87dBi, 5250-5350MHz: -1.29dBi,
5470-5725 MHz: -0.95dBi, 5725-5850MHz: -0.47dBi
- (63) SPEED / 025.901J6.0011 (Main), 025.901J6.0011 (Aux)
天線增益: 2400-2500MHz: 0.34dBi, 5150-5250MHz: -0.53dBi, 5250-5350MHz: -0.53dBi,
5470-5725 MHz: 0.06dBi, 5725-5850MHz: 0.06dBi
- (64) WNC / 025.901MR.0011 (Main), 025.901MR.0011 (Aux)
天線增益: 2400-2500MHz: 0.40dBi, 5150-5250MHz: 1.53dBi, 5250-5350MHz: 2.53dBi,
5470-5725 MHz: 2.77dBi, 5725-5850MHz: 0.56dBi
- (65) HongBO / 025.901MR.0001 (Main), 025.901MR.0001 (Aux)
天線增益: 2400-2500MHz: -0.99dBi, 5150-5250MHz: 0.38dBi, 5250-5350MHz: 0.98dBi,
5470-5725 MHz: 3.10dBi, 5725-5850MHz: 1.59dBi
- (66) WNC / 025.901MT.0011 (Main), 025.901MT.0011 (Aux)
天線增益: 2400-2500MHz: -0.11dBi, 5150-5250MHz: 0.72dBi, 5250-5350MHz: 0.72dBi,
5470-5725 MHz: -1.39dBi, 5725-5850MHz: -1.49dBi
- (67) HongBO / 025.901MT.0001 (Main), 025.901MT.0001 (Aux)
天線增益: 2400-2500MHz: -2.62dBi, 5150-5250MHz: -0.47dBi, 5250-5350MHz: -0.47dBi,
5470-5725 MHz: -1.63dBi, 5725-5850MHz: -1.59dBi

- (68) WNC / 025.901MS.0011 (Main), 025.901MS.0011 (Aux)
天線增益: 2400-2500MHz: 1.94dBi, 5150-5250MHz: 2.29dBi, 5250-5350MHz: 2.61dBi,
5470-5725 MHz: 2.46dBi, 5725-5850MHz: 2.57dBi
- (69) HongBO / 025.901MS.0001 (Main), 025.901MS.0001 (Aux)
天線增益: 2400-2500MHz: 1.03dBi, 5150-5250MHz: -0.22dBi, 5250-5350MHz: -0.71dBi,
5470-5725 MHz: 1.52dBi, 5725-5850MHz: 2.22dBi
- (70) AWAN / ANPMY-200004 (DC33002780L) (Main), ANPMY-200004 (DC33002780L) (Aux)
天線增益: 2400-2500MHz: 1.56dBi, 5150-5250MHz: 0.09dBi, 5250-5350MHz: 1.01dBi,
5470-5725 MHz: 0.50dBi, 5725-5850MHz: 0.04dBi
- (71) WNC / 81EAA815.G22 (DC33002790L) (Main), 81EAA815.G22 (DC33002790L) (Aux)
天線增益: 2400-2500MHz: 1.55dBi, 5150-5250MHz: -0.18dBi, 5250-5350MHz: -1.01dBi,
5470-5725 MHz: -2.21dBi, 5725-5850MHz: -1.25dBi
- (72) HONGBO / 290-30627 (Main), 290-30627 (Aux)
天線增益: 2400-2500MHz: 0.68dBi, 5150-5250MHz: 1.59dBi, 5250-5350MHz: 1.21dBi,
5470-5725 MHz: 0.20dBi, 5725-5850MHz: 0.20dBi
- (73) AWAN / AAP6Y-200008 (Main), AAP6Y-200008 (Aux)
天線增益: 2400-2500MHz: 1.81dBi, 5150-5250MHz: -1.13dBi, 5250-5350MHz: -0.88dBi,
5470-5725 MHz: 0.43dBi, 5725-5850MHz: 1.60dBi
- (74) HONGBO / 290-30628 (Main), 290-30628 (Aux)
天線增益: 2400-2500MHz: 2.15dBi, 5150-5250MHz: 3.62dBi, 5250-5350MHz: 3.60dBi,
5470-5725 MHz: 3.38dBi, 5725-5850MHz: 1.28dBi
- (75) AWAN / AAP6Y-200009 (Main), AAP6Y-200009 (Aux)
天線增益: 2400-2500MHz: 1.42dBi, 5150-5250MHz: 1.87dBi, 5250-5350MHz: 1.93dBi,
5470-5725 MHz: 2.81dBi, 5725-5850MHz: 0.42dBi
- (76) HONGBO / 290-31013 (Main)
天線增益: 2400-2500MHz: 2.29dBi, 5150-5250MHz: 1.41dBi, 5250-5350MHz: 1.07dBi,
5470-5725 MHz: 0.51dBi, 5725-5850MHz: 0.62dBi
- (77) HONGBO / 290-31013 (Aux)
天線增益: 2400-2500MHz: -1.92dBi, 5150-5250MHz: 0.19dBi, 5250-5350MHz: -1.03dBi,
5470-5725 MHz: -1.15dBi, 5725-5850MHz: 0.12dBi
- (78) WNC / 81EABF15.G09 (Main)
天線增益: 2400-2500MHz: 1.60dBi, 5150-5250MHz: 1.60dBi, 5250-5350MHz: 1.72dBi,
5470-5725 MHz: 1.63dBi, 5725-5850MHz: 0.78dBi
- (79) WNC / 81EABF15.G09 (Aux)
天線增益: 2400-2500MHz: -1.92dBi, 5150-5250MHz: 0.19dBi, 5250-5350MHz: -1.03dBi,
5470-5725 MHz: -1.15dBi, 5725-5850MHz: 0.12dBi
- (80) HONGBO / 290-31014 (Main)
天線增益: 2400-2500MHz: 2.88dBi, 5150-5250MHz: 1.25dBi, 5250-5350MHz: 1.93dBi,
5470-5725 MHz: 1.79dBi, 5725-5850MHz: 1.80dBi
- (81) HONGBO / 290-31014 (Aux)
天線增益: 2400-2500MHz: -1.92dBi, 5150-5250MHz: 0.19dBi, 5250-5350MHz: -1.03dBi,
5470-5725 MHz: -1.15dBi, 5725-5850MHz: 0.12dBi

(82) WNC / 81EABF15.G08 (Main)

天線增益: 2400-2500MHz: 1.79dBi, 5150-5250MHz: 1.09dBi, 5250-5350MHz: 1.20dBi,
5470-5725 MHz: 1.10dBi, 5725-5850MHz: 0.82dBi

(83) WNC / 81EABF15.G08 (Aux)

天線增益: 2400-2500MHz: -1.92dBi, 5150-5250MHz: 0.19dBi, 5250-5350MHz: -1.03dBi,
5470-5725 MHz: -1.15dBi, 5725-5850MHz: 0.12dBi

(84) WNC / 81EAA915.G34 (Main), 81EAA915.G34 (Aux)

天線增益: 2400-2500MHz: 1.40dBi, 5150-5250MHz: -0.15dBi, 5250-5350MHz: -0.47dBi,
5470-5725 MHz: -0.54dBi, 5725-5850MHz: -0.68dBi

(85) TE Connectivity / 2195770-1 (Main), 2195770-1 (Aux)

天線增益: 2400-2500MHz: -0.86dBi, 5150-5250MHz: -2.37dBi, 5250-5350MHz: -2.32dBi,
5470-5725 MHz: -2.21dBi, 5725-5850MHz: -2.21dBi

(86) HONGBO / 290-30977 (Main), 290-30977 (Aux)

天線增益: 2400-2500MHz: 0.18dBi, 5150-5250MHz: -0.52dBi, 5250-5350MHz: -0.62dBi,
5470-5725 MHz: -1.12dBi, 5725-5850MHz: -0.20dBi

(87) AWAN / AYM6Y-200002 (Main), AYM6Y-200002 (Aux)

天線增益: 2400-2500MHz: 0.17dBi, 5150-5250MHz: -2.25dBi, 5250-5350MHz: -1.43dBi,
5470-5725 MHz: -1.09dBi, 5725-5850MHz: -0.56dBi

(88) TE Connectivity / 2195770-1 (Main), 2195770-1 (Aux)

天線增益: 2400-2500MHz: 0.87dBi, 5150-5250MHz: -0.48dBi, 5250-5350MHz: -0.48dBi,
5470-5725 MHz: -0.57dBi, 5725-5850MHz: -1.38dBi

(89) WNC / 81EAA915.G34 (Main), 81EAA915.G34 (Aux)

天線增益: 2400-2500MHz: 1.40dBi, 5150-5250MHz: -0.15dBi, 5250-5350MHz: -0.47dBi,
5470-5725 MHz: -0.54dBi, 5725-5850MHz: -0.68dBi

(90) Hong-Bo / Antenna P/N: 260-29050 Wistron P/N: 025.901my.0011 (Main), Antenna P/N: 260-29051 Wistron P/N:025.901N7.0011 (Aux)

天線增益: 2400-2500MHz: -0.01dBi, 5150-5250MHz: 2.15dBi, 5250-5350MHz: 2.86dBi,
5470-5725 MHz: 2.18dBi, 5725-5850MHz: 1.11dBi

(91) Hong-Bo / Antenna P/N: 260-29050 Wistron P/N: 025.901my.0011 (Main), Antenna P/N: 260-29051 Wistron P/N:025.901N7.0011 (Aux)

天線增益: 2400-2500MHz: 1.81dBi, 5150-5250MHz: 2.63dBi, 5250-5350MHz: 3.47dBi,
5470-5725 MHz: 2.11dBi, 5725-5850MHz: 0.96dBi

(92) Hong-Bo / Antenna P/N: 260-27414 Wistron P/N: 025.901NB.0001 (Main), Antenna P/N: 260-27414 Wistron P/N: 025.901NB.0001 (Aux)

天線增益: 2400-2500MHz: 0.44dBi, 5150-5250MHz: 1.30dBi, 5250-5350MHz: 1.30dBi,
5470-5725 MHz: 0.09dBi, 5725-5850MHz: 0.30dBi

(93) Hong-Bo / Antenna P/N:260-27408 Wistron P/N:025.901ND.0001 (Main), Antenna P/N:260-27409 Wistron P/N:025.901NE.0001 (Aux)

天線增益: 2400-2500MHz: 1.10dBi, 5150-5250MHz: 0.57dBi, 5250-5350MHz: 1.07dBi,
5470-5725 MHz: 1.36dBi, 5725-5850MHz: 1.36dBi

(94) Hong-Bo / Wistron P/N025.901NH.0011 Hong-Bo P/N260-29056 (Main), Wistron P/N025.901N I.0011 Hong-Bo P/N260-29057 (Aux)

天線增益: 2400-2500MHz: -0.66dBi, 5150-5250MHz: 2.67dBi, 5250-5350MHz: 2.04dBi,
5470-5725 MHz: 2.03dBi, 5725-5850MHz: 1.76dBi

- (95) Hong-Bo / Antenna P/N: 260-27406 Wistron P/N: 025.901NF.0001 (Main), Antenna P/N: 260-27407 Wistron P/N: 025.901NG.0001 (Aux)
天線增益: 2400-2500MHz: 1.55dBi, 5150-5250MHz: 2.79dBi, 5250-5350MHz: 3.23dBi, 5470-5725 MHz: 3.18dBi, 5725-5850MHz: 3.18dBi
- (96) WNC / 025.901MY.0001 (Main), 025.901N7.0001 (Aux)
天線增益: 2400-2500MHz: -0.36dBi, 5150-5250MHz: 2.64dBi, 5250-5350MHz: 2.66dBi, 5470-5725 MHz: 2.85dBi, 5725-5850MHz: 2.85dBi
- (97) WNC / 025.901MY.0001 (Main), 025.901N7.0001 (Aux)
天線增益: 2400-2500MHz: -0.40dBi, 5150-5250MHz: 2.61dBi, 5250-5350MHz: 2.61dBi, 5470-5725 MHz: 2.84dBi, 5725-5850MHz: 2.84dBi
- (98) WNC / 025.901NB.0011 (Main), 025.901NC.0011 (Aux)
天線增益: 2400-2500MHz: -2.39dBi, 5150-5250MHz: 2.36dBi, 5250-5350MHz: 2.36dBi, 5470-5725 MHz: 2.18dBi, 5725-5850MHz: 2.38dBi
- (99) WNC / 025.901ND.0011 (Main), 025.901NE.0011 (Aux)
天線增益: 2400-2500MHz: -1.37dBi, 5150-5250MHz: 1.68dBi, 5250-5350MHz: 1.71dBi, 5470-5725 MHz: 2.14dBi, 5725-5850MHz: 2.14dBi
- (100) WNC / 025.901NH.0001 (Main), 025.901NI.0001 (Aux)
天線增益: 2400-2500MHz: -1.58dBi, 5150-5250MHz: 2.45dBi, 5250-5350MHz: 2.72dBi, 5470-5725 MHz: 2.91dBi, 5725-5850MHz: 2.94dBi
- (101) WNC / 025.901NF.0011 (Main), 025.901NG.0011 (Aux)
天線增益: 2400-2500MHz: 0.28dBi, 5150-5250MHz: 2.91dBi, 5250-5350MHz: 2.89dBi, 5470-5725 MHz: 2.79dBi, 5725-5850MHz: 2.89dBi
- (102) WNC / 6036B0265501 (81EABB15.GAE) (Main), 6036B0265201 (81EABB15.GAD) (Aux)
天線增益: 2400-2500MHz: -0.44dBi, 5150-5250MHz: 1.74dBi, 5250-5350MHz: 1.19dBi, 5470-5725 MHz: 2.40dBi, 5725-5850MHz: 2.48dBi
- (103) Acon / 6036B0212301(ANP6Y-100219) (Main), 6036B0212401(ANP6Y-100220) (Aux)
天線增益: 2400-2500MHz: 1.03dBi, 5150-5250MHz: -0.54dBi, 5250-5350MHz: -0.54dBi, 5470-5725 MHz: -0.97dBi, 5725-5850MHz: -0.75dBi
- (104) WNC / 6036B0212101(57EAA415.GEH) (Main), 6036B0212201 (57EAA415.GEJ) (Aux)
天線增益: 2400-2500MHz: 1.76dBi, 5150-5250MHz: -1.09dBi, 5250-5350MHz: -1.01dBi, 5470-5725 MHz: 0.47dBi, 5725-5850MHz: -0.72dBi
- (105) YAGEO / 6036B0212701(ANTA0HV12461WLAN3) (Main), 6036B0212801 (ANTA0HV12461WLAN4) (Aux)
天線增益: 2400-2500MHz: 1.44dBi, 5150-5250MHz: -3.56dBi, 5250-5350MHz: -3.63dBi, 5470-5725 MHz: -1.71dBi, 5725-5850MHz: -1.64dBi
- (106) Acon / 6036B0213401(ANP6Y-100221) (Main), 6036B0213301(ANP6Y-100222) (Aux)
天線增益: 2400-2500MHz: -0.14dBi, 5150-5250MHz: -2.01dBi, 5250-5350MHz: -1.57dBi, 5470-5725 MHz: -0.33dBi, 5725-5850MHz: 1.68dBi
- (107) WNC / 6036B0213601 (81EAA415.GEK) (Main), 6036B0213501 (81EAA415.GEL) (Aux)
天線增益: 2400-2500MHz: 0.06dBi, 5150-5250MHz: -0.87dBi, 5250-5350MHz: -0.87dBi, 5470-5725 MHz: -0.79dBi, 5725-5850MHz: -1.03dBi

- (108) YAGEO / 6036B0213001(ANTA0HV12461WLAN1) (Main), 6036B0212901 (ANTA0HV12461WLAN2) (Aux)
天線增益: 2400-2500MHz: -0.34dBi, 5150-5250MHz: -1.92dBi, 5250-5350MHz: -1.81dBi, 5470-5725 MHz: -2.05dBi, 5725-5850MHz: -1.87dBi
- (109) Acon / 6036B0214201(ANP6Y-100223) (Main), 6036B0214101(ANP6Y-100224) (Aux)
天線增益: 2400-2500MHz: -0.71dBi, 5150-5250MHz: -0.46dBi, 5250-5350MHz: -0.46dBi, 5470-5725 MHz: 1.22dBi, 5725-5850MHz: -0.77dBi
- (110) WNC / 6036B0214401 (81EAA415.GEF) (Main), 6036B0214301 (81EAA415.GEG) (Aux)
天線增益: 2400-2500MHz: -0.09dBi, 5150-5250MHz: -0.66dBi, 5250-5350MHz: -0.66dBi, 5470-5725 MHz: -0.41dBi, 5725-5850MHz: -0.10dBi
- (111) YAGEO / 6036B0213801 (ANTA0HV12461WLAN5) (Main), 6036B0213701(ANTA0HV12461WLAN6) (Aux)
天線增益: 2400-2500MHz: -0.72dBi, 5150-5250MHz: -2.52dBi, 5250-5350MHz: -1.98dBi, 5470-5725 MHz: -0.78dBi, 5725-5850MHz: -1.56dBi
- (112) WNC / DQ6415GEP00 (Main), DQ6415GEP00 (Aux)
天線增益: 2400-2500MHz: 2.41dBi, 5150-5250MHz: 1.02dBi, 5250-5350MHz: 1.17dBi, 5470-5725 MHz: 0.64dBi, 5725-5850MHz: -1.62dBi
- (113) HTK / DQ60ACQD007(0ACQD017011N) (Main), DQ60ACQD007(0ACQD017011N) (Aux)
天線增益: 2400-2500MHz: 0.65dBi, 5150-5250MHz: 1.17dBi, 5250-5350MHz: 0.82dBi, 5470-5725 MHz: -0.31dBi, 5725-5850MHz: -0.59dBi
- (114) WNC / DC33002DO0081EAA415.GJK (Main), DC33002DO1081EAA415.GJL (Aux)
天線增益: 2400-2500MHz: 0.75dBi, 5150-5250MHz: 1.35dBi, 5250-5350MHz: 1.92dBi, 5470-5725 MHz: 1.94dBi, 5725-5850MHz: 1.68dBi
- (115) WNC / DC33002DH0081EAA415.GJM (Main), DC33002DH1081EAA415.GJN (Aux)
天線增益: 2400-2500MHz: 0.91dBi, 5150-5250MHz: -0.33dBi, 5250-5350MHz: -0.86dBi, 5470-5725 MHz: 0.68dBi, 5725-5850MHz: -0.22dBi
- (116) HIGHTEK / 0ACAR019007N025.901M7.0001 (Main), 0ACAR019008N025.901M7.0011 (Aux)
天線增益: 2400-2500MHz: 1.96dBi, 5150-5250MHz: 2.85dBi, 5250-5350MHz: 2.43dBi, 5470-5725 MHz: 2.93dBi, 5725-5850MHz: 2.93dBi
- (117) WNC / 025.901M8.0011(81EAA415.GKE) (Main), 025.901M8.0001(81EAA415.GKD) (Aux)
天線增益: 2400-2500MHz: 0.03dBi, 5150-5250MHz: 2.20dBi, 5250-5350MHz: 1.65dBi, 5470-5725 MHz: 1.15dBi, 5725-5850MHz: 2.38dBi
- (118) HIGHTEK / 0ACAR018001N025.901DI.0001 (Main), 0ACAR018002N025.901DJ.0001 (Aux)
天線增益: 2400-2500MHz: 2.43dBi, 5150-5250MHz: 1.82dBi, 5250-5350MHz: 1.33dBi, 5470-5725 MHz: 2.46dBi, 5725-5850MHz: 2.53dBi
- (119) WNC / 025.901DP.0001 (Main), 025.901DQ.0001 (Aux)
天線增益: 2400-2500MHz: 1.04dBi, 5150-5250MHz: 2.48dBi, 5250-5350MHz: 2.46dBi, 5470-5725 MHz: 2.14dBi, 5725-5850MHz: 2.37dBi
- (120) AWAN / 6036B0263601 (AUP5Y-100000) (Main), 6036B0263401 (AUP5Y-100001) (Aux)
天線增益: 2400-2500MHz: 1.80dBi, 5150-5250MHz: 1.34dBi, 5250-5350MHz: -0.64dBi, 5470-5725 MHz: 2.86dBi, 5725-5850MHz: -0.56dBi

- (121) AWAN / 6036B0263601 (AUP5Y-100000) (Main), 6036B0263401 (AUP5Y-100001) (Aux)
天線增益: 2400-2500MHz: -1.47dBi, 5150-5250MHz: -0.01dBi, 5250-5350MHz: -2.75dBi,
5470-5725 MHz: -1.44dBi, 5725-5850MHz: -0.76dBi
- (122) INPAQ / 6036B0263501(WA-P-LB-02-733) (Main), 6036B0263701(WA-P-LB-02-734) (Aux)
天線增益: 2400-2500MHz: 0.68dBi, 5150-5250MHz: -0.23dBi, 5250-5350MHz: 0.29dBi,
5470-5725 MHz: -0.47dBi, 5725-5850MHz: -0.56dBi
- (123) INPAQ / 6036B0263501(WA-P-LB-02-733) (Main), 6036B0263701(WA-P-LB-02-734) (Aux)
天線增益: 2400-2500MHz: -1.71dBi, 5150-5250MHz: -2.51dBi, 5250-5350MHz: -1.07dBi,
5470-5725 MHz: -1.62dBi, 5725-5850MHz: -1.62dBi
- (124) AWAN / 025.901K5.0011 (Main), 025.901K5.0011 (Aux)
天線增益: 2400-2500MHz: 0.46dBi, 5150-5250MHz: -0.11dBi, 5250-5350MHz: 0.20dBi,
5470-5725 MHz: 1.03dBi, 5725-5850MHz: 1.59dBi
- (125) ICT / 025.901K5.0001 (Main), 025.901K5.0001 (Aux)
天線增益: 2400-2500MHz: -5.20dBi, 5150-5250MHz: -1.30dBi, 5250-5350MHz: 0.10dBi,
5470-5725 MHz: 1.50dBi, 5725-5850MHz: 1.90dBi
- (126) AWAN / 025.901MZ.0001 (Main), 025.901N0.0001 (Aux)
天線增益: 2400-2500MHz: 1.23dBi, 5150-5250MHz: -0.12dBi, 5250-5350MHz: -0.90dBi,
5470-5725 MHz: -2.16dBi, 5725-5850MHz: -0.77dBi
- (127) High-tek / 025.901N3.0001 (Main), 025.901N4.0001 (Aux)
天線增益: 2400-2500MHz: 2.95dBi, 5150-5250MHz: 1.24dBi, 5250-5350MHz: 0.83dBi,
5470-5725 MHz: 2.03dBi, 5725-5850MHz: 2.54dBi
- (128) AWAN / 025.901N2.0001 (Main), 025.901N1.0001 (Aux)
天線增益: 2400-2500MHz: -3.24dBi, 5150-5250MHz: -4.06dBi, 5250-5350MHz: -3.95dBi,
5470-5725 MHz: -3.10dBi, 5725-5850MHz: -3.09dBi
- (129) High-tek / 025.901N5.0001 (Main), 025.901N6.0001 (Aux)
天線增益: 2400-2500MHz: 2.62dBi, 5150-5250MHz: 2.16dBi, 5250-5350MHz: 2.02dBi,
5470-5725 MHz: 2.99dBi, 5725-5850MHz: 2.99dBi
- (130) Ethertrics / 5003955 (Main), 5003956 (Aux)
天線增益: 2400-2500MHz: 0.17dBi, 5150-5250MHz: 0.71dBi, 5250-5350MHz: 0.68dBi,
5470-5725 MHz: -1.32dBi, 5725-5850MHz: -0.44dBi
- (131) Shenzhen South Star Electronics Co., Ltd / N12-6047-R0A(DC33002DY00) (Main), N12-6048-R0A(DC33002DY10) (Aux)
天線增益: 2400-2500MHz: -0.44dBi, 5150-5250MHz: 0.26dBi, 5250-5350MHz: 2.39dBi,
5470-5725 MHz: 2.00dBi, 5725-5850MHz: 1.51dBi
- (132) MAG.LAYERS scientific-technics co, LTD / PCA-5007-25GC1-A1 (DC33002DZ00) (Main), PCA-3007-25GC1-A6(DC33002DZ10) (Aux)
天線增益: 2400-2500MHz: 1.47dBi, 5150-5250MHz: 0.55dBi, 5250-5350MHz: 0.55dBi,
5470-5725 MHz: -0.41dBi, 5725-5850MHz: -0.06dBi
- (133) Shenzhen South Star Electronics Co., Ltd / N0Z-1265-R0A (DC33002CU00) (Main), N0Z-1265-R0A(DC33002CU00) (Aux)
天線增益: 2400-2500MHz: 1.46dBi, 5150-5250MHz: -0.35dBi, 5250-5350MHz: 0.07dBi,
5470-5725 MHz: 1.57dBi, 5725-5850MHz: 1.57dBi

- (134) High-Tek Electronics Co., Ltd / 0ACCN019003N (DC33002CT00) (Main), 0ACCN019003N (DC33002CT00) (Aux)
天線增益: 2400-2500MHz: 1.48dBi, 5150-5250MHz: 2.96dBi, 5250-5350MHz: 2.72dBi, 5470-5725 MHz: 1.73dBi, 5725-5850MHz: 1.99dBi
- (135) Speed / F.0G.CC-6021-001-00 (350508A00-HY0) (Main), F.0G.CC-6021-001-00 (350508A00-HY0) (Aux)
天線增益: 2400-2500MHz: 0.70dBi, 5150-5250MHz: 2.78dBi, 5250-5350MHz: 2.68dBi, 5470-5725 MHz: 2.25dBi, 5725-5850MHz: 2.29dBi
- (136) Hong-Bo / 260-33031(350508800-H0B) (Main), 260-33031(350508800-H0B) (Aux)
天線增益: 2400-2500MHz: -0.02dBi, 5150-5250MHz: 3.63dBi, 5250-5350MHz: 3.58dBi, 5470-5725 MHz: 3.46dBi, 5725-5850MHz: 3.49dBi
- (137) FOXCONN / CP699258 (Main), CP699258 (Aux)
天線增益: 2400-2500MHz: 1.29dBi, 5150-5250MHz: 1.35dBi, 5250-5350MHz: 1.18dBi, 5470-5725 MHz: 2.36dBi, 5725-5850MHz: 1.06dBi
- (138) NISSEI ELCTRIC CO.,LTD. / CP699214 (Main), CP699214 (Aux)
天線增益: 2400-2500MHz: 1.87dBi, 5150-5250MHz: 2.31dBi, 5250-5350MHz: 2.31dBi, 5470-5725 MHz: 2.67dBi, 5725-5850MHz: 2.26dBi
- (139) NISSEI ELCTRIC CO.,LTD. / CP770063 (Main), CP770063 (Aux)
天線增益: 2400-2500MHz: 1.24dBi, 5150-5250MHz: 1.79dBi, 5250-5350MHz: 2.09dBi, 5470-5725 MHz: 3.07dBi, 5725-5850MHz: 1.67dBi
- (140) NISSEI ELCTRIC CO.,LTD. / CP770060 (Main), CP770060 (Aux)
天線增益: 2400-2500MHz: 1.16dBi, 5150-5250MHz: 2.98dBi, 5250-5350MHz: 2.98dBi, 5470-5725 MHz: 3.13dBi, 5725-5850MHz: 2.16dBi
- (141) NISSEI ELCTRIC CO.,LTD. / CP699222 (Main), CP699222 (Aux)
天線增益: 2400-2500MHz: 1.78dBi, 5150-5250MHz: 1.79dBi, 5250-5350MHz: 2.06dBi, 5470-5725 MHz: 2.20dBi, 5725-5850MHz: 0.05dBi
- (142) NISSEI ELCTRIC CO.,LTD. / CP699225 (Main), CP699225 (Aux)
天線增益: 2400-2500MHz: 2.17dBi, 5150-5250MHz: 1.40dBi, 5250-5350MHz: 0.69dBi, 5470-5725 MHz: 2.20dBi, 5725-5850MHz: 2.89dBi
- (143) NISSEI ELCTRIC CO.,LTD. / CP699259 (Main), CP699259 (Aux)
天線增益: 2400-2500MHz: 1.68dBi, 5150-5250MHz: 2.58dBi, 5250-5350MHz: 2.85dBi, 5470-5725 MHz: 2.74dBi, 5725-5850MHz: 2.36dBi
- (144) NISSEI ELCTRIC CO.,LTD. / CP699260 (Main), CP699261 (Aux)
天線增益: 2400-2500MHz: 1.68dBi, 5150-5250MHz: 2.58dBi, 5250-5350MHz: 2.85dBi, 5470-5725 MHz: 2.74dBi, 5725-5850MHz: 2.36dBi
- (145) NISSEI ELCTRIC CO.,LTD. / CP699270 (Main), CP699270 (Aux)
天線增益: 2400-2500MHz: 2.00dBi, 5150-5250MHz: 3.10dBi, 5250-5350MHz: 3.10dBi, 5470-5725 MHz: 3.22dBi, 5725-5850MHz: 3.00dBi
- (146) NISSEI ELCTRIC CO.,LTD. / CP770077 (Main), CP770077 (Aux)
天線增益: 2400-2500MHz: 3.20dBi, 5150-5250MHz: 2.98dBi, 5250-5350MHz: 2.98dBi, 5470-5725 MHz: 4.28dBi, 5725-5850MHz: 4.18dBi

- (147) NISSEI ELCTRIC CO.,LTD. / CP770078 (Main), CP77079 (Aux)
 天線增益: 2400-2500MHz: 2.97dBi, 5150-5250MHz: 3.05dBi, 5250-5350MHz: 2.69dBi,
 5470-5725 MHz: 4.23dBi, 5725-5850MHz: 4.15dBi
- (148) Luxshare-ICT / L20RF025-YT-H (Main), L20RF025-YT-H (Aux)
 天線增益: 2400-2500MHz: 1.31dBi, 5150-5250MHz: -1.43dBi, 5250-5350MHz: -0.67dBi,
 5470-5725 MHz: 0.28dBi, 5725-5850MHz: 0.28dBi
- (149) VSO / 821-101-01211370 (Main), 821-101-01211370 (Aux)
 天線增益: 2400-2500MHz: 2.31dBi, 5150-5250MHz: 1.95dBi, 5250-5350MHz: 1.98dBi,
 5470-5725 MHz: 1.36dBi, 5725-5850MHz: 2.83dBi
- (150) HB / 260-24222(DC330025S1L) (Main), 260-24222(DC330025S1L) (Aux)
 天線增益: 2400-2500MHz: -3.63dBi, 5150-5250MHz: -1.83dBi, 5250-5350MHz: -2.07dBi,
 5470-5725 MHz: -3.00dBi, 5725-5850MHz: -3.70dBi
- (151) Speed / F.0G.FH-6078-001-00 (DC33002611L) (Main), F.0G.FH-6078-001-00 (DC33002611L) (Aux)
 天線增益: 2400-2500MHz: -6.99dBi, 5150-5250MHz: -2.55dBi, 5250-5350MHz: -3.18dBi,
 5470-5725 MHz: -2.94dBi, 5725-5850MHz: -3.01dBi
- (152) HB / 260-24291(DC33002DX2L) (Main), 260-24291(DC33002DX2L) (Aux)
 天線增益: 2400-2500MHz: -0.52dBi, 5150-5250MHz: -4.66dBi, 5250-5350MHz: -4.41dBi,
 5470-5725 MHz: -1.70dBi, 5725-5850MHz: 0.33dBi
- (153) Speed / F.0G.FH-6113-001-00(DC33002E82L) (Main), F.0G.FH-6113-001-00(DC33002E82L) (Aux)
 天線增益: 2400-2500MHz: -0.52dBi, 5150-5250MHz: -4.66dBi, 5250-5350MHz: -4.41dBi,
 5470-5725 MHz: -1.70dBi, 5725-5850MHz: 0.33dBi
- (154) HB / 260-24294(DC33002DW2L) (Main), 260-24294(DC33002DW2L) (Aux)
 天線增益: 2400-2500MHz: -1.45dBi, 5150-5250MHz: 0.67dBi, 5250-5350MHz: 2.32dBi,
 5470-5725 MHz: 1.01dBi, 5725-5850MHz: 0.91dBi
- (155) Speed / F.0G.FH-6114-001-00(DC33002E92L) (Main), F.0G.FH-6114-001-00(DC33002E92L) (Aux)
 天線增益: 2400-2500MHz: -1.45dBi, 5150-5250MHz: 0.67dBi, 5250-5350MHz: 2.32dBi,
 5470-5725 MHz: 1.01dBi, 5725-5850MHz: 0.91dBi
- (156) Luxshare-ICT / DC33001MR00 (Main), DC33001MR00 (Aux)
 天線增益: 2400-2500MHz: 1.62dBi, 5150-5250MHz: 1.22dBi, 5250-5350MHz: 1.22dBi,
 5470-5725 MHz: -0.01dBi, 5725-5850MHz: -0.03dBi
- (157) Speedwire / DC33001MQ00 (Main), DC33001MQ00 (Aux)
 天線增益: 2400-2500MHz: 2.27dBi, 5150-5250MHz: 2.13dBi, 5250-5350MHz: 2.64dBi,
 5470-5725 MHz: 2.37dBi, 5725-5850MHz: 2.35dBi
- (158) SpeedWirelessTechnicalCo., LTD. / DC33001NB00 (Main), DC33001NB10 (Aux)
 天線增益: 2400-2500MHz: 0.09dBi, 5150-5250MHz: 1.71dBi, 5250-5350MHz: 2.22dBi,
 5470-5725 MHz: 1.67dBi, 5725-5850MHz: 1.21dBi
- (159) HongBo / DC33001NC00 (Main), DC33001NC10 (Aux)
 天線增益: 2400-2500MHz: 1.90dBi, 5150-5250MHz: 1.40dBi, 5250-5350MHz: 1.30dBi,
 5470-5725 MHz: 1.10dBi, 5725-5850MHz: 0.80dBi

(160) AWAN / DQ60AUP6Y08(AUP6Y-200007) (Main), DQ60AUP6Y08(AUP6Y-200007) (Aux)

天線增益: 2400-2500MHz: 1.74dBi, 5150-5250MHz: -0.97dBi, 5250-5350MHz: -0.97dBi,
5470-5725 MHz: 0.25dBi, 5725-5850MHz: -1.23dBi

(161) HTK / DQ60ACQD074 (Main), DQ60ACQD074 (Aux)

天線增益: 2400-2500MHz: 1.91dBi, 5150-5250MHz: 0.05dBi, 5250-5350MHz: 0.22dBi,
5470-5725 MHz: 0.84dBi, 5725-5850MHz: 0.95dBi

(162) WNC / 025.901IJ.0011 (Main), 025.901IJ.0011 (Aux)

天線增益: 2400-2500MHz: -0.64dBi, 5150-5250MHz: 0.87dBi, 5250-5350MHz: 0.95dBi,
5470-5725 MHz: 0.79dBi, 5725-5850MHz: 0.79dBi

(163) SPEED / F.0G.FS-6077-001-00 (025.901IJ.0001) (Main), F.0G.FS-6077-001-00 (025.901IJ.0001) (Aux)

天線增益: 2400-2500MHz: -1.42dBi, 5150-5250MHz: -2.08dBi, 5250-5350MHz: -1.01dBi,
5470-5725 MHz: -0.77dBi, 5725-5850MHz: -1.29dBi

(164) WNC / 025.901ID.0001 (Main), 025.901IE.0001 (Aux)

天線增益: 2400-2500MHz: -3.75dBi, 5150-5250MHz: -3.10dBi, 5250-5350MHz: -2.42dBi,
5470-5725 MHz: -1.31dBi, 5725-5850MHz: -0.28dBi

(165) SPEED / F.0G.FS-6076-001-00 (025.901ID.0011) (Main), F.0G.FS-6076-002-00 (025901IE.0011) (Aux)

天線增益: 2400-2500MHz: -2.16dBi, 5150-5250MHz: -3.02dBi, 5250-5350MHz: -2.82dBi,
5470-5725 MHz: -3.51dBi, 5725-5850MHz: -3.69dBi

(以下空白)

