

Appendix Test Data

Report No.:	9819C60003512501-01	Test Sample No.:	1-2-2
Start Test Date:	2026-4-13	Finish Test Date:	2026-4-15
Test Engineer:	Tracy Liang	Auditor:	Justin Feng
Temperature:	24.5°C	Relative Humidity:	52%
Pressure:	101kPa		



Appendix A: Frequency_Error


Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Center Freq. [MHz]	Result[ppm]	Limit[ppm]	Verdict
NTNV	CW	Ant1	2402	2401.88262	-48.86761	±50	PASS
NTNV	CW	Ant1	2441	2440.88062	-48.90619	±50	PASS
NTNV	CW	Ant1	2480	2479.87862	-48.94355	±50	PASS

Note: Result[ppm]= (Center Freq.[MHz] - Frequency[MHz])/ Frequency[MHz]*1000000



Test Graphs




Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline 400-003-0500
www.anbotek.com



Appendix B: Antenna Power

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Result (mW)	Spread Bandwidth (MHz)	Result [mW/MHz]	Limit [mW/MHz]	Verdict
NTNV	DH5	Ant1	Hop	21.89	154.5254	70.330	2.1971	≤3	PASS
NTNV	2DH5	Ant1	Hop	22.59	181.5516	70.529	2.5741	≤3	PASS
NTNV	3DH5	Ant1	Hop	22.06	160.6941	70.729	2.2720	≤3	PASS

Note: Result(mW)= $10^{(\text{Test Result(dBm)}/10)}$

Test Condition	Test Mode	Antenna	Frequency [MHz]	Power [mW/MHz]	Rated Power [mW/MHz]	Result [%]	Limit [%]	Verdict
NTNV	DH5	Ant1	Hop	2.1971	3	-26.76	+20	PASS
NTNV	2DH5	Ant1	Hop	2.5741	3	-14.20	+20	PASS
NTNV	3DH5	Ant1	Hop	2.2720	3	-24.27	+20	PASS

Test Condition	Test Mode	Antenna	Frequency [MHz]	Power [dBm/MHz]	Gain [dBi]	EIRP (dBm/MHz)	Limit (dBm/MHz)	Verdict
NTNV	DH5	Ant1	Hop	3.42	2	5.42	≤6.91	PASS
NTNV	2DH5	Ant1	Hop	4.11	2	6.11	≤6.91	PASS
NTNV	3DH5	Ant1	Hop	3.56	2	5.56	≤6.91	PASS


Note:


Result(dBm/MHz)= $10\log(\text{Power (mW/MHz)})$

EIRP(dBm/MHz)=Result(dBm/MHz)+Gain(dBi)



Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com




Appendix C: Occupied Bandwidth


Test Result

Test Condition	Test Mode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	DH5	Ant1	Hop	78.521	≤83.5	PASS
NTNV	2DH5	Ant1	Hop	78.921	≤83.5	PASS
NTNV	3DH5	Ant1	Hop	78.921	≤83.5	PASS



Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com




Appendix D: Spread Bandwidth


Test Result

Test Condition	Test Mode	Antenna	Frequency[MHz]	Result [MHz]
NTNV	DH5	Ant1	Hop	70.330
NTNV	2DH5	Ant1	Hop	70.529
NTNV	3DH5	Ant1	Hop	70.729



Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



Appendix E: Spurious Emission of TX

Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Result [μ W/MHz]	Limit [μ W/MHz]	Verdict
NTNV	DH5	Ant1	2402	30~1000	446.62	-50.12	≤ -26	0.00973	≤ 2.5	PASS
NTNV	DH5	Ant1	2402	1000~2387	2209.81	-44.23	≤ -26	0.03776	≤ 2.5	PASS
NTNV	DH5	Ant1	2402	2387~2400	2399.98	-32.83	≤ -16	0.52119	≤ 25	PASS
NTNV	DH5	Ant1	2402	2483.5~2496.5	2493.70	-38.41	≤ -16	0.14421	≤ 25	PASS
NTNV	DH5	Ant1	2402	2496.5~3000	2594.18	-43.90	≤ -26	0.04074	≤ 2.5	PASS
NTNV	DH5	Ant1	2441	30~1000	143.98	-46.72	≤ -26	0.02128	≤ 2.5	PASS
NTNV	DH5	Ant1	2441	1000~2387	2384.57	-48.64	≤ -26	0.01368	≤ 2.5	PASS
NTNV	DH5	Ant1	2441	2387~2400	2387.99	-38.57	≤ -16	0.13900	≤ 25	PASS
NTNV	DH5	Ant1	2441	2483.5~2496.5	2493.04	-38.11	≤ -16	0.15453	≤ 25	PASS
NTNV	DH5	Ant1	2441	2496.5~3000	4881.84	-26.01	≤ -26	2.50611	≤ 2.5	See table below
NTNV	DH5	Ant1	2480	30~1000	143.98	-47.10	≤ -26	0.01950	≤ 2.5	PASS
NTNV	DH5	Ant1	2480	1000~2387	2336.37	-47.72	≤ -26	0.01690	≤ 2.5	PASS
NTNV	DH5	Ant1	2480	2387~2400	2397.84	-38.45	≤ -16	0.14289	≤ 25	PASS
NTNV	DH5	Ant1	2480	2483.5~2496.5	2483.55	-36.18	≤ -16	0.24099	≤ 25	PASS
NTNV	DH5	Ant1	2480	2496.5~3000	4960.10	-29.39	≤ -26	1.15080	≤ 2.5	PASS
NTNV	2DH5	Ant1	2402	30~1000	144.22	-47.05	≤ -26	0.01972	≤ 2.5	PASS



NTNV	2D H5	Ant1	2402	1000~238 7	2258 .36	-47.87	≤-26	0.016 33	≤2.5	PAS S
NTNV	2D H5	Ant1	2402	2387~240 0	2400 .00	-19.22	≤-16	11.967 41	≤25	PAS S
NTNV	2D H5	Ant1	2402	2483.5~2 496.5	2491 .95	-38.35	≤-16	0.146 22	≤25	PAS S
NTNV	2D H5	Ant1	2402	2496.5~1 3000	4804 .12	-22.60	≤-26	5.495 41	≤2.5	See tabl e belo w
NTNV	2D H5	Ant1	2441	30~1000	143. 73	-46.92	≤-26	0.020 32	≤2.5	PAS S
NTNV	2D H5	Ant1	2441	1000~238 7	2296 .50	-48.38	≤-26	0.014 52	≤2.5	PAS S
NTNV	2D H5	Ant1	2441	2387~240 0	2392 .60	-38.97	≤-16	0.126 77	≤25	PAS S
NTNV	2D H5	Ant1	2441	2483.5~2 496.5	2495 .29	-37.93	≤-16	0.161 06	≤25	PAS S
NTNV	2D H5	Ant1	2441	2496.5~1 3000	4882 .37	-25.00	≤-26	3.162 28	≤2.5	See tabl e belo w
NTNV	2D H5	Ant1	2480	30~1000	143. 73	-46.83	≤-26	0.020 75	≤2.5	PAS S
NTNV	2D H5	Ant1	2480	1000~238 7	2336 .03	-47.71	≤-26	0.016 94	≤2.5	PAS S
NTNV	2D H5	Ant1	2480	2387~240 0	2396 .16	-38.57	≤-16	0.139 00	≤25	PAS S
NTNV	2D H5	Ant1	2480	2483.5~2 496.5	2483 .81	-36.96	≤-16	0.201 37	≤25	PAS S
NTNV	2D H5	Ant1	2480	2496.5~1 3000	4959 .57	-28.19	≤-26	1.517 05	≤2.5	See tabl e belo w
NTNV	3D H5	Ant1	2402	30~1000	931. 86	-50.16	≤-26	0.009 64	≤2.5	PAS S
NTNV	3D H5	Ant1	2402	1000~238 7	1953 .91	-48.18	≤-26	0.015 21	≤2.5	PAS S
NTNV	3D H5	Ant1	2402	2387~240 0	2397 .31	-38.53	≤-16	0.140 28	≤25	PAS S




NTNV	3D H5	Ant1	2402	2483.5~2 496.5	2490 .25	-37.94	≤-16	0.160 69	≤25	PAS S
NTNV	3D H5	Ant1	2402	2496.5~1 3000	5180 .67	-42.39	≤-26	0.057 68	≤2.5	PAS S
NTNV	3D H5	Ant1	2441	30~1000	899. 12	-49.68	≤-26	0.010 76	≤2.5	PAS S
NTNV	3D H5	Ant1	2441	1000~238 7	2201 .14	-48.85	≤-26	0.013 03	≤2.5	PAS S
NTNV	3D H5	Ant1	2441	2387~240 0	2399 .43	-38.51	≤-16	0.140 93	≤25	PAS S
NTNV	3D H5	Ant1	2441	2483.5~2 496.5	2493 .67	-37.90	≤-16	0.162 18	≤25	PAS S
NTNV	3D H5	Ant1	2441	2496.5~1 3000	6990 .95	-44.42	≤-26	0.036 14	≤2.5	PAS S
NTNV	3D H5	Ant1	2480	30~1000	878. 51	-50.55	≤-26	0.008 81	≤2.5	PAS S
NTNV	3D H5	Ant1	2480	1000~238 7	1376 .92	-49.15	≤-26	0.012 16	≤2.5	PAS S
NTNV	3D H5	Ant1	2480	2387~240 0	2399 .25	-38.15	≤-16	0.1531 1	≤25	PAS S
NTNV	3D H5	Ant1	2480	2483.5~2 496.5	2493 .74	-38.30	≤-16	0.147 91	≤25	PAS S
NTNV	3D H5	Ant1	2480	2496.5~1 3000	6936 .33	-44.50	≤-26	0.035 48	≤2.5	PAS S

Test Result_Step2

Test Condition	Test Mode	Antenna	Frequen cy[MHz]	Freq. [MHz]	Result [dBm/MH z]	Limit [dBm/M Hz]	Result [μW/MH z]	Limit [μW/M Hz]	Verdict
NTNV	DH5	Ant1	2441	4881.84	-27.88	≤-26	1.62930	≤2.5	PASS
NTNV	2DH5	Ant1	2402	4804.12	-26.12	≤-26	2.44343	≤2.5	PASS
NTNV	2DH5	Ant1	2441	4882.37	-28.78	≤-26	1.32434	≤2.5	PASS
NTNV	2DH5	Ant1	2480	4959.57	-32.26	≤-26	0.59429	≤2.5	PASS



Test Graphs




Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com






Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com







NTNV-DH5-Ant1-2402-2496.5~13000-PASS



NTNV-DH5-Ant1-2441-30~1000-PASS








Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com






NTNV-DH5-Ant1-2480-30~1000-PASS




NTNV-DH5-Ant1-2480-1000~2387-PASS






NTNV-DH5-Ant1-2480-2387~2400-PASS




NTNV-DH5-Ant1-2480-2483.5~2496.5-PASS







NTNV-DH5-Ant1-2480-2496.5~13000-PASS




NTNV-2DH5-Ant1-2402-30~1000-PASS










Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com






Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com






NTNV-2DH5-Ant1-2441-2496.5~13000-See table below



NTNV-2DH5-Ant1-2480-30~1000-PASS






Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com






Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com






Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com







Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com










Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com




Hotline
400-003-0500
www.anbotech.com









Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com



Test Graphs_Step2




Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com






Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com






Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com





Appendix F: Spurious Emission of RX


Test Result


Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Freq. [MHz]	Result [dBm/MHz]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	DH5	Ant1	2402	30~1000	678.36	-82.13	≤-54	0.00612	≤4	PASS
NTNV	DH5	Ant1	2402	1000~12500	6993.79	-64.79	≤-47	0.33189	≤20	PASS
NTNV	DH5	Ant1	2441	30~1000	811.67	-82.32	≤-54	0.00586	≤4	PASS
NTNV	DH5	Ant1	2441	1000~12500	6964.46	-65.62	≤-47	0.27416	≤20	PASS
NTNV	DH5	Ant1	2480	30~1000	549.42	-82.24	≤-54	0.00597	≤4	PASS
NTNV	DH5	Ant1	2480	1000~12500	6996.66	-66.22	≤-47	0.23878	≤20	PASS
NTNV	2DH5	Ant1	2402	30~1000	780.16	-82.40	≤-54	0.00575	≤4	PASS
NTNV	2DH5	Ant1	2402	1000~12500	6927.09	-66.77	≤-47	0.21038	≤20	PASS
NTNV	2DH5	Ant1	2441	30~1000	33.15	-81.20	≤-54	0.00759	≤4	PASS
NTNV	2DH5	Ant1	2441	1000~12500	6897.77	-65.44	≤-47	0.28576	≤20	PASS
NTNV	2DH5	Ant1	2480	30~1000	907.17	-82.74	≤-54	0.00532	≤4	PASS
NTNV	2DH5	Ant1	2480	1000~12500	6917.32	-66.05	≤-47	0.24831	≤20	PASS
NTNV	3DH5	Ant1	2402	30~1000	894.08	-82.13	≤-54	0.00612	≤4	PASS
NTNV	3DH5	Ant1	2402	1000~12500	6988.04	-64.97	≤-47	0.31842	≤20	PASS
NTNV	3DH5	Ant1	2441	30~1000	761.26	-81.65	≤-54	0.00684	≤4	PASS
NTNV	3DH5	Ant1	2441	1000~12500	6940.89	-65.71	≤-47	0.26853	≤20	PASS
NTNV	3DH5	Ant1	2480	30~1000	973.10	-81.65	≤-54	0.00684	≤4	PASS
NTNV	3DH5	Ant1	2480	1000~12500	5808	-65.74	≤-47	0.266	≤20	PASS



				500	.20		7	69		S
--	--	--	--	-----	-----	--	---	----	--	---

Test Graphs






Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com






Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com





Hotline
400-003-0500
www.anbotech.com


















Appendix G: Dwell Time

Test Result

Test Condition	Test Mode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit [s]	Verdict
NTNV	DH5	Ant1	Hop	2.91	103	0.3	≤0.4	PASS
NTNV	2DH5	Ant1	Hop	2.91	109	0.317	≤0.4	PASS
NTNV	3DH5	Ant1	Hop	2.91	113	0.329	≤0.4	PASS



Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com







---End---

