



**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## **Appendix RF Test Data for 2.4GWIFI**

**Company : Shenzhen Xindaxing Digital Audio & Video Co., Ltd.**

**EUT : Life Camera**

**Model Number : A300**

**Report No. : CTA26063000601**

**Reviewed By : Eric Wang**



**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix A: Frequency Error

### Test Result


| TestCondition | TestMode | Antenna | Freq(MHz) | CenterFrequency [MHz] | Result[ppm] | Limit[ppm] | Verdict |
|---------------|----------|---------|-----------|-----------------------|-------------|------------|---------|
| NTNV          | 11B      | Ant1    | 2412      | 2411.9982             | -0.74627    | ±50        | PASS    |
|               |          |         | 2442      | 2441.9982             | -0.73710    | ±50        | PASS    |
|               |          |         | 2472      | 2471.9982             | -0.72816    | ±50        | PASS    |



**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


## Test Graphs





**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix B: Occupied Bandwidth

### Test Result


| TestCondition | TestMode      | Antenna | Freq(MHz) | Result [MHz] | Limit [MHz] | Verdict |
|---------------|---------------|---------|-----------|--------------|-------------|---------|
| NTNV          | 11B           | Ant1    | 2412      | 13.347       | ≤26         | PASS    |
|               |               |         | 2442      | 13.387       | ≤26         | PASS    |
|               |               |         | 2472      | 13.347       | ≤26         | PASS    |
|               | 11G           | Ant1    | 2412      | 16.503       | ≤26         | PASS    |
|               |               |         | 2442      | 16.863       | ≤26         | PASS    |
|               |               |         | 2472      | 16.503       | ≤26         | PASS    |
|               | 11N20SI<br>SO | Ant1    | 2412      | 17.742       | ≤26         | PASS    |
|               |               |         | 2442      | 17.902       | ≤26         | PASS    |
|               |               |         | 2472      | 17.662       | ≤26         | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

### Appendix C: Spread Bandwidth

#### Test Result


| TestCondition | TestMode      | Antenna | Freq(MHz) | Result [MHz] | Limit [MHz] | Spread Factor | Limit | Verdict |
|---------------|---------------|---------|-----------|--------------|-------------|---------------|-------|---------|
| NTNV          | 11B           | Ant1    | 2412      | 9.471        | $\geq 0.5$  | 6.888         | >5    | PASS    |
|               |               |         | 2442      | 9.471        | $\geq 0.5$  | 6.888         | >5    | PASS    |
|               |               |         | 2472      | 9.471        | $\geq 0.5$  | 6.888         | >5    | PASS    |
|               | 11G           | Ant1    | 2412      | 13.986       | $\geq 0.5$  | ---           | ---   | PASS    |
|               |               |         | 2442      | 13.826       | $\geq 0.5$  | ---           | ---   | PASS    |
|               |               |         | 2472      | 14.785       | $\geq 0.5$  | ---           | ---   | PASS    |
|               | 11N20SI<br>SO | Ant1    | 2412      | 15.105       | $\geq 0.5$  | ---           | ---   | PASS    |
|               |               |         | 2442      | 15.065       | $\geq 0.5$  | ---           | ---   | PASS    |
|               |               |         | 2472      | 15.824       | $\geq 0.5$  | ---           | ---   | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

### Appendix D: Spurious Emission of TX

#### Test Result

| TestCondition | TestMode | Antenna | Channel<br>(MHz) | Freq.Range<br>[MHz] | Freq<br>(MHz) | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[μW] | Limit<br>[μW] | Verdict               |
|---------------|----------|---------|------------------|---------------------|---------------|-----------------|----------------|----------------|---------------|-----------------------|
| NTNV          | 11B      | Ant1    | 2412             | 30~1000             | 240.25        | -54.67          | ≤-26           | 0.00341        | ≤2.5          | PASS                  |
|               |          |         |                  | 1000~2387           | 2382.1<br>5   | -52.24          | ≤-26           | 0.00597        | ≤2.5          | PASS                  |
|               |          |         |                  | 2387~2400           | 2397.6<br>9   | -41.48          | ≤-16           | 0.07112        | ≤25           | PASS                  |
|               |          |         |                  | 2483.5~2496.5       | 2491.8<br>4   | -43.09          | ≤-16           | 0.04909        | ≤25           | PASS                  |
|               |          |         |                  | 2496.5~13000        | 6356.0<br>1   | -43.92          | ≤-26           | 0.04055        | ≤2.5          | PASS                  |
|               |          |         | 2442             | 30~1000             | 984.48        | -54.81          | ≤-26           | 0.00330        | ≤2.5          | PASS                  |
|               |          |         |                  | 1000~2387           | 2376.9<br>4   | -51.55          | ≤-26           | 0.00700        | ≤2.5          | PASS                  |
|               |          |         |                  | 2387~2400           | 2393.9<br>4   | -43.23          | ≤-16           | 0.04753        | ≤25           | PASS                  |
|               |          |         |                  | 2483.5~2496.5       | 2492.1<br>8   | -43.41          | ≤-16           | 0.04560        | ≤25           | PASS                  |
|               |          |         |                  | 2496.5~13000        | 5888.6<br>1   | -43.10          | ≤-26           | 0.04898        | ≤2.5          | PASS                  |
|               |          | Ant1    | 2472             | 30~1000             | 833.16        | -54.51          | ≤-26           | 0.00354        | ≤2.5          | PASS                  |
|               |          |         |                  | 1000~2387           | 1711.5<br>3   | -53.49          | ≤-26           | 0.00448        | ≤2.5          | PASS                  |
|               |          |         |                  | 2387~2400           | 2399.9<br>4   | -43.51          | ≤-16           | 0.04457        | ≤25           | PASS                  |
|               |          |         |                  | 2483.5~2496.5       | 2486.9<br>5   | -41.02          | ≤-16           | 0.07907        | ≤25           | PASS                  |
|               |          |         |                  | 2496.5~13000        | 6961.0<br>1   | -43.63          | ≤-26           | 0.04335        | ≤2.5          | PASS                  |
|               | 11G      | Ant1    | 2412             | 30~1000             | 892.82        | -54.66          | ≤-26           | 0.00342        | ≤2.5          | PASS                  |
|               |          |         |                  | 1000~2387           | 2384.9<br>2   | -52.13          | ≤-26           | 0.00612        | ≤2.5          | PASS                  |
|               |          |         |                  | 2387~2400           | 2399.9<br>3   | -18.53          | ≤-16           | 14.0281<br>4   | ≤25           | See<br>table<br>below |
|               |          |         |                  | 2483.5~2496.5       | 2493.5<br>0   | -43.28          | ≤-16           | 0.04699        | ≤25           | PASS                  |



# Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

|  |               |      |      |               |             |        |      |              |      |                       |
|--|---------------|------|------|---------------|-------------|--------|------|--------------|------|-----------------------|
|  |               |      | 2442 | 2496.5~13000  | 6947.3<br>6 | -43.57 | ≤-26 | 0.04395      | ≤2.5 | PASS                  |
|  |               |      |      | 30~1000       | 218.91      | -54.68 | ≤-26 | 0.00340      | ≤2.5 | PASS                  |
|  |               |      |      | 1000~2387     | 2374.1<br>7 | -52.93 | ≤-26 | 0.00509      | ≤2.5 | PASS                  |
|  |               |      |      | 2387~2400     | 2393.7<br>3 | -43.38 | ≤-16 | 0.04592      | ≤25  | PASS                  |
|  |               |      |      | 2483.5~2496.5 | 2484.3<br>2 | -43.45 | ≤-16 | 0.04519      | ≤25  | PASS                  |
|  |               |      |      | 2496.5~13000  | 6919.0<br>0 | -43.75 | ≤-26 | 0.04217      | ≤2.5 | PASS                  |
|  |               |      | 2472 | 30~1000       | 863.96      | -54.17 | ≤-26 | 0.00383      | ≤2.5 | PASS                  |
|  |               |      |      | 1000~2387     | 2094.3<br>4 | -53.11 | ≤-26 | 0.00489      | ≤2.5 | PASS                  |
|  |               |      |      | 2387~2400     | 2395.7<br>9 | -43.23 | ≤-16 | 0.04753      | ≤25  | PASS                  |
|  |               |      |      | 2483.5~2496.5 | 2483.5<br>1 | -24.63 | ≤-16 | 3.44350      | ≤25  | PASS                  |
|  |               |      |      | 2496.5~13000  | 6949.9<br>8 | -43.23 | ≤-26 | 0.04753      | ≤2.5 | PASS                  |
|  | 11N20Si<br>SO | Ant1 | 2412 | 30~1000       | 963.14      | -54.87 | ≤-26 | 0.00326      | ≤2.5 | PASS                  |
|  |               |      |      | 1000~2387     | 2383.1<br>9 | -52.39 | ≤-26 | 0.00577      | ≤2.5 | PASS                  |
|  |               |      |      | 2387~2400     | 2399.9<br>7 | -16.68 | ≤-16 | 21.4783<br>0 | ≤25  | See<br>table<br>below |
|  |               |      |      | 2483.5~2496.5 | 2495.4<br>3 | -42.20 | ≤-16 | 0.06026      | ≤25  | PASS                  |
|  |               |      |      | 2496.5~13000  | 6927.9<br>3 | -44.11 | ≤-26 | 0.03882      | ≤2.5 | PASS                  |
|  |               |      | 2442 | 30~1000       | 801.64      | -54.12 | ≤-26 | 0.00387      | ≤2.5 | PASS                  |
|  |               |      |      | 1000~2387     | 1794.0<br>6 | -52.98 | ≤-26 | 0.00504      | ≤2.5 | PASS                  |
|  |               |      |      | 2387~2400     | 2389.4<br>4 | -43.72 | ≤-16 | 0.04246      | ≤25  | PASS                  |
|  |               |      |      | 2483.5~2496.5 | 2489.7<br>8 | -43.01 | ≤-16 | 0.05000      | ≤25  | PASS                  |
|  |               |      |      | 2496.5~13000  | 6594.4<br>4 | -43.79 | ≤-26 | 0.04178      | ≤2.5 | PASS                  |
|  |               |      | 2472 | 30~1000       | 242.19      | -54.65 | ≤-26 | 0.00343      | ≤2.5 | PASS                  |
|  |               |      |      | 1000~2387     | 2286.1      | -53.43 | ≤-26 | 0.00454      | ≤2.5 | PASS                  |



# Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

|  |  |  |  |               |             |        |      |         |           |
|--|--|--|--|---------------|-------------|--------|------|---------|-----------|
|  |  |  |  | 0             |             |        |      |         |           |
|  |  |  |  | 2387~2400     | 2392.8<br>2 | -43.06 | ≤-16 | 0.04943 | ≤25 PASS  |
|  |  |  |  | 2483.5~2496.5 | 2484.4<br>6 | -22.94 | ≤-16 | 5.08159 | ≤25 PASS  |
|  |  |  |  | 2496.5~13000  | 2497.0<br>3 | -31.95 | ≤-26 | 0.63826 | ≤2.5 PASS |

## Test Result Step2


| TestCondition | TestMode      | PreScan<br>In Ant | Channel | Ant  | Freq.<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[μW] | Limit<br>[μW] | Verdict |
|---------------|---------------|-------------------|---------|------|----------------|-----------------|----------------|----------------|---------------|---------|
| NTNV          | 11G           | Ant1              | 2412    | Ant1 | 2399.95        | -37.02          | ≤-16           | 0.19861        | ≤25           | PASS    |
|               | 11N20SI<br>SO | Ant1              | 2412    | Ant1 | 2400.00        | -37.77          | ≤-16           | 0.16711        | ≤25           | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China






Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


## Test Graphs\_Step2





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

### Appendix E: Spurious Emission of RX

#### Test Result


| TestCondition | TestMode      | Antenna | Channel<br>(MHz) | Freq.Range<br>[MHz] | Freq.<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[μW] | Limit<br>[μW] | Verdict |
|---------------|---------------|---------|------------------|---------------------|----------------|-----------------|----------------|----------------|---------------|---------|
| NTNV          | 11B           | Ant1    | 2412             | 30~1000             | 955.64         | -83.56          | ≤-54           | 0.00441        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6747.70        | -69.13          | ≤-47           | 0.12218        | ≤20           | PASS    |
|               |               |         | 2442             | 30~1000             | 243.05         | -83.26          | ≤-54           | 0.00472        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6570.61        | -69.21          | ≤-47           | 0.11995        | ≤20           | PASS    |
|               |               |         | 2472             | 30~1000             | 239.17         | -83.90          | ≤-54           | 0.00407        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6865.57        | -69.11          | ≤-47           | 0.12274        | ≤20           | PASS    |
|               | 11G           | Ant1    | 2412             | 30~1000             | 650.73         | -83.75          | ≤-54           | 0.00422        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6969.06        | -68.81          | ≤-47           | 0.13152        | ≤20           | PASS    |
|               |               |         | 2442             | 30~1000             | 316.73         | -83.51          | ≤-54           | 0.00446        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6883.97        | -68.42          | ≤-47           | 0.14388        | ≤20           | PASS    |
|               |               |         | 2472             | 30~1000             | 242.08         | -83.80          | ≤-54           | 0.00417        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6621.78        | -68.82          | ≤-47           | 0.13122        | ≤20           | PASS    |
|               | 11N20SI<br>SO | Ant1    | 2412             | 30~1000             | 792.28         | -82.93          | ≤-54           | 0.00509        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 5957.11        | -68.51          | ≤-47           | 0.14093        | ≤20           | PASS    |
|               |               |         | 2442             | 30~1000             | 755.44         | -82.87          | ≤-54           | 0.00516        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6626.96        | -69.05          | ≤-47           | 0.12445        | ≤20           | PASS    |
|               |               |         | 2472             | 30~1000             | 865.48         | -83.53          | ≤-54           | 0.00444        | ≤4            | PASS    |
|               |               |         |                  | 1000~12500          | 6809.80        | -68.69          | ≤-47           | 0.13521        | ≤20           | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

