







NTNV-11AC20SISO-Ant2-5240-PASS




NTNV-11AC40SISO-Ant1-5190-PASS




NTNV-11AC40SISO-Ant2-5190-PASS






NTNV-11AC80SISO-Ant2-5210-PASS




NTNV-11AX20SISO-Ant1-5180-PASS



NTNV-11AX20SISO-Ant2-5180-PASS




NTNV-11AX20SISO-Ant1-5200-PASS




NTNV-11AX20SISO-Ant2-5200-PASS



NTNV-11AX20SISO-Ant1-5240-PASS




NTNV-11AX20SISO-Ant2-5240-PASS




NTNV-11AX40SISO-Ant1-5190-PASS



NTNV-11AX40SISO-Ant2-5190-PASS





Test result: The unit does meet the requirements.

6.10 Spurious Emissions of TX & Out-Band Emissions Power

Test Requirement: Item 19-3 of Article 2-1

(1) Spurious Emission of Tx Limit: 2.5μW / MHz

OBW	Frequency Band (W52 Band)	Deviation frequency(Df)	EIRP	
≤18MHz (5150MHz~5250MHz)	~5142MHz	---	≤2.5 μ W/MHz	-26dBm/MHz
	5142MHz~5150MHz	---	≤15 μ W/MHz	-18.23dBm/MHz
	5150MHz~5250MHz	---	≤10mW/MHz	10dBm/MHz
	5250MHz~5251MHz	Df:10-11MHz	≤10 ^{1-(Df-9)} mW/MHz	5250: 0dBm/MHz 5251: -10dBm/MHz
	5251MHz~5260MHz	Df:11-20MHz	≤10 ^{1-(8/90)(Df-11)} mW/MHz	5251: -10dBm/MHz 5260: -18dBm/MHz
	5260MHz~5266.7MHz	Df:20-26.7MHz	≤10 ^{1.8-(6/50)(Df-20)} mW/MHz	5260: -18dBm/MHz 5266.7: -26dBm/MHz
	5266.7~MHz	---	≤2.5 μ W/MHz	-26dBm/MHz

OBW	Frequency Band (W52 Band)	Deviation frequency(Df)	EIRP	
18~20MHz (5150MHz~5250MHz)	~5142MHz	---	≤2.5 μ W/MHz	-26dBm/MHz
	5142MHz~5150MHz	---	≤15 μ W/MHz	-18.23dBm/MHz
	5150MHz~5250MHz	---	≤10mW/MHz	10dBm/MHz
	5250MHz~5250.2MHz	Df:10-10.2MHz	≤10 ^{1-(8/3)(Df-9.75)} mW/MHz	5250: 3.33dBm/MHz 5250.2: -2dBm/MHz
	5250.2MHz~5251MHz	Df:10.2-11MHz	≤10 ^{1-(Df-9)} mW/MHz	5250.2: -2dBm/MHz 5251: -10dBm/MHz
	5251MHz~5260MHz	Df:11-20MHz	≤10 ^{1-(8/90)(Df-11)} mW/MHz	5251: -10dBm/MHz 5260: -18dBm/MHz
	5260MHz~5266.7MHz	Df:20-26.7MHz	≤10 ^{1.8-(6/50)(Df-20)} mW/MHz	5260: -18dBm/MHz 5266.7: -26dBm/MHz
	5266.7~MHz	---	≤2.5 μ W/MHz	-26dBm/MHz

BlueAsia Technical Services (Shenzhen) Co., Ltd

Tel: +86-755-23059481

Email: marketing@cblueasia.com www.cblueasia.com

Version:v1.0

OBW	Frequency Band (W52 Band)	Deviation frequency(Df)	EIRP	
20~40 MHz (5150M Hz~525 0MHz)	~5141.6MHz	---	$\leq 2.5 \mu W/MHz$	-26dBm/MHz
	5141.6MHz~5150MHz	---	$\leq 15 \mu W/MHz$	-18.23dBm/MHz
	5150MHz~5250MHz	---	$\leq 5mW/MHz$	6.99dBm/MHz
	5250MHz~5251MHz	Df:20- 21MHz	$\leq 10^{-(Df-20)+\log(1/2)} mW/MHz$	5250:-3dBm/MHz 5251:-13dBm/MHz
	5251MHz~5270MHz	Df:21- 40MHz	$\leq 10^{-(8/190)(f-21)-1+\log(1/2)} mW/MHz$	5251:-13dBm/MHz 5270:-21dBm/MHz
	5270MHz~5278.4MHz	Df:40- 48.4MHz	$\leq 10^{-(3/50)(Df-40)-1.8+\log(1/2)} mW/MHz$	5270:-21dBm/MHz 5278.4:- 26dBm/MHz
	5278.4~MHz	---	$\leq 2.5 \mu W/MHz$	-26dBm/MHz

OBW	Frequency Band (W52 Band)	Deviation frequency(Df)	EIRP	
40~80 MHz (5150M Hz~525 0MHz)	~5123.2MHz	---	$\leq 2.5 \mu W/MHz$	-26dBm/MHz
	5123.2MHz~5150MHz	---	$\leq 15 \mu W/MHz$	-18.23dBm/MHz
	5150MHz~5250MHz	---	$\leq 2.5mW/MHz$	3.98dBm/MHz
	5250MHz~5251MHz	Df:40-41MHz	$\leq 10^{-(Df-40)+\log(1/4)} mW/MHz$	5250:-6dBm/MHz 5251:-16dBm/MHz
	5251MHz~5290MHz	Df:41-80MHz	$\leq 10^{-(8/390)(Df-41)-1+\log(1/4)} mW/MHz$	5251:-16dBm/MHz 5290:-24dBm/MHz
	5290MHz~5296.7MHz	DF:80- 86.7MHz	$\leq 10^{-(3/100)(Df-80)-1.8+\log(1/4)} mW/MHz$	5290:-24dBm/MHz 5296.7:-26dBm/MHz
	5296.7~MHz	---	$\leq 2.5 \mu W/MHz$	-26dBm/MHz

Test Status:

Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates and antenna ports (if EUT with antenna diversity architecture).

Following channel(s) was (were) selected for the final test as listed below.

Test Configuration:



Test Procedure:

1) Test Conditions:

Spectrum Analyzer is used for measurement.

2) EUT conditions:

Modulation/Spread

For equipment using diffusion code, set to the test diffusion code and modulate with standard coding test signal.

3) Spectrum Analyzer conditions:

Step1

All spurious are measured from 30MHz to 40GHz by peak mode.

Step 2:

Frequency: Spurious Frequency

RBW 1 MHz

VBW 1 MHz

Span: 0Hz

Sweep Time Auto

detector mode Sample

Indication mode Max hold

6.10.1 Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5180	30~5142	123.21	-50.93	≤-26.02	0.00807	≤2.5	PASS
NTNV	11A	Ant2	5180	30~5142	123.38	-50.93	≤-26.02	0.00807	≤2.5	PASS
NTNV	11A	Ant1	5180	5142~5150	5148.09	-47.73	≤-18.24	0.01687	≤15	PASS
NTNV	11A	Ant2	5180	5142~5150	5146.94	-47.71	≤-18.24	0.01694	≤15	PASS
NTNV	11A	Ant1	5180	5250~5251	5250.90	-54.07	≤-9	0.00392	≤125.9	PASS
NTNV	11A	Ant2	5180	5250~5251	5250.93	-55.20	≤-9.3	0.00302	≤117.5	PASS
NTNV	11A	Ant1	5180	5251~5260	5257.88	-54.67	≤-16.12	0.00341	≤24.5	PASS
NTNV	11A	Ant2	5180	5251~5260	5259.78	-55.38	≤-17.8	0.00290	≤16.6	PASS
NTNV	11A	Ant1	5180	5260~5266.7	5266.08	-54.79	≤-25.26	0.00332	≤3.0	PASS
NTNV	11A	Ant2	5180	5260~5266.7	5266.41	-55.76	≤-25.65	0.00265	≤2.7	PASS
NTNV	11A	Ant1	5180	5266.7~26000	25903.24	-44.43	≤-26.02	0.03606	≤2.5	PASS
NTNV	11A	Ant2	5180	5266.7~26000	25905.32	-45.00	≤-26.02	0.03162	≤2.5	PASS
NTNV	11A	Ant1	5200	30~5142	5121.04	-52.79	≤-26.02	0.00526	≤2.5	PASS
NTNV	11A	Ant2	5200	30~5142	123.38	-50.03	≤-26.02	0.00993	≤2.5	PASS
NTNV	11A	Ant1	5200	5142~5150	5143.68	-51.31	≤-18.24	0.00740	≤15	PASS
NTNV	11A	Ant2	5200	5142~5150	5142.5	-49.98	≤-	0.0100	≤15	PASS

BlueAsia Technical Services (Shenzhen) Co., Ltd

Tel: +86-755-23059481

Email: marketing@cblueasia.com www.cblueasia.com

Version:v1.0

					4		18.24	5		S
NTNV	11A	Ant1	5200	5250~5251	5250.9 9	-53.49 ≤-9.9		0.0044 8	≤102. 3	PAS S
NTNV	11A	Ant2	5200	5250~5251	5250.9 3	-53.11 ≤-9.3		0.0048 9	≤117. 5	PAS S
NTNV	11A	Ant1	5200	5251~5260	5258.6 8	-52.44 ≤- 16.83		0.0057 0	≤20.8	PAS S
NTNV	11A	Ant2	5200	5251~5260	5259.8 7	-53.33 ≤- 17.88		0.0046 5	≤16.3	PAS S
NTNV	11A	Ant1	5200	5260~5266.7	5266.4 1	-53.93 ≤- 25.65		0.0040 5	≤2.7	PAS S
NTNV	11A	Ant2	5200	5260~5266.7	5266.3 3	-53.31 ≤- 25.56		0.0046 7	≤2.8	PAS S
NTNV	11A	Ant1	5200	5266.7~26000	25975. 81	-43.31 ≤- 26.02		0.0466 7	≤2.5	PAS S
NTNV	11A	Ant2	5200	5266.7~26000	25854. 87	-43.94 ≤- 26.02		0.0403 6	≤2.5	PAS S
NTNV	11A	Ant1	5240	30~5142	4909.2 3	-53.71 ≤- 26.02		0.0042 6	≤2.5	PAS S
NTNV	11A	Ant2	5240	30~5142	123.55	-52.08 ≤- 26.02		0.0061 9	≤2.5	PAS S
NTNV	11A	Ant1	5240	5142~5150	5144.1 8	-55.29 ≤- 18.24		0.0029 6	≤15	PAS S
NTNV	11A	Ant2	5240	5142~5150	5148.5 4	-54.74 ≤- 18.24		0.0033 6	≤15	PAS S
NTNV	11A	Ant1	5240	5250~5251	5250.9 6	-31.89 ≤-9.6		0.6471 4	≤109. 6	PAS S
NTNV	11A	Ant2	5240	5250~5251	5250.9 4	-32.04 ≤-9.4		0.6251 7	≤114. 8	PAS S
NTNV	11A	Ant1	5240	5251~5260	5256.2 7	-37.78 ≤- 14.68		0.1667 2	≤34.0	PAS S
NTNV	11A	Ant2	5240	5251~5260	5251.1 6	-33.25 ≤- 10.14		0.4731 5	≤96.8	PAS S
NTNV	11A	Ant1	5240	5260~5266.7	5266.6 1	-45.74 ≤- 25.89		0.0266 7	≤2.6	PAS S
NTNV	11A	Ant2	5240	5260~5266.7	5265.2	-44.34 ≤-		0.0368	≤3.7	PAS

					7		24.29	1	S
NTNV	11A	Ant1	5240	5266.7~26000	5267.3 9	-44.74	≤- 26.02	0.0335 7	≤2.5 S
NTNV	11A	Ant2	5240	5266.7~26000	25864. 54	-44.83	≤- 26.02	0.0328 9	≤2.5 S
NTNV	11N20SIS O	Ant1	5180	30~5142	5141.4 9	-52.57	≤- 26.02	0.0055 3	≤2.5 S
NTNV	11N20SIS O	Ant2	5180	30~5142	123.21	-52.10	≤- 26.02	0.0061 7	≤2.5 S
NTNV	11N20SIS O	Ant1	5180	5142~5150	5149.8 2	-51.39	≤- 18.24	0.0072 6	≤15 S
NTNV	11N20SIS O	Ant2	5180	5142~5150	5149.1 4	-49.87	≤- 18.24	0.0103 0	≤15 S
NTNV	11N20SIS O	Ant1	5180	5250~5251	5250.9 6	-54.69	≤-9.6	0.0034 0	≤109. 6
NTNV	11N20SIS O	Ant2	5180	5250~5251	5251.0 0	-54.81	≤-10	0.0033 0	≤100. 0
NTNV	11N20SIS O	Ant1	5180	5251~5260	5259.6 4	-54.59	≤- 17.68	0.0034 8	≤17.1 S
NTNV	11N20SIS O	Ant2	5180	5251~5260	5259.5 9	-55.63	≤- 17.64	0.0027 4	≤17.2 S
NTNV	11N20SIS O	Ant1	5180	5260~5266.7	5266.6 1	-55.58	≤- 25.89	0.0027 7	≤2.6 S
NTNV	11N20SIS O	Ant2	5180	5260~5266.7	5266.2 8	-54.60	≤-25.5	0.0034 7	≤2.8 S
NTNV	11N20SIS O	Ant1	5180	5266.7~26000	25860. 40	-44.97	≤- 26.02	0.0318 4	≤2.5 S
NTNV	11N20SIS O	Ant2	5180	5266.7~26000	25930. 89	-44.86	≤- 26.02	0.0326 6	≤2.5 S
NTNV	11N20SIS O	Ant1	5200	30~5142	5141.3 2	-51.25	≤- 26.02	0.0075 0	≤2.5 S
NTNV	11N20SIS O	Ant2	5200	30~5142	123.21	-51.31	≤- 26.02	0.0074 0	≤2.5 S
NTNV	11N20SIS O	Ant1	5200	5142~5150	5143.4 4	-52.05	≤- 18.24	0.0062 4	≤15 S
NTNV	11N20SIS	Ant2	5200	5142~5150	5149.0	-51.89	≤-	0.0064	≤15 PAS

	O				4		18.24	7		S
NTNV	11N20SIS O	Ant1	5200	5250~5251	5250.9 8	-52.85	≤-9.8	0.0051 9	≤104. 7	PAS S
NTNV	11N20SIS O	Ant2	5200	5250~5251	5250.9 7	-53.71	≤-9.7	0.0042 6	≤107. 2	PAS S
NTNV	11N20SIS O	Ant1	5200	5251~5260	5259.9 6	-53.20	≤- 17.96	0.0047 9	≤16.0	PAS S
NTNV	11N20SIS O	Ant2	5200	5251~5260	5259.8 1	-54.21	≤- 17.83	0.0037 9	≤16.5	PAS S
NTNV	11N20SIS O	Ant1	5200	5260~5266.7	5265.7 8	-52.96	≤-24.9	0.0050 6	≤3.2	PAS S
NTNV	11N20SIS O	Ant2	5200	5260~5266.7	5266.0 2	-53.08	≤- 25.19	0.0049 2	≤3.0	PAS S
NTNV	11N20SIS O	Ant1	5200	5266.7~26000	25722. 86	-43.89	≤- 26.02	0.0408 3	≤2.5	PAS S
NTNV	11N20SIS O	Ant2	5200	5266.7~26000	25936. 42	-42.85	≤- 26.02	0.0518 8	≤2.5	PAS S
NTNV	11N20SIS O	Ant1	5240	30~5142	3630.2 1	-54.19	≤- 26.02	0.0038 1	≤2.5	PAS S
NTNV	11N20SIS O	Ant2	5240	30~5142	5043.8 5	-54.71	≤- 26.02	0.0033 8	≤2.5	PAS S
NTNV	11N20SIS O	Ant1	5240	5142~5150	5147.6 4	-53.94	≤- 18.24	0.0040 4	≤15	PAS S
NTNV	11N20SIS O	Ant2	5240	5142~5150	5148.5 1	-54.64	≤- 18.24	0.0034 4	≤15	PAS S
NTNV	11N20SIS O	Ant1	5240	5250~5251	5250.0 1	-17.99	≤-0.1	15.885 47	≤977. 2	PAS S
NTNV	11N20SIS O	Ant2	5240	5250~5251	5250.0 1	-17.67	≤-0.1	17.100 15	≤977. 2	PAS S
NTNV	11N20SIS O	Ant1	5240	5251~5260	5251.0 3	-35.27	≤- 10.03	0.2971 7	≤99.4	PAS S
NTNV	11N20SIS O	Ant2	5240	5251~5260	5251.0 6	-36.96	≤- 10.05	0.2013 7	≤98.8	PAS S
NTNV	11N20SIS O	Ant1	5240	5260~5266.7	5266.3 0	-51.72	≤- 25.52	0.0067 3	≤2.8	PAS S
NTNV	11N20SIS	Ant2	5240	5260~5266.7	5266.3	-51.03	≤-	0.0078	≤2.8	PAS

	O				3		25.56	9	S
NTNV	11N20SIS O	Ant1	5240	5266.7~26000	25978. 58	-44.22	≤- 26.02	0.0378 4	≤2.5 S
NTNV	11N20SIS O	Ant2	5240	5266.7~26000	25869. 38	-44.88	≤- 26.02	0.0325 1	≤2.5 S
NTNV	11N40SIS O	Ant1	5190	30~5141.6	3419.1 6	-44.83	≤- 26.02	0.0328 9	≤2.5 S
NTNV	11N40SIS O	Ant2	5190	30~5141.6	5134.1 0	-50.02	≤- 26.02	0.0099 5	≤2.5 S
NTNV	11N40SIS O	Ant1	5190	5141.6~5150	5149.9 7	-49.17	≤- 18.24	0.0121 1	≤15 S
NTNV	11N40SIS O	Ant2	5190	5141.6~5150	5149.3 3	-48.72	≤- 18.24	0.0134 3	≤15 S
NTNV	11N40SIS O	Ant1	5190	5250~5251	5250.9 9	-51.97	≤- 12.91	0.0063 5	≤51.2 S
NTNV	11N40SIS O	Ant2	5190	5250~5251	5250.9 2	-51.81	≤- 12.21	0.0065 9	≤60.1 S
NTNV	11N40SIS O	Ant1	5190	5251~5270	5267.3 8	-52.21	≤- 19.91	0.0060 1	≤10.2 S
NTNV	11N40SIS O	Ant2	5190	5251~5270	5267.4 7	-52.53	≤- 19.95	0.0055 8	≤10.1 S
NTNV	11N40SIS O	Ant1	5190	5270~5278.4	5278.4 0	-54.18	≤- 26.05	0.0038 2	≤2.5 S
NTNV	11N40SIS O	Ant2	5190	5270~5278.4	5277.7 7	-53.33	≤- 25.67	0.0046 5	≤2.7 S
NTNV	11N40SIS O	Ant1	5190	5278.4~26000	25809. 36	-42.77	≤- 26.02	0.0528 4	≤2.5 S
NTNV	11N40SIS O	Ant2	5190	5278.4~26000	25995. 16	-43.67	≤- 26.02	0.0429 5	≤2.5 S
NTNV	11N40SIS O	Ant1	5230	30~5141.6	3597.9 0	-48.80	≤- 26.02	0.0131 8	≤2.5 S
NTNV	11N40SIS O	Ant2	5230	30~5141.6	3597.2 2	-51.79	≤- 26.02	0.0066 2	≤2.5 S
NTNV	11N40SIS O	Ant1	5230	5141.6~5150	5145.3 3	-49.86	≤- 18.24	0.0103 3	≤15 S
NTNV	11N40SIS	Ant2	5230	5141.6~5150	5148.2	-51.06	≤-	0.0078	≤15 PAS

	O				7		18.24	3		S
NTNV	11N40SIS O	Ant1	5230	5250~5251	5250.0 8	-30.73	≤-3.81	0.8452 8	≤415. 9	PAS S
NTNV	11N40SIS O	Ant2	5230	5250~5251	5250.0 1	-29.19	≤-3.11	1.2050 4	≤488. 6	PAS S
NTNV	11N40SIS O	Ant1	5230	5251~5270	5267.4 9	-50.12	≤- 19.95	0.0097 3	≤10.1	PAS S
NTNV	11N40SIS O	Ant2	5230	5251~5270	5251.0 2	-40.94	≤- 13.02	0.0805 4	≤49.9	PAS S
NTNV	11N40SIS O	Ant1	5230	5270~5278.4	5278.1 6	-52.11	≤- 25.91	0.0061 5	≤2.6	PAS S
NTNV	11N40SIS O	Ant2	5230	5270~5278.4	5277.7 8	-52.73	≤- 25.68	0.0053 3	≤2.7	PAS S
NTNV	11N40SIS O	Ant1	5230	5278.4~26000	25298. 23	-45.58	≤- 26.02	0.0276 7	≤2.5	PAS S
NTNV	11N40SIS O	Ant2	5230	5278.4~26000	25890. 87	-45.08	≤- 26.02	0.0310 5	≤2.5	PAS S
NTNV	11AC20SI SO	Ant1	5180	30~5142	5119.5 1	-53.97	≤- 26.02	0.0040 1	≤2.5	PAS S
NTNV	11AC20SI SO	Ant2	5180	30~5142	3501.9 0	-51.12	≤- 26.02	0.0077 3	≤2.5	PAS S
NTNV	11AC20SI SO	Ant1	5180	5142~5150	5142.6 6	-52.18	≤- 18.24	0.0060 5	≤15	PAS S
NTNV	11AC20SI SO	Ant2	5180	5142~5150	5147.1 0	-52.58	≤- 18.24	0.0055 2	≤15	PAS S
NTNV	11AC20SI SO	Ant1	5180	5250~5251	5250.9 3	-55.01	≤-9.3	0.0031 6	≤117. 5	PAS S
NTNV	11AC20SI SO	Ant2	5180	5250~5251	5250.9 8	-55.50	≤-9.8	0.0028 2	≤104. 7	PAS S
NTNV	11AC20SI SO	Ant1	5180	5251~5260	5259.8 1	-56.52	≤- 17.83	0.0022 3	≤16.5	PAS S
NTNV	11AC20SI SO	Ant2	5180	5251~5260	5259.5 3	-54.55	≤- 17.58	0.0035 1	≤17.4	PAS S
NTNV	11AC20SI SO	Ant1	5180	5260~5266.7	5266.1 0	-55.51	≤- 25.28	0.0028 1	≤3.0	PAS S
NTNV	11AC20SI	Ant2	5180	5260~5266.7	5265.9	-55.00	≤-	0.0031	≤3.1	PAS

	SO				1		25.06	6	S
NTNV	11AC20SI SO	Ant1	5180	5266.7~26000	25771. 24	-45.53	≤- 26.02	0.0279 9	≤2.5 S
NTNV	11AC20SI SO	Ant2	5180	5266.7~26000	25957. 15	-45.54	≤- 26.02	0.0279 3	≤2.5 S
NTNV	11AC20SI SO	Ant1	5200	30~5142	5055.2 7	-52.28	≤- 26.02	0.0059 2	≤2.5 S
NTNV	11AC20SI SO	Ant2	5200	30~5142	2518.5 2	-48.49	≤- 26.02	0.0141 6	≤2.5 S
NTNV	11AC20SI SO	Ant1	5200	5142~5150	5143.3 6	-51.63	≤- 18.24	0.0068 7	≤15 S
NTNV	11AC20SI SO	Ant2	5200	5142~5150	5144.7 9	-52.52	≤- 18.24	0.0056 0	≤15 S
NTNV	11AC20SI SO	Ant1	5200	5250~5251	5250.9 7	-54.17	≤-9.7	0.0038 3	≤107. 2
NTNV	11AC20SI SO	Ant2	5200	5250~5251	5250.9 9	-53.61	≤-9.9	0.0043 6	≤102. 3
NTNV	11AC20SI SO	Ant1	5200	5251~5260	5258.5 6	-53.22	≤- 16.72	0.0047 6	≤21.3 S
NTNV	11AC20SI SO	Ant2	5200	5251~5260	5259.6 6	-53.78	≤-17.7	0.0041 9	≤17.0 S
NTNV	11AC20SI SO	Ant1	5200	5260~5266.7	5266.1 1	-53.70	≤-25.3	0.0042 7	≤3.0 S
NTNV	11AC20SI SO	Ant2	5200	5260~5266.7	5266.3 7	-53.39	≤- 25.61	0.0045 8	≤2.8 S
NTNV	11AC20SI SO	Ant1	5200	5266.7~26000	25909. 46	-43.21	≤- 26.02	0.0477 5	≤2.5 S
NTNV	11AC20SI SO	Ant2	5200	5266.7~26000	25913. 61	-43.76	≤- 26.02	0.0420 7	≤2.5 S
NTNV	11AC20SI SO	Ant1	5240	30~5142	4824.7 2	-54.49	≤- 26.02	0.0035 6	≤2.5 S
NTNV	11AC20SI SO	Ant2	5240	30~5142	123.04	-52.81	≤- 26.02	0.0052 4	≤2.5 S
NTNV	11AC20SI SO	Ant1	5240	5142~5150	5148.6 0	-55.42	≤- 18.24	0.0028 7	≤15 S
NTNV	11AC20SI	Ant2	5240	5142~5150	5144.8	-54.43	≤-	0.0036	≤15 PAS

	SO				6		18.24	1		S
NTNV	11AC20SI SO	Ant1	5240	5250~5251	5250.0 7	-21.44	≤-0.7	7.1779 4	≤851. 1	PAS S
NTNV	11AC20SI SO	Ant2	5240	5250~5251	5250.0 2	-21.65	≤-0.2	6.8391 2	≤955. 0	PAS S
NTNV	11AC20SI SO	Ant1	5240	5251~5260	5251.0 0	-33.24	≤-10	0.4742 4	≤100. 0	PAS S
NTNV	11AC20SI SO	Ant2	5240	5251~5260	5251.0 9	-35.64	≤- 10.08	0.2729 0	≤98.2	PAS S
NTNV	11AC20SI SO	Ant1	5240	5260~5266.7	5262.0 6	-46.06	≤- 20.46	0.0247 7	≤9.0	PAS S
NTNV	11AC20SI SO	Ant2	5240	5260~5266.7	5266.6 9	-50.38	≤- 25.99	0.0091 6	≤2.5	PAS S
NTNV	11AC20SI SO	Ant1	5240	5266.7~26000	24765. 68	-45.66	≤- 26.02	0.0271 6	≤2.5	PAS S
NTNV	11AC20SI SO	Ant2	5240	5266.7~26000	25897. 72	-45.81	≤- 26.02	0.0262 4	≤2.5	PAS S
NTNV	11AC40SI SO	Ant1	5190	30~5141.6	5139.3 8	-51.01	≤- 26.02	0.0079 3	≤2.5	PAS S
NTNV	11AC40SI SO	Ant2	5190	30~5141.6	5140.7 5	-49.93	≤- 26.02	0.0101 6	≤2.5	PAS S
NTNV	11AC40SI SO	Ant1	5190	5141.6~5150	5144.9 3	-49.84	≤- 18.24	0.0103 8	≤15	PAS S
NTNV	11AC40SI SO	Ant2	5190	5141.6~5150	5148.4 2	-48.31	≤- 18.24	0.0147 6	≤15	PAS S
NTNV	11AC40SI SO	Ant1	5190	5250~5251	5250.9 3	-51.68	≤- 12.31	0.0067 9	≤58.7	PAS S
NTNV	11AC40SI SO	Ant2	5190	5250~5251	5250.9 6	-53.40	≤- 12.61	0.0045 7	≤54.8	PAS S
NTNV	11AC40SI SO	Ant1	5190	5251~5270	5269.5 4	-52.26	≤- 20.82	0.0059 4	≤8.3	PAS S
NTNV	11AC40SI SO	Ant2	5190	5251~5270	5268.5 9	-52.93	≤- 20.42	0.0050 9	≤9.1	PAS S
NTNV	11AC40SI SO	Ant1	5190	5270~5278.4	5278.2 8	-51.08	≤- 25.98	0.0078 0	≤2.5	PAS S
NTNV	11AC40SI	Ant2	5190	5270~5278.4	5278.2	-54.45	≤-	0.0035	≤2.5	PAS

	SO				2		25.94	9	S
NTNV	11AC40SI SO	Ant1	5190	5278.4~26000	25786. 57	-43.50	≤- 26.02	0.0446 7	PAS S
NTNV	11AC40SI SO	Ant2	5190	5278.4~26000	25751. 34	-44.25	≤- 26.02	0.0375 8	PAS S
NTNV	11AC40SI SO	Ant1	5230	30~5141.6	3160.1 7	-54.20	≤- 26.02	0.0038 0	PAS S
NTNV	11AC40SI SO	Ant2	5230	30~5141.6	5131.2 1	-53.47	≤- 26.02	0.0045 0	PAS S
NTNV	11AC40SI SO	Ant1	5230	5141.6~5150	5144.9 3	-54.41	≤- 18.24	0.0036 2	PAS S
NTNV	11AC40SI SO	Ant2	5230	5141.6~5150	5147.5 2	-50.99	≤- 18.24	0.0079 6	PAS S
NTNV	11AC40SI SO	Ant1	5230	5250~5251	5250.9 3	-40.04	≤- 12.31	0.0990 8	PAS S
NTNV	11AC40SI SO	Ant2	5230	5250~5251	5250.1 0	-30.21	≤-4.01	0.9528 0	≤397. 2
NTNV	11AC40SI SO	Ant1	5230	5251~5270	5261.7 9	-47.19	≤- 17.55	0.0191 0	≤17.6
NTNV	11AC40SI SO	Ant2	5230	5251~5270	5268.9 4	-51.34	≤- 20.56	0.0073 5	≤8.8
NTNV	11AC40SI SO	Ant1	5230	5270~5278.4	5277.7 9	-51.32	≤- 25.68	0.0073 8	≤2.7
NTNV	11AC40SI SO	Ant2	5230	5270~5278.4	5277.8 5	-52.96	≤- 25.72	0.0050 6	≤2.7
NTNV	11AC40SI SO	Ant1	5230	5278.4~26000	25779. 66	-44.98	≤- 26.02	0.0317 7	≤2.5
NTNV	11AC40SI SO	Ant2	5230	5278.4~26000	25899. 15	-45.71	≤- 26.02	0.0268 5	≤2.5
NTNV	11AC80SI SO	Ant1	5210	30~5123.2	2657.7 5	-55.08	≤- 26.02	0.0031 0	≤2.5
NTNV	11AC80SI SO	Ant2	5210	30~5123.2	4937.9 8	-54.76	≤- 26.02	0.0033 4	≤2.5
NTNV	11AC80SI SO	Ant1	5210	5123.2~5150	5147.6 1	-50.94	≤- 18.24	0.0080 5	≤15
NTNV	11AC80SI	Ant2	5210	5123.2~5150	5128.7	-53.64	≤-	0.0043	≤15

	SO				5		18.24	3	S
NTNV	11AC80SI SO	Ant1	5210	5250~5251	5250.9 6	-32.19 15.62	≤ 15.62	0.6039 5	PAS S
NTNV	11AC80SI SO	Ant2	5210	5250~5251	5250.9 8	-32.58 15.82	≤ 15.82	0.5520 8	PAS S
NTNV	11AC80SI SO	Ant1	5210	5251~5290	5251.0 0	-33.52 16.02	≤ 16.02	0.4446 3	PAS S
NTNV	11AC80SI SO	Ant2	5210	5251~5290	5251.0 8	-34.26 16.04	≤ 16.04	0.3749 7	PAS S
NTNV	11AC80SI SO	Ant1	5210	5290~5296.7	5294.7 7	-54.25 25.45	≤ 25.45	0.0037 6	PAS S
NTNV	11AC80SI SO	Ant2	5210	5290~5296.7	5295.6 8	-55.84 25.72	≤ 25.72	0.0026 1	PAS S
NTNV	11AC80SI SO	Ant1	5210	5296.7~26000	25986. 89	-45.56 26.02	≤ 26.02	0.0278 0	PAS S
NTNV	11AC80SI SO	Ant2	5210	5296.7~26000	25864. 05	-44.67 26.02	≤ 26.02	0.0341 2	PAS S
NTNV	11AX20SIS O	Ant1	5180	30~5142	5104.5 1	-55.02 26.02	≤ 26.02	0.0031 5	PAS S
NTNV	11AX20SIS O	Ant2	5180	30~5142	4944.8 5	-53.78 26.02	≤ 26.02	0.0041 9	PAS S
NTNV	11AX20SIS O	Ant1	5180	5142~5150	5149.8 1	-48.71 18.24	≤ 18.24	0.0134 6	PAS S
NTNV	11AX20SIS O	Ant2	5180	5142~5150	5149.9 6	-50.53 18.24	≤ 18.24	0.0088 5	PAS S
NTNV	11AX20SIS O	Ant1	5180	5250~5250.2	5250.1 8	-55.46 ≤-1.47	≤-1.47	0.0028 4	≤713. 4 PAS S
NTNV	11AX20SIS O	Ant2	5180	5250~5250.2	5250.1 9	-53.97 ≤-1.73	≤-1.73	0.0040 1	≤670. 9 PAS S
NTNV	11AX20SIS O	Ant1	5180	5250.2~5251	5250.9 9	-54.55 ≤-9.9	≤-9.9	0.0035 1	≤102. 3 PAS S
NTNV	11AX20SIS O	Ant2	5180	5250.2~5251	5250.9 1	-55.31 ≤-9.1	≤-9.1	0.0029 4	≤123. 0 PAS S
NTNV	11AX20SIS O	Ant1	5180	5251~5260	5259.2 1	-55.30 ≤-17.3	≤-17.3	0.0029 5	≤18.6 S PAS S
NTNV	11AX20SIS	Ant2	5180	5251~5260	5259.7	-56.00	≤-	0.0025	≤16.7 PAS

	O				3		17.76	1	S
NTNV	11AX20SIS O	Ant1	5180	5260~5266.7	5266.5 4	-56.55	≤- 25.81	0.0022 1	≤2.6 S
NTNV	11AX20SIS O	Ant2	5180	5260~5266.7	5266.4 3	-56.46	≤- 25.68	0.0022 6	≤2.7 S
NTNV	11AX20SIS O	Ant1	5180	5266.7~26000	25965. 44	-43.77	≤- 26.02	0.0419 8	≤2.5 S
NTNV	11AX20SIS O	Ant2	5180	5266.7~26000	25909. 46	-44.63	≤- 26.02	0.0344 3	≤2.5 S
NTNV	11AX20SIS O	Ant1	5200	30~5142	3657.9 9	-53.40	≤- 26.02	0.0045 7	≤2.5 S
NTNV	11AX20SIS O	Ant2	5200	30~5142	3173.3 7	-51.64	≤- 26.02	0.0068 5	≤2.5 S
NTNV	11AX20SIS O	Ant1	5200	5142~5150	5146.0 3	-54.12	≤- 18.24	0.0038 7	≤15 S
NTNV	11AX20SIS O	Ant2	5200	5142~5150	5148.6 0	-54.24	≤- 18.24	0.0037 7	≤15 S
NTNV	11AX20SIS O	Ant1	5200	5250~5250.2	5250.1 4	-51.55	≤-0.4	0.0070 0	≤912. 0
NTNV	11AX20SIS O	Ant2	5200	5250~5250.2	5250.1 4	-52.04	≤-0.4	0.0062 5	≤912. 0
NTNV	11AX20SIS O	Ant1	5200	5250.2~5251	5250.9 9	-53.78	≤-9.9	0.0041 9	≤102. 3
NTNV	11AX20SIS O	Ant2	5200	5250.2~5251	5251.0 0	-53.22	≤-10	0.0047 6	≤100. 0
NTNV	11AX20SIS O	Ant1	5200	5251~5260	5259.8 6	-54.71	≤- 17.88	0.0033 8	≤16.3 S
NTNV	11AX20SIS O	Ant2	5200	5251~5260	5259.8 0	-55.04	≤- 17.82	0.0031 3	≤16.5 S
NTNV	11AX20SIS O	Ant1	5200	5260~5266.7	5266.6 6	-54.56	≤- 25.95	0.0035 0	≤2.5 S
NTNV	11AX20SIS O	Ant2	5200	5260~5266.7	5266.2 4	-54.40	≤- 25.45	0.0036 3	≤2.9 S
NTNV	11AX20SIS O	Ant1	5200	5266.7~26000	25624. 04	-44.19	≤- 26.02	0.0381 1	≤2.5 S
NTNV	11AX20SIS	Ant2	5200	5266.7~26000	25825.	-44.48	≤-	0.0356	≤2.5 PAS

	O				15		26.02	5	S
NTNV	11AX20SIS O	Ant1	5240	30~5142	5070.6 0	-54.42	≤- 26.02	0.0036 1	≤2.5 S
NTNV	11AX20SIS O	Ant2	5240	30~5142	3255.6 7	-54.79	≤- 26.02	0.0033 2	≤2.5 S
NTNV	11AX20SIS O	Ant1	5240	5142~5150	5148.4 9	-56.26	≤- 18.24	0.0023 7	≤15 S
NTNV	11AX20SIS O	Ant2	5240	5142~5150	5142.1 7	-57.30	≤- 18.24	0.0018 6	≤15 S
NTNV	11AX20SIS O	Ant1	5240	5250~5250.2	5250.1 9	-10.07	≤-1.73	98.401 11	≤670. 9 S
NTNV	11AX20SIS O	Ant2	5240	5250~5250.2	5250.1 9	-14.43	≤-1.73	36.057 86	≤670. 9 S
NTNV	11AX20SIS O	Ant1	5240	5250.2~5251	5250.2 0	-10.11	≤-2	97.498 96	≤631. 0 S
NTNV	11AX20SIS O	Ant2	5240	5250.2~5251	5250.2 1	-14.89	≤-2.1	32.433 96	≤616. 6 S
NTNV	11AX20SIS O	Ant1	5240	5251~5260	5251.0 2	-23.84	≤- 10.02	4.1304 8	≤99.6 S
NTNV	11AX20SIS O	Ant2	5240	5251~5260	5251.0 4	-29.48	≤- 10.04	1.1272 0	≤99.2 S
NTNV	11AX20SIS O	Ant1	5240	5260~5266.7	5266.5 5	-45.90	≤- 25.82	0.0257 0	≤2.6 S
NTNV	11AX20SIS O	Ant2	5240	5260~5266.7	5266.4 0	-50.15	≤- 25.64	0.0096 6	≤2.7 S
NTNV	11AX20SIS O	Ant1	5240	5266.7~26000	25891. 50	-45.22	≤- 26.02	0.0300 6	≤2.5 S
NTNV	11AX20SIS O	Ant2	5240	5266.7~26000	25963. 37	-45.12	≤- 26.02	0.0307 6	≤2.5 S
NTNV	11AX40SIS O	Ant1	5190	30~5141.6	5137.1 7	-52.73	≤- 26.02	0.0053 3	≤2.5 S
NTNV	11AX40SIS O	Ant2	5190	30~5141.6	5137.5 1	-51.78	≤- 26.02	0.0066 4	≤2.5 S
NTNV	11AX40SIS O	Ant1	5190	5141.6~5150	5147.9 3	-48.63	≤- 18.24	0.0137 1	≤15 S
NTNV	11AX40SIS	Ant2	5190	5141.6~5150	5145.8	-49.71	≤-	0.0106	≤15 PAS

	O				5		18.24	9	S
NTNV	11AX40SIS O	Ant1	5190	5250~5251	5250.9 4	-51.24	≤- 12.41	0.0075 2	PAS S
NTNV	11AX40SIS O	Ant2	5190	5250~5251	5250.9 8	-51.34	≤- 12.81	0.0073 5	PAS S
NTNV	11AX40SIS O	Ant1	5190	5251~5270	5267.4 2	-52.79	≤- 19.92	0.0052 6	PAS S
NTNV	11AX40SIS O	Ant2	5190	5251~5270	5269.9 4	-52.68	≤- 20.99	0.0054 0	PAS S
NTNV	11AX40SIS O	Ant1	5190	5270~5278.4	5277.5 9	-53.30	≤- 25.56	0.0046 8	PAS S
NTNV	11AX40SIS O	Ant2	5190	5270~5278.4	5278.3 6	-52.73	≤- 26.03	0.0053 3	PAS S
NTNV	11AX40SIS O	Ant1	5190	5278.4~26000	25893. 63	-42.96	≤- 26.02	0.0505 8	PAS S
NTNV	11AX40SIS O	Ant2	5190	5278.4~26000	25906. 75	-43.40	≤- 26.02	0.0457 1	PAS S
NTNV	11AX40SIS O	Ant1	5230	30~5141.6	3505.2 1	-51.80	≤- 26.02	0.0066 1	PAS S
NTNV	11AX40SIS O	Ant2	5230	30~5141.6	3248.2 6	-55.05	≤- 26.02	0.0031 3	PAS S
NTNV	11AX40SIS O	Ant1	5230	5141.6~5150	5146.1 1	-55.95	≤- 18.24	0.0025 4	PAS S
NTNV	11AX40SIS O	Ant2	5230	5141.6~5150	5143.7 1	-55.34	≤- 18.24	0.0029 2	PAS S
NTNV	11AX40SIS O	Ant1	5230	5250~5251	5250.0 1	-18.97	≤-3.11	12.676 52	PAS S
NTNV	11AX40SIS O	Ant2	5230	5250~5251	5250.0 2	-19.30	≤-3.21	11.748 98	PAS S
NTNV	11AX40SIS O	Ant1	5230	5251~5270	5251.0 2	-38.91	≤- 13.02	0.1285 3	PAS S
NTNV	11AX40SIS O	Ant2	5230	5251~5270	5251.0 4	-38.31	≤- 13.03	0.1475 7	PAS S
NTNV	11AX40SIS O	Ant1	5230	5270~5278.4	5277.4 0	-52.28	≤- 25.45	0.0059 2	PAS S
NTNV	11AX40SIS	Ant2	5230	5270~5278.4	5278.4	-52.98	≤-	0.0050	PAS


	O				0		26.05	4	S
NTNV	11AX40SIS O	Ant1	5230	5278.4~26000	24809. 20	-45.02	≤- 26.02	0.0314 8	≤2.5 S
NTNV	11AX40SIS O	Ant2	5230	5278.4~26000	25957. 18	-44.99	≤- 26.02	0.0317 0	≤2.5 S
NTNV	11AX80SIS O	Ant1	5210	30~5123.2	3144.4 9	-54.71	≤- 26.02	0.0033 8	≤2.5 S
NTNV	11AX80SIS O	Ant2	5210	30~5123.2	5112.6 7	-53.52	≤- 26.02	0.0044 5	≤2.5 S
NTNV	11AX80SIS O	Ant1	5210	5123.2~5150	5141.5 8	-55.51	≤- 18.24	0.0028 1	≤15 S
NTNV	11AX80SIS O	Ant2	5210	5123.2~5150	5145.6 6	-50.08	≤- 18.24	0.0098 2	≤15 S
NTNV	11AX80SIS O	Ant1	5210	5250~5251	5250.9 1	-35.49	≤- 15.12	0.2824 9	≤30.8 S
NTNV	11AX80SIS O	Ant2	5210	5250~5251	5250.8 6	-27.04	≤- 14.62	1.9769 7	≤34.5 S
NTNV	11AX80SIS O	Ant1	5210	5251~5290	5252.7 9	-39.02	≤- 16.39	0.1253 1	≤23.0 S
NTNV	11AX80SIS O	Ant2	5210	5251~5290	5251.2 3	-31.21	≤- 16.07	0.7568 3	≤24.7 S
NTNV	11AX80SIS O	Ant1	5210	5290~5296.7	5296.0 5	-55.89	≤- 25.84	0.0025 8	≤2.6 S
NTNV	11AX80SIS O	Ant2	5210	5290~5296.7	5296.4 1	-49.73	≤- 25.94	0.0106 4	≤2.5 S
NTNV	11AX80SIS O	Ant1	5210	5296.7~26000	25864. 74	-45.35	≤- 26.02	0.0291 7	≤2.5 S
NTNV	11AX80SIS O	Ant2	5210	5296.7~26000	25229. 15	-45.27	≤- 26.02	0.0297 2	≤2.5 S

Note 1: ANT1 Max Gain=2.32dBi, ANT2 Max Gain=2.32dBi, The test results in the table have already taken into account the antenna gain value, above table worst test data Meet the requirements.

Note 2:

ANT1+3dBm test value under the TX Spurious Emissions limit, so MIMO TX mode Meet the test requirements, Similarly, ANT2+3dBm test value under the TX Spurious Emissions limit, so MIMO TX mode Meet the test requirements.

6.10.2 Test Graphs






NTVN-11A-Ant2-5180-5142~5150-PASS




NTVN-11A-Ant1-5180-5250~5251-PASS




NTVN-11A-Ant2-5180-5250~5251-PASS



NTNV-11A-Ant1-5180-5251~5260-PASS




NTNV-11A-Ant2-5180-5251~5260-PASS



NTNV-11A-Ant1-5180-5260~5266.7-PASS



NTNV-11A-Ant2-5180-5260~5266.7-PASS



NTNV-11A-Ant1-5180-5266.7~26000-PASS



NTNV-11A-Ant2-5180-5266.7~26000-PASS



NTNV-11A-Ant1-5200-30~5142-PASS




NTNV-11A-Ant2-5200-30~5142-PASS



NTNV-11A-Ant1-5200-5142~5150-PASS









NTNV-11A-Ant1-5240-30~5142-PASS




NTNV-11A-Ant2-5240-30~5142-PASS



NTNV-11A-Ant1-5240-5142~5150-PASS




NTVN-11A-Ant2-5240-5142~5150-PASS




NTVN-11A-Ant1-5240-5250~5251-PASS




NTVN-11A-Ant2-5240-5250~5251-PASS





NTNV-11A-Ant2-5240-5260~5266.7-PASS





NTNV-11A-Ant1-5240-5266.7~26000-PASS



NTNV-11A-Ant2-5240-5266.7~26000-PASS












NTNV-11N20SISO-Ant2-5180-5260~5266.7-PASS



NTNV-11N20SISO-Ant1-5180-5266.7~26000-PASS



NTNV-11N20SISO-Ant2-5180-5266.7~26000-PASS






NTNV-11N20SISO-Ant2-5200-5142~5150-PASS



NTNV-11N20SISO-Ant1-5200-5250~5251-PASS




NTNV-11N20SISO-Ant2-5200-5250~5251-PASS



NTNV-11N20SISO-Ant1-5200-5251~5260-PASS




NTNV-11N20SISO-Ant2-5200-5251~5260-PASS



NTNV-11N20SISO-Ant1-5200-5260~5266.7-PASS





NTV-11N20SISO-Ant2-5200-5260~5266.7-PASS



NTV-11N20SISO-Ant1-5200-5266.7~26000-PASS



NTV-11N20SISO-Ant2-5200-5266.7~26000-PASS





NTNV-11N20SISO-Ant2-5240-5142-5150-PASS



NTNV-11N20SISO-Ant1-5240-5250-5251-PASS




NTNV-11N20SISO-Ant2-5240-5250-5251-PASS



NTNV-11N20SISO-Ant1-5240-5251~5260-PASS




NTNV-11N20SISO-Ant2-5240-5251~5260-PASS



NTNV-11N20SISO-Ant1-5240-5260~5266.7-PASS



NTNV-11N20SISO-Ant2-5240-5260~5266.7-PASS



NTNV-11N20SISO-Ant1-5240-5266.7~26000-PASS



NTNV-11N20SISO-Ant2-5240-5266.7~26000-PASS





NTV-11N40SISO-Ant2-5190-5141.6~5150-PASS




NTV-11N40SISO-Ant1-5190-5250~5251-PASS



NTV-11N40SISO-Ant2-5190-5250~5251-PASS



NTNV-11N40SISO-Ant1-5190-5251~5270-PASS



NTNV-11N40SISO-Ant2-5190-5251~5270-PASS



NTNV-11N40SISO-Ant1-5190-5270~5278.4-PASS






NTNV-11N40SISO-Ant2-5190-5270~5278.4-PASS



NTNV-11N40SISO-Ant1-5190-5278.4~26000-PASS



NTNV-11N40SISO-Ant2-5190-5278.4~26000-PASS





NTV-11N40ISO-Ant2-5230-5141.6~5150-PASS




NTV-11N40ISO-Ant1-5230-5250~5251-PASS



NTV-11N40ISO-Ant2-5230-5250~5251-PASS





NTV-11N40SISO-Ant1-5230-5251~5270-PASS



NTV-11N40SISO-Ant2-5230-5251~5270-PASS




NTV-11N40SISO-Ant1-5230-5270~5278.4-PASS





NTVN-11AC20SISO-Ant1-5180-30~5142-PASS



NTVN-11AC20SISO-Ant2-5180-30~5142-PASS



NTVN-11AC20SISO-Ant1-5180-5142~5150-PASS




NTNV-11AC20SISO-Ant2-5180-5142~5150-PASS



NTNV-11AC20SISO-Ant1-5180-5250~5251-PASS




NTNV-11AC20SISO-Ant2-5180-5250~5251-PASS



NTNV-11AC20SISO-Ant1-5180-5251~5260-PASS




NTNV-11AC20SISO-Ant2-5180-5251~5260-PASS



NTNV-11AC20SISO-Ant1-5180-5260~5266.7-PASS



NTVN-11AC20SISO-Ant2-5180-5260~5266.7-PASS



NTVN-11AC20SISO-Ant1-5180-5266.7~26000-PASS



NTVN-11AC20SISO-Ant2-5180-5266.7~26000-PASS



NTVN-11AC20SISO-Ant1-5200-30~5142-PASS




NTVN-11AC20SISO-Ant2-5200-30~5142-PASS



NTVN-11AC20SISO-Ant1-5200-5142~5150-PASS








NTNV-11AC20SISO-Ant1-5200-5251~5260-PASS




NTNV-11AC20SISO-Ant2-5200-5251~5260-PASS



NTNV-11AC20SISO-Ant1-5200-5260~5266.7-PASS








NTNV-11AC20SISO-Ant2-5240-5142~5150-PASS



NTNV-11AC20SISO-Ant1-5240-5250~5251-PASS



NTNV-11AC20SISO-Ant2-5240-5250~5251-PASS




NTNV-11AC20SISO-Ant1-5240-5251~5260-PASS



NTNV-11AC20SISO-Ant2-5240-5251~5260-PASS




NTNV-11AC20SISO-Ant1-5240-5260~5266.7-PASS





NTVN-11AC20SISO-Ant2-5240-5260~5266.7-PASS



NTVN-11AC20SISO-Ant1-5240-5266.7~26000-PASS



NTVN-11AC20SISO-Ant2-5240-5266.7~26000-PASS







NTNV-11AC40SISO-Ant2-5190-5141.6~5150-PASS






NTNV-11AC40SISO-Ant1-5190-5250~5251-PASS




NTNV-11AC40SISO-Ant2-5190-5250~5251-PASS







NTV-11AC40SISO-Ant1-5230-30~5141.6-PASS



NTV-11AC40SISO-Ant2-5230-30~5141.6-PASS



NTV-11AC40SISO-Ant1-5230-5141.6~5150-PASS







NTNV-11AC40SISO-Ant1-5230-5251~5270-PASS



NTNV-11AC40SISO-Ant2-5230-5251~5270-PASS




NTNV-11AC40SISO-Ant1-5230-5270~5278.4-PASS





NTV-11AC80SISO-Ant1-5210-30~5123.2-PASS



NTV-11AC80SISO-Ant2-5210-30~5123.2-PASS



NTV-11AC80SISO-Ant1-5210-5123.2~5150-PASS




NTNV-11AC80SISO-Ant2-5210-5123.2~5150-PASS




NTNV-11AC80SISO-Ant1-5210-5250~5251-PASS



NTNV-11AC80SISO-Ant2-5210-5250~5251-PASS





NTNV-11AC80SISO-Ant1-5210-5251~5290-PASS




NTNV-11AC80SISO-Ant2-5210-5251~5290-PASS



NTNV-11AC80SISO-Ant1-5210-5290~5296.7-PASS








NTNV-11AX20SISO-Ant2-5180-5142~5150-PASS



NTNV-11AX20SISO-Ant1-5180-5250~5250.2-PASS



NTNV-11AX20SISO-Ant2-5180-5250~5250.2-PASS