



nonHT80 mode: 5210 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	45.87	54.00	-8.13	39.97	5.90	Average	horizontal	
2	8000.000	50.57	74.00	-23.43	44.67	5.90	Peak	horizontal	
3	10420.000	38.28	54.00	-15.72	29.39	8.89	Average	horizontal	
4	10420.000	51.19	74.00	-22.81	42.30	8.89	Peak	horizontal	
5	115630.000	43.65	54.00	-10.35	30.85	12.80	Average	horizontal	
6	115630.000	57.66	74.00	-16.34	44.86	12.80	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	45.13	54.00	-8.87	39.23	5.90	Average	vertical	
2	8000.000	51.12	74.00	-22.88	45.22	5.90	Peak	vertical	
3	10420.000	38.44	54.00	-15.56	29.55	8.89	Average	vertical	
4	10420.000	51.44	74.00	-22.56	42.55	8.89	Peak	vertical	
5	115630.000	44.40	54.00	-9.60	31.60	12.80	Average	vertical	
6	115630.000	58.43	74.00	-15.57	45.63	12.80	Peak	vertical	


nonHT80 mode: 5290 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	45.23	54.00	-8.77	39.33	5.90	Average	horizontal	
2	8000.000	51.23	74.00	-22.77	45.33	5.90	Peak	horizontal	
3	110580.000	38.45	54.00	-15.55	30.12	8.33	Average	horizontal	
4	10580.000	51.48	74.00	-22.52	43.15	8.33	Peak	horizontal	
5	115870.000	42.62	54.00	-11.38	30.43	12.19	Average	horizontal	
6	115870.000	56.37	74.00	-15.63	46.18	12.19	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	45.16	54.00	-8.84	39.26	5.90	Average	vertical	
2	8000.000	51.17	74.00	-22.83	45.27	5.90	Peak	vertical	
3	110580.000	38.69	54.00	-15.31	30.36	8.33	Average	vertical	
4	10580.000	51.92	74.00	-22.08	43.59	8.33	Peak	vertical	
5	115870.000	42.56	54.00	-11.44	30.37	12.19	Average	vertical	
6	115870.000	56.56	74.00	-17.44	44.37	12.19	Peak	vertical	


nonHT80 mode: 5530 MHz

Horizontal



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	47.27	54.00	-6.73	41.37	5.90	Average	horizontal
2	8000.000	52.27	74.00	-21.73	46.37	5.90	Peak	horizontal
3	11060.000	45.82	54.00	-8.18	35.99	9.83	Average	horizontal
4	11060.000	54.23	74.00	-19.77	44.40	9.83	Peak	horizontal
5	11650.000	44.43	54.00	-9.57	30.83	13.60	Average	horizontal
6	11650.000	57.25	74.00	-16.75	43.65	13.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	45.63	54.00	-8.37	39.73	5.90	Average	vertical
2	8000.000	50.83	74.00	-23.17	44.93	5.90	Peak	vertical
3	11060.000	44.15	54.00	-9.85	34.32	9.83	Average	vertical
4	11060.000	54.18	74.00	-19.82	44.35	9.83	Peak	vertical
5	11650.000	44.03	54.00	-9.97	30.43	13.60	Average	vertical
6	11650.000	57.85	74.00	-16.15	44.25	13.60	Peak	vertical


nonHT80 mode: 5610 MHz

Horizontal



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.80	54.00	-7.20	40.90	5.90	Average	horizontal
2	8000.000	51.35	74.00	-22.65	45.45	5.90	Peak	horizontal
3	11220.000	44.40	54.00	-9.60	34.45	9.95	Average	horizontal
4	11220.000	54.74	74.00	-19.26	44.79	9.95	Peak	horizontal
5	11680.000	45.84	54.00	-8.16	31.26	14.58	Average	horizontal
6	11680.000	60.60	74.00	-13.40	46.02	14.58	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.16	54.00	-7.84	40.26	5.90	Average	vertical
2	8000.000	51.17	74.00	-22.83	45.27	5.90	Peak	vertical
3	11220.000	45.62	54.00	-8.38	35.67	9.95	Average	vertical
4	11220.000	53.46	74.00	-20.54	43.51	9.95	Peak	vertical
5	11680.000	45.99	54.00	-8.01	31.41	14.58	Average	vertical
6	11680.000	60.22	74.00	-13.78	45.64	14.58	Peak	vertical


nonHT80 mode: 5690 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.23	54.00	-7.77	40.33	5.90	Average	horizontal
2	8000.000	50.21	74.00	-23.79	44.31	5.90	Peak	horizontal
3	111380.000	41.84	54.00	-12.16	31.48	10.36	Average	horizontal
4	111380.000	53.83	74.00	-20.17	43.47	10.36	Peak	horizontal
5	117070.000	47.09	54.00	-6.91	31.16	15.93	Average	horizontal
6	117070.000	61.61	74.00	-12.39	45.68	15.93	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.37	54.00	-7.63	40.47	5.90	Average	vertical
2	8000.000	50.34	74.00	-23.66	44.44	5.90	Peak	vertical
3	111380.000	43.78	54.00	-10.22	33.42	10.36	Average	vertical
4	111380.000	54.86	74.00	-19.14	44.50	10.36	Peak	vertical
5	117070.000	47.23	54.00	-6.77	31.30	15.93	Average	vertical
6	117070.000	60.44	74.00	-13.56	44.51	15.93	Peak	vertical


nonHT80 mode: 5775 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.16	54.00	-7.84	40.26	5.90	Average	horizontal
2	8000.000	51.56	74.00	-22.44	45.66	5.90	Peak	horizontal
3	111550.000	42.10	54.00	-11.90	31.30	10.80	Average	horizontal
4	111550.000	53.39	74.00	-20.61	42.59	10.80	Peak	horizontal
5	117325.000	47.24	54.00	-6.76	28.75	18.49	Average	horizontal
6	117325.000	60.77	74.00	-13.23	42.28	18.49	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.71	54.00	-7.29	40.81	5.90	Average	vertical
2	8000.000	50.71	74.00	-23.29	44.81	5.90	Peak	vertical
3	111550.000	42.53	54.00	-11.47	31.73	10.80	Average	vertical
4	111550.000	53.42	74.00	-20.58	42.62	10.80	Peak	vertical
5	117325.000	47.03	54.00	-6.97	28.54	18.49	Average	vertical
6	117325.000	61.91	74.00	-12.09	43.42	18.49	Peak	vertical


nonHT160 mode: 5250 MHz

Horizontal



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	45.91	54.00	-8.09	40.01	5.90	Average	horizontal
2	8000.000	50.68	74.00	-23.32	44.78	5.90	Peak	horizontal
3	110500.000	39.39	54.00	-14.70	30.85	8.45	Average	horizontal
4	10500.000	51.32	74.00	-22.68	42.87	8.45	Peak	horizontal
5	115750.000	43.60	54.00	-10.40	30.99	12.61	Average	horizontal
6	115750.000	57.56	74.00	-16.44	44.95	12.61	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	45.70	54.00	-8.30	39.80	5.90	Average	vertical
2	8000.000	50.69	74.00	-23.31	44.79	5.90	Peak	vertical
3	110500.000	37.29	54.00	-16.71	28.84	8.45	Average	vertical
4	10500.000	50.61	74.00	-23.39	42.16	8.45	Peak	vertical
5	115750.000	43.08	54.00	-10.92	30.47	12.61	Average	vertical
6	115750.000	60.07	74.00	-13.93	47.46	12.61	Peak	vertical


nonHT80 mode: 5570 MHz

Horizontal



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	45.15	54.00	-8.85	39.25	5.90	Average	horizontal
2	8000.000	50.63	74.00	-23.37	44.73	5.90	Peak	horizontal
3	111140.000	38.97	54.00	-15.03	29.00	9.97	Average	horizontal
4	11140.000	53.17	74.00	-20.83	43.20	9.97	Peak	horizontal
5	116710.000	44.56	54.00	-9.44	30.11	14.45	Average	horizontal
6	116710.000	59.62	74.00	-14.38	45.17	14.45	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.29	54.00	-7.71	40.39	5.90	Average	vertical
2	8000.000	50.12	74.00	-23.88	44.22	5.90	Peak	vertical
3	111140.000	38.79	54.00	-15.21	28.82	9.97	Average	vertical
4	11140.000	52.38	74.00	-21.62	42.41	9.97	Peak	vertical
5	116710.000	45.23	54.00	-8.77	30.78	14.45	Average	vertical
6	116710.000	59.94	74.00	-14.06	45.49	14.45	Peak	vertical


HT/VHT20 mode: 5180 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.38	54.00	-5.62	42.50	5.88	Average	horizontal	
2	8000.000	54.11	74.00	-19.89	48.23	5.88	Peak	horizontal	
3	10360.000	40.87	54.00	-13.13	32.12	8.75	Average	horizontal	
4	10360.000	53.54	74.00	-20.46	44.79	8.75	Peak	horizontal	
5	11540.000	46.73	54.00	-7.27	33.57	13.16	Average	horizontal	
6	11540.000	62.30	74.00	-11.70	49.14	13.16	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.21	54.00	-7.79	40.33	5.88	Average	vertical	
2	8000.000	53.76	74.00	-20.24	47.88	5.88	Peak	vertical	
3	10360.000	41.59	54.00	-12.41	32.84	8.75	Average	vertical	
4	10360.000	52.72	74.00	-21.28	43.97	8.75	Peak	vertical	
5	11540.000	46.77	54.00	-7.23	33.61	13.16	Average	vertical	
6	11540.000	62.23	74.00	-11.77	49.07	13.16	Peak	vertical	


HT/VHT20 mode: 5200 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.33	54.00	-5.67	42.45	5.88	Average	horizontal	
2	8000.000	53.99	74.00	-20.01	48.11	5.88	Peak	horizontal	
3	10400.000	40.24	54.00	-13.76	31.38	8.86	Average	horizontal	
4	10400.000	53.65	74.00	-20.35	44.79	8.86	Peak	horizontal	
5	11560.000	47.22	54.00	-6.78	34.35	12.87	Average	horizontal	
6	11560.000	62.55	74.00	-11.45	49.68	12.87	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.11	54.00	-7.89	40.23	5.88	Average	vertical	
2	8000.000	53.44	74.00	-20.56	47.56	5.88	Peak	vertical	
3	10400.000	44.18	54.00	-9.82	35.32	8.86	Average	vertical	
4	10400.000	54.59	74.00	-19.41	45.73	8.86	Peak	vertical	
5	11560.000	47.22	54.00	-6.78	34.35	12.87	Average	vertical	
6	11560.000	63.09	74.00	-10.91	50.22	12.87	Peak	vertical	


HT/VHT20 mode: 5240 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	48.23	54.00	-5.77	42.35	5.88	Average	horizontal	
2	8000.000	53.86	74.00	-20.14	47.98	5.88	Peak	horizontal	
3	110480.000	41.73	54.00	-12.27	33.07	8.66	Average	horizontal	
4	110480.000	52.59	74.00	-21.41	43.93	8.66	Peak	horizontal	
5	115720.000	47.89	54.00	-6.11	35.14	12.75	Average	horizontal	
6	115720.000	63.72	74.00	-10.28	50.97	12.75	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	46.23	54.00	-7.77	40.35	5.88	Average	vertical	
2	8000.000	53.44	74.00	-20.56	47.56	5.88	Peak	vertical	
3	110480.000	44.56	54.00	-9.44	35.90	8.66	Average	vertical	
4	110480.000	54.49	74.00	-19.51	45.83	8.66	Peak	vertical	
5	115720.000	47.94	54.00	-6.06	35.19	12.75	Average	vertical	
6	115720.000	63.61	74.00	-10.39	50.86	12.75	Peak	vertical	


HT/VHT20 mode: 5260 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	48.26	54.00	-5.74	42.38	5.88	Average	horizontal	
2	8000.000	54.03	74.00	-19.97	48.15	5.88	Peak	horizontal	
3	110520.000	42.18	54.00	-11.82	33.86	8.32	Average	horizontal	
4	110520.000	53.31	74.00	-20.69	44.99	8.32	Peak	horizontal	
5	115780.000	44.69	54.00	-9.31	32.35	12.34	Average	horizontal	
6	115780.000	60.54	74.00	-13.46	48.20	12.34	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	46.23	54.00	-7.77	40.35	5.88	Average	vertical	
2	8000.000	53.56	74.00	-20.44	47.68	5.88	Peak	vertical	
3	110520.000	44.84	54.00	-9.16	36.52	8.32	Average	vertical	
4	110520.000	54.36	74.00	-19.64	46.04	8.32	Peak	vertical	
5	115780.000	44.75	54.00	-9.25	32.41	12.34	Average	vertical	
6	115780.000	60.03	74.00	-13.97	47.69	12.34	Peak	vertical	


HT/VHT20 mode: 5300 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	48.26	54.00	-5.74	42.38	5.88	Average	horizontal	
2	8000.000	54.21	74.00	-19.79	48.33	5.88	Peak	horizontal	
3	10600.000	44.87	54.00	-9.13	36.26	8.61	Average	horizontal	
4	10600.000	55.43	74.00	-18.57	46.70	8.73	Peak	horizontal	
5	115900.000	46.79	54.00	-7.21	34.66	12.13	Average	horizontal	
6	115900.000	62.19	74.00	-11.81	50.06	12.13	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	46.19	54.00	-7.81	40.31	5.88	Average	vertical	
2	8000.000	53.42	74.00	-20.58	47.54	5.88	Peak	vertical	
3	10600.000	47.70	54.00	-6.30	39.09	8.61	Average	vertical	
4	10600.000	56.55	74.00	-17.45	47.94	8.61	Peak	vertical	
5	115900.000	46.70	54.00	-7.30	34.57	12.13	Average	vertical	
6	115900.000	62.53	74.00	-11.47	50.40	12.13	Peak	vertical	


HT/VHT20 mode: 5320 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	47.24	54.00	-6.76	41.36	5.88	Average	horizontal	
2	8000.000	54.29	74.00	-19.71	48.41	5.88	Peak	horizontal	
3	10640.000	44.37	54.00	-9.63	35.07	9.30	Average	horizontal	
4	10640.000	56.31	74.00	-17.69	47.01	9.30	Peak	horizontal	
5	115960.000	46.34	54.00	-7.66	34.40	11.94	Average	horizontal	
6	115960.000	61.84	74.00	-12.16	49.90	11.94	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	46.26	54.00	-7.74	40.38	5.88	Average	vertical	
2	8000.000	53.45	74.00	-20.55	47.57	5.88	Peak	vertical	
3	10640.000	46.84	54.00	-7.16	37.54	9.30	Average	vertical	
4	10640.000	56.38	74.00	-17.62	47.00	9.30	Peak	vertical	
5	115960.000	46.21	54.00	-7.79	34.27	11.94	Average	vertical	
6	115960.000	61.62	74.00	-12.38	49.68	11.94	Peak	vertical	


HT/VHT20 mode: 5500 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.69	54.00	-5.31	42.81	5.88	Average	horizontal	
2	8000.000	54.10	74.00	-19.90	48.22	5.88	Peak	horizontal	
3	111000.000	53.33	54.00	-0.67	44.03	9.30	Average	horizontal	
4	111000.000	59.09	74.00	-14.91	49.79	9.30	Peak	horizontal	
5	116500.000	44.05	54.00	-9.95	30.05	13.20	Average	horizontal	
6	116500.000	59.70	74.00	-14.30	46.50	13.20	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.31	54.00	-7.69	40.43	5.88	Average	vertical	
2	8000.000	53.54	74.00	-20.46	47.66	5.88	Peak	vertical	
3	111000.000	52.43	54.00	-1.57	43.13	9.30	Average	vertical	
4	111000.000	58.43	74.00	-15.57	49.13	9.30	Peak	vertical	
5	116500.000	44.11	54.00	-9.89	30.91	13.20	Average	vertical	
6	116500.000	60.05	74.00	-13.95	46.85	13.20	Peak	vertical	


HT/VHT20 mode: 5580 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.71	54.00	-5.29	42.83	5.88	Average	horizontal	
2	8000.000	54.15	74.00	-19.85	48.27	5.88	Peak	horizontal	
3	111160.000	50.78	54.00	-3.22	40.84	9.94	Average	horizontal	
4	111160.000	57.35	74.00	-16.65	47.41	9.94	Peak	horizontal	
5	116740.000	46.29	54.00	-7.71	31.57	14.72	Average	horizontal	
6	116740.000	62.03	74.00	-11.97	47.31	14.72	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.12	54.00	-7.88	40.24	5.88	Average	vertical	
2	8000.000	53.69	74.00	-20.31	47.81	5.88	Peak	vertical	
3	111160.000	52.37	54.00	-1.63	42.43	9.94	Average	vertical	
4	111160.000	57.96	74.00	-16.04	48.02	9.94	Peak	vertical	
5	116740.000	46.22	54.00	-7.78	31.50	14.72	Average	vertical	
6	116740.000	62.02	74.00	-11.98	47.30	14.72	Peak	vertical	


HT/VHT20 mode: 5700 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.23	54.00	-5.77	42.35	5.88	Average	horizontal	
2	8000.000	54.15	74.00	-19.85	48.27	5.88	Peak	horizontal	
3	11140.000	47.90	54.00	-6.10	37.24	10.66	Average	horizontal	
4	11140.000	56.05	74.00	-17.95	45.39	10.66	Peak	horizontal	
5	11710.000	46.73	54.00	-7.27	30.45	16.28	Average	horizontal	
6	11710.000	62.08	74.00	-11.92	45.80	16.28	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	47.25	54.00	-6.75	41.37	5.88	Average	vertical	
2	8000.000	53.46	74.00	-20.54	47.58	5.88	Peak	vertical	
3	11140.000	45.31	54.00	-8.69	34.65	10.66	Average	vertical	
4	11140.000	56.59	74.00	-17.41	45.93	10.66	Peak	vertical	
5	11710.000	46.51	54.00	-7.49	30.23	16.28	Average	vertical	
6	11710.000	62.08	74.00	-11.92	45.80	16.28	Peak	vertical	


HT/VHT20 mode: 5720 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.04	54.00	-5.96	42.16	5.88	Average	horizontal	
2	8000.000	54.00	74.00	-19.96	48.16	5.88	Peak	horizontal	
3	11140.000	45.37	54.00	-8.63	34.67	10.70	Average	horizontal	
4	11140.000	56.35	74.00	-17.65	45.65	10.70	Peak	horizontal	
5	11716.000	46.74	54.00	-7.26	30.14	16.60	Average	horizontal	
6	11716.000	62.13	74.00	-11.87	45.53	16.60	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	47.12	54.00	-6.88	41.24	5.88	Average	vertical	
2	8000.000	53.56	74.00	-20.44	47.68	5.88	Peak	vertical	
3	11140.000	45.76	54.00	-8.24	35.06	10.70	Average	vertical	
4	11140.000	56.48	74.00	-17.52	45.78	10.70	Peak	vertical	
5	11716.000	46.73	54.00	-7.27	30.13	16.60	Average	vertical	
6	11716.000	62.50	74.00	-11.50	45.90	16.60	Peak	vertical	


HT/VHT20 mode: 5745 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.25	54.00	-5.75	42.37	5.88	Average	horizontal	
2	8000.000	54.15	74.00	-19.85	48.27	5.88	Peak	horizontal	
3	111490.000	42.54	54.00	-11.46	31.94	10.60	Average	horizontal	
4	111490.000	55.26	74.00	-18.74	44.66	10.60	Peak	horizontal	
5	117235.000	47.51	54.00	-6.49	30.29	17.22	Average	horizontal	
6	117235.000	63.19	74.00	-10.81	45.97	17.22	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.13	54.00	-7.87	40.25	5.88	Average	vertical	
2	8000.000	53.69	74.00	-20.31	47.81	5.88	Peak	vertical	
3	111490.000	46.38	54.00	-7.62	35.78	10.60	Average	vertical	
4	111490.000	56.25	74.00	-17.75	45.65	10.60	Peak	vertical	
5	117235.000	47.46	54.00	-6.54	30.24	17.22	Average	vertical	
6	117235.000	62.99	74.00	-11.01	45.77	17.22	Peak	vertical	


HT/VHT20 mode: 5785 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.19	54.00	-5.81	42.31	5.88	Average	horizontal	
2	8000.000	53.80	74.00	-20.20	47.92	5.88	Peak	horizontal	
3	111570.000	43.82	54.00	-10.18	32.95	10.87	Average	horizontal	
4	111570.000	55.82	74.00	-18.18	44.95	10.87	Peak	horizontal	
5	117355.000	47.39	54.00	-6.61	28.57	18.82	Average	horizontal	
6	117355.000	63.28	74.00	-10.72	44.46	18.82	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.09	54.00	-7.91	40.21	5.88	Average	vertical	
2	8000.000	53.55	74.00	-20.45	47.67	5.88	Peak	vertical	
3	111570.000	42.95	54.00	-11.05	32.08	10.87	Average	vertical	
4	111570.000	55.51	74.00	-18.49	44.64	10.87	Peak	vertical	
5	117355.000	47.32	54.00	-6.68	28.50	18.82	Average	vertical	
6	117355.000	62.87	74.00	-11.13	44.05	18.82	Peak	vertical	


HT/VHT20 mode: 5825 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.22	54.00	-5.78	42.34	5.88	Average	horizontal	
2	8000.000	54.20	74.00	-19.80	48.32	5.88	Peak	horizontal	
3	111650.000	41.22	54.00	-12.78	30.02	11.20	Average	horizontal	
4	111650.000	55.44	74.00	-18.56	44.24	11.20	Peak	horizontal	
5	117475.000	47.76	54.00	-6.24	27.50	20.26	Average	horizontal	
6	117475.000	62.54	74.00	-11.46	42.28	20.26	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.23	54.00	-7.77	40.35	5.88	Average	vertical	
2	8000.000	53.69	74.00	-20.31	47.81	5.88	Peak	vertical	
3	111650.000	40.47	54.00	-13.53	29.27	11.20	Average	vertical	
4	111650.000	55.35	74.00	-18.65	44.15	11.20	Peak	vertical	
5	117475.000	47.73	54.00	-6.27	27.47	20.26	Average	vertical	
6	117475.000	63.39	74.00	-10.61	43.13	20.26	Peak	vertical	


HT/VHT40 mode: 5190 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.45	54.00	-5.55	42.57	5.88	Average	horizontal	
2	8000.000	53.77	74.00	-20.23	47.09	5.88	Peak	horizontal	
3	10380.000	39.94	54.00	-14.06	31.08	8.86	Average	horizontal	
4	10380.000	53.60	74.00	-20.40	44.74	8.86	Peak	horizontal	
5	115570.000	47.24	54.00	-6.76	34.22	13.02	Average	horizontal	
6	115570.000	62.90	74.00	-11.10	49.88	13.02	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.09	54.00	-7.91	40.21	5.88	Average	vertical	
2	8000.000	53.47	74.00	-20.53	47.59	5.88	Peak	vertical	
3	10380.000	41.82	54.00	-12.18	32.96	8.86	Average	vertical	
4	10380.000	53.72	74.00	-20.28	44.86	8.86	Peak	vertical	
5	115570.000	47.18	54.00	-6.82	34.16	13.02	Average	vertical	
6	115570.000	63.40	74.00	-10.60	50.38	13.02	Peak	vertical	


HT/VHT40 mode: 5230 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.33	54.00	-5.67	42.45	5.88	Average	horizontal	
2	8000.000	53.74	74.00	-20.26	47.86	5.88	Peak	horizontal	
3	10460.000	41.86	54.00	-12.14	33.20	8.66	Average	horizontal	
4	10460.000	54.61	74.00	-19.39	45.95	8.66	Peak	horizontal	
5	115690.000	47.39	54.00	-6.61	34.57	12.82	Average	horizontal	
6	115690.000	63.50	74.00	-10.50	50.68	12.82	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.09	54.00	-7.91	40.21	5.88	Average	vertical	
2	8000.000	53.46	74.00	-20.54	47.58	5.88	Peak	vertical	
3	10460.000	44.88	54.00	-9.12	36.22	8.66	Average	vertical	
4	10460.000	54.90	74.00	-19.10	46.24	8.66	Peak	vertical	
5	115690.000	47.04	54.00	-6.96	34.62	12.82	Average	vertical	
6	115690.000	63.10	74.00	-10.90	50.28	12.82	Peak	vertical	


HT/VHT40 mode: 5270 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.23	54.00	-5.77	42.35	5.88	Average	horizontal	
2	8000.000	53.80	74.00	-20.20	47.92	5.88	Peak	horizontal	
3	10540.000	41.21	54.00	-12.79	32.94	8.27	Average	horizontal	
4	10540.000	53.66	74.00	-20.34	45.39	8.27	Peak	horizontal	
5	115810.000	44.03	54.00	-9.97	31.83	12.20	Average	horizontal	
6	115810.000	59.99	74.00	-14.01	47.79	12.20	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.11	54.00	-7.89	40.23	5.88	Average	vertical	
2	8000.000	53.65	74.00	-20.35	47.77	5.88	Peak	vertical	
3	10540.000	44.61	54.00	-9.39	36.34	8.27	Average	vertical	
4	10540.000	54.22	74.00	-19.78	45.95	8.27	Peak	vertical	
5	115810.000	44.08	54.00	-9.92	31.88	12.20	Average	vertical	
6	115810.000	60.41	74.00	-13.59	48.21	12.20	Peak	vertical	


HT/VHT40 mode: 5310 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.43	54.00	-5.57	42.55	5.88	Average	horizontal	
2	8000.000	53.80	74.00	-20.20	47.92	5.88	Peak	horizontal	
3	110620.000	45.65	54.00	-8.35	36.35	9.30	Average	horizontal	
4	110620.000	56.23	74.00	-17.77	46.93	9.30	Peak	horizontal	
5	115930.000	46.76	54.00	-7.24	34.73	12.03	Average	horizontal	
6	115930.000	62.31	74.00	-11.69	50.28	12.03	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.13	54.00	-7.87	40.25	5.88	Average	vertical	
2	8000.000	53.72	74.00	-20.28	47.84	5.88	Peak	vertical	
3	110620.000	47.92	54.00	-6.08	38.62	9.30	Average	vertical	
4	110620.000	56.43	74.00	-17.57	47.13	9.30	Peak	vertical	
5	115930.000	46.64	54.00	-7.36	34.61	12.03	Average	vertical	
6	115930.000	62.01	74.00	-11.99	49.98	12.03	Peak	vertical	


HT/VHT40 mode: 5510 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.34	54.00	-5.66	42.46	5.88	Average	horizontal	
2	8000.000	53.76	74.00	-20.24	47.08	5.88	Peak	horizontal	
3	111020.000	51.34	54.00	-2.66	41.75	9.59	Average	horizontal	
4	111020.000	57.61	74.00	-16.39	48.02	9.59	Peak	horizontal	
5	116530.000	44.15	54.00	-9.85	30.76	13.39	Average	horizontal	
6	116530.000	59.61	74.00	-14.39	46.22	13.39	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.15	54.00	-7.85	40.27	5.88	Average	vertical	
2	8000.000	53.37	74.00	-20.63	47.49	5.88	Peak	vertical	
3	111020.000	50.45	54.00	-3.55	40.86	9.59	Average	vertical	
4	111020.000	57.08	74.00	-16.92	47.49	9.59	Peak	vertical	
5	116530.000	44.15	54.00	-9.85	30.76	13.39	Average	vertical	
6	116530.000	60.18	74.00	-13.82	46.79	13.39	Peak	vertical	


HT/VHT40 mode: 5550 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Remark	Pol/Phase
1	8000.000	48.29	54.00	-5.71	42.41	5.88	Average	horizontal
2	8000.000	53.47	74.00	-20.53	47.59	5.88	Peak	horizontal
3	11100.000	48.09	54.00	-5.91	38.13	9.96	Average	horizontal
4	11100.000	56.53	74.00	-17.47	46.57	9.96	Peak	horizontal
5	11650.000	45.25	54.00	-8.75	31.29	13.96	Average	horizontal
6	11650.000	60.90	74.00	-13.10	46.94	13.96	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Remark	Pol/Phase
1	8000.000	46.08	54.00	-7.92	48.20	5.88	Average	vertical
2	8000.000	53.48	74.00	-20.52	47.60	5.88	Peak	vertical
3	11100.000	48.35	54.00	-5.65	38.39	9.96	Average	vertical
4	11100.000	56.93	74.00	-17.07	46.97	9.96	Peak	vertical
5	11650.000	45.21	54.00	-8.79	31.25	13.96	Average	vertical
6	11650.000	61.10	74.00	-12.90	47.14	13.96	Peak	vertical


HT/VHT40 mode: 5670 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Remark	Pol/Phase
1	8000.000	48.25	54.00	-5.75	42.37	5.88	Average	horizontal
2	8000.000	53.66	74.00	-20.34	47.78	5.88	Peak	horizontal
3	11340.000	41.67	54.00	-12.33	31.42	10.25	Average	horizontal
4	11340.000	56.07	74.00	-17.93	45.82	10.25	Peak	horizontal
5	117010.000	45.62	54.00	-8.38	30.52	15.10	Average	horizontal
6	117010.000	61.25	74.00	-12.75	46.15	15.10	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Remark	Pol/Phase
1	8000.000	46.05	54.00	-7.95	48.17	5.88	Average	vertical
2	8000.000	53.50	74.00	-20.50	47.62	5.88	Peak	vertical
3	11340.000	41.82	54.00	-12.18	31.57	10.25	Average	vertical
4	11340.000	55.59	74.00	-18.41	45.34	10.25	Peak	vertical
5	117010.000	45.61	54.00	-8.39	30.51	15.10	Average	vertical
6	117010.000	61.53	74.00	-12.47	46.43	15.10	Peak	vertical


HT/VHT40 mode: 5710 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.30	54.00	-5.70	42.42	5.88	Average	horizontal
2	8000.000	53.68	74.00	-20.32	47.80	5.88	Peak	horizontal
3	111420.000	42.22	54.00	-11.78	31.56	10.66	Average	horizontal
4	111420.000	55.99	74.00	-18.01	45.33	10.66	Peak	horizontal
5	117130.000	46.93	54.00	-7.07	30.36	16.57	Average	horizontal
6	117130.000	63.18	74.00	-10.82	46.61	16.57	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.03	54.00	-7.97	40.15	5.88	Average	vertical
2	8000.000	53.76	74.00	-20.24	47.88	5.88	Peak	vertical
3	111420.000	43.26	54.00	-10.74	32.60	10.66	Average	vertical
4	111420.000	55.99	74.00	-18.01	45.33	10.66	Peak	vertical
5	117130.000	46.77	54.00	-7.23	30.20	16.57	Average	vertical
6	117130.000	62.34	74.00	-11.66	45.77	16.57	Peak	vertical


HT/VHT40 mode: 5755 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.31	54.00	-5.69	42.43	5.88	Average	horizontal
2	8000.000	53.71	74.00	-20.29	47.03	5.88	Peak	horizontal
3	111510.000	41.58	54.00	-12.42	30.98	10.60	Average	horizontal
4	111510.000	56.45	74.00	-17.55	45.85	10.60	Peak	horizontal
5	117265.000	48.00	54.00	-6.00	30.44	17.56	Average	horizontal
6	117265.000	63.61	74.00	-10.39	46.05	17.56	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.08	54.00	-7.92	40.20	5.88	Average	vertical
2	8000.000	53.49	74.00	-20.51	47.61	5.88	Peak	vertical
3	111510.000	42.26	54.00	-11.74	31.66	10.60	Average	vertical
4	111510.000	55.54	74.00	-18.46	44.94	10.60	Peak	vertical
5	117265.000	47.93	54.00	-6.07	30.37	17.56	Average	vertical
6	117265.000	62.51	74.00	-11.49	44.95	17.56	Peak	vertical


HT/VHT40 mode: 5795 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.41	54.00	-5.59	42.63	5.78	Average	horizontal	
2	8000.000	53.73	74.00	-20.27	47.85	5.88	Peak	horizontal	
3	111590.000	40.99	54.00	-13.01	29.99	11.00	Average	horizontal	
4	111590.000	55.69	74.00	-18.31	44.69	11.00	Peak	horizontal	
5	117385.000	47.58	54.00	-6.42	28.46	19.12	Average	horizontal	
6	117385.000	63.76	74.00	-10.24	44.64	19.12	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	45.98	54.00	-8.02	40.20	5.78	Average	vertical	
2	8000.000	53.54	74.00	-20.46	47.76	5.78	Peak	vertical	
3	111590.000	40.78	54.00	-13.22	29.78	11.00	Average	vertical	
4	111590.000	54.78	74.00	-19.22	43.78	11.00	Peak	vertical	
5	117385.000	47.57	54.00	-6.43	28.45	19.12	Average	vertical	
6	117385.000	63.16	74.00	-10.84	44.04	19.12	Peak	vertical	


HT/VHT80 mode: 5210 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.77	54.00	-5.23	42.99	5.78	Average	horizontal	
2	8000.000	53.83	74.00	-20.17	48.05	5.78	Peak	horizontal	
3	10420.000	37.28	54.00	-16.72	28.39	8.89	Average	horizontal	
4	10420.000	51.99	74.00	-22.01	43.10	8.89	Peak	horizontal	
5	115630.000	46.04	54.00	-7.96	33.24	12.80	Average	horizontal	
6	115630.000	61.52	74.00	-12.48	48.72	12.80	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.13	54.00	-7.87	39.79	6.34	Average	vertical	
2	8000.000	52.70	74.00	-21.30	46.36	6.34	Peak	vertical	
3	10420.000	40.01	54.00	-13.99	31.12	8.89	Average	vertical	
4	10420.000	52.34	74.00	-21.66	43.45	8.89	Peak	vertical	
5	115630.000	47.07	54.00	-6.93	34.27	12.80	Average	vertical	
6	115630.000	62.97	74.00	-11.03	50.17	12.80	Peak	vertical	


HT/VHT80 mode: 5290 MHz

Horizontal



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	Limit	Level	dB		
1	8000.000	48.68	54.00	-5.32	42.90	5.78	Average	horizontal
2	8000.000	54.00	74.00	-19.92	48.30	5.78	Peak	horizontal
3	110580.000	38.79	54.00	-15.21	30.46	8.33	Average	horizontal
4	10580.000	52.81	74.00	-21.19	44.48	8.33	Peak	horizontal
5	115870.000	45.50	54.00	-8.50	33.31	12.19	Average	horizontal
6	115870.000	61.24	74.00	-12.76	49.05	12.19	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	Limit	Level	dB		
1	8000.000	46.08	54.00	-7.92	40.30	5.78	Average	vertical
2	8000.000	53.64	74.00	-20.36	47.86	5.78	Peak	vertical
3	110580.000	39.10	54.00	-14.90	30.77	8.33	Average	vertical
4	10580.000	52.04	74.00	-21.96	43.71	8.33	Peak	vertical
5	115870.000	45.48	54.00	-8.52	33.29	12.19	Average	vertical
6	115870.000	60.70	74.00	-13.30	48.51	12.19	Peak	vertical


HT/VHT80 mode: 5530 MHz

Horizontal



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	Limit	Level	dB		
1	8000.000	48.36	54.00	-5.64	42.58	5.78	Average	horizontal
2	8000.000	53.63	74.00	-20.37	47.85	5.78	Peak	horizontal
3	111060.000	49.52	54.00	-4.48	39.69	9.83	Average	horizontal
4	111060.000	56.18	74.00	-17.82	46.35	9.83	Peak	horizontal
5	116590.000	43.57	54.00	-10.43	29.97	13.60	Average	horizontal
6	116590.000	58.84	74.00	-15.16	45.24	13.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	Limit	Level	dB		
1	8000.000	46.83	54.00	-7.17	41.05	5.78	Average	vertical
2	8000.000	54.18	74.00	-19.82	48.40	5.78	Peak	vertical
3	111060.000	50.43	54.00	-3.57	40.60	9.83	Average	vertical
4	111060.000	56.65	74.00	-17.35	46.82	9.83	Peak	vertical
5	116590.000	43.62	54.00	-10.38	30.02	13.60	Average	vertical
6	116590.000	60.45	74.00	-13.55	46.85	13.60	Peak	vertical


HT/VHT80 mode: 5610 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.21	54.00	-5.79	42.33	5.88	Average	horizontal	
2	8000.000	53.71	74.00	-20.29	47.83	5.88	Peak	horizontal	
3	11220.000	46.46	54.00	-7.54	36.51	9.95	Average	horizontal	
4	11220.000	55.69	74.00	-18.31	45.74	9.95	Peak	horizontal	
5	116830.000	44.55	54.00	-9.45	29.97	14.58	Average	horizontal	
6	116830.000	60.24	74.00	-13.76	45.66	14.58	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.08	54.00	-5.92	42.30	5.78	Average	vertical	
2	8000.000	54.38	74.00	-19.62	48.60	5.78	Peak	vertical	
3	11220.000	47.82	54.00	-6.18	37.87	9.95	Average	vertical	
4	11220.000	56.23	74.00	-17.77	46.28	9.95	Peak	vertical	
5	116830.000	44.50	54.00	-9.50	29.92	14.58	Average	vertical	
6	116830.000	60.30	74.00	-13.70	45.72	14.58	Peak	vertical	


HT/VHT80 mode: 5690 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.31	54.00	-5.69	42.53	5.78	Average	horizontal	
2	8000.000	53.31	74.00	-20.67	47.55	5.78	Peak	horizontal	
3	11380.000	41.84	54.00	-12.16	31.48	10.36	Average	horizontal	
4	11380.000	54.81	74.00	-19.19	44.45	10.36	Peak	horizontal	
5	117070.000	45.53	54.00	-8.47	29.60	15.93	Average	horizontal	
6	117070.000	60.64	74.00	-13.36	44.71	15.93	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	47.19	54.00	-6.81	41.41	5.78	Average	vertical	
2	8000.000	54.48	74.00	-19.52	48.70	5.78	Peak	vertical	
3	11380.000	43.25	54.00	-10.75	32.89	10.36	Average	vertical	
4	11380.000	55.77	74.00	-18.23	45.41	10.36	Peak	vertical	
5	117070.000	45.44	54.00	-8.56	29.51	15.93	Average	vertical	
6	117070.000	61.14	74.00	-12.86	45.21	15.93	Peak	vertical	


HT/VHT80 mode: 5775 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.41	54.00	-5.59	42.63	5.78	Average	horizontal
2	8000.000	53.23	74.00	-20.77	47.45	5.78	Peak	horizontal
3	111550.000	39.90	54.00	-14.10	29.10	10.80	Average	horizontal
4	111550.000	54.06	74.00	-19.94	43.26	10.80	Peak	horizontal
5	117325.000	47.91	54.00	-6.09	29.42	18.49	Average	horizontal
6	117325.000	63.44	74.00	-10.56	44.95	18.49	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.38	54.00	-7.62	40.60	5.78	Average	vertical
2	8000.000	53.73	74.00	-20.27	47.95	5.78	Peak	vertical
3	111550.000	39.90	54.00	-14.10	29.10	10.80	Average	vertical
4	111550.000	54.59	74.00	-19.41	43.79	10.80	Peak	vertical
5	117325.000	47.87	54.00	-6.13	29.38	18.49	Average	vertical
6	117325.000	63.46	74.00	-10.54	44.97	18.49	Peak	vertical


HT/VHT160 mode: 5250 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.36	54.00	-5.64	42.58	5.78	Average	horizontal
2	8000.000	53.73	74.00	-20.27	47.95	5.78	Peak	horizontal
3	110420.000	37.30	54.00	-16.70	28.41	8.89	Average	horizontal
4	110420.000	52.52	74.00	-21.48	43.63	8.89	Peak	horizontal
5	110500.000	37.42	54.00	-16.58	28.97	8.45	Average	horizontal
6	10500.000	52.95	74.00	-21.05	44.50	8.45	Peak	horizontal
7	115750.000	46.88	54.00	-7.12	34.27	12.61	Average	horizontal
8	115750.000	62.19	74.00	-11.81	49.58	12.61	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.18	54.00	-7.82	40.40	5.78	Average	vertical
2	8000.000	53.74	74.00	-20.26	47.96	5.78	Peak	vertical
3	110420.000	38.70	54.00	-15.30	30.25	8.45	Average	vertical
4	110420.000	52.64	74.00	-21.36	44.19	8.45	Peak	vertical
5	110500.000	38.88	54.00	-15.12	30.43	8.45	Average	vertical
6	10500.000	53.14	74.00	-20.86	44.69	8.45	Peak	vertical
7	115750.000	46.85	54.00	-7.15	34.24	12.61	Average	vertical
8	115750.000	61.70	74.00	-12.30	49.09	12.61	Peak	vertical


HT/VHT160 mode: 5570 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.06	54.00	-5.94	42.28	5.78	Average	horizontal
2	8000.000	53.21	74.00	-20.79	47.43	5.78	Peak	horizontal
3	11060.000	49.36	54.00	-4.64	39.53	9.83	Average	horizontal
4	11060.000	56.16	74.00	-17.84	46.33	9.83	Peak	horizontal
5	11140.000	38.66	54.00	-15.34	28.69	9.97	Average	horizontal
6	11140.000	54.67	74.00	-19.33	44.70	9.97	Peak	horizontal
7	116710.000	45.21	54.00	-8.79	30.76	14.45	Average	horizontal
8	116710.000	61.24	74.00	-12.76	46.79	14.45	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.18	54.00	-7.82	40.40	5.78	Average	vertical
2	8000.000	53.77	74.00	-20.23	47.99	5.78	Peak	vertical
3	11060.000	50.45	54.00	-3.55	40.48	9.97	Average	vertical
4	11060.000	56.51	74.00	-17.49	46.54	9.97	Peak	vertical
5	11140.000	38.68	54.00	-15.32	28.71	9.97	Average	vertical
6	11140.000	55.07	74.00	-18.93	45.10	9.97	Peak	vertical
7	116710.000	45.14	54.00	-8.86	30.69	14.45	Average	vertical
8	116710.000	60.57	74.00	-13.43	46.12	14.45	Peak	vertical


HE20 mode: 5180 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.23	54.00	-5.77	42.35	5.88	Average	horizontal
2	8000.000	53.76	74.00	-20.24	47.08	5.88	Peak	horizontal
3	10360.000	40.79	54.00	-13.21	32.04	8.75	Average	horizontal
4	10360.000	53.28	74.00	-20.72	44.53	8.75	Peak	horizontal
5	115540.000	46.77	54.00	-7.23	33.61	13.16	Average	horizontal
6	115540.000	62.54	74.00	-11.46	49.38	13.16	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.11	54.00	-7.89	40.23	5.88	Average	vertical
2	8000.000	53.46	74.00	-20.54	47.58	5.88	Peak	vertical
3	10360.000	42.25	54.00	-11.75	33.50	8.75	Average	vertical
4	10360.000	54.13	74.00	-19.87	45.38	8.75	Peak	vertical
5	115540.000	46.76	54.00	-7.24	33.60	13.16	Average	vertical
6	115540.000	62.37	74.00	-11.63	49.21	13.16	Peak	vertical


HE20 mode: 5200 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.62	54.00	-5.38	42.74	5.88	Average	horizontal	
2	8000.000	53.89	74.00	-20.11	48.01	5.88	Peak	horizontal	
3	110400.000	48.12	54.00	-13.88	31.26	8.86	Average	horizontal	
4	110400.000	53.01	74.00	-20.99	44.15	8.86	Peak	horizontal	
5	115600.000	47.23	54.00	-6.77	34.36	12.87	Average	horizontal	
6	115600.000	63.07	74.00	-10.93	50.20	12.87	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.11	54.00	-7.89	40.23	5.88	Average	vertical	
2	8000.000	53.69	74.00	-20.31	47.81	5.88	Peak	vertical	
3	110400.000	43.83	54.00	-10.17	34.97	8.86	Average	vertical	
4	110400.000	54.31	74.00	-19.69	45.45	8.86	Peak	vertical	
5	115600.000	47.22	54.00	-6.78	34.35	12.87	Average	vertical	
6	115600.000	63.10	74.00	-10.90	50.23	12.87	Peak	vertical	


HE20 mode: 5240 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.33	54.00	-5.67	42.45	5.88	Average	horizontal	
2	8000.000	54.49	74.00	-19.51	48.61	5.88	Peak	horizontal	
3	110480.000	41.73	54.00	-12.27	33.07	8.66	Average	horizontal	
4	110480.000	53.21	74.00	-20.79	44.57	8.64	Peak	horizontal	
5	115720.000	47.98	54.00	-6.02	35.23	12.75	Average	horizontal	
6	115720.000	63.68	74.00	-10.32	50.93	12.75	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.13	54.00	-7.87	40.25	5.88	Average	vertical	
2	8000.000	53.53	74.00	-20.47	47.65	5.88	Peak	vertical	
3	110480.000	44.24	54.00	-9.76	35.58	8.66	Average	vertical	
4	110480.000	54.31	74.00	-19.69	45.65	8.66	Peak	vertical	
5	115720.000	47.96	54.00	-6.04	35.21	12.75	Average	vertical	
6	115720.000	63.67	74.00	-10.33	50.92	12.75	Peak	vertical	


HE20 mode: 5260 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			PoI/Phase
1	8000.000	48.39	54.00	-5.61	42.51	5.88	Average	horizontal	
2	8000.000	53.87	74.00	-20.13	47.99	5.88	Peak	horizontal	
3	110520.000	41.60	54.00	-12.40	33.28	8.32	Average	horizontal	
4	10520.000	53.20	74.00	-20.80	44.88	8.32	Peak	horizontal	
5	115780.000	44.00	54.00	-9.20	32.46	12.34	Average	horizontal	
6	115780.000	60.01	74.00	-13.99	47.67	12.34	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			PoI/Phase
1	8000.000	46.16	54.00	-7.84	40.28	5.88	Average	vertical	
2	8000.000	53.63	74.00	-20.37	47.75	5.88	Peak	vertical	
3	110520.000	44.56	54.00	-9.44	36.24	8.32	Average	vertical	
4	10520.000	54.05	74.00	-19.95	45.73	8.32	Peak	vertical	
5	115780.000	44.00	54.00	-9.20	32.46	12.34	Average	vertical	
6	115780.000	60.32	74.00	-13.68	47.98	12.34	Peak	vertical	


HE20 mode: 5300 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			PoI/Phase
1	8000.000	48.39	54.00	-5.61	42.51	5.88	Average	horizontal	
2	8000.000	53.80	74.00	-20.20	47.92	5.88	Peak	horizontal	
3	110600.000	44.61	54.00	-9.39	36.00	8.61	Average	horizontal	
4	110600.000	55.10	74.00	-18.90	46.49	8.61	Peak	horizontal	
5	115900.000	46.78	54.00	-7.22	34.65	12.13	Average	horizontal	
6	115900.000	62.67	74.00	-11.33	50.54	12.13	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			PoI/Phase
1	8000.000	46.13	54.00	-7.87	40.25	5.88	Average	vertical	
2	8000.000	53.83	74.00	-20.17	47.95	5.88	Peak	vertical	
3	110600.000	47.43	54.00	-6.57	38.82	8.61	Average	vertical	
4	110600.000	55.75	74.00	-18.25	47.14	8.61	Peak	vertical	
5	115900.000	46.67	54.00	-7.33	34.54	12.13	Average	vertical	
6	115900.000	62.57	74.00	-11.43	50.44	12.13	Peak	vertical	


HE20 mode: 5320 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.42	54.00	-5.58	42.54	5.88	Average	horizontal
2	8000.000	54.83	74.00	-19.17	48.95	5.88	Peak	horizontal
3	110640.000	45.64	54.00	-8.36	36.34	9.30	Average	horizontal
4	110640.000	56.46	74.00	-17.54	47.16	9.30	Peak	horizontal
5	115960.000	46.37	54.00	-7.63	34.43	11.94	Average	horizontal
6	115960.000	61.77	74.00	-12.23	49.83	11.94	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.09	54.00	-7.91	40.21	5.88	Average	vertical
2	8000.000	53.69	74.00	-20.31	47.81	5.88	Peak	vertical
3	110640.000	46.08	54.00	-7.92	36.78	9.30	Average	vertical
4	110640.000	55.91	74.00	-18.09	46.61	9.30	Peak	vertical
5	115960.000	46.21	54.00	-7.79	34.27	11.94	Average	vertical
6	115960.000	61.87	74.00	-12.13	49.93	11.94	Peak	vertical


HE20 mode: 5500 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.11	54.00	-5.89	42.23	5.88	Average	horizontal
2	8000.000	55.24	74.00	-18.76	49.36	5.88	Peak	horizontal
3	111000.000	53.58	54.00	-0.42	44.28	9.30	Average	horizontal
4	111000.000	58.98	74.00	-15.02	49.68	9.30	Peak	horizontal
5	116500.000	44.18	54.00	-9.82	30.98	13.20	Average	horizontal
6	116500.000	59.53	74.00	-14.47	46.33	13.20	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.12	54.00	-7.88	40.24	5.88	Average	vertical
2	8000.000	53.56	74.00	-20.44	47.68	5.88	Peak	vertical
3	111000.000	53.20	54.00	-0.80	43.90	9.30	Average	vertical
4	111000.000	58.29	74.00	-15.71	48.99	9.30	Peak	vertical
5	116500.000	44.22	54.00	-9.78	31.02	13.20	Average	vertical
6	116500.000	59.84	74.00	-14.16	46.64	13.20	Peak	vertical


HE20 mode: 5580 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.39	54.00	-5.61	42.51	5.88	Average	horizontal	
2	8000.000	53.73	74.00	-20.27	47.85	5.88	Peak	horizontal	
3	111160.000	50.46	54.00	-3.54	40.52	9.94	Average	horizontal	
4	111160.000	57.22	74.00	-16.78	47.28	9.94	Peak	horizontal	
5	116740.000	46.24	54.00	-7.76	31.52	14.72	Average	horizontal	
6	116740.000	62.17	74.00	-11.83	47.45	14.72	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.21	54.00	-7.79	40.33	5.88	Average	vertical	
2	8000.000	53.70	74.00	-20.30	47.82	5.88	Peak	vertical	
3	111160.000	51.21	54.00	-2.79	41.27	9.94	Average	vertical	
4	111160.000	57.94	74.00	-16.06	48.00	9.94	Peak	vertical	
5	116740.000	46.32	54.00	-7.68	31.60	14.72	Average	vertical	
6	116740.000	62.14	74.00	-11.86	47.42	14.72	Peak	vertical	


HE20 mode: 5700 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.38	54.00	-5.62	42.50	5.88	Average	horizontal	
2	8000.000	53.80	74.00	-20.20	47.92	5.88	Peak	horizontal	
3	111400.000	46.40	54.00	-7.60	35.74	10.66	Average	horizontal	
4	111400.000	56.82	74.00	-17.18	46.16	10.66	Peak	horizontal	
5	117100.000	46.86	54.00	-7.14	30.58	16.28	Average	horizontal	
6	117100.000	62.07	74.00	-11.93	45.79	16.28	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.12	54.00	-7.88	40.24	5.88	Average	vertical	
2	8000.000	53.98	74.00	-20.02	48.10	5.88	Peak	vertical	
3	111400.000	47.02	54.00	-6.98	36.36	10.66	Average	vertical	
4	111400.000	56.78	74.00	-17.22	46.12	10.66	Peak	vertical	
5	117100.000	46.81	54.00	-7.19	30.53	16.28	Average	vertical	
6	117100.000	62.40	74.00	-11.60	46.12	16.28	Peak	vertical	


HE20 mode: 5720 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.45	54.00	-5.55	42.57	5.88	Average	horizontal	
2	8000.000	53.76	74.00	-20.24	47.88	5.88	Peak	horizontal	
3	111440.000	44.87	54.00	-9.13	34.17	10.70	Average	horizontal	
4	111440.000	56.23	74.00	-17.77	45.53	10.70	Peak	horizontal	
5	117160.000	46.89	54.00	-7.11	30.29	16.60	Average	horizontal	
6	117160.000	62.06	74.00	-11.94	45.46	16.60	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.11	54.00	-7.89	40.23	5.88	Average	vertical	
2	8000.000	53.56	74.00	-20.44	47.68	5.88	Peak	vertical	
3	111440.000	45.58	54.00	-8.42	34.88	10.70	Average	vertical	
4	111440.000	56.57	74.00	-17.43	45.87	10.70	Peak	vertical	
5	117160.000	46.90	54.00	-7.10	30.30	16.60	Average	vertical	
6	117160.000	62.40	74.00	-11.60	45.80	16.60	Peak	vertical	


HE20 mode: 5745 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.45	54.00	-5.55	42.57	5.88	Average	horizontal	
2	8000.000	53.87	74.00	-20.13	47.99	5.88	Peak	horizontal	
3	111490.000	44.13	54.00	-9.87	33.53	10.60	Average	horizontal	
4	111490.000	56.19	74.00	-17.81	45.59	10.60	Peak	horizontal	
5	117235.000	47.58	54.00	-6.42	30.36	17.22	Average	horizontal	
6	117235.000	63.72	74.00	-10.28	46.50	17.22	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.04	54.00	-7.96	40.16	5.88	Average	vertical	
2	8000.000	53.73	74.00	-20.27	47.85	5.88	Peak	vertical	
3	111490.000	45.68	54.00	-8.32	35.08	10.60	Average	vertical	
4	111490.000	57.33	74.00	-16.67	46.73	10.60	Peak	vertical	
5	117235.000	47.69	54.00	-6.31	30.47	17.22	Average	vertical	
6	117235.000	63.30	74.00	-10.70	46.08	17.22	Peak	vertical	


HE20 mode: 5785 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.16	54.00	-5.84	42.28	5.88	Average	horizontal	
2	8000.000	53.82	74.00	-20.18	47.94	5.88	Peak	horizontal	
3	111570.000	43.46	54.00	-10.54	32.59	10.87	Average	horizontal	
4	111570.000	62.83	74.00	-11.17	51.96	10.87	Peak	horizontal	
5	117355.000	47.58	54.00	-6.42	28.76	18.82	Average	horizontal	
6	117355.000	63.15	74.00	-10.85	44.33	18.82	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.16	54.00	-7.84	40.28	5.88	Average	vertical	
2	8000.000	53.56	74.00	-20.44	47.68	5.88	Peak	vertical	
3	111570.000	42.92	54.00	-11.08	32.05	10.87	Average	vertical	
4	111570.000	55.20	74.00	-18.80	44.33	10.87	Peak	vertical	
5	117355.000	47.32	54.00	-6.68	28.50	18.82	Average	vertical	
6	117355.000	62.97	74.00	-11.03	44.15	18.82	Peak	vertical	


HE20 mode: 5825 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	48.37	54.00	-5.63	42.49	5.88	Average	horizontal	
2	8000.000	53.80	74.00	-20.20	47.92	5.88	Peak	horizontal	
3	111650.000	41.21	54.00	-12.79	30.01	11.20	Average	horizontal	
4	111650.000	55.11	74.00	-18.89	43.91	11.20	Peak	horizontal	
5	117475.000	47.85	54.00	-6.15	27.59	20.26	Average	horizontal	
6	117475.000	63.46	74.00	-10.54	43.20	20.26	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.08	54.00	-7.92	40.20	5.88	Average	vertical	
2	8000.000	53.46	74.00	-20.54	47.58	5.88	Peak	vertical	
3	111650.000	42.18	54.00	-11.82	30.98	11.20	Average	vertical	
4	111650.000	55.11	74.00	-18.89	43.91	11.20	Peak	vertical	
5	117475.000	47.68	54.00	-6.32	27.42	20.26	Average	vertical	
6	117475.000	63.13	74.00	-10.87	42.87	20.26	Peak	vertical	


HE40 mode: 5190 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.46	54.00	-4.54	43.68	5.78	Average	horizontal
2	8000.000	54.83	74.00	-19.17	49.05	5.78	Peak	horizontal
3	10380.000	39.63	54.00	-14.37	30.77	8.86	Average	horizontal
4	10380.000	53.19	74.00	-20.81	44.33	8.86	Peak	horizontal
5	115570.000	47.54	54.00	-6.46	34.52	13.02	Average	horizontal
6	115570.000	62.74	74.00	-11.26	49.72	13.02	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	47.08	54.00	-6.92	41.30	5.78	Average	vertical
2	8000.000	54.64	74.00	-19.36	48.86	5.78	Peak	vertical
3	10380.000	39.09	54.00	-14.91	30.23	8.86	Average	vertical
4	10380.000	53.81	74.00	-20.19	44.95	8.86	Peak	vertical
5	115570.000	47.52	54.00	-6.48	34.50	13.02	Average	vertical
6	115570.000	62.75	74.00	-11.25	49.73	13.02	Peak	vertical


HE40 mode: 5230 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.90	54.00	-5.02	43.20	5.78	Average	horizontal
2	8000.000	54.38	74.00	-19.62	48.60	5.78	Peak	horizontal
3	10460.000	39.32	54.00	-14.68	30.58	8.74	Average	horizontal
4	10460.000	53.60	74.00	-20.40	44.86	8.74	Peak	horizontal
5	115690.000	47.74	54.00	-6.26	34.92	12.82	Average	horizontal
6	115690.000	63.67	74.00	-10.33	50.85	12.82	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	47.11	54.00	-6.89	41.33	5.78	Average	vertical
2	8000.000	54.61	74.00	-19.39	48.83	5.78	Peak	vertical
3	10460.000	40.65	54.00	-13.35	31.91	8.74	Average	vertical
4	10460.000	53.86	74.00	-20.14	45.12	8.74	Peak	vertical
5	115690.000	47.81	54.00	-6.19	34.99	12.82	Average	vertical
6	115690.000	63.01	74.00	-10.99	50.19	12.82	Peak	vertical


HE40 mode: 5270 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	49.08	54.00	-4.92	43.30	5.78	Average	horizontal
2	8000.000	54.13	74.00	-19.87	48.35	5.78	Peak	horizontal
3	110540.000	39.09	54.00	-14.91	30.86	8.23	Average	horizontal
4	10540.000	53.23	74.00	-20.77	45.00	8.23	Peak	horizontal
5	115810.000	44.24	54.00	-9.76	32.04	12.20	Average	horizontal
6	115810.000	59.95	74.00	-14.05	47.75	12.20	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.78	54.00	-7.22	41.00	5.78	Average	vertical
2	8000.000	53.48	74.00	-20.52	47.70	5.78	Peak	vertical
3	110540.000	38.41	54.00	-15.59	30.18	8.23	Average	vertical
4	10540.000	53.19	74.00	-20.81	44.96	8.23	Peak	vertical
5	115810.000	44.31	54.00	-9.69	32.11	12.20	Average	vertical
6	115810.000	60.14	74.00	-13.86	47.94	12.20	Peak	vertical


HE40 mode: 5310 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	49.47	54.00	-4.53	43.69	5.78	Average	horizontal
2	8000.000	55.11	74.00	-18.89	49.33	5.78	Peak	horizontal
3	110620.000	43.54	54.00	-10.46	34.43	9.11	Average	horizontal
4	110620.000	55.61	74.00	-18.39	46.50	9.11	Peak	horizontal
5	115930.000	47.28	54.00	-6.72	35.25	12.03	Average	horizontal
6	115930.000	63.41	74.00	-10.59	51.38	12.03	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	47.68	54.00	-6.32	41.90	5.78	Average	vertical
2	8000.000	55.08	74.00	-18.92	49.30	5.78	Peak	vertical
3	110620.000	42.16	54.00	-11.84	33.05	9.11	Average	vertical
4	110620.000	55.00	74.00	-19.00	45.89	9.11	Peak	vertical
5	115930.000	47.02	54.00	-6.98	34.99	12.03	Average	vertical
6	115930.000	62.55	74.00	-11.45	50.52	12.03	Peak	vertical


HE40 mode: 5510 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.48	54.00	-4.60	43.62	5.78	Average	horizontal
2	8000.000	54.85	74.00	-19.15	49.07	5.78	Peak	horizontal
3	11020.000	52.36	54.00	-1.64	42.79	9.57	Average	horizontal
4	11020.000	57.46	74.00	-16.54	47.89	9.57	Peak	horizontal
5	116530.000	44.87	54.00	-9.13	31.48	13.39	Average	horizontal
6	116530.000	60.25	74.00	-13.75	46.86	13.39	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	47.61	54.00	-6.39	41.83	5.78	Average	vertical
2	8000.000	54.99	74.00	-19.01	49.21	5.78	Peak	vertical
3	11020.000	51.09	54.00	-2.91	41.50	9.59	Average	vertical
4	11020.000	58.22	74.00	-15.78	48.65	9.57	Peak	vertical
5	116530.000	45.52	54.00	-8.48	32.13	13.39	Average	vertical
6	116530.000	61.12	74.00	-12.88	47.73	13.39	Peak	vertical


HE40 mode: 5550 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.38	54.00	-4.62	43.60	5.78	Average	horizontal
2	8000.000	54.80	74.00	-19.20	49.02	5.78	Peak	horizontal
3	11100.000	49.04	54.00	-4.96	39.07	9.97	Average	horizontal
4	11100.000	57.41	74.00	-16.59	47.44	9.97	Peak	horizontal
5	11650.000	45.56	54.00	-8.44	31.60	13.96	Average	horizontal
6	11650.000	61.27	74.00	-12.73	47.31	13.96	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	47.48	54.00	-6.52	41.70	5.78	Average	vertical
2	8000.000	56.00	74.00	-18.00	50.22	5.78	Peak	vertical
3	11100.000	49.57	54.00	-4.43	39.60	9.97	Average	vertical
4	11100.000	57.40	74.00	-16.60	47.43	9.97	Peak	vertical
5	11650.000	45.58	54.00	-8.42	31.62	13.96	Average	vertical
6	11650.000	61.59	74.00	-12.41	47.63	13.96	Peak	vertical


HE40 mode: 5670 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.00	54.00	-5.00	43.22	5.78	Average	horizontal
2	8000.000	53.86	74.00	-20.14	48.08	5.78	Peak	horizontal
3	111340.000	41.78	54.00	-12.22	31.52	10.26	Average	horizontal
4	111340.000	55.58	74.00	-18.42	45.32	10.26	Peak	horizontal
5	117010.000	45.98	54.00	-8.02	30.88	15.10	Average	horizontal
6	117010.000	61.77	74.00	-12.23	46.67	15.10	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.96	54.00	-7.04	41.18	5.78	Average	vertical
2	8000.000	54.09	74.00	-19.91	48.31	5.78	Peak	vertical
3	111340.000	43.33	54.00	-10.67	33.07	10.26	Average	vertical
4	111340.000	56.37	74.00	-17.63	46.11	10.26	Peak	vertical
5	117010.000	45.91	54.00	-8.09	30.81	15.10	Average	vertical
6	117010.000	61.87	74.00	-12.13	46.77	15.10	Peak	vertical


HE40 mode: 5710 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.26	54.00	-4.74	43.48	5.78	Average	horizontal
2	8000.000	54.61	74.00	-19.39	48.83	5.78	Peak	horizontal
3	111420.000	43.86	54.00	-10.14	33.14	10.72	Average	horizontal
4	111420.000	56.07	74.00	-17.93	45.35	10.72	Peak	horizontal
5	117130.000	47.42	54.00	-6.58	30.85	16.57	Average	horizontal
6	117130.000	62.68	74.00	-11.32	46.11	16.57	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	47.08	54.00	-6.92	41.30	5.78	Average	vertical
2	8000.000	54.64	74.00	-19.36	48.86	5.78	Peak	vertical
3	111420.000	43.39	54.00	-10.61	32.67	10.72	Average	vertical
4	111420.000	56.73	74.00	-17.27	46.01	10.72	Peak	vertical
5	117130.000	47.09	54.00	-6.91	30.52	16.57	Average	vertical
6	117130.000	62.70	74.00	-11.30	46.13	16.57	Peak	vertical


HE40 mode: 5755 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	49.01	54.00	-4.99	43.23	5.78	Average	horizontal	horizontal
2	8000.000	54.25	74.00	-19.75	48.47	5.78	Peak	horizontal	horizontal
3	11150.000	42.65	54.00	-11.35	31.99	10.66	Average	horizontal	horizontal
4	11150.000	55.32	74.00	-18.68	44.66	10.66	Peak	horizontal	horizontal
5	117265.000	47.64	54.00	-6.36	30.08	17.56	Average	horizontal	horizontal
6	117265.000	62.80	74.00	-11.20	45.24	17.56	Peak	horizontal	horizontal


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	47.21	54.00	-6.79	41.43	5.78	Average	vertical	vertical
2	8000.000	54.60	74.00	-19.40	48.82	5.78	Peak	vertical	vertical
3	11150.000	43.21	54.00	-10.79	32.55	10.66	Average	vertical	vertical
4	11150.000	55.86	74.00	-18.14	45.20	10.66	Peak	vertical	vertical
5	117265.000	47.31	54.00	-6.69	29.75	17.56	Average	vertical	vertical
6	117265.000	62.77	74.00	-11.23	45.21	17.56	Peak	vertical	vertical


HE40 mode: 5795 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	49.50	54.00	-4.50	43.72	5.78	Average	horizontal	horizontal
2	8000.000	55.77	74.00	-18.23	49.99	5.78	Peak	horizontal	horizontal
3	11150.000	41.25	54.00	-12.75	30.31	10.94	Average	horizontal	horizontal
4	11150.000	55.63	74.00	-18.37	44.69	10.94	Peak	horizontal	horizontal
5	117385.000	47.91	54.00	-6.09	28.79	19.12	Average	horizontal	horizontal
6	117385.000	63.67	74.00	-10.33	44.55	19.12	Peak	horizontal	horizontal


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	46.98	54.00	-7.02	41.20	5.78	Average	vertical	vertical
2	8000.000	54.53	74.00	-19.47	48.75	5.78	Peak	vertical	vertical
3	11150.000	41.99	54.00	-12.01	31.05	10.94	Average	vertical	vertical
4	11150.000	55.49	74.00	-18.51	44.55	10.94	Peak	vertical	vertical
5	117385.000	47.87	54.00	-6.13	28.75	19.12	Average	vertical	vertical
6	117385.000	63.72	74.00	-10.28	44.60	19.12	Peak	vertical	vertical


HE80 mode: 5210 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.21	54.00	-4.79	43.43	5.78	Average	horizontal
2	8000.000	54.65	74.00	-19.35	48.87	5.78	Peak	horizontal
3	10420.000	40.04	54.00	-13.96	31.15	8.89	Average	horizontal
4	10420.000	53.78	74.00	-20.22	44.89	8.89	Peak	horizontal
5	115630.000	47.43	54.00	-6.57	34.63	12.80	Average	horizontal
6	115630.000	62.94	74.00	-11.06	50.14	12.80	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.68	54.00	-7.32	40.90	5.78	Average	vertical
2	8000.000	53.75	74.00	-20.25	47.97	5.78	Peak	vertical
3	10420.000	40.45	54.00	-13.55	31.56	8.89	Average	vertical
4	10420.000	53.85	74.00	-20.15	44.96	8.89	Peak	vertical
5	115630.000	47.44	54.00	-6.56	34.64	12.80	Average	vertical
6	115630.000	63.11	74.00	-10.89	50.31	12.80	Peak	vertical


HE80 mode: 5290 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.01	54.00	-4.99	43.23	5.78	Average	horizontal
2	8000.000	54.12	74.00	-19.88	48.34	5.78	Peak	horizontal
3	10580.000	40.64	54.00	-13.36	32.31	8.33	Average	horizontal
4	10580.000	53.51	74.00	-20.49	45.18	8.33	Peak	horizontal
5	115870.000	46.96	54.00	-7.04	34.77	12.19	Average	horizontal
6	115870.000	62.56	74.00	-11.44	50.37	12.19	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.77	54.00	-7.23	40.99	5.78	Average	vertical
2	8000.000	53.87	74.00	-20.13	48.09	5.78	Peak	vertical
3	10580.000	40.23	54.00	-13.77	31.90	8.33	Average	vertical
4	10580.000	54.55	74.00	-19.45	46.22	8.33	Peak	vertical
5	115870.000	46.93	54.00	-7.07	34.74	12.19	Average	vertical
6	115870.000	62.43	74.00	-11.57	50.24	12.19	Peak	vertical


HE80 mode: 5530 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.12	54.00	-4.88	43.34	5.78	Average	horizontal
2	8000.000	54.52	74.00	-19.48	48.74	5.78	Peak	horizontal
3	11060.000	50.72	54.00	-3.28	40.89	9.83	Average	horizontal
4	11060.000	58.46	74.00	-15.54	48.63	9.83	Peak	horizontal
5	116590.000	45.09	54.00	-8.91	31.49	13.60	Average	horizontal
6	116590.000	60.84	74.00	-13.16	47.24	13.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	47.08	54.00	-6.92	41.30	5.78	Average	vertical
2	8000.000	55.41	74.00	-18.59	49.63	5.78	Peak	vertical
3	11060.000	51.47	54.00	-2.53	41.64	9.83	Average	vertical
4	11060.000	58.43	74.00	-15.57	48.60	9.83	Peak	vertical
5	116590.000	44.96	54.00	-9.04	31.36	13.60	Average	vertical
6	116590.000	60.78	74.00	-13.22	47.18	13.60	Peak	vertical


HE80 mode: 5610 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	49.86	54.00	-4.14	44.08	5.78	Average	horizontal
2	8000.000	55.00	74.00	-18.92	49.30	5.78	Peak	horizontal
3	11060.000	48.63	54.00	-5.37	38.68	9.95	Average	horizontal
4	11220.000	57.48	74.00	-16.52	47.53	9.95	Peak	horizontal
5	116830.000	45.74	54.00	-8.26	31.16	14.58	Average	horizontal
6	116830.000	61.73	74.00	-12.27	47.15	14.58	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.90	54.00	-7.10	41.12	5.78	Average	vertical
2	8000.000	54.34	74.00	-19.66	48.56	5.78	Peak	vertical
3	11060.000	48.42	54.00	-5.58	38.47	9.95	Average	vertical
4	11220.000	57.48	74.00	-16.52	47.53	9.95	Peak	vertical
5	116830.000	45.80	54.00	-8.20	31.22	14.58	Average	vertical
6	116830.000	61.34	74.00	-12.66	46.76	14.58	Peak	vertical


HE80 mode: 5690 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	49.71	54.00	-4.29	43.93	5.78	Average	horizontal	
2	8000.000	54.77	74.00	-19.23	48.99	5.78	Peak	horizontal	
3	111380.000	43.37	54.00	-10.63	33.01	10.36	Average	horizontal	
4	111380.000	55.85	74.00	-18.15	45.49	10.36	Peak	horizontal	
5	117070.000	46.75	54.00	-7.25	30.82	15.93	Average	horizontal	
6	117070.000	62.30	74.00	-11.70	46.37	15.93	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	47.01	54.00	-6.99	41.23	5.78	Average	vertical	
2	8000.000	54.24	74.00	-19.76	48.46	5.78	Peak	vertical	
3	111380.000	44.35	54.00	-9.65	33.99	10.36	Average	vertical	
4	111380.000	56.29	74.00	-17.71	45.93	10.36	Peak	vertical	
5	117070.000	46.75	54.00	-7.25	30.82	15.93	Average	vertical	
6	117070.000	62.60	74.00	-11.40	46.67	15.93	Peak	vertical	


HE80 mode: 5775 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	49.00	54.00	-5.00	43.22	5.78	Average	horizontal	
2	8000.000	54.39	74.00	-19.61	48.61	5.78	Peak	horizontal	
3	111550.000	41.80	54.00	-12.20	31.00	10.80	Average	horizontal	
4	111550.000	56.03	74.00	-17.97	45.23	10.80	Peak	horizontal	
5	117325.000	47.29	54.00	-6.71	28.80	18.49	Average	horizontal	
6	117325.000	63.08	74.00	-10.92	44.59	18.49	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	47.06	54.00	-6.94	41.28	5.78	Average	vertical	
2	8000.000	54.47	74.00	-19.53	48.69	5.78	Peak	vertical	
3	111550.000	43.26	54.00	-10.74	32.46	10.80	Average	vertical	
4	111550.000	55.48	74.00	-18.52	44.68	10.80	Peak	vertical	
5	117325.000	47.21	54.00	-6.79	28.72	18.49	Average	vertical	
6	117325.000	63.03	74.00	-10.97	44.54	18.49	Peak	vertical	


HE160 mode: 5250 MHz

Horizontal



Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1 8000.000	49.66	54.00	-4.34	43.88	5.78	Average	horizontal
2 8000.000	55.06	74.00	-18.94	49.28	5.78	Peak	horizontal
3 10420.000	50.89	54.00	-3.11	41.20	8.89	Average	horizontal
4 10420.000	54.48	74.00	-19.52	45.59	8.89	Peak	horizontal
5 10500.000	37.42	54.00	-16.58	28.97	8.45	Average	horizontal
6 10500.000	52.95	74.00	-21.05	44.50	8.45	Peak	horizontal
7 115750.000	47.22	54.00	-6.78	34.61	12.61	Average	horizontal
8 115750.000	62.65	74.00	-11.35	50.04	12.61	Peak	horizontal


Vertical



Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1 8000.000	47.05	54.00	-6.95	41.27	5.78	Average	vertical
2 8000.000	54.61	74.00	-19.39	48.83	5.78	Peak	vertical
3 10420.000	39.33	54.00	-14.67	30.88	8.45	Average	vertical
4 10420.000	52.97	74.00	-21.03	44.52	8.45	Peak	vertical
5 10500.000	38.89	54.00	-15.11	30.57	8.32	Average	vertical
6 10500.000	53.14	74.00	-20.86	44.82	8.32	Peak	vertical
7 115750.000	47.86	54.00	-6.14	35.25	12.61	Average	vertical
8 115750.000	63.17	74.00	-10.83	50.56	12.61	Peak	vertical


HE160 mode: 5570 MHz

Horizontal



Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1 8000.000	47.42	54.00	-6.58	41.64	5.78	Average	horizontal
2 8000.000	54.71	74.00	-19.29	48.93	5.78	Peak	horizontal
3 11060.000	50.66	54.00	-3.34	40.83	9.83	Average	horizontal
4 11060.000	57.90	74.00	-16.10	48.07	9.83	Peak	horizontal
5 11140.000	38.66	54.00	-15.34	28.69	9.97	Average	horizontal
6 11140.000	54.71	74.00	-19.29	44.74	9.97	Peak	horizontal
7 116710.000	46.69	54.00	-7.31	32.24	14.45	Average	horizontal
8 116710.000	62.16	74.00	-11.84	47.71	14.45	Peak	horizontal

Vertical



Freq	Level	Limit	Over	Read	Factor	Remark	Pol/Phase
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1 8000.000	47.46	54.00	-6.54	41.68	5.78	Average	vertical
2 8000.000	54.98	74.00	-19.02	49.20	5.78	Peak	vertical
3 11060.000	51.95	54.00	-2.05	42.11	9.84	Average	vertical
4 11060.000	58.49	74.00	-15.51	48.65	9.84	Peak	vertical
5 11140.000	38.68	54.00	-15.32	28.71	9.97	Average	vertical
6 11140.000	55.03	74.00	-18.97	45.06	9.97	Peak	vertical
7 116710.000	46.63	54.00	-7.37	32.18	14.45	Average	vertical
8 116710.000	62.43	74.00	-11.57	47.98	14.45	Peak	vertical

----- END OF REPORT -----