









W52 802.11ax 20MHz Chain1 5180MHz




W52 802.11ax 20MHz Chain1 5220MHz




W52 802.11ax 20MHz Chain1 5240MHz




W52 802.11ax 20MHz 5180MHz Combine




W52 802.11ax 20MHz 5220MHz Combine




W52 802.11ax 20MHz 5240MHz Combine




W53 802.11ax 20MHz Chain0 5260MHz



W53 802.11ax 20MHz Chain0 5300MHz




W53 802.11ax 20MHz Chain0 5320MHz



W53 802.11ax 20MHz Chain1 5260MHz




W53 802.11ax 20MHz Chain1 5300MHz



W53 802.11ax 20MHz Chain1 5320MHz



W53 802.11ax 20MHz 5260MHz Combine



W53 802.11ax 20MHz 5300MHz Combine




W53 802.11ax 20MHz 5320MHz Combine




W56 802.11ax 20MHz Chain0 5500MHz



W56 802.11ax 20MHz Chain0 5600MHz




W56 802.11ax 20MHz Chain0 5720MHz






W52 802.11ax 40MHz Chain0 5190MHz



W52 802.11ax 40MHz Chain0 5230MHz




W52 802.11ax 40MHz Chain1 5190MHz



W52 802.11ax 40MHz Chain1 5230MHz




W52 802.11ax 40MHz 5190MHz Combine



W52 802.11ax 40MHz 5230MHz Combine




W53 802.11ax 40MHz Chain0 5270MHz




W53 802.11ax 40MHz Chain0 5310MHz




W53 802.11ax 40MHz Chain1 5270MHz



W53 802.11ax 40MHz Chain1 5310MHz




W53 802.11ax 40MHz 5270MHz Combine




W53 802.11ax 40MHz 5310MHz Combine



W56 802.11ax 40MHz Chain0 5510MHz



W56 802.11ax 40MHz Chain0 5590MHz




W56 802.11ax 40MHz Chain0 5710MHz




W56 802.11ax 40MHz Chain1 5510MHz




W56 802.11ax 40MHz Chain1 5590MHz




W56 802.11ax 40MHz Chain1 5710MHz




W56 802.11ax 40MHz 5510MHz Combine



W56 802.11ax 40MHz 5590MHz Combine




W56 802.11ax 40MHz 5710MHz Combine



W52 802.11ax 80MHz Chain0 5210MHz



W52 802.11ax 80MHz Chain1 5210MHz




W52 802.11ax 80MHz 5210MHz Combine



W53 802.11ax 80MHz Chain0 5290MHz



W53 802.11ax 80MHz Chain1 5290MHz




W53 802.11ax 80MHz 5290MHz Combine




W56 802.11ax 80MHz Chain0 5530MHz



W56 802.11ax 80MHz Chain0 5610MHz



W56 802.11ax 80MHz Chain0 5690MHz



6.5 OUT-BAND LEAKAGE POWER & UNWANTED EMISSION STRENGTH

TEST RESULT

Unwanted Emission Strength						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 0)	μW/MHz	0.1219	0.0893	0.1026	≤ 1.250	PASS
	MHz	3801.60	3826.00	4077.70	---	---
5142 ~ 5150MHz(Chain 0)	μW/MHz	0.7492	0.1356	0.1040	≤ 7.500	PASS
	MHz	5149.04	5147.18	5145.40	---	---
5250 ~ 5251MHz(Chain 0)	μW/MHz	0.1089	0.9010	1.7660	≤ 50 ~ 500	PASS
	MHz	5250.86	5251.00	5251.00	---	---
	Limit	69.02	50.35	50.12	---	---
5251 ~ 5260MHz(Chain 0)	μW/MHz	0.1094	0.3223	1.2388	≤ 7.93 ~ 50	PASS
	MHz	5259.97	5259.87	5251.35	---	---
	Limit	7.97	8.14	46.52	---	---
5260 ~ 5266.7MHz(Chain 0)	μW/MHz	0.1197	0.2998	0.0364	≤ 1.25 ~ 7.93	PASS
	MHz	5266.68	5265.77	5261.54	---	---
	Limit	1.25	1.61	5.18	---	---
5266.7 ~ 26000MHz(Chain 0)	μW/MHz	0.3858	0.3827	0.3582	≤ 1.250	PASS
	MHz	25632.99	25973.00	5273.70	---	---

Unwanted Emission Strength						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 1)	μW/MHz	0.1300	0.0925	0.1549	≤ 1.250	PASS
	MHz	3786.40	3766.30	4053.30	---	---
5142 ~ 5150MHz(Chain 1)	μW/MHz	0.4012	0.1352	0.1166	≤ 7.500	PASS
	MHz	5148.88	5144.31	5147.74	---	---
5250 ~ 5251MHz(Chain 1)	μW/MHz	0.2117	0.2631	2.0797	≤ 50 ~ 500	PASS
	MHz	5250.93	5250.99	5250.93	---	---
	Limit	58.47	51.05	58.88	---	---
5251 ~ 5260MHz(Chain 1)	μW/MHz	0.1725	0.2153	1.0691	≤ 7.93 ~ 50	PASS
	MHz	5259.78	5259.81	5251.20	---	---
	Limit	8.29	8.24	48.03	---	---
5260 ~ 5266.7MHz(Chain 1)	μW/MHz	0.1361	0.2041	0.6708	≤ 1.25 ~ 7.93	PASS
	MHz	5266.70	5266.20	5266.35	---	---
	Limit	1.24	1.43	1.37	---	---
5266.7 ~ 26000MHz(Chain 1)	μW/MHz	0.3672	0.3391	0.3052	≤ 1.250	PASS
	MHz	25840.00	23958.97	25867.00	---	---

Unwanted Emission Strength (Total)						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz	μW/MHz	0.2519	0.1818	0.2575	≤ 2.500	PASS
	MHz	3786.40	3766.30	4053.30	---	---
5142 ~ 5150MHz	μW/MHz	1.1504	0.2708	0.2206	≤ 15.000	PASS
	MHz	5149.04	5147.18	5147.74	---	---
5250 ~ 5251MHz	μW/MHz	0.3206	1.1640	3.8457	≤ 100 ~ 1000	PASS
	MHz	5250.93	5251.00	5250.93	---	---
	Limit	116.95	100.69	117.76	---	---
5251 ~ 5260MHz	μW/MHz	0.2819	0.5376	2.3079	≤ 15.85 ~ 100	PASS
	MHz	5259.78	5259.87	5251.35	---	---
	Limit	16.58	16.28	93.05	---	---
5260 ~ 5266.7MHz	μW/MHz	0.2558	0.5039	0.7072	≤ 2.49 ~ 15.85	PASS
	MHz	5266.70	5265.77	5266.35	---	---
	Limit	2.49	3.22	2.74	---	---
5266.7 ~ 26000MHz	μW/MHz	0.7530	0.7218	0.6634	≤ 2.500	PASS
	MHz	25632.99	25973.00	5273.70	---	---

Unwanted Emission Strength						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 0)	μW/MHz	0.4508	0.1077	0.1161	≤ 1.250	PASS
	MHz	5232.50	4987.30	3808.70	---	---
5233.3 ~ 5240MHz(Chain 0)	μW/MHz	1.2685	0.1217	0.1671	≤ 1.25 ~ 7.93	PASS
	MHz	5234.81	5233.70	5234.68	---	---
	Limit	1.89	1.39	1.82	---	---
5240 ~ 5249MHz(Chain 0)	μW/MHz	2.0184	0.1326	0.1135	≤ 7.93 ~ 50	PASS
	MHz	5248.98	5240.25	5240.39	---	---
	Limit	49.83	8.34	8.58	---	---
5249 ~ 5250MHz(Chain 0)	μW/MHz	1.8707	0.2908	0.1333	≤ 50 ~ 500	PASS
	MHz	5249.03	5249.01	5249.02	---	---
	Limit	54.07	51.05	52.00	---	---
5350 ~ 26000MHz(Chain 0)	μW/MHz	0.3008	0.3676	0.3449	≤ 1.250	PASS
	MHz	25943.00	25898.00	25594.00	---	---

Unwanted Emission Strength						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 1)	μW/MHz	0.3908	0.1432	0.1489	≤ 1.250	PASS
	MHz	5233.30	5221.30	3850.50	---	---
5233.3 ~ 5240MHz(Chain 1)	μW/MHz	0.0350	0.1507	0.1587	≤ 1.25 ~ 7.93	PASS
	MHz	5237.68	5233.77	5233.71	---	---
	Limit	4.17	1.42	1.39	---	---
5240 ~ 5249MHz(Chain 1)	μW/MHz	2.1878	0.1510	0.1676	≤ 7.93 ~ 50	PASS
	MHz	5248.94	5240.27	5240.50	---	---
	Limit	49.37	8.37	8.78	---	---
5249 ~ 5250MHz(Chain 1)	μW/MHz	2.7479	0.5298	0.1564	≤ 50 ~ 500	PASS
	MHz	5249.01	5249.02	5249.00	---	---
	Limit	51.16	52.00	50.12	---	---
5350 ~ 26000MHz(Chain 1)	μW/MHz	0.4530	0.4338	0.4655	≤ 1.250	PASS
	MHz	25888.00	23769.00	25758.00	---	---

Unwanted Emission Strength (Total)						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz	μW/MHz	0.8417	0.2509	0.2651	≤ 2.500	PASS
	MHz	5232.50	5221.30	3850.50	---	---
5233.3 ~ 5240MHz	μW/MHz	1.3035	0.2724	0.3258	≤ 2.49 ~ 15.85	PASS
	MHz	5234.81	5233.77	5234.68	---	---
	Limit	3.78	2.83	3.64	---	---
5240 ~ 5249MHz	μW/MHz	4.2061	0.2835	0.2811	≤ 15.85 ~ 100	PASS
	MHz	5248.94	5240.27	5240.50	---	---
	Limit	98.75	16.75	17.56	---	---
5249 ~ 5250MHz	μW/MHz	4.6186	0.8206	0.2896	≤ 100 ~ 1000	PASS
	MHz	5249.01	5249.02	5249.00	---	---
	Limit	102.33	103.99	100.23	---	---
5350 ~ 26000MHz	μW/MHz	0.7538	0.8014	0.8104	≤ 2.500	PASS
	MHz	25888.00	23769.00	25758.00	---	---

Unwanted Emission Strength						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 0)	μW/MHz	0.1097	0.1146	0.1135	≤ 1.250	PASS
	MHz	5458.14	4044.00	3761.00	---	---
5460 ~ 5470MHz(Chain 0)	μW/MHz	0.4188	0.0835	0.0874	≤ 6.250	PASS
	MHz	5469.92	5461.79	5460.15	---	---
5745 ~ 5765MHz(Chain 0)	μW/MHz	0.0792	0.1132	0.4009	≤ 6.250	PASS
	MHz	5762.37	5760.55	5745.48	---	---
5765 ~ 26000MHz(Chain 0)	μW/MHz	0.3080	0.2979	0.6657	≤ 1.250	PASS
	MHz	25712.00	25671.00	5765.00	---	---

Unwanted Emission Strength						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 1)	μW/MHz	0.0224	0.1067	0.1531	≤ 1.250	PASS
	MHz	5459.96	3780.00	3822.00	---	---
5460 ~ 5470MHz(Chain 1)	μW/MHz	0.1496	0.1023	0.0726	≤ 6.250	PASS
	MHz	5467.82	5469.85	5466.26	---	---
5745 ~ 5765MHz(Chain 1)	μW/MHz	0.0776	0.1038	1.9024	≤ 6.250	PASS
	MHz	5748.41	5761.10	5745.10	---	---
5765 ~ 26000MHz(Chain 1)	μW/MHz	0.3384	0.3192	0.3152	≤ 1.250	PASS
	MHz	25946.00	25769.00	5765.00	---	---

Unwanted Emission Strength (Total)						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz	μW/MHz	0.1320	0.2212	0.2666	≤ 2.500	PASS
	MHz	5458.14	4044.00	3822.00	---	---
5460 ~ 5470MHz	μW/MHz	0.5684	0.1858	0.1600	≤ 12.500	PASS
	MHz	5469.92	5469.85	5460.15	---	---
5745 ~ 5765MHz	μW/MHz	0.1568	0.2170	2.3033	≤ 12.500	PASS
	MHz	5762.37	5760.55	5745.10	---	---
5765 ~ 26000MHz	μW/MHz	0.6464	0.6170	0.9809	≤ 2.500	PASS
	MHz	25946.00	25769.00	5765.00	---	---

Unwanted Emission Strength						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 0)	μW/MHz	0.2805	0.1014	0.1318	≤ 1.250	PASS
	MHz	5141.00	3773.10	3799.90	---	---
5142 ~ 5150MHz(Chain 0)	μW/MHz	0.0889	0.1855	0.2451	≤ 7.500	PASS
	MHz	5145.57	5148.88	5146.00	---	---
5250 ~ 5250.2MHz(Chain 0)	μW/MHz	0.3650	0.7575	156.6751	≤ 315.48 ~ 1077.22	PASS
	MHz	5250.17	5250.12	5250.20	---	---
	Limit	382.80	504.63	325.31	---	---
5250.2 ~ 5251MHz(Chain 0)	μW/MHz	0.5003	0.7624	24.3781	≤ 50 ~ 315.48	PASS
	MHz	5250.94	5250.97	5250.58	---	---
	Limit	57.41	54.07	131.51	---	---
5251 ~ 5260MHz(Chain 0)	μW/MHz	0.2117	0.4158	5.2481	≤ 7.93 ~ 50	PASS
	MHz	5259.35	5256.41	5251.09	---	---
	Limit	9.05	16.52	49.08	---	---
5260 ~ 5266.7MHz(Chain 0)	μW/MHz	0.1887	0.1720	0.7430	≤ 1.25 ~ 7.93	PASS
	MHz	5266.39	5266.38	5264.61	---	---
5266.7 ~ 26000MHz(Chain 0)	μW/MHz	0.3524	0.2891	0.4385	≤ 1.250	PASS
	MHz	25671.00	24500.98	5268.78	---	---

Unwanted Emission Strength						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz(Chain 1)	μW/MHz	0.1923	0.1380	0.1581	≤ 1.250	PASS
	MHz	5139.00	4028.80	3798.70	---	---
5142 ~ 5150MHz(Chain 1)	μW/MHz	4.2034	0.3009	0.1167	≤ 7.500	PASS
	MHz	5149.87	5149.96	5146.78	---	---
5250 ~ 5250.2MHz(Chain 1)	μW/MHz	0.2145	1.5080	177.8279	≤ 315.48 ~ 1077.22	PASS
	MHz	5250.19	5250.19	5250.18	---	---
	Limit	338.56	336.49	351.27	---	---
5250.2 ~ 5251MHz(Chain 1)	μW/MHz	0.2518	1.1200	136.4583	≤ 50 ~ 315.48	PASS
	MHz	5250.99	5250.96	5250.25	---	---
	Limit	51.16	54.95	278.59	---	---
5251 ~ 5260MHz(Chain 1)	μW/MHz	0.2386	0.4409	1.4093	≤ 7.93 ~ 50	PASS
	MHz	5259.52	5258.91	5251.14	---	---
	Limit	8.74	9.91	48.60	---	---
5260 ~ 5266.7MHz(Chain 1)	μW/MHz	0.2195	0.2171	0.0480	≤ 1.25 ~ 7.93	PASS
	MHz	5266.10	5266.68	5260.55	---	---
5266.7 ~ 26000MHz(Chain 1)	μW/MHz	0.3436	0.3148	0.3381	≤ 1.250	PASS
	MHz	24227.97	25701.00	25666.00	---	---

Unwanted Emission Strength (Total)						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
30 ~ 5142MHz	μW/MHz	0.4729	0.2394	0.2900	≤ 2.500	PASS
	MHz	5141.00	4028.80	3798.70	---	---
5142 ~ 5150MHz	μW/MHz	4.2923	0.4864	0.3619	≤ 15.000	PASS
	MHz	5149.87	5149.96	5146.00	---	---
5250 ~ 5250.2MHz	μW/MHz	0.5796	2.2655	334.5031	≤ 630.96 ~ 2154.43	PASS
	MHz	5250.17	5250.19	5250.18	---	---
	Limit	765.60	672.98	702.53	---	---
5250.2 ~ 5251MHz	μW/MHz	0.7520	1.8824	160.8364	≤ 100 ~ 630.96	PASS
	MHz	5250.94	5250.96	5250.25	---	---
	Limit	114.82	109.90	557.19	---	---
5251 ~ 5260MHz	μW/MHz	0.4503	0.8567	6.6574	≤ 15.85 ~ 100	PASS
	MHz	5259.52	5258.91	5251.09	---	---
	Limit	17.49	19.81	98.15	---	---
5260 ~ 5266.7MHz	μW/MHz	0.4082	0.3891	0.7910	≤ 2.49 ~ 15.85	PASS
	MHz	5266.10	5266.68	5264.61	---	---
5266.7 ~ 26000MHz	μW/MHz	0.6959	0.6038	0.7766	≤ 2.500	PASS
	MHz	25671.00	25701.00	25666.00	---	---

Unwanted Emission Strength						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 0)	μW/MHz	0.0622	0.1486	0.1140	≤ 1.250	PASS
	MHz	5230.98	5232.80	5224.50	---	---
5233.3 ~ 5240MHz(Chain 0)	μW/MHz	0.1312	0.2786	0.1190	≤ 1.25 ~ 7.93	PASS
	MHz	5236.05	5233.63	5233.49	---	---
	Limit	2.66	1.36	1.31	---	---
5240 ~ 5249MHz(Chain 0)	μW/MHz	3.2137	0.6536	0.1622	≤ 7.93 ~ 50	PASS
	MHz	5248.97	5241.24	5240.01	---	---
	Limit	49.71	10.21	7.94	---	---
5249 ~ 5249.8MHz(Chain 0)	μW/MHz	68.0769	1.3375	0.1989	≤ 50 ~ 315.48	PASS
	MHz	5249.68	5249.15	5249.04	---	---
	Limit	239.87	71.12	54.45	---	---
5249.8 ~ 5250MHz(Chain 0)	μW/MHz	121.0598	1.7673	0.2203	≤ 315.48 ~ 1077.22	PASS
	MHz	5249.81	5249.84	5249.81	---	---
5350 ~ 26000MHz(Chain 0)	μW/MHz	0.3428	0.3852	0.8851	≤ 1.250	PASS
	MHz	25745.00	25842.00	5350.00	---	---

Unwanted Emission Strength						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz(Chain 1)	μW/MHz	0.7430	0.1811	0.1318	≤ 1.250	PASS
	MHz	5232.20	5226.80	3850.40	---	---
5233.3 ~ 5240MHz(Chain 1)	μW/MHz	0.1189	0.2580	0.2473	≤ 1.25 ~ 7.93	PASS
	MHz	5235.26	5233.85	5233.42	---	---
	Limit	2.14	1.45	1.29	---	---
5240 ~ 5249MHz(Chain 1)	μW/MHz	3.0061	0.4584	0.2460	≤ 7.93 ~ 50	PASS
	MHz	5248.91	5241.59	5240.36	---	---
	Limit	49.07	10.97	8.53	---	---
5249 ~ 5249.8MHz(Chain 1)	μW/MHz	31.1172	1.8793	0.2567	≤ 50 ~ 315.48	PASS
	MHz	5249.49	5249.01	5249.01	---	---
	Limit	153.45	51.16	50.81	---	---
5249.8 ~ 5250MHz(Chain 1)	μW/MHz	148.5936	0.8266	0.2805	≤ 315.48 ~ 1077.22	PASS
	MHz	5249.80	5249.81	5249.80	---	---
5350 ~ 26000MHz(Chain 1)	μW/MHz	0.4448	0.4412	0.0231	≤ 1.250	PASS
	MHz	25755.00	25926.00	5354.34	---	---

Unwanted Emission Strength (Total)						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
30 ~ 5233.3MHz	μW/MHz	0.8053	0.3297	0.2459	≤ 2.500	PASS
	MHz	5232.20	5226.80	3850.40	---	---
5233.3 ~ 5240MHz	μW/MHz	0.2501	0.5366	0.3664	≤ 2.49 ~ 15.85	PASS
	MHz	5236.05	5233.63	5233.42	---	---
	Limit	5.32	2.73	2.57	---	---
5240 ~ 5249MHz	μW/MHz	6.2197	1.1119	0.4083	≤ 15.85 ~ 100	PASS
	MHz	5248.97	5241.24	5240.36	---	---
	Limit	99.43	20.43	17.06	---	---
5249 ~ 5249.8MHz	μW/MHz	99.1941	3.2168	0.4556	≤ 100 ~ 630.96	PASS
	MHz	5249.68	5249.01	5249.01	---	---
	Limit	479.73	102.33	101.62	---	---
5249.8 ~ 5250MHz	μW/MHz	269.6534	2.5939	0.5009	≤ 630.96 ~ 2154.43	PASS
	MHz	5249.80	5249.84	5249.80	---	---
5350 ~ 26000MHz	μW/MHz	0.7876	0.8264	0.9082	≤ 2.500	PASS
	MHz	25755.00	25926.00	5354.34	---	---

Unwanted Emission Strength						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 0)	μW/MHz	0.5794	0.1239	0.1130	≤ 1.250	PASS
	MHz	5459.41	4054.00	3836.00	---	---
5460 ~ 5470MHz(Chain 0)	μW/MHz	1.7418	0.1534	0.0831	≤ 6.250	PASS
	MHz	5469.27	5467.87	5462.24	---	---
5745 ~ 5765MHz(Chain 0)	μW/MHz	0.0687	0.1475	2.7733	≤ 6.250	PASS
	MHz	5755.04	5764.25	5745.53	---	---
5765 ~ 26000MHz(Chain 0)	μW/MHz	0.3623	0.3712	0.1074	≤ 1.250	PASS
	MHz	24538.00	25729.00	5765.29	---	---

Unwanted Emission Strength						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz(Chain 1)	μW/MHz	0.1807	0.1194	0.1154	≤ 1.250	PASS
	MHz	5458.39	4030.00	4968.00	---	---
5460 ~ 5470MHz(Chain 1)	μW/MHz	0.3199	0.1420	0.1075	≤ 6.250	PASS
	MHz	5468.31	5469.93	5463.69	---	---
5745 ~ 5765MHz(Chain 1)	μW/MHz	0.0829	0.1611	0.2704	≤ 6.250	PASS
	MHz	5762.08	5757.05	5745.98	---	---
5765 ~ 26000MHz(Chain 1)	μW/MHz	0.3653	0.3093	0.6981	≤ 1.250	PASS
	MHz	25905.00	25191.00	5768.00	---	---

Unwanted Emission Strength (Total)						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
30 ~ 5460MHz	μW/MHz	0.7602	0.2433	0.2283	≤ 2.500	PASS
	MHz	5459.41	4054.00	4968.00	---	---
5460 ~ 5470MHz	μW/MHz	2.0617	0.2954	0.1906	≤ 12.500	PASS
	MHz	5469.27	5467.87	5463.69	---	---
5745 ~ 5765MHz	μW/MHz	0.1516	0.3086	3.0437	≤ 12.500	PASS
	MHz	5762.08	5757.05	5745.53	---	---
5765 ~ 26000MHz	μW/MHz	0.7277	0.6805	0.8055	≤ 2.500	PASS
	MHz	25905.00	25729.00	5768.00	---	---

Unwanted Emission Strength						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
30 ~ 5141.6MHz(Chain 0)	μW/MHz	0.2661	0.1030	-	≤ 1.250	PASS
	MHz	5137.44	5140.97	-	---	---
5141.6 ~ 5150MHz(Chain 0)	μW/MHz	0.6577	4.6623	-	≤ 7.500	PASS
	MHz	5148.81	5146.14	-	---	---
5250 ~ 5251MHz(Chain 0)	μW/MHz	1.4504	3.0200	-	≤ 25 ~ 250	PASS
	MHz	5250.97	5251.00	-	---	---
	Limit	26.73	25.29	-	---	---
5251 ~ 5270MHz(Chain 0)	μW/MHz	0.6546	1.3996	-	≤ 3.96 ~ 25	PASS
	MHz	5268.75	5267.17	-	---	---
	Limit	4.47	5.21	-	---	---
5270 ~ 5278.4MHz(Chain 0)	μW/MHz	0.8504	0.7709	-	≤ 1.24 ~ 3.96	PASS
	MHz	5277.12	5276.76	-	---	---
	Limit	1.48	1.56	-	---	---
5278.4 ~ 26000MHz(Chain 0)	μW/MHz	0.3892	0.6012	-	≤ 1.250	PASS
	MHz	5286.40	5278.63	-	---	---

Unwanted Emission Strength						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
30 ~ 5141.6MHz(Chain 1)	μW/MHz	0.2085	0.6295	-	≤ 1.250	PASS
	MHz	5141.44	5139.50	-	---	---
5141.6 ~ 5150MHz(Chain 1)	μW/MHz	0.3048	2.2346	-	≤ 7.500	PASS
	MHz	5145.49	5147.45	-	---	---
5250 ~ 5251MHz(Chain 1)	μW/MHz	4.7621	1.1830	-	≤ 25 ~ 250	PASS
	MHz	5250.99	5250.97	-	---	---
	Limit	25.52	26.79	-	---	---
5251 ~ 5270MHz(Chain 1)	μW/MHz	1.1792	0.3041	-	≤ 3.96 ~ 25	PASS
	MHz	5268.76	5266.47	-	---	---
	Limit	4.47	5.58	-	---	---
5270 ~ 5278.4MHz(Chain 1)	μW/MHz	0.9508	0.2742	-	≤ 1.24 ~ 3.96	PASS
	MHz	5277.59	5270.25	-	---	---
	Limit	1.39	3.83	-	---	---
5278.4 ~ 26000MHz(Chain 1)	μW/MHz	0.4131	0.1560	-	≤ 1.250	PASS
	MHz	5282.40	5278.50	-	---	---

Unwanted Emission Strength (Total)						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
30 ~ 5141.6MHz	μ W/MHz	0.4745	0.7326	-	$\leq$ 2.500	PASS
	MHz	5137.44	5139.50	-	---	---
5141.6 ~ 5150MHz	μ W/MHz	0.9625	6.8969	-	$\leq$ 15.000	PASS
	MHz	5148.81	5146.14	-	---	---
5250 ~ 5251MHz	μ W/MHz	6.2126	4.2030	-	$\leq$ 50 ~ 500	PASS
	MHz	5250.99	5251.00	-	---	---
	Limit	51.05	50.58	-	---	---
5251 ~ 5270MHz	μ W/MHz	1.8339	1.7037	-	$\leq$ 7.92 ~ 50	PASS
	MHz	5268.76	5267.17	-	---	---
	Limit	8.94	10.43	-	---	---
5270 ~ 5278.4MHz	μ W/MHz	1.8012	1.0451	-	$\leq$ 2.48 ~ 7.92	PASS
	MHz	5277.59	5276.76	-	---	---
	Limit	2.78	3.11	-	---	---
5278.4 ~ 26000MHz	μ W/MHz	0.8023	0.7571	-	$\leq$ 2.500	PASS
	MHz	5282.40	5278.63	-	---	---

Unwanted Emission Strength						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
30 ~ 5221.6MHz(Chain 0)	μW/MHz	0.3828	0.7568	-	≤ 1.250	PASS
	MHz	5219.00	5218.30	-	---	---
5221.6 ~ 5230MHz(Chain 0)	μW/MHz	0.9528	0.0655	-	≤ 1.24 ~ 3.96	PASS
	MHz	5229.27	5224.76	-	---	---
	Limit	3.58	1.92	-	---	---
5230 ~ 5249MHz(Chain 0)	μW/MHz	1.4894	5.2288	-	≤ 3.96 ~ 25	PASS
	MHz	5236.18	5241.07	-	---	---
	Limit	7.21	11.59	-	---	---
5249 ~ 5250MHz(Chain 0)	μW/MHz	3.0339	4.7174	-	≤ 25 ~ 250	PASS
	MHz	5249.03	5249.02	-	---	---
	Limit	26.60	25.94	-	---	---
5350 ~ 5358.4MHz(Chain 0)	μW/MHz	0.7528	0.4335	-	≤ 7.500	PASS
	MHz	5353.14	5353.31	-	---	---
5358.4 ~ 26000MHz(Chain 0)	μW/MHz	0.2946	0.2524	-	≤ 1.250	PASS
	MHz	25671.99	5359.50	-	---	---

Unwanted Emission Strength						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
30 ~ 5221.6MHz(Chain 1)	μW/MHz	0.1377	0.8185	-	≤ 1.250	PASS
	MHz	5219.76	5220.60	-	---	---
5221.6 ~ 5230MHz(Chain 1)	μW/MHz	0.3855	0.0369	-	≤ 1.24 ~ 3.96	PASS
	MHz	5228.86	5224.53	-	---	---
	Limit	3.38	1.86	-	---	---
5230 ~ 5249MHz(Chain 1)	μW/MHz	0.6339	3.2636	-	≤ 3.96 ~ 25	PASS
	MHz	5234.60	5238.61	-	---	---
	Limit	6.19	9.13	-	---	---
5249 ~ 5250MHz(Chain 1)	μW/MHz	21.0863	3.0782	-	≤ 25 ~ 250	PASS
	MHz	5249.98	5249.25	-	---	---
	Limit	236.56	44.05	-	---	---
5350 ~ 5358.4MHz(Chain 1)	μW/MHz	0.5288	0.2163	-	≤ 7.500	PASS
	MHz	5350.92	5351.04	-	---	---
5358.4 ~ 26000MHz(Chain 1)	μW/MHz	0.3162	0.1245	-	≤ 1.250	PASS
	MHz	25767.99	5359.12	-	---	---

Unwanted Emission Strength (Total)						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
30 ~ 5221.6MHz	μW/MHz	0.5205	1.5753	-	≤ 2.500	PASS
	MHz	5219.00	5220.60	-	---	---
5221.6 ~ 5230MHz	μW/MHz	1.3383	0.1024	-	≤ 2.48 ~ 7.92	PASS
	MHz	5229.27	5224.76	-	---	---
	Limit	7.16	3.84	-	---	---
5230 ~ 5249MHz	μW/MHz	2.1232	8.4924	-	≤ 7.92 ~ 50	PASS
	MHz	5236.18	5241.07	-	---	---
	Limit	14.42	23.18	-	---	---
5249 ~ 5250MHz	μW/MHz	24.1202	7.7956	-	≤ 50 ~ 500	PASS
	MHz	5249.98	5249.02	-	---	---
	Limit	473.12	51.88	-	---	---
5350 ~ 5358.4MHz	μW/MHz	1.2817	0.6498	-	≤ 15.000	PASS
	MHz	5353.14	5353.31	-	---	---
5358.4 ~ 26000MHz	μW/MHz	0.6107	0.3768	-	≤ 2.500	PASS
	MHz	25767.99	5359.50	-	---	---

Unwanted Emission Strength						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
30 ~ 5460MHz(Chain 0)	μW/MHz	1.2618	0.6653	0.1081	≤ 6.250	PASS
	MHz	5458.75	5460.00	3804.00	---	---
5460 ~ 5470MHz(Chain 0)	μW/MHz	5.8345	0.9570	0.1181	≤ 25.000	PASS
	MHz	5467.20	5464.73	5469.39	---	---
5770 ~ 26000MHz(Chain 0)	μW/MHz	0.5116	0.3417	0.1871	≤ 6.250	PASS
	MHz	25814.00	25789.00	5772.54	---	---

Unwanted Emission Strength						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
30 ~ 5460MHz(Chain 1)	μW/MHz	4.0365	0.2393	0.1253	≤ 6.250	PASS
	MHz	5453.00	5443.00	4027.00	---	---
5460 ~ 5470MHz(Chain 1)	μW/MHz	0.6668	0.7142	0.0942	≤ 25.000	PASS
	MHz	5468.12	5467.94	5468.91	---	---
5770 ~ 26000MHz(Chain 1)	μW/MHz	0.3182	0.3347	2.0859	≤ 6.250	PASS
	MHz	25862.00	25780.00	5770.00	---	---

Unwanted Emission Strength (Total)						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
30 ~ 5460MHz	μW/MHz	5.2983	0.9046	0.2335	≤ 12.500	PASS
	MHz	5453.00	5460.00	4027.00	---	---
5460 ~ 5470MHz	μW/MHz	6.5013	1.6711	0.2123	≤ 50.000	PASS
	MHz	5467.20	5464.73	5469.39	---	---
5770 ~ 26000MHz	μW/MHz	0.8298	0.6765	2.2730	≤ 12.500	PASS
	MHz	25814.00	25789.00	5770.00	---	---

Unwanted Emission Strength						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
30 ~ 5123.2MHz(Chain 0)	μW/MHz	0.3908	-	-	≤ 1.250	PASS
	MHz	5123.03	-	-	---	---
5123.2 ~ 5150MHz(Chain 0)	μW/MHz	0.7656	-	-	≤ 7.500	PASS
	MHz	5149.97	-	-	---	---
5250 ~ 5251MHz(Chain 0)	μW/MHz	0.8337	-	-	≤ 12.5 ~ 125	PASS
	MHz	5250.94	-	-	---	---
	Limit	14.32	-	-	---	---
5251 ~ 5290MHz(Chain 0)	μW/MHz	0.2710	-	-	≤ 1.98 ~ 12.5	PASS
	MHz	5285.31	-	-	---	---
	Limit	2.47	-	-	---	---
5290 ~ 5296.7MHz(Chain 0)	μW/MHz	0.2009	-	-	≤ 1.25 ~ 1.98	PASS
	MHz	5293.06	-	-	---	---
	Limit	1.60	-	-	---	---
5296.7 ~ 26000MHz(Chain 0)	μW/MHz	0.1648	-	-	≤ 1.250	PASS
	MHz	5298.59	-	-	---	---

Unwanted Emission Strength						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
30 ~ 5123.2MHz(Chain 1)	μW/MHz	0.6730	-	-	≤ 1.250	PASS
	MHz	5120.93	-	-	---	---
5123.2 ~ 5150MHz(Chain 1)	μW/MHz	1.4723	-	-	≤ 7.500	PASS
	MHz	5147.22	-	-	---	---
5250 ~ 5251MHz(Chain 1)	μW/MHz	1.5311	-	-	≤ 12.5 ~ 125	PASS
	MHz	5250.98	-	-	---	---
	Limit	13.09	-	-	---	---
5251 ~ 5290MHz(Chain 1)	μW/MHz	0.6138	-	-	≤ 1.98 ~ 12.5	PASS
	MHz	5276.51	-	-	---	---
	Limit	3.75	-	-	---	---
5290 ~ 5296.7MHz(Chain 1)	μW/MHz	0.3899	-	-	≤ 1.25 ~ 1.98	PASS
	MHz	5293.76	-	-	---	---
	Limit	1.53	-	-	---	---
5296.7 ~ 26000MHz(Chain 1)	μW/MHz	0.3034	-	-	≤ 1.250	PASS
	MHz	5300.21	-	-	---	---

Unwanted Emission Strength (Total)						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
30 ~ 5123.2MHz	μ W/MHz	1.0638	-	-	$\leq$ 2.500	PASS
	MHz	5120.93	-	-	---	---
5123.2 ~ 5150MHz	μ W/MHz	2.2379	-	-	$\leq$ 15.000	PASS
	MHz	5147.22	-	-	---	---
5250 ~ 5251MHz	μ W/MHz	2.3648	-	-	$\leq$ 25 ~ 250	PASS
	MHz	5250.98	-	-	---	---
	Limit	26.18	-	-	---	---
5251 ~ 5290MHz	μ W/MHz	0.8848	-	-	$\leq$ 3.96 ~ 25	PASS
	MHz	5276.51	-	-	---	---
	Limit	7.49	-	-	---	---
5290 ~ 5296.7MHz	μ W/MHz	0.5909	-	-	$\leq$ 2.49 ~ 3.96	PASS
	MHz	5293.76	-	-	---	---
	Limit	3.06	-	-	---	---
5296.7 ~ 26000MHz	μ W/MHz	0.4682	-	-	$\leq$ 2.500	PASS
	MHz	5300.21	-	-	---	---

Unwanted Emission Strength						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
30 ~ 5203.3MHz(Chain 0)	μW/MHz	0.5821	-	-	≤ 1.250	PASS
	MHz	5194.17	-	-	---	---
5203.3 ~ 5210MHz(Chain 0)	μW/MHz	0.7311	-	-	≤ 1.25 ~ 1.98	PASS
	MHz	5205.06	-	-	---	---
	Limit	1.41	-	-	---	---
5210 ~ 5249MHz(Chain 0)	μW/MHz	0.8472	-	-	≤ 1.98 ~ 12.5	PASS
	MHz	5213.66	-	-	---	---
	Limit	2.35	-	-	---	---
5249 ~ 5250MHz(Chain 0)	μW/MHz	1.5382	-	-	≤ 12.5 ~ 125	PASS
	MHz	5249.04	-	-	---	---
	Limit	13.83	-	-	---	---
5350 ~ 5376.8MHz(Chain 0)	μW/MHz	0.7674	-	-	≤ 7.500	PASS
	MHz	5354.97	-	-	---	---
5376.8 ~ 26000MHz(Chain 0)	μW/MHz	0.3097	-	-	≤ 1.250	PASS
	MHz	5386.85	-	-	---	---

Unwanted Emission Strength						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
30 ~ 5203.3MHz(Chain 1)	μW/MHz	0.1607	-	-	≤ 1.250	PASS
	MHz	5201.16	-	-	---	---
5203.3 ~ 5210MHz(Chain 1)	μW/MHz	0.1871	-	-	≤ 1.25 ~ 1.98	PASS
	MHz	5206.11	-	-	---	---
	Limit	1.51	-	-	---	---
5210 ~ 5249MHz(Chain 1)	μW/MHz	0.3715	-	-	≤ 1.98 ~ 12.5	PASS
	MHz	5225.25	-	-	---	---
	Limit	4.07	-	-	---	---
5249 ~ 5250MHz(Chain 1)	μW/MHz	6.2806	-	-	≤ 12.5 ~ 125	PASS
	MHz	5249.89	-	-	---	---
	Limit	97.03	-	-	---	---
5350 ~ 5376.8MHz(Chain 1)	μW/MHz	7.1417	-	-	≤ 7.500	0.00
	MHz	5350.91	-	-	---	---
5376.8 ~ 26000MHz(Chain 1)	μW/MHz	1.1860	-	-	≤ 1.250	PASS
	MHz	5377.80	-	-	---	---

Unwanted Emission Strength (Total)						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
30 ~ 5203.3MHz	μW/MHz	0.7428	-	-	≤ 2.500	PASS
	MHz	5194.17	-	-	---	---
5203.3 ~ 5210MHz	μW/MHz	0.9182	-	-	≤ 2.49 ~ 3.96	PASS
	MHz	5205.06	-	-	---	---
	Limit	2.82	-	-	---	---
5210 ~ 5249MHz	μW/MHz	1.2188	-	-	≤ 3.96 ~ 25	PASS
	MHz	5213.66	-	-	---	---
	Limit	4.71	-	-	---	---
5249 ~ 5250MHz	μW/MHz	7.8187	-	-	≤ 25 ~ 250	PASS
	MHz	5249.89	-	-	---	---
	Limit	194.06	-	-	---	---
5350 ~ 5376.8MHz	μW/MHz	7.9090	-	-	≤ 15.000	PASS
	MHz	5350.91	-	-	---	---
5376.8 ~ 26000MHz	μW/MHz	1.4958	-	-	≤ 2.500	PASS
	MHz	5377.80	-	-	---	---

Unwanted Emission Strength						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
30 ~ 5460MHz(Chain 0)	μW/MHz	2.3768	0.3428	0.6095	≤ 6.250	PASS
	MHz	5446.59	5453.83	5455.00	---	---
5460 ~ 5469.5MHz(Chain 0)	μW/MHz	7.5336	8.2338	0.9732	≤ 25.000	PASS
	MHz	5469.16	5463.97	5463.84	---	---
5469.5 ~ 5470MHz(Chain 0)	μW/MHz	4.5394	7.5527	0.9041	≤ 25.600	PASS
	MHz	5469.51	5469.73	5469.72	---	---
5770 ~ 26000MHz(Chain 0)	μW/MHz	0.3250	2.1883	1.9055	≤ 6.250	PASS
	MHz	25553.00	5773.00	5778.28	---	---

Unwanted Emission Strength						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
30 ~ 5460MHz(Chain 1)	μW/MHz	0.6730	1.6406	0.2317	≤ 6.250	PASS
	MHz	5450.47	5460.00	5444.00	---	---
5460 ~ 5469.5MHz(Chain 1)	μW/MHz	0.6501	3.4364	0.5028	≤ 25.000	PASS
	MHz	5467.37	5468.92	5469.27	---	---
5469.5 ~ 5470MHz(Chain 1)	μW/MHz	0.6622	4.2589	0.4974	≤ 25.600	PASS
	MHz	5469.62	5469.96	5469.79	---	---
5770 ~ 26000MHz(Chain 1)	μW/MHz	0.3659	2.4843	0.4592	≤ 6.250	PASS
	MHz	23608.00	5808.00	5777.64	---	---

Unwanted Emission Strength (Total)						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
30 ~ 5460MHz	μW/MHz	3.0498	1.9834	0.8413	≤ 12.500	PASS
	MHz	5446.59	5460.00	5455.00	---	---
5460 ~ 5469.5MHz	μW/MHz	8.1837	11.6702	1.4760	≤ 50.000	PASS
	MHz	5469.16	5463.97	5463.84	---	---
5469.5 ~ 5470MHz	μW/MHz	5.2016	11.8116	1.4015	≤ 51.200	PASS
	MHz	5469.51	5469.73	5469.72	---	---
5770 ~ 26000MHz	μW/MHz	0.6909	4.6726	2.3647	≤ 12.500	PASS
	MHz	23608.00	5808.00	5778.28	---	---

TEST PLOTS

