




BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03



BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03

Spurious Emission of RX

TEST RESULT

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~1000	792.91	-84.59	≤-54	0.00348	≤4	PASS
NTNV	11A	Ant1	5180	1000~26000	25192.50	-65.19	≤-47	0.30269	≤20	PASS
NTNV	11A	Ant1	5200	30~1000	840.44	-84.87	≤-54	0.00326	≤4	PASS
NTNV	11A	Ant1	5200	1000~26000	23010.00	-65.06	≤-47	0.31189	≤20	PASS
NTNV	11A	Ant1	5220	30~1000	809.40	-85.12	≤-54	0.00308	≤4	PASS
NTNV	11A	Ant1	5220	1000~26000	24803.75	-64.86	≤-47	0.32659	≤20	PASS
NTNV	11A	Ant1	5240	30~1000	461.17	-84.92	≤-54	0.00322	≤4	PASS
NTNV	11A	Ant1	5240	1000~26000	23030.00	-65.28	≤-47	0.29648	≤20	PASS
NTNV	11A	Ant1	5260	30~1000	960.72	-85.45	≤-54	0.00285	≤4	PASS
NTNV	11A	Ant1	5260	1000~26000	24706.25	-64.67	≤-47	0.34119	≤20	PASS
NTNV	11A	Ant1	5280	30~1000	975.27	-84.99	≤-54	0.00317	≤4	PASS
NTNV	11A	Ant1	5280	1000~26000	24215.00	-65.11	≤-47	0.30832	≤20	PASS
NTNV	11A	Ant1	5300	30~1000	801.15	-84.16	≤-54	0.00384	≤4	PASS
NTNV	11A	Ant1	5300	1000~26000	23081.25	-64.72	≤-47	0.33729	≤20	PASS
NTNV	11A	Ant1	5320	30~1000	885.06	-85.03	≤-54	0.00314	≤4	PASS
NTNV	11A	Ant1	5320	1000~26000	2433.75	-64.17	≤-47	0.38282	≤20	PASS
NTNV	11A	Ant1	5500	30~1000	730.83	-83.89	≤-54	0.00408	≤4	PASS
NTNV	11A	Ant1	5500	1000~26000	24853.75	-63.81	≤-47	0.41591	≤20	PASS
NTNV	11A	Ant1	5580	30~1000	904.94	-84.72	≤-54	0.00337	≤4	PASS
NTNV	11A	Ant1	5580	1000~26000	25197.50	-64.10	≤-47	0.38905	≤20	PASS
NTNV	11A	Ant1	5600	30~1000	801.15	-83.82	≤-54	0.00415	≤4	PASS
NTNV	11A	Ant1	5600	1000~26000	24826.25	-63.94	≤-47	0.40365	≤20	PASS
NTNV	11A	Ant1	5700	30~1000	832.68	-83.28	≤-54	0.00470	≤4	PASS
NTNV	11A	Ant1	5700	1000~26000	24175.00	-64.38	≤-47	0.36475	≤20	PASS
NTNV	11A	Ant1	5720	30~1000	710.94	-84.18	≤-54	0.00382	≤4	PASS
NTNV	11A	Ant1	5720	1000~26000	25816.25	-64.43	≤-47	0.36058	≤20	PASS
NTNV	11N20SISO	Ant1	5180	30~1000	740.53	-85.01	≤-54	0.00316	≤4	PASS
NTNV	11N20SISO	Ant1	5180	1000~26000	24767.50	-64.66	≤-47	0.34198	≤20	PASS
NTNV	11N20SISO	Ant1	5200	30~1000	806.97	-84.12	≤-54	0.00387	≤4	PASS
NTNV	11N20SISO	Ant1	5200	1000~26000	2433.75	-64.13	≤-47	0.38637	≤20	PASS
NTNV	11N20SISO	Ant1	5220	30~1000	815.70	-84.78	≤-54	0.00333	≤4	PASS
NTNV	11N20SISO	Ant1	5220	1000~26000	24685.00	-64.94	≤-47	0.32063	≤20	PASS
NTNV	11N20SISO	Ant1	5240	30~1000	735.68	-84.80	≤-54	0.00331	≤4	PASS
NTNV	11N20SISO	Ant1	5240	1000~26000	25135.00	-64.60	≤-47	0.34674	≤20	PASS
NTNV	11N20SISO	Ant1	5260	30~1000	817.16	-85.09	≤-54	0.00310	≤4	PASS
NTNV	11N20SISO	Ant1	5260	1000~26000	2436.25	-63.24	≤-47	0.47424	≤20	PASS
NTNV	11N20SISO	Ant1	5280	30~1000	811.34	-85.50	≤-54	0.00282	≤4	PASS
NTNV	11N20SISO	Ant1	5300	30~1000	865.66	-84.84	≤-54	0.00328	≤4	PASS
NTNV	11N20SISO	Ant1	5300	1000~26000	24673.75	-64.97	≤-47	0.31842	≤20	PASS
NTNV	11N20SISO	Ant1	5320	30~1000	942.77	-84.83	≤-54	0.00329	≤4	PASS
NTNV	11N20SISO	Ant1	5320	1000~26000	24833.75	-63.95	≤-47	0.40272	≤20	PASS
NTNV	11N20SISO	Ant1	5500	30~1000	412.67	-83.38	≤-54	0.00459	≤4	PASS
NTNV	11N20SISO	Ant1	5500	1000~26000	22996.25	-64.55	≤-47	0.35075	≤20	PASS
NTNV	11N20SISO	Ant1	5580	30~1000	818.13	-84.02	≤-54	0.00396	≤4	PASS
NTNV	11N20SISO	Ant1	5580	1000~26000	24812.50	-63.92	≤-47	0.40551	≤20	PASS
NTNV	11N20SISO	Ant1	5600	30~1000	923.86	-83.82	≤-54	0.00415	≤4	PASS
NTNV	11N20SISO	Ant1	5600	1000~26000	22938.75	-64.35	≤-47	0.36728	≤20	PASS
NTNV	11N20SISO	Ant1	5700	30~1000	931.62	-83.72	≤-54	0.00425	≤4	PASS



BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03


NTNV	11N20SISO	Ant1	5700	1000~26000	23145.00	-64.37	≤-47	0.36559	≤20	PASS
NTNV	11N20SISO	Ant1	5720	30~1000	832.68	-84.17	≤-54	0.00383	≤4	PASS
NTNV	11N20SISO	Ant1	5720	1000~26000	25237.50	-64.19	≤-47	0.38107	≤20	PASS
NTNV	11AC20SISO	Ant1	5180	30~1000	776.42	-83.65	≤-54	0.00432	≤4	PASS
NTNV	11AC20SISO	Ant1	5180	1000~26000	25157.50	-64.07	≤-47	0.39174	≤20	PASS
NTNV	11AC20SISO	Ant1	5200	30~1000	898.15	-84.37	≤-54	0.00366	≤4	PASS
NTNV	11AC20SISO	Ant1	5200	1000~26000	2435.00	-63.75	≤-47	0.42170	≤20	PASS
NTNV	11AC20SISO	Ant1	5220	30~1000	826.86	-84.44	≤-54	0.00360	≤4	PASS
NTNV	11AC20SISO	Ant1	5220	1000~26000	24907.50	-64.42	≤-47	0.36141	≤20	PASS
NTNV	11AC20SISO	Ant1	5240	30~1000	801.64	-84.25	≤-54	0.00376	≤4	PASS
NTNV	11AC20SISO	Ant1	5240	1000~26000	23073.75	-64.98	≤-47	0.31769	≤20	PASS
NTNV	11AC20SISO	Ant1	5260	30~1000	795.82	-85.09	≤-54	0.00310	≤4	PASS
NTNV	11AC20SISO	Ant1	5260	1000~26000	23083.75	-65.06	≤-47	0.31189	≤20	PASS
NTNV	11AC20SISO	Ant1	5280	30~1000	805.03	-85.42	≤-54	0.00287	≤4	PASS
NTNV	11AC20SISO	Ant1	5280	1000~26000	23167.50	-65.18	≤-47	0.30339	≤20	PASS
NTNV	11AC20SISO	Ant1	5300	30~1000	821.04	-84.48	≤-54	0.00356	≤4	PASS
NTNV	11AC20SISO	Ant1	5300	1000~26000	24777.50	-64.77	≤-47	0.33343	≤20	PASS
NTNV	11AC20SISO	Ant1	5320	30~1000	710.46	-84.32	≤-54	0.00370	≤4	PASS
NTNV	11AC20SISO	Ant1	5320	1000~26000	23957.50	-64.27	≤-47	0.37411	≤20	PASS
NTNV	11AC20SISO	Ant1	5500	30~1000	459.71	-83.94	≤-54	0.00404	≤4	PASS
NTNV	11AC20SISO	Ant1	5500	1000~26000	23090.00	-64.35	≤-47	0.36728	≤20	PASS
NTNV	11AC20SISO	Ant1	5580	30~1000	60.56	-84.76	≤-54	0.00334	≤4	PASS
NTNV	11AC20SISO	Ant1	5580	1000~26000	23048.75	-64.48	≤-47	0.35645	≤20	PASS
NTNV	11AC20SISO	Ant1	5600	30~1000	788.54	-83.99	≤-54	0.00399	≤4	PASS
NTNV	11AC20SISO	Ant1	5600	1000~26000	24302.50	-64.07	≤-47	0.39174	≤20	PASS
NTNV	11AC20SISO	Ant1	5700	30~1000	817.16	-84.21	≤-54	0.00379	≤4	PASS
NTNV	11AC20SISO	Ant1	5700	1000~26000	25641.25	-64.94	≤-47	0.32063	≤20	PASS
NTNV	11AC20SISO	Ant1	5720	30~1000	797.27	-84.30	≤-54	0.00372	≤4	PASS
NTNV	11AC20SISO	Ant1	5720	1000~26000	23147.50	-64.01	≤-47	0.39719	≤20	PASS



BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03


TEST GRAPHS





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-
tech District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-
tech District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03






BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03







Transmission Burst Length

TEST RESULT


TestCondition	TestMode	Antenna	Frequency[MHz]	Result [ms]	Limit [ms]	Verdict
NTNV	11A	Ant1	5180	0.97	≤8	PASS
NTNV	11A	Ant1	5200	0.97	≤8	PASS
NTNV	11A	Ant1	5220	0.97	≤8	PASS
NTNV	11A	Ant1	5240	0.97	≤8	PASS
NTNV	11A	Ant1	5260	0.98	≤8	PASS
NTNV	11A	Ant1	5280	0.97	≤8	PASS
NTNV	11A	Ant1	5300	0.97	≤8	PASS
NTNV	11A	Ant1	5320	0.98	≤8	PASS
NTNV	11A	Ant1	5500	0.97	≤8	PASS
NTNV	11A	Ant1	5580	0.98	≤8	PASS
NTNV	11A	Ant1	5600	0.98	≤8	PASS
NTNV	11A	Ant1	5700	0.97	≤8	PASS
NTNV	11A	Ant1	5720	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5180	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5200	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5220	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5240	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5260	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5280	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5300	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5320	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5500	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5580	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5600	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5700	0.97	≤8	PASS
NTNV	11N20SISO	Ant1	5720	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5180	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5200	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5220	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5240	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5260	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5280	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5300	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5320	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5500	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5580	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5600	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5700	0.97	≤8	PASS
NTNV	11AC20SISO	Ant1	5720	0.97	≤8	PASS



BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03


TEST GRAPHS





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03






BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03








BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03

Adjacent Channel Power Tolerance

TEST RESULT

TestCondition	TestMode	Antenna	Frequency[MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant1	5180	-40	-41.69	≤-40	PASS
NTNV	11A	Ant1	5180	-20	-38.83	≤-25	PASS
NTNV	11A	Ant1	5180	+20	-38.57	≤-25	PASS
NTNV	11A	Ant1	5180	+40	-42.26	≤-40	PASS
NTNV	11A	Ant1	5200	-40	-43.98	≤-40	PASS
NTNV	11A	Ant1	5200	-20	-39.77	≤-25	PASS
NTNV	11A	Ant1	5200	+20	-39.02	≤-25	PASS
NTNV	11A	Ant1	5200	+40	-45.07	≤-40	PASS
NTNV	11A	Ant1	5220	-40	-43.67	≤-40	PASS
NTNV	11A	Ant1	5220	-20	-39.82	≤-25	PASS
NTNV	11A	Ant1	5220	+20	-39.23	≤-25	PASS
NTNV	11A	Ant1	5220	+40	-44.41	≤-40	PASS
NTNV	11A	Ant1	5240	-40	-43.19	≤-40	PASS
NTNV	11A	Ant1	5240	-20	-39.56	≤-25	PASS
NTNV	11A	Ant1	5240	+20	-39.75	≤-25	PASS
NTNV	11A	Ant1	5240	+40	-44.27	≤-40	PASS
NTNV	11A	Ant1	5260	-40	-43.87	≤-40	PASS
NTNV	11A	Ant1	5260	-20	-39.63	≤-25	PASS
NTNV	11A	Ant1	5260	+20	-39.45	≤-25	PASS
NTNV	11A	Ant1	5260	+40	-44.86	≤-40	PASS
NTNV	11A	Ant1	5280	-40	-43.83	≤-40	PASS
NTNV	11A	Ant1	5280	-20	-39.90	≤-25	PASS
NTNV	11A	Ant1	5280	+20	-39.45	≤-25	PASS
NTNV	11A	Ant1	5280	+40	-44.83	≤-40	PASS
NTNV	11A	Ant1	5300	-40	-43.69	≤-40	PASS
NTNV	11A	Ant1	5300	-20	-39.52	≤-25	PASS
NTNV	11A	Ant1	5300	+20	-39.90	≤-25	PASS
NTNV	11A	Ant1	5300	+40	-44.79	≤-40	PASS
NTNV	11A	Ant1	5320	-40	-43.55	≤-40	PASS
NTNV	11A	Ant1	5320	-20	-39.66	≤-25	PASS
NTNV	11A	Ant1	5320	+20	-39.67	≤-25	PASS
NTNV	11A	Ant1	5320	+40	-44.53	≤-40	PASS
NTNV	11A	Ant1	5500	-40	-43.97	≤-40	PASS
NTNV	11A	Ant1	5500	-20	-40.16	≤-25	PASS
NTNV	11A	Ant1	5500	+20	-39.86	≤-25	PASS
NTNV	11A	Ant1	5500	+40	-44.18	≤-40	PASS
NTNV	11A	Ant1	5580	-40	-43.47	≤-40	PASS
NTNV	11A	Ant1	5580	-20	-39.92	≤-25	PASS
NTNV	11A	Ant1	5580	+20	-39.80	≤-25	PASS
NTNV	11A	Ant1	5580	+40	-43.83	≤-40	PASS
NTNV	11A	Ant1	5600	-40	-43.87	≤-40	PASS
NTNV	11A	Ant1	5600	-20	-40.03	≤-25	PASS
NTNV	11A	Ant1	5600	+20	-39.42	≤-25	PASS
NTNV	11A	Ant1	5600	+40	-43.85	≤-40	PASS
NTNV	11A	Ant1	5700	-40	-42.83	≤-40	PASS
NTNV	11A	Ant1	5700	-20	-39.23	≤-25	PASS
NTNV	11A	Ant1	5700	+20	-39.91	≤-25	PASS
NTNV	11A	Ant1	5700	+40	-43.62	≤-40	PASS
NTNV	11A	Ant1	5720	-40	-42.13	≤-40	PASS



**BUREAU
VERITAS**

Test Report No.: PSZ-QSZ2508130617RJ03

NTNV	11A	Ant1	5720	-20	-39.42	≤-25	PASS
NTNV	11A	Ant1	5720	+20	-39.56	≤-25	PASS
NTNV	11A	Ant1	5720	+40	-43.43	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	-40	-43.14	≤-40	PASS
NTNV	11N20SISO	Ant1	5180	-20	-37.81	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	+20	-37.50	≤-25	PASS
NTNV	11N20SISO	Ant1	5180	+40	-43.72	≤-40	PASS
NTNV	11N20SISO	Ant1	5200	-40	-42.86	≤-40	PASS
NTNV	11N20SISO	Ant1	5200	-20	-37.85	≤-25	PASS
NTNV	11N20SISO	Ant1	5200	+20	-37.27	≤-25	PASS
NTNV	11N20SISO	Ant1	5200	+40	-43.43	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	-40	-43.32	≤-40	PASS
NTNV	11N20SISO	Ant1	5220	-20	-37.68	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	+20	-37.82	≤-25	PASS
NTNV	11N20SISO	Ant1	5220	+40	-43.88	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	-40	-43.40	≤-40	PASS
NTNV	11N20SISO	Ant1	5240	-20	-38.13	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	+20	-38.01	≤-25	PASS
NTNV	11N20SISO	Ant1	5240	+40	-44.21	≤-40	PASS
NTNV	11N20SISO	Ant1	5260	-40	-44.18	≤-40	PASS
NTNV	11N20SISO	Ant1	5260	-20	-37.75	≤-25	PASS
NTNV	11N20SISO	Ant1	5260	+20	-38.33	≤-25	PASS
NTNV	11N20SISO	Ant1	5260	+40	-45.35	≤-40	PASS
NTNV	11N20SISO	Ant1	5280	-40	-43.72	≤-40	PASS
NTNV	11N20SISO	Ant1	5280	-20	-38.52	≤-25	PASS
NTNV	11N20SISO	Ant1	5280	+20	-38.38	≤-25	PASS
NTNV	11N20SISO	Ant1	5280	+40	-45.19	≤-40	PASS
NTNV	11N20SISO	Ant1	5300	-40	-43.63	≤-40	PASS
NTNV	11N20SISO	Ant1	5300	-20	-38.01	≤-25	PASS
NTNV	11N20SISO	Ant1	5300	+20	-38.16	≤-25	PASS
NTNV	11N20SISO	Ant1	5300	+40	-44.66	≤-40	PASS
NTNV	11N20SISO	Ant1	5320	-40	-43.38	≤-40	PASS
NTNV	11N20SISO	Ant1	5320	-20	-38.14	≤-25	PASS
NTNV	11N20SISO	Ant1	5320	+20	-38.07	≤-25	PASS
NTNV	11N20SISO	Ant1	5320	+40	-44.71	≤-40	PASS
NTNV	11N20SISO	Ant1	5500	-40	-43.82	≤-40	PASS
NTNV	11N20SISO	Ant1	5500	-20	-38.00	≤-25	PASS
NTNV	11N20SISO	Ant1	5500	+20	-38.33	≤-25	PASS
NTNV	11N20SISO	Ant1	5500	+40	-44.57	≤-40	PASS
NTNV	11N20SISO	Ant1	5580	-40	-43.76	≤-40	PASS
NTNV	11N20SISO	Ant1	5580	-20	-38.21	≤-25	PASS
NTNV	11N20SISO	Ant1	5580	+20	-38.48	≤-25	PASS
NTNV	11N20SISO	Ant1	5580	+40	-44.03	≤-40	PASS
NTNV	11N20SISO	Ant1	5600	-40	-43.52	≤-40	PASS
NTNV	11N20SISO	Ant1	5600	-20	-38.43	≤-25	PASS
NTNV	11N20SISO	Ant1	5600	+20	-37.89	≤-25	PASS
NTNV	11N20SISO	Ant1	5600	+40	-43.75	≤-40	PASS
NTNV	11N20SISO	Ant1	5700	-40	-42.96	≤-40	PASS
NTNV	11N20SISO	Ant1	5700	-20	-37.78	≤-25	PASS
NTNV	11N20SISO	Ant1	5700	+20	-38.33	≤-25	PASS
NTNV	11N20SISO	Ant1	5700	+40	-43.79	≤-40	PASS
NTNV	11N20SISO	Ant1	5720	-40	-42.46	≤-40	PASS
NTNV	11N20SISO	Ant1	5720	-20	-37.71	≤-25	PASS
NTNV	11N20SISO	Ant1	5720	+20	-38.30	≤-25	PASS
NTNV	11N20SISO	Ant1	5720	+40	-43.62	≤-40	PASS



**BUREAU
VERITAS**

Test Report No.: PSZ-QSZ2508130617RJ03


NTNV	11AC20SISO	Ant1	5180	-40	-43.44	≤-40	PASS
NTNV	11AC20SISO	Ant1	5180	-20	-37.08	≤-25	PASS
NTNV	11AC20SISO	Ant1	5180	+20	-37.60	≤-25	PASS
NTNV	11AC20SISO	Ant1	5180	+40	-43.74	≤-40	PASS
NTNV	11AC20SISO	Ant1	5200	-40	-43.36	≤-40	PASS
NTNV	11AC20SISO	Ant1	5200	-20	-37.20	≤-25	PASS
NTNV	11AC20SISO	Ant1	5200	+20	-37.73	≤-25	PASS
NTNV	11AC20SISO	Ant1	5200	+40	-43.82	≤-40	PASS
NTNV	11AC20SISO	Ant1	5220	-40	-42.76	≤-40	PASS
NTNV	11AC20SISO	Ant1	5220	-20	-36.59	≤-25	PASS
NTNV	11AC20SISO	Ant1	5220	+20	-37.22	≤-25	PASS
NTNV	11AC20SISO	Ant1	5220	+40	-43.30	≤-40	PASS
NTNV	11AC20SISO	Ant1	5240	-40	-42.79	≤-40	PASS
NTNV	11AC20SISO	Ant1	5240	-20	-37.00	≤-25	PASS
NTNV	11AC20SISO	Ant1	5240	+20	-37.61	≤-25	PASS
NTNV	11AC20SISO	Ant1	5240	+40	-43.60	≤-40	PASS
NTNV	11AC20SISO	Ant1	5260	-40	-43.56	≤-40	PASS
NTNV	11AC20SISO	Ant1	5260	-20	-37.64	≤-25	PASS
NTNV	11AC20SISO	Ant1	5260	+20	-37.68	≤-25	PASS
NTNV	11AC20SISO	Ant1	5260	+40	-44.86	≤-40	PASS
NTNV	11AC20SISO	Ant1	5280	-40	-43.57	≤-40	PASS
NTNV	11AC20SISO	Ant1	5280	-20	-37.11	≤-25	PASS
NTNV	11AC20SISO	Ant1	5280	+20	-38.22	≤-25	PASS
NTNV	11AC20SISO	Ant1	5280	+40	-44.80	≤-40	PASS
NTNV	11AC20SISO	Ant1	5300	-40	-43.58	≤-40	PASS
NTNV	11AC20SISO	Ant1	5300	-20	-38.04	≤-25	PASS
NTNV	11AC20SISO	Ant1	5300	+20	-38.31	≤-25	PASS
NTNV	11AC20SISO	Ant1	5300	+40	-44.48	≤-40	PASS
NTNV	11AC20SISO	Ant1	5320	-40	-43.27	≤-40	PASS
NTNV	11AC20SISO	Ant1	5320	-20	-36.91	≤-25	PASS
NTNV	11AC20SISO	Ant1	5320	+20	-37.90	≤-25	PASS
NTNV	11AC20SISO	Ant1	5320	+40	-44.72	≤-40	PASS
NTNV	11AC20SISO	Ant1	5500	-40	-43.68	≤-40	PASS
NTNV	11AC20SISO	Ant1	5500	-20	-37.13	≤-25	PASS
NTNV	11AC20SISO	Ant1	5500	+20	-37.69	≤-25	PASS
NTNV	11AC20SISO	Ant1	5500	+40	-44.33	≤-40	PASS
NTNV	11AC20SISO	Ant1	5580	-40	-43.72	≤-40	PASS
NTNV	11AC20SISO	Ant1	5580	-20	-37.58	≤-25	PASS
NTNV	11AC20SISO	Ant1	5580	+20	-38.50	≤-25	PASS
NTNV	11AC20SISO	Ant1	5580	+40	-44.19	≤-40	PASS
NTNV	11AC20SISO	Ant1	5600	-40	-43.43	≤-40	PASS
NTNV	11AC20SISO	Ant1	5600	-20	-37.32	≤-25	PASS
NTNV	11AC20SISO	Ant1	5600	+20	-37.64	≤-25	PASS
NTNV	11AC20SISO	Ant1	5600	+40	-43.70	≤-40	PASS
NTNV	11AC20SISO	Ant1	5700	-40	-42.29	≤-40	PASS
NTNV	11AC20SISO	Ant1	5700	-20	-37.23	≤-25	PASS
NTNV	11AC20SISO	Ant1	5700	+20	-38.19	≤-25	PASS
NTNV	11AC20SISO	Ant1	5700	+40	-43.74	≤-40	PASS
NTNV	11AC20SISO	Ant1	5720	-40	-42.47	≤-40	PASS
NTNV	11AC20SISO	Ant1	5720	-20	-37.52	≤-25	PASS
NTNV	11AC20SISO	Ant1	5720	+20	-38.07	≤-25	PASS
NTNV	11AC20SISO	Ant1	5720	+40	-43.30	≤-40	PASS



BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03

TEST GRAPHS





BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03




Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-
tech District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008




Test Report No.: PSZ-QSZ2508130617RJ03




NTNV-11N20SISO-Ant1-5280-PASS




NTNV-11N20SISO-Ant1-5300-PASS




NTNV-11N20SISO-Ant1-5320-PASS



NTNV-11N20SISO-Ant1-5500-PASS



NTNV-11N20SISO-Ant1-5580-PASS



NTNV-11N20SISO-Ant1-5600-PASS



BUREAU
VERITAS


Test Report No.: PSZ-QSZ2508130617RJ03





BUREAU
VERITAS

Test Report No.: PSZ-QSZ2508130617RJ03





**CARRIER SENSE CAPABILITY****802.11a (W52)**

FREQUENCY (MHz)	Pcs (dBm)	C.F (dB)	S.G LEVEL
5180	-54.39	11	-46.25
5240	-54.49	11	-46.09

NOTE:

Pcs (dBm) = $22.79 + Gr - 20\log(F)$.

Gr: Antenna gain (5GHz:-2.89dBi).

F: Transmission frequency (MHz).

CF = Distributor loss + cable loss.

802.11a (W53)

FREQUENCY (MHz)	Pcs (dBm)	C.F (dB)	S.G LEVEL
5260	-54.52	11	-46.06
5320	-54.62	11	-46.11

NOTE:

Pcs (dBm) = $22.79 + Gr - 20\log(F)$.

Gr: Antenna gain (5GHz:-2.89dBi).

F: Transmission frequency (MHz).

CF = Distributor loss + cable loss.

802.11a (W56)

FREQUENCY (MHz)	Pcs (dBm)	C.F (dB)	S.G LEVEL
5500	-54.91	11	-46.17
5600	-55.06	11	-46.10
5720	-55.25	11	-46.05

NOTE:

Pcs (dBm) = $22.79 + Gr - 20\log(F)$.

Gr: Antenna gain (5GHz:-2.89dBi).

F: Transmission frequency (MHz).

CF = Distributor loss + cable loss.



802.11n (20MHz) (W52)

FREQUENCY (MHz)	Pcs (dBm)	C.F (dB)	S.G LEVEL
5180	-54.39	11	-46.28
5240	-54.49	11	-46.08

NOTE:

Pcs (dBm) = 22.79 + Gr - 20log(F).

Gr: Antenna gain (5GHz: -2.89dBi).

F: Transmission frequency (MHz).

CF = Distributor loss + cable loss.

802.11n (20MHz) (W53)

FREQUENCY (MHz)	Pcs (dBm)	C.F (dB)	S.G LEVEL
5260	-54.52	11	-46.06
5320	-54.62	11	-46.04

NOTE:

Pcs (dBm) = 22.79 + Gr - 20log(F).

Gr: Antenna gain (5GHz:-2.89 dBi).

F: Transmission frequency (MHz).

CF = Distributor loss + cable loss.

802.11n (20MHz) (W56)

FREQUENCY (MHz)	Pcs (dBm)	C.F (dB)	S.G LEVEL
5500	-54.91	11	-46.13
5600	-55.06	11	-46.08
5720	-55.25	11	-46.07

NOTE:

Pcs (dBm) = 22.79 + Gr - 20log(F).

Gr: Antenna gain (5GHz:-2.89dBi).

F: Transmission frequency (MHz).

CF = Distributor loss + cable loss.

Test Result

PASS

--END--