









































































































































































2. Appendix G: Spurious Emission of RX

2.1 Worst Case Test Result

Please refer to following data plots.

TestCondition	TestMode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A-CDD	Ant1	5180	30~1000	-74.07	≤-54	0.03917	≤4	PASS
NTNV	11A-CDD	Ant2	5180	30~1000	-74.19	≤-54	0.03811	≤4	PASS
NTNV	11A-CDD	Ant1	5180	1000~26000	-60.29	≤-47	0.93541	≤20	PASS
NTNV	11A-CDD	Ant2	5180	1000~26000	-60.86	≤-47	0.82035	≤20	PASS
NTNV	11A-CDD	Ant1	5200	30~1000	-74.17	≤-54	0.03828	≤4	PASS
NTNV	11A-CDD	Ant2	5200	30~1000	-74.99	≤-54	0.03170	≤4	PASS
NTNV	11A-CDD	Ant1	5200	1000~26000	-60.28	≤-47	0.93756	≤20	PASS
NTNV	11A-CDD	Ant2	5200	1000~26000	-60.88	≤-47	0.81658	≤20	PASS
NTNV	11A-CDD	Ant1	5240	30~1000	-74.43	≤-54	0.03606	≤4	PASS
NTNV	11A-CDD	Ant2	5240	30~1000	-74.00	≤-54	0.03981	≤4	PASS
NTNV	11A-CDD	Ant1	5240	1000~26000	-59.95	≤-47	1.01158	≤20	PASS
NTNV	11A-CDD	Ant2	5240	1000~26000	-59.95	≤-47	1.01158	≤20	PASS
NTNV	11A-CDD	Ant1	5260	30~1000	-74.71	≤-54	0.03381	≤4	PASS
NTNV	11A-CDD	Ant2	5260	30~1000	-74.30	≤-54	0.03715	≤4	PASS
NTNV	11A-CDD	Ant1	5260	1000~26000	-60.35	≤-47	0.92257	≤20	PASS
NTNV	11A-CDD	Ant2	5260	1000~26000	-60.91	≤-47	0.81096	≤20	PASS
NTNV	11A-CDD	Ant1	5280	30~1000	-73.69	≤-54	0.04276	≤4	PASS
NTNV	11A-CDD	Ant2	5280	30~1000	-74.81	≤-54	0.03304	≤4	PASS
NTNV	11A-CDD	Ant1	5280	1000~26000	-59.51	≤-47	1.11944	≤20	PASS
NTNV	11A-CDD	Ant2	5280	1000~26000	-60.81	≤-47	0.82985	≤20	PASS
NTNV	11A-CDD	Ant1	5320	30~1000	-73.73	≤-54	0.04236	≤4	PASS
NTNV	11A-CDD	Ant2	5320	30~1000	-74.93	≤-54	0.03214	≤4	PASS
NTNV	11A-CDD	Ant1	5320	1000~26000	-59.63	≤-47	1.08893	≤20	PASS
NTNV	11A-CDD	Ant2	5320	1000~26000	-59.99	≤-47	1.00231	≤20	PASS
NTNV	11A-CDD	Ant1	5500	30~1000	-74.75	≤-54	0.03350	≤4	PASS
NTNV	11A-CDD	Ant2	5500	30~1000	-74.51	≤-54	0.03540	≤4	PASS
NTNV	11A-CDD	Ant1	5500	1000~26000	-59.35	≤-47	1.16145	≤20	PASS
NTNV	11A-CDD	Ant2	5500	1000~26000	-60.84	≤-47	0.82414	≤20	PASS
NTNV	11A-CDD	Ant1	5600	30~1000	-74.85	≤-54	0.03273	≤4	PASS
NTNV	11A-CDD	Ant2	5600	30~1000	-75.42	≤-54	0.02871	≤4	PASS
NTNV	11A-CDD	Ant1	5600	1000~26000	-59.80	≤-47	1.04713	≤20	PASS
NTNV	11A-CDD	Ant2	5600	1000~26000	-60.46	≤-47	0.89950	≤20	PASS
NTNV	11A-CDD	Ant1	5720	30~1000	-75.29	≤-54	0.02958	≤4	PASS
NTNV	11A-CDD	Ant2	5720	30~1000	-74.65	≤-54	0.03428	≤4	PASS
NTNV	11A-CDD	Ant1	5720	1000~26000	-59.50	≤-47	1.12202	≤20	PASS
NTNV	11A-CDD	Ant2	5720	1000~26000	-59.85	≤-47	1.03514	≤20	PASS

Total Quality. Assured.

NTNV	11N20MIMO	Ant1	5180	30~1000	-74.92	≤-54	0.03221	≤4	PASS
NTNV	11N20MIMO	Ant2	5180	30~1000	-75.03	≤-54	0.03141	≤4	PASS
NTNV	11N20MIMO	Ant1	5180	1000~26000	-59.54	≤-47	1.11173	≤20	PASS
NTNV	11N20MIMO	Ant2	5180	1000~26000	-60.33	≤-47	0.92683	≤20	PASS
NTNV	11N20MIMO	Ant1	5200	30~1000	-75.15	≤-54	0.03055	≤4	PASS
NTNV	11N20MIMO	Ant2	5200	30~1000	-74.73	≤-54	0.03365	≤4	PASS
NTNV	11N20MIMO	Ant1	5200	1000~26000	-60.63	≤-47	0.86497	≤20	PASS
NTNV	11N20MIMO	Ant2	5200	1000~26000	-60.07	≤-47	0.98401	≤20	PASS
NTNV	11N20MIMO	Ant1	5240	30~1000	-74.78	≤-54	0.03327	≤4	PASS
NTNV	11N20MIMO	Ant2	5240	30~1000	-75.10	≤-54	0.03090	≤4	PASS
NTNV	11N20MIMO	Ant1	5240	1000~26000	-59.59	≤-47	1.09901	≤20	PASS
NTNV	11N20MIMO	Ant2	5240	1000~26000	-60.24	≤-47	0.94624	≤20	PASS
NTNV	11N20MIMO	Ant1	5260	30~1000	-74.72	≤-54	0.03373	≤4	PASS
NTNV	11N20MIMO	Ant2	5260	30~1000	-75.07	≤-54	0.03112	≤4	PASS
NTNV	11N20MIMO	Ant1	5260	1000~26000	-58.41	≤-47	1.44212	≤20	PASS
NTNV	11N20MIMO	Ant2	5260	1000~26000	-60.94	≤-47	0.80538	≤20	PASS
NTNV	11N20MIMO	Ant1	5280	30~1000	-74.71	≤-54	0.03381	≤4	PASS
NTNV	11N20MIMO	Ant2	5280	30~1000	-74.33	≤-54	0.03690	≤4	PASS
NTNV	11N20MIMO	Ant1	5280	1000~26000	-60.45	≤-47	0.90157	≤20	PASS
NTNV	11N20MIMO	Ant2	5280	1000~26000	-60.28	≤-47	0.93756	≤20	PASS
NTNV	11N20MIMO	Ant1	5320	30~1000	-74.70	≤-54	0.03388	≤4	PASS
NTNV	11N20MIMO	Ant2	5320	30~1000	-75.32	≤-54	0.02938	≤4	PASS
NTNV	11N20MIMO	Ant1	5320	1000~26000	-60.29	≤-47	0.93541	≤20	PASS
NTNV	11N20MIMO	Ant2	5320	1000~26000	-58.70	≤-47	1.34896	≤20	PASS
NTNV	11N20MIMO	Ant1	5500	30~1000	-74.39	≤-54	0.03639	≤4	PASS
NTNV	11N20MIMO	Ant2	5500	30~1000	-74.94	≤-54	0.03206	≤4	PASS
NTNV	11N20MIMO	Ant1	5500	1000~26000	-60.18	≤-47	0.95940	≤20	PASS
NTNV	11N20MIMO	Ant2	5500	1000~26000	-60.25	≤-47	0.94406	≤20	PASS
NTNV	11N20MIMO	Ant1	5600	30~1000	-75.15	≤-54	0.03055	≤4	PASS
NTNV	11N20MIMO	Ant2	5600	30~1000	-74.94	≤-54	0.03206	≤4	PASS
NTNV	11N20MIMO	Ant1	5600	1000~26000	-60.06	≤-47	0.98628	≤20	PASS
NTNV	11N20MIMO	Ant2	5600	1000~26000	-59.86	≤-47	1.03276	≤20	PASS
NTNV	11N20MIMO	Ant1	5720	30~1000	-74.22	≤-54	0.03784	≤4	PASS
NTNV	11N20MIMO	Ant2	5720	30~1000	-73.80	≤-54	0.04169	≤4	PASS
NTNV	11N20MIMO	Ant1	5720	1000~26000	-59.66	≤-47	1.08143	≤20	PASS
NTNV	11N20MIMO	Ant2	5720	1000~26000	-59.70	≤-47	1.07152	≤20	PASS
NTNV	11N40MIMO	Ant1	5190	30~1000	-74.81	≤-54	0.03304	≤4	PASS
NTNV	11N40MIMO	Ant2	5190	30~1000	-74.60	≤-54	0.03467	≤4	PASS
NTNV	11N40MIMO	Ant1	5190	1000~26000	-60.53	≤-47	0.88512	≤20	PASS
NTNV	11N40MIMO	Ant2	5190	1000~26000	-60.56	≤-47	0.87902	≤20	PASS
NTNV	11N40MIMO	Ant1	5230	30~1000	-74.77	≤-54	0.03334	≤4	PASS
NTNV	11N40MIMO	Ant2	5230	30~1000	-74.61	≤-54	0.03459	≤4	PASS
NTNV	11N40MIMO	Ant1	5230	1000~26000	-60.19	≤-47	0.95719	≤20	PASS

Total Quality. Assured.

NTNV	11N40MIMO	Ant2	5230	1000~26000	-59.33	≤-47	1.16681	≤20	PASS
NTNV	11N40MIMO	Ant1	5270	30~1000	-74.00	≤-54	0.03981	≤4	PASS
NTNV	11N40MIMO	Ant2	5270	30~1000	-75.53	≤-54	0.02799	≤4	PASS
NTNV	11N40MIMO	Ant1	5270	1000~26000	-59.67	≤-47	1.07895	≤20	PASS
NTNV	11N40MIMO	Ant2	5270	1000~26000	-59.54	≤-47	1.11173	≤20	PASS
NTNV	11N40MIMO	Ant1	5310	30~1000	-75.27	≤-54	0.02972	≤4	PASS
NTNV	11N40MIMO	Ant2	5310	30~1000	-74.59	≤-54	0.03475	≤4	PASS
NTNV	11N40MIMO	Ant1	5310	1000~26000	-60.12	≤-47	0.97275	≤20	PASS
NTNV	11N40MIMO	Ant2	5310	1000~26000	-59.87	≤-47	1.03039	≤20	PASS
NTNV	11N40MIMO	Ant1	5510	30~1000	-74.32	≤-54	0.03698	≤4	PASS
NTNV	11N40MIMO	Ant2	5510	30~1000	-74.86	≤-54	0.03266	≤4	PASS
NTNV	11N40MIMO	Ant1	5510	1000~26000	-60.85	≤-47	0.82224	≤20	PASS
NTNV	11N40MIMO	Ant2	5510	1000~26000	-60.31	≤-47	0.93111	≤20	PASS
NTNV	11N40MIMO	Ant1	5590	30~1000	-74.94	≤-54	0.03206	≤4	PASS
NTNV	11N40MIMO	Ant2	5590	30~1000	-75.08	≤-54	0.03105	≤4	PASS
NTNV	11N40MIMO	Ant1	5590	1000~26000	-60.24	≤-47	0.94624	≤20	PASS
NTNV	11N40MIMO	Ant2	5590	1000~26000	-60.76	≤-47	0.83946	≤20	PASS
NTNV	11N40MIMO	Ant1	5710	30~1000	-74.79	≤-54	0.03319	≤4	PASS
NTNV	11N40MIMO	Ant2	5710	30~1000	-74.95	≤-54	0.03199	≤4	PASS
NTNV	11N40MIMO	Ant1	5710	1000~26000	-60.15	≤-47	0.96605	≤20	PASS
NTNV	11N40MIMO	Ant2	5710	1000~26000	-60.50	≤-47	0.89125	≤20	PASS
NTNV	11AC20MIMO	Ant1	5180	30~1000	-75.10	≤-54	0.03090	≤4	PASS
NTNV	11AC20MIMO	Ant2	5180	30~1000	-74.86	≤-54	0.03266	≤4	PASS
NTNV	11AC20MIMO	Ant1	5180	1000~26000	-60.59	≤-47	0.87297	≤20	PASS
NTNV	11AC20MIMO	Ant2	5180	1000~26000	-60.55	≤-47	0.88105	≤20	PASS
NTNV	11AC20MIMO	Ant1	5200	30~1000	-74.74	≤-54	0.03357	≤4	PASS
NTNV	11AC20MIMO	Ant2	5200	30~1000	-74.83	≤-54	0.03289	≤4	PASS
NTNV	11AC20MIMO	Ant1	5200	1000~26000	-60.13	≤-47	0.97051	≤20	PASS
NTNV	11AC20MIMO	Ant2	5200	1000~26000	-60.70	≤-47	0.85114	≤20	PASS
NTNV	11AC20MIMO	Ant1	5240	30~1000	-75.40	≤-54	0.02884	≤4	PASS
NTNV	11AC20MIMO	Ant2	5240	30~1000	-74.56	≤-54	0.03499	≤4	PASS
NTNV	11AC20MIMO	Ant1	5240	1000~26000	-59.41	≤-47	1.14551	≤20	PASS
NTNV	11AC20MIMO	Ant2	5240	1000~26000	-60.46	≤-47	0.89950	≤20	PASS
NTNV	11AC20MIMO	Ant1	5260	30~1000	-74.91	≤-54	0.03228	≤4	PASS
NTNV	11AC20MIMO	Ant2	5260	30~1000	-74.69	≤-54	0.03396	≤4	PASS
NTNV	11AC20MIMO	Ant1	5260	1000~26000	-60.37	≤-47	0.91833	≤20	PASS
NTNV	11AC20MIMO	Ant2	5260	1000~26000	-60.59	≤-47	0.87297	≤20	PASS
NTNV	11AC20MIMO	Ant1	5280	30~1000	-74.27	≤-54	0.03741	≤4	PASS
NTNV	11AC20MIMO	Ant2	5280	30~1000	-74.95	≤-54	0.03199	≤4	PASS
NTNV	11AC20MIMO	Ant1	5280	1000~26000	-60.49	≤-47	0.89331	≤20	PASS
NTNV	11AC20MIMO	Ant2	5280	1000~26000	-60.85	≤-47	0.82224	≤20	PASS
NTNV	11AC20MIMO	Ant1	5320	30~1000	-74.99	≤-54	0.03170	≤4	PASS
NTNV	11AC20MIMO	Ant2	5320	30~1000	-75.16	≤-54	0.03048	≤4	PASS

Total Quality. Assured.

NTNV	11AC20MIMO	Ant1	5320	1000~26000	-60.08	≤-47	0.98175	≤20	PASS
NTNV	11AC20MIMO	Ant2	5320	1000~26000	-60.57	≤-47	0.87700	≤20	PASS
NTNV	11AC20MIMO	Ant1	5500	30~1000	-74.78	≤-54	0.03327	≤4	PASS
NTNV	11AC20MIMO	Ant2	5500	30~1000	-75.41	≤-54	0.02877	≤4	PASS
NTNV	11AC20MIMO	Ant1	5500	1000~26000	-59.16	≤-47	1.21339	≤20	PASS
NTNV	11AC20MIMO	Ant2	5500	1000~26000	-59.82	≤-47	1.04232	≤20	PASS
NTNV	11AC20MIMO	Ant1	5600	30~1000	-74.99	≤-54	0.03170	≤4	PASS
NTNV	11AC20MIMO	Ant2	5600	30~1000	-74.89	≤-54	0.03243	≤4	PASS
NTNV	11AC20MIMO	Ant1	5600	1000~26000	-59.46	≤-47	1.13240	≤20	PASS
NTNV	11AC20MIMO	Ant2	5600	1000~26000	-60.32	≤-47	0.92897	≤20	PASS
NTNV	11AC20MIMO	Ant1	5720	30~1000	-74.79	≤-54	0.03319	≤4	PASS
NTNV	11AC20MIMO	Ant2	5720	30~1000	-75.24	≤-54	0.02992	≤4	PASS
NTNV	11AC20MIMO	Ant1	5720	1000~26000	-60.47	≤-47	0.89743	≤20	PASS
NTNV	11AC20MIMO	Ant2	5720	1000~26000	-60.54	≤-47	0.88308	≤20	PASS
NTNV	11AC40MIMO	Ant1	5190	30~1000	-75.20	≤-54	0.03020	≤4	PASS
NTNV	11AC40MIMO	Ant2	5190	30~1000	-74.27	≤-54	0.03741	≤4	PASS
NTNV	11AC40MIMO	Ant1	5190	1000~26000	-60.53	≤-47	0.88512	≤20	PASS
NTNV	11AC40MIMO	Ant2	5190	1000~26000	-59.14	≤-47	1.21899	≤20	PASS
NTNV	11AC40MIMO	Ant1	5230	30~1000	-75.13	≤-54	0.03069	≤4	PASS
NTNV	11AC40MIMO	Ant2	5230	30~1000	-75.09	≤-54	0.03097	≤4	PASS
NTNV	11AC40MIMO	Ant1	5230	1000~26000	-58.77	≤-47	1.32739	≤20	PASS
NTNV	11AC40MIMO	Ant2	5230	1000~26000	-60.61	≤-47	0.86896	≤20	PASS
NTNV	11AC40MIMO	Ant1	5270	30~1000	-74.64	≤-54	0.03436	≤4	PASS
NTNV	11AC40MIMO	Ant2	5270	30~1000	-74.54	≤-54	0.03516	≤4	PASS
NTNV	11AC40MIMO	Ant1	5270	1000~26000	-59.10	≤-47	1.23027	≤20	PASS
NTNV	11AC40MIMO	Ant2	5270	1000~26000	-60.05	≤-47	0.98855	≤20	PASS
NTNV	11AC40MIMO	Ant1	5310	30~1000	-74.68	≤-54	0.03404	≤4	PASS
NTNV	11AC40MIMO	Ant2	5310	30~1000	-75.25	≤-54	0.02985	≤4	PASS
NTNV	11AC40MIMO	Ant1	5310	1000~26000	-59.69	≤-47	1.07399	≤20	PASS
NTNV	11AC40MIMO	Ant2	5310	1000~26000	-60.51	≤-47	0.88920	≤20	PASS
NTNV	11AC40MIMO	Ant1	5510	30~1000	-74.78	≤-54	0.03327	≤4	PASS
NTNV	11AC40MIMO	Ant2	5510	30~1000	-74.69	≤-54	0.03396	≤4	PASS
NTNV	11AC40MIMO	Ant1	5510	1000~26000	-60.40	≤-47	0.91201	≤20	PASS
NTNV	11AC40MIMO	Ant2	5510	1000~26000	-60.66	≤-47	0.85901	≤20	PASS
NTNV	11AC40MIMO	Ant1	5590	30~1000	-75.09	≤-54	0.03097	≤4	PASS
NTNV	11AC40MIMO	Ant2	5590	30~1000	-74.15	≤-54	0.03846	≤4	PASS
NTNV	11AC40MIMO	Ant1	5590	1000~26000	-60.62	≤-47	0.86696	≤20	PASS
NTNV	11AC40MIMO	Ant2	5590	1000~26000	-59.72	≤-47	1.06660	≤20	PASS
NTNV	11AC40MIMO	Ant1	5710	30~1000	-74.42	≤-54	0.03614	≤4	PASS
NTNV	11AC40MIMO	Ant2	5710	30~1000	-75.36	≤-54	0.02911	≤4	PASS
NTNV	11AC40MIMO	Ant1	5710	1000~26000	-58.69	≤-47	1.35207	≤20	PASS
NTNV	11AC40MIMO	Ant2	5710	1000~26000	-60.80	≤-47	0.83176	≤20	PASS
NTNV	11AC80MIMO	Ant1	5210	30~1000	-75.15	≤-54	0.03055	≤4	PASS

Total Quality. Assured.

NTNV	11AC80MIMO	Ant2	5210	30~1000	-75.14	≤-54	0.03062	≤4	PASS
NTNV	11AC80MIMO	Ant1	5210	1000~26000	-59.82	≤-47	1.04232	≤20	PASS
NTNV	11AC80MIMO	Ant2	5210	1000~26000	-59.32	≤-47	1.16950	≤20	PASS
NTNV	11AC80MIMO	Ant1	5290	30~1000	-74.28	≤-54	0.03733	≤4	PASS
NTNV	11AC80MIMO	Ant2	5290	30~1000	-74.27	≤-54	0.03741	≤4	PASS
NTNV	11AC80MIMO	Ant1	5290	1000~26000	-60.68	≤-47	0.85507	≤20	PASS
NTNV	11AC80MIMO	Ant2	5290	1000~26000	-60.89	≤-47	0.81470	≤20	PASS
NTNV	11AC80MIMO	Ant1	5530	30~1000	-74.33	≤-54	0.03690	≤4	PASS
NTNV	11AC80MIMO	Ant2	5530	30~1000	-75.07	≤-54	0.03112	≤4	PASS
NTNV	11AC80MIMO	Ant1	5530	1000~26000	-59.80	≤-47	1.04713	≤20	PASS
NTNV	11AC80MIMO	Ant2	5530	1000~26000	-60.38	≤-47	0.91622	≤20	PASS
NTNV	11AC80MIMO	Ant1	5610	30~1000	-75.34	≤-54	0.02924	≤4	PASS
NTNV	11AC80MIMO	Ant2	5610	30~1000	-75.25	≤-54	0.02985	≤4	PASS
NTNV	11AC80MIMO	Ant1	5610	1000~26000	-59.17	≤-47	1.21060	≤20	PASS
NTNV	11AC80MIMO	Ant2	5610	1000~26000	-60.65	≤-47	0.86099	≤20	PASS
NTNV	11AC80MIMO	Ant1	5690	30~1000	-74.83	≤-54	0.03289	≤4	PASS
NTNV	11AC80MIMO	Ant2	5690	30~1000	-73.88	≤-54	0.04093	≤4	PASS
NTNV	11AC80MIMO	Ant1	5690	1000~26000	-60.22	≤-47	0.95060	≤20	PASS
NTNV	11AC80MIMO	Ant2	5690	1000~26000	-60.43	≤-47	0.90573	≤20	PASS
NTNV	11AC160MIMO	Ant1	5250	30~1000	-74.28	≤-54	0.03733	≤4	PASS
NTNV	11AC160MIMO	Ant2	5250	30~1000	-74.89	≤-54	0.03243	≤4	PASS
NTNV	11AC160MIMO	Ant1	5250	1000~26000	-60.49	≤-47	0.89331	≤20	PASS
NTNV	11AC160MIMO	Ant2	5250	1000~26000	-60.83	≤-47	0.82604	≤20	PASS
NTNV	11AC160MIMO	Ant1	5570	30~1000	-74.46	≤-54	0.03581	≤4	PASS
NTNV	11AC160MIMO	Ant2	5570	30~1000	-74.77	≤-54	0.03334	≤4	PASS
NTNV	11AC160MIMO	Ant1	5570	1000~26000	-60.34	≤-47	0.92470	≤20	PASS
NTNV	11AC160MIMO	Ant2	5570	1000~26000	-58.93	≤-47	1.27938	≤20	PASS
NTNV	11AX20MIMO	Ant1	5180	30~1000	-73.69	≤-54	0.04276	≤4	PASS
NTNV	11AX20MIMO	Ant2	5180	30~1000	-74.28	≤-54	0.03733	≤4	PASS
NTNV	11AX20MIMO	Ant1	5180	1000~26000	-60.34	≤-47	0.92470	≤20	PASS
NTNV	11AX20MIMO	Ant2	5180	1000~26000	-60.74	≤-47	0.84333	≤20	PASS
NTNV	11AX20MIMO	Ant1	5200	30~1000	-74.77	≤-54	0.03334	≤4	PASS
NTNV	11AX20MIMO	Ant2	5200	30~1000	-74.63	≤-54	0.03443	≤4	PASS
NTNV	11AX20MIMO	Ant1	5200	1000~26000	-60.51	≤-47	0.88920	≤20	PASS
NTNV	11AX20MIMO	Ant2	5200	1000~26000	-60.78	≤-47	0.83560	≤20	PASS
NTNV	11AX20MIMO	Ant1	5240	30~1000	-74.45	≤-54	0.03589	≤4	PASS
NTNV	11AX20MIMO	Ant2	5240	30~1000	-74.13	≤-54	0.03864	≤4	PASS
NTNV	11AX20MIMO	Ant1	5240	1000~26000	-60.31	≤-47	0.93111	≤20	PASS
NTNV	11AX20MIMO	Ant2	5240	1000~26000	-60.03	≤-47	0.99312	≤20	PASS
NTNV	11AX20MIMO	Ant1	5260	30~1000	-75.29	≤-54	0.02958	≤4	PASS
NTNV	11AX20MIMO	Ant2	5260	30~1000	-74.98	≤-54	0.03177	≤4	PASS
NTNV	11AX20MIMO	Ant1	5260	1000~26000	-59.91	≤-47	1.02094	≤20	PASS
NTNV	11AX20MIMO	Ant2	5260	1000~26000	-60.73	≤-47	0.84528	≤20	PASS

Total Quality. Assured.

NTNV	11AX20MIMO	Ant1	5280	30~1000	-74.73	≤-54	0.03365	≤4	PASS
NTNV	11AX20MIMO	Ant2	5280	30~1000	-75.39	≤-54	0.02891	≤4	PASS
NTNV	11AX20MIMO	Ant1	5280	1000~26000	-59.81	≤-47	1.04472	≤20	PASS
NTNV	11AX20MIMO	Ant2	5280	1000~26000	-59.38	≤-47	1.15345	≤20	PASS
NTNV	11AX20MIMO	Ant1	5320	30~1000	-73.96	≤-54	0.04018	≤4	PASS
NTNV	11AX20MIMO	Ant2	5320	30~1000	-74.79	≤-54	0.03319	≤4	PASS
NTNV	11AX20MIMO	Ant1	5320	1000~26000	-60.31	≤-47	0.93111	≤20	PASS
NTNV	11AX20MIMO	Ant2	5320	1000~26000	-60.81	≤-47	0.82985	≤20	PASS
NTNV	11AX20MIMO	Ant1	5500	30~1000	-74.83	≤-54	0.03289	≤4	PASS
NTNV	11AX20MIMO	Ant2	5500	30~1000	-75.01	≤-54	0.03155	≤4	PASS
NTNV	11AX20MIMO	Ant1	5500	1000~26000	-60.85	≤-47	0.82224	≤20	PASS
NTNV	11AX20MIMO	Ant2	5500	1000~26000	-61.02	≤-47	0.79068	≤20	PASS
NTNV	11AX20MIMO	Ant1	5600	30~1000	-74.98	≤-54	0.03177	≤4	PASS
NTNV	11AX20MIMO	Ant2	5600	30~1000	-74.95	≤-54	0.03199	≤4	PASS
NTNV	11AX20MIMO	Ant1	5600	1000~26000	-60.06	≤-47	0.98628	≤20	PASS
NTNV	11AX20MIMO	Ant2	5600	1000~26000	-60.36	≤-47	0.92045	≤20	PASS
NTNV	11AX20MIMO	Ant1	5720	30~1000	-74.67	≤-54	0.03412	≤4	PASS
NTNV	11AX20MIMO	Ant2	5720	30~1000	-74.83	≤-54	0.03289	≤4	PASS
NTNV	11AX20MIMO	Ant1	5720	1000~26000	-59.48	≤-47	1.12720	≤20	PASS
NTNV	11AX20MIMO	Ant2	5720	1000~26000	-59.17	≤-47	1.21060	≤20	PASS
NTNV	11AX40MIMO	Ant1	5190	30~1000	-74.92	≤-54	0.03221	≤4	PASS
NTNV	11AX40MIMO	Ant2	5190	30~1000	-75.09	≤-54	0.03097	≤4	PASS
NTNV	11AX40MIMO	Ant1	5190	1000~26000	-60.68	≤-47	0.85507	≤20	PASS
NTNV	11AX40MIMO	Ant2	5190	1000~26000	-60.82	≤-47	0.82794	≤20	PASS
NTNV	11AX40MIMO	Ant1	5230	30~1000	-74.62	≤-54	0.03451	≤4	PASS
NTNV	11AX40MIMO	Ant2	5230	30~1000	-74.84	≤-54	0.03281	≤4	PASS
NTNV	11AX40MIMO	Ant1	5230	1000~26000	-60.28	≤-47	0.93756	≤20	PASS
NTNV	11AX40MIMO	Ant2	5230	1000~26000	-60.24	≤-47	0.94624	≤20	PASS
NTNV	11AX40MIMO	Ant1	5270	30~1000	-75.27	≤-54	0.02972	≤4	PASS
NTNV	11AX40MIMO	Ant2	5270	30~1000	-75.01	≤-54	0.03155	≤4	PASS
NTNV	11AX40MIMO	Ant1	5270	1000~26000	-59.93	≤-47	1.01625	≤20	PASS
NTNV	11AX40MIMO	Ant2	5270	1000~26000	-60.08	≤-47	0.98175	≤20	PASS
NTNV	11AX40MIMO	Ant1	5310	30~1000	-74.87	≤-54	0.03258	≤4	PASS
NTNV	11AX40MIMO	Ant2	5310	30~1000	-74.78	≤-54	0.03327	≤4	PASS
NTNV	11AX40MIMO	Ant1	5310	1000~26000	-60.45	≤-47	0.90157	≤20	PASS
NTNV	11AX40MIMO	Ant2	5310	1000~26000	-60.25	≤-47	0.94406	≤20	PASS
NTNV	11AX40MIMO	Ant1	5510	30~1000	-75.10	≤-54	0.03090	≤4	PASS
NTNV	11AX40MIMO	Ant2	5510	30~1000	-74.69	≤-54	0.03396	≤4	PASS
NTNV	11AX40MIMO	Ant1	5510	1000~26000	-61.00	≤-47	0.79433	≤20	PASS
NTNV	11AX40MIMO	Ant2	5510	1000~26000	-60.64	≤-47	0.86298	≤20	PASS
NTNV	11AX40MIMO	Ant1	5590	30~1000	-75.03	≤-54	0.03141	≤4	PASS
NTNV	11AX40MIMO	Ant2	5590	30~1000	-75.02	≤-54	0.03148	≤4	PASS
NTNV	11AX40MIMO	Ant1	5590	1000~26000	-59.90	≤-47	1.02329	≤20	PASS

NTNV	11AX40MIMO	Ant2	5590	1000~26000	-60.27	≤-47	0.93972	≤20	PASS
NTNV	11AX40MIMO	Ant1	5670	30~1000	-74.91	≤-54	0.03228	≤4	PASS
NTNV	11AX40MIMO	Ant2	5670	30~1000	-75.33	≤-54	0.02931	≤4	PASS
NTNV	11AX40MIMO	Ant1	5670	1000~26000	-60.11	≤-47	0.97499	≤20	PASS
NTNV	11AX40MIMO	Ant2	5670	1000~26000	-60.56	≤-47	0.87902	≤20	PASS
NTNV	11AX40MIMO	Ant1	5710	30~1000	-74.96	≤-54	0.03192	≤4	PASS
NTNV	11AX40MIMO	Ant2	5710	30~1000	-75.39	≤-54	0.02891	≤4	PASS
NTNV	11AX40MIMO	Ant1	5710	1000~26000	-60.13	≤-47	0.97051	≤20	PASS
NTNV	11AX40MIMO	Ant2	5710	1000~26000	-60.41	≤-47	0.90991	≤20	PASS
NTNV	11AX80MIMO	Ant1	5210	30~1000	-74.36	≤-54	0.03664	≤4	PASS
NTNV	11AX80MIMO	Ant2	5210	30~1000	-75.23	≤-54	0.02999	≤4	PASS
NTNV	11AX80MIMO	Ant1	5210	1000~26000	-59.00	≤-47	1.25893	≤20	PASS
NTNV	11AX80MIMO	Ant2	5210	1000~26000	-60.34	≤-47	0.92470	≤20	PASS
NTNV	11AX80MIMO	Ant1	5290	30~1000	-75.46	≤-54	0.02844	≤4	PASS
NTNV	11AX80MIMO	Ant2	5290	30~1000	-75.15	≤-54	0.03055	≤4	PASS
NTNV	11AX80MIMO	Ant1	5290	1000~26000	-59.91	≤-47	1.02094	≤20	PASS
NTNV	11AX80MIMO	Ant2	5290	1000~26000	-58.72	≤-47	1.34276	≤20	PASS
NTNV	11AX80MIMO	Ant1	5530	30~1000	-75.06	≤-54	0.03119	≤4	PASS
NTNV	11AX80MIMO	Ant2	5530	30~1000	-74.48	≤-54	0.03565	≤4	PASS
NTNV	11AX80MIMO	Ant1	5530	1000~26000	-60.20	≤-47	0.95499	≤20	PASS
NTNV	11AX80MIMO	Ant2	5530	1000~26000	-61.09	≤-47	0.77804	≤20	PASS
NTNV	11AX80MIMO	Ant1	5610	30~1000	-74.76	≤-54	0.03342	≤4	PASS
NTNV	11AX80MIMO	Ant2	5610	30~1000	-74.41	≤-54	0.03622	≤4	PASS
NTNV	11AX80MIMO	Ant1	5610	1000~26000	-60.55	≤-47	0.88105	≤20	PASS
NTNV	11AX80MIMO	Ant2	5610	1000~26000	-60.73	≤-47	0.84528	≤20	PASS
NTNV	11AX80MIMO	Ant1	5690	30~1000	-74.29	≤-54	0.03724	≤4	PASS
NTNV	11AX80MIMO	Ant2	5690	30~1000	-75.21	≤-54	0.03013	≤4	PASS
NTNV	11AX80MIMO	Ant1	5690	1000~26000	-60.19	≤-47	0.95719	≤20	PASS
NTNV	11AX80MIMO	Ant2	5690	1000~26000	-61.04	≤-47	0.78705	≤20	PASS
NTNV	11AX160MIMO	Ant1	5250	30~1000	-75.27	≤-54	0.02972	≤4	PASS
NTNV	11AX160MIMO	Ant2	5250	30~1000	-74.32	≤-54	0.03698	≤4	PASS
NTNV	11AX160MIMO	Ant1	5250	1000~26000	-59.58	≤-47	1.10154	≤20	PASS
NTNV	11AX160MIMO	Ant2	5250	1000~26000	-60.54	≤-47	0.88308	≤20	PASS
NTNV	11AX160MIMO	Ant1	5570	30~1000	-74.83	≤-54	0.03289	≤4	PASS
NTNV	11AX160MIMO	Ant2	5570	30~1000	-74.82	≤-54	0.03296	≤4	PASS
NTNV	11AX160MIMO	Ant1	5570	1000~26000	-59.51	≤-47	1.11944	≤20	PASS
NTNV	11AX160MIMO	Ant2	5570	1000~26000	-60.79	≤-47	0.83368	≤20	PASS
NTNV	11BE20MIMO	Ant1	5180	30~1000	-74.88	≤-54	0.03251	≤4	PASS
NTNV	11BE20MIMO	Ant2	5180	30~1000	-75.05	≤-54	0.03126	≤4	PASS
NTNV	11BE20MIMO	Ant1	5180	1000~26000	-60.44	≤-47	0.90365	≤20	PASS
NTNV	11BE20MIMO	Ant2	5180	1000~26000	-60.32	≤-47	0.92897	≤20	PASS
NTNV	11BE20MIMO	Ant1	5200	30~1000	-74.76	≤-54	0.03342	≤4	PASS
NTNV	11BE20MIMO	Ant2	5200	30~1000	-75.02	≤-54	0.03148	≤4	PASS

Total Quality. Assured.

NTNV	11BE20MIMO	Ant1	5200	1000~26000	-59.93	≤-47	1.01625	≤20	PASS
NTNV	11BE20MIMO	Ant2	5200	1000~26000	-60.49	≤-47	0.89331	≤20	PASS
NTNV	11BE20MIMO	Ant1	5240	30~1000	-74.69	≤-54	0.03396	≤4	PASS
NTNV	11BE20MIMO	Ant2	5240	30~1000	-74.93	≤-54	0.03214	≤4	PASS
NTNV	11BE20MIMO	Ant1	5240	1000~26000	-59.62	≤-47	1.09144	≤20	PASS
NTNV	11BE20MIMO	Ant2	5240	1000~26000	-59.49	≤-47	1.12460	≤20	PASS
NTNV	11BE20MIMO	Ant1	5260	30~1000	-75.02	≤-54	0.03148	≤4	PASS
NTNV	11BE20MIMO	Ant2	5260	30~1000	-74.95	≤-54	0.03199	≤4	PASS
NTNV	11BE20MIMO	Ant1	5260	1000~26000	-60.19	≤-47	0.95719	≤20	PASS
NTNV	11BE20MIMO	Ant2	5260	1000~26000	-58.88	≤-47	1.29420	≤20	PASS
NTNV	11BE20MIMO	Ant1	5280	30~1000	-75.16	≤-54	0.03048	≤4	PASS
NTNV	11BE20MIMO	Ant2	5280	30~1000	-74.84	≤-54	0.03281	≤4	PASS
NTNV	11BE20MIMO	Ant1	5280	1000~26000	-60.47	≤-47	0.89743	≤20	PASS
NTNV	11BE20MIMO	Ant2	5280	1000~26000	-60.66	≤-47	0.85901	≤20	PASS
NTNV	11BE20MIMO	Ant1	5320	30~1000	-74.99	≤-54	0.03170	≤4	PASS
NTNV	11BE20MIMO	Ant2	5320	30~1000	-75.46	≤-54	0.02844	≤4	PASS
NTNV	11BE20MIMO	Ant1	5320	1000~26000	-59.44	≤-47	1.13763	≤20	PASS
NTNV	11BE20MIMO	Ant2	5320	1000~26000	-60.46	≤-47	0.89950	≤20	PASS
NTNV	11BE20MIMO	Ant1	5500	30~1000	-75.19	≤-54	0.03027	≤4	PASS
NTNV	11BE20MIMO	Ant2	5500	30~1000	-75.17	≤-54	0.03041	≤4	PASS
NTNV	11BE20MIMO	Ant1	5500	1000~26000	-60.12	≤-47	0.97275	≤20	PASS
NTNV	11BE20MIMO	Ant2	5500	1000~26000	-59.55	≤-47	1.10917	≤20	PASS
NTNV	11BE20MIMO	Ant1	5600	30~1000	-75.21	≤-54	0.03013	≤4	PASS
NTNV	11BE20MIMO	Ant2	5600	30~1000	-75.45	≤-54	0.02851	≤4	PASS
NTNV	11BE20MIMO	Ant1	5600	1000~26000	-59.84	≤-47	1.03753	≤20	PASS
NTNV	11BE20MIMO	Ant2	5600	1000~26000	-59.85	≤-47	1.03514	≤20	PASS
NTNV	11BE20MIMO	Ant1	5720	30~1000	-75.09	≤-54	0.03097	≤4	PASS
NTNV	11BE20MIMO	Ant2	5720	30~1000	-74.46	≤-54	0.03581	≤4	PASS
NTNV	11BE20MIMO	Ant1	5720	1000~26000	-60.22	≤-47	0.95060	≤20	PASS
NTNV	11BE20MIMO	Ant2	5720	1000~26000	-60.78	≤-47	0.83560	≤20	PASS
NTNV	11BE40MIMO	Ant1	5190	30~1000	-75.15	≤-54	0.03055	≤4	PASS
NTNV	11BE40MIMO	Ant2	5190	30~1000	-74.82	≤-54	0.03296	≤4	PASS
NTNV	11BE40MIMO	Ant1	5190	1000~26000	-60.36	≤-47	0.92045	≤20	PASS
NTNV	11BE40MIMO	Ant2	5190	1000~26000	-60.25	≤-47	0.94406	≤20	PASS
NTNV	11BE40MIMO	Ant1	5230	30~1000	-75.00	≤-54	0.03162	≤4	PASS
NTNV	11BE40MIMO	Ant2	5230	30~1000	-74.91	≤-54	0.03228	≤4	PASS
NTNV	11BE40MIMO	Ant1	5230	1000~26000	-59.28	≤-47	1.18032	≤20	PASS
NTNV	11BE40MIMO	Ant2	5230	1000~26000	-60.60	≤-47	0.87096	≤20	PASS
NTNV	11BE40MIMO	Ant1	5270	30~1000	-74.99	≤-54	0.03170	≤4	PASS
NTNV	11BE40MIMO	Ant2	5270	30~1000	-74.42	≤-54	0.03614	≤4	PASS
NTNV	11BE40MIMO	Ant1	5270	1000~26000	-58.96	≤-47	1.27057	≤20	PASS
NTNV	11BE40MIMO	Ant2	5270	1000~26000	-60.32	≤-47	0.92897	≤20	PASS
NTNV	11BE40MIMO	Ant1	5310	30~1000	-75.14	≤-54	0.03062	≤4	PASS

Total Quality. Assured.

NTNV	11BE40MIMO	Ant2	5310	30~1000	-75.22	≤-54	0.03006	≤4	PASS
NTNV	11BE40MIMO	Ant1	5310	1000~26000	-59.96	≤-47	1.00925	≤20	PASS
NTNV	11BE40MIMO	Ant2	5310	1000~26000	-60.08	≤-47	0.98175	≤20	PASS
NTNV	11BE40MIMO	Ant1	5510	30~1000	-75.08	≤-54	0.03105	≤4	PASS
NTNV	11BE40MIMO	Ant2	5510	30~1000	-74.60	≤-54	0.03467	≤4	PASS
NTNV	11BE40MIMO	Ant1	5510	1000~26000	-60.07	≤-47	0.98401	≤20	PASS
NTNV	11BE40MIMO	Ant2	5510	1000~26000	-60.34	≤-47	0.92470	≤20	PASS
NTNV	11BE40MIMO	Ant1	5590	30~1000	-74.67	≤-54	0.03412	≤4	PASS
NTNV	11BE40MIMO	Ant2	5590	30~1000	-75.20	≤-54	0.03020	≤4	PASS
NTNV	11BE40MIMO	Ant1	5590	1000~26000	-59.92	≤-47	1.01859	≤20	PASS
NTNV	11BE40MIMO	Ant2	5590	1000~26000	-60.63	≤-47	0.86497	≤20	PASS
NTNV	11BE40MIMO	Ant1	5670	30~1000	-75.10	≤-54	0.03090	≤4	PASS
NTNV	11BE40MIMO	Ant2	5670	30~1000	-75.49	≤-54	0.02825	≤4	PASS
NTNV	11BE40MIMO	Ant1	5670	1000~26000	-60.43	≤-47	0.90573	≤20	PASS
NTNV	11BE40MIMO	Ant2	5670	1000~26000	-60.39	≤-47	0.91411	≤20	PASS
NTNV	11BE40MIMO	Ant1	5710	30~1000	-74.63	≤-54	0.03443	≤4	PASS
NTNV	11BE40MIMO	Ant2	5710	30~1000	-75.13	≤-54	0.03069	≤4	PASS
NTNV	11BE40MIMO	Ant1	5710	1000~26000	-59.65	≤-47	1.08393	≤20	PASS
NTNV	11BE40MIMO	Ant2	5710	1000~26000	-59.98	≤-47	1.00462	≤20	PASS
NTNV	11BE80MIMO	Ant1	5210	30~1000	-75.21	≤-54	0.03013	≤4	PASS
NTNV	11BE80MIMO	Ant2	5210	30~1000	-75.18	≤-54	0.03034	≤4	PASS
NTNV	11BE80MIMO	Ant1	5210	1000~26000	-59.91	≤-47	1.02094	≤20	PASS
NTNV	11BE80MIMO	Ant2	5210	1000~26000	-60.31	≤-47	0.93111	≤20	PASS
NTNV	11BE80MIMO	Ant1	5290	30~1000	-75.20	≤-54	0.03020	≤4	PASS
NTNV	11BE80MIMO	Ant2	5290	30~1000	-75.25	≤-54	0.02985	≤4	PASS
NTNV	11BE80MIMO	Ant1	5290	1000~26000	-60.48	≤-47	0.89536	≤20	PASS
NTNV	11BE80MIMO	Ant2	5290	1000~26000	-60.47	≤-47	0.89743	≤20	PASS
NTNV	11BE80MIMO	Ant1	5530	30~1000	-74.89	≤-54	0.03243	≤4	PASS
NTNV	11BE80MIMO	Ant2	5530	30~1000	-75.20	≤-54	0.03020	≤4	PASS
NTNV	11BE80MIMO	Ant1	5530	1000~26000	-60.35	≤-47	0.92257	≤20	PASS
NTNV	11BE80MIMO	Ant2	5530	1000~26000	-60.73	≤-47	0.84528	≤20	PASS
NTNV	11BE80MIMO	Ant1	5610	30~1000	-74.92	≤-54	0.03221	≤4	PASS
NTNV	11BE80MIMO	Ant2	5610	30~1000	-75.03	≤-54	0.03141	≤4	PASS
NTNV	11BE80MIMO	Ant1	5610	1000~26000	-59.95	≤-47	1.01158	≤20	PASS
NTNV	11BE80MIMO	Ant2	5610	1000~26000	-60.49	≤-47	0.89331	≤20	PASS
NTNV	11BE80MIMO	Ant1	5690	30~1000	-75.30	≤-54	0.02951	≤4	PASS
NTNV	11BE80MIMO	Ant2	5690	30~1000	-75.61	≤-54	0.02748	≤4	PASS
NTNV	11BE80MIMO	Ant1	5690	1000~26000	-60.43	≤-47	0.90573	≤20	PASS
NTNV	11BE80MIMO	Ant2	5690	1000~26000	-60.31	≤-47	0.93111	≤20	PASS
NTNV	11BE160MIMO	Ant1	5250	30~1000	-74.95	≤-54	0.03199	≤4	PASS
NTNV	11BE160MIMO	Ant2	5250	30~1000	-75.46	≤-54	0.02844	≤4	PASS
NTNV	11BE160MIMO	Ant1	5250	1000~26000	-60.11	≤-47	0.97499	≤20	PASS
NTNV	11BE160MIMO	Ant2	5250	1000~26000	-60.48	≤-47	0.89536	≤20	PASS

Total Quality. Assured.

NTNV	11BE160MIMO	Ant1	5570	30~1000	-75.05	≤-54	0.03126	≤4	PASS
NTNV	11BE160MIMO	Ant2	5570	30~1000	-74.51	≤-54	0.03540	≤4	PASS
NTNV	11BE160MIMO	Ant1	5570	1000~26000	-60.36	≤-47	0.92045	≤20	PASS
NTNV	11BE160MIMO	Ant2	5570	1000~26000	-60.16	≤-47	0.96383	≤20	PASS

2.2 Test Graphs

Please refer to recording the spectrum plots in the worst conditions

