










































































Appendix G: Transmission Burst Length


Test Result


TestCondition	TestMode	Antenna	Frequency[MHz]	Result[ms]	Limit[ms]	Verdict
NTNV	11A	Ant2	5260	1.46	≤8	PASS
NTNV	11A	Ant2	5280	1.46	≤8	PASS
NTNV	11A	Ant2	5300	1.46	≤8	PASS
NTNV	11A	Ant2	5320	1.46	≤8	PASS
NTNV	11N20SI SO	Ant2	5260	5.39	≤8	PASS
NTNV	11N20SI SO	Ant2	5280	5.39	≤8	PASS
NTNV	11N20SI SO	Ant2	5300	5.39	≤8	PASS
NTNV	11N20SI SO	Ant2	5320	5.39	≤8	PASS
NTNV	11N40SI SO	Ant2	5270	5.19	≤8	PASS
NTNV	11N40SI SO	Ant2	5310	5.18	≤8	PASS
NTNV	11AC20S ISO	Ant2	5260	5.39	≤8	PASS
NTNV	11AC20S ISO	Ant2	5280	5.39	≤8	PASS
NTNV	11AC20S ISO	Ant2	5300	5.39	≤8	PASS
NTNV	11AC20S ISO	Ant2	5320	5.39	≤8	PASS
NTNV	11AC40S ISO	Ant2	5270	5.19	≤8	PASS
NTNV	11AC40S ISO	Ant2	5310	5.19	≤8	PASS
NTNV	11AC80S ISO	Ant2	5290	2.84	≤8	PASS
NTNV	11AC160 SISO	Ant2	5250	2.13	≤8	PASS
NTNV	11AX20S ISO	Ant2	5260	5.38	≤8	PASS
NTNV	11AX20S ISO	Ant2	5280	5.39	≤8	PASS


NTNV	11AX20S ISO	Ant2	5300	5.39	≤8	PASS
NTNV	11AX20S ISO	Ant2	5320	5.38	≤8	PASS
NTNV	11AX40S ISO	Ant2	5270	4.82	≤8	PASS
NTNV	11AX40S ISO	Ant2	5310	4.82	≤8	PASS
NTNV	11AX80S ISO	Ant2	5290	2.74	≤8	PASS
NTNV	11AX160 SISO	Ant2	5250	2.13	≤8	PASS


Test Graphs



































Appendix H: Adjacent Channel Power Tolerance

Test Result

TestCondition	TestMode	Antenna	Frequency [MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant2	5260	-40	-52.10	≤-40	PASS
NTNV	11A	Ant2	5260	-20	-38.14	≤-25	PASS
NTNV	11A	Ant2	5260	+20	-39.51	≤-25	PASS
NTNV	11A	Ant2	5260	+40	-53.24	≤-40	PASS
NTNV	11A	Ant2	5280	-40	-51.97	≤-40	PASS
NTNV	11A	Ant2	5280	-20	-37.62	≤-25	PASS
NTNV	11A	Ant2	5280	+20	-38.82	≤-25	PASS
NTNV	11A	Ant2	5280	+40	-53.10	≤-40	PASS
NTNV	11A	Ant2	5300	-40	-52.14	≤-40	PASS
NTNV	11A	Ant2	5300	-20	-34.82	≤-25	PASS
NTNV	11A	Ant2	5300	+20	-36.53	≤-25	PASS
NTNV	11A	Ant2	5300	+40	-52.82	≤-40	PASS
NTNV	11A	Ant2	5320	-40	-51.91	≤-40	PASS
NTNV	11A	Ant2	5320	-20	-30.28	≤-25	PASS
NTNV	11A	Ant2	5320	+20	-30.77	≤-25	PASS
NTNV	11A	Ant2	5320	+40	-52.59	≤-40	PASS
NTNV	11N20SI SO	Ant2	5260	-40	-51.51	≤-40	PASS
NTNV	11N20SI SO	Ant2	5260	-20	-36.27	≤-25	PASS
NTNV	11N20SI SO	Ant2	5260	+20	-36.88	≤-25	PASS
NTNV	11N20SI SO	Ant2	5260	+40	-52.49	≤-40	PASS
NTNV	11N20SI SO	Ant2	5280	-40	-52.04	≤-40	PASS
NTNV	11N20SI SO	Ant2	5280	-20	-36.45	≤-25	PASS
NTNV	11N20SI SO	Ant2	5280	+20	-37.29	≤-25	PASS
NTNV	11N20SI SO	Ant2	5280	+40	-52.99	≤-40	PASS
NTNV	11N20SI SO	Ant2	5300	-40	-52.09	≤-40	PASS
NTNV	11N20SI SO	Ant2	5300	-20	-34.57	≤-25	PASS

NTNV	11N20SI SO	Ant2	5300	+20	-36.63	≤-25	PASS
NTNV	11N20SI SO	Ant2	5300	+40	-52.94	≤-40	PASS
NTNV	11N20SI SO	Ant2	5320	-40	-51.96	≤-40	PASS
NTNV	11N20SI SO	Ant2	5320	-20	-32.31	≤-25	PASS
NTNV	11N20SI SO	Ant2	5320	+20	-33.36	≤-25	PASS
NTNV	11N20SI SO	Ant2	5320	+40	-52.42	≤-40	PASS
NTNV	11N40SI SO	Ant2	5270	-80	-49.13	≤-40	PASS
NTNV	11N40SI SO	Ant2	5270	-40	-38.26	≤-25	PASS
NTNV	11N40SI SO	Ant2	5270	+40	-39.67	≤-25	PASS
NTNV	11N40SI SO	Ant2	5270	+80	-50.98	≤-40	PASS
NTNV	11N40SI SO	Ant2	5310	-80	-49.18	≤-40	PASS
NTNV	11N40SI SO	Ant2	5310	-40	-29.90	≤-25	PASS
NTNV	11N40SI SO	Ant2	5310	+40	-31.69	≤-25	PASS
NTNV	11N40SI SO	Ant2	5310	+80	-50.48	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5260	-40	-51.74	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5260	-20	-35.75	≤-25	PASS
NTNV	11AC20S ISO	Ant2	5260	+20	-37.12	≤-25	PASS
NTNV	11AC20S ISO	Ant2	5260	+40	-52.84	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5280	-40	-52.12	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5280	-20	-36.18	≤-25	PASS
NTNV	11AC20S ISO	Ant2	5280	+20	-37.22	≤-25	PASS

NTNV	11AC20S ISO	Ant2	5280	+40	-52.89	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5300	-40	-52.18	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5300	-20	-34.68	≤-25	PASS
NTNV	11AC20S ISO	Ant2	5300	+20	-36.75	≤-25	PASS
NTNV	11AC20S ISO	Ant2	5300	+40	-52.86	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5320	-40	-51.85	≤-40	PASS
NTNV	11AC20S ISO	Ant2	5320	-20	-32.50	≤-25	PASS
NTNV	11AC20S ISO	Ant2	5320	+20	-33.25	≤-25	PASS
NTNV	11AC20S ISO	Ant2	5320	+40	-52.31	≤-40	PASS
NTNV	11AC40S ISO	Ant2	5270	-80	-48.99	≤-40	PASS
NTNV	11AC40S ISO	Ant2	5270	-40	-39.00	≤-25	PASS
NTNV	11AC40S ISO	Ant2	5270	+40	-39.67	≤-25	PASS
NTNV	11AC40S ISO	Ant2	5270	+80	-50.77	≤-40	PASS
NTNV	11AC40S ISO	Ant2	5310	-80	-49.13	≤-40	PASS
NTNV	11AC40S ISO	Ant2	5310	-40	-32.34	≤-25	PASS
NTNV	11AC40S ISO	Ant2	5310	+40	-33.62	≤-25	PASS
NTNV	11AC40S ISO	Ant2	5310	+80	-50.21	≤-40	PASS
NTNV	11AC80S ISO	Ant2	5290	-80	-30.61	≤-25	PASS
NTNV	11AC80S ISO	Ant2	5290	+80	-33.01	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5260	-40	-51.83	≤-40	PASS
NTNV	11AX20S ISO	Ant2	5260	-20	-34.49	≤-25	PASS

NTNV	11AX20S ISO	Ant2	5260	+20	-34.93	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5260	+40	-52.83	≤-40	PASS
NTNV	11AX20S ISO	Ant2	5280	-40	-51.09	≤-40	PASS
NTNV	11AX20S ISO	Ant2	5280	-20	-33.78	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5280	+20	-35.29	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5280	+40	-52.05	≤-40	PASS
NTNV	11AX20S ISO	Ant2	5300	-40	-50.29	≤-40	PASS
NTNV	11AX20S ISO	Ant2	5300	-20	-34.19	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5300	+20	-35.97	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5300	+40	-50.90	≤-40	PASS
NTNV	11AX20S ISO	Ant2	5320	-40	-51.46	≤-40	PASS
NTNV	11AX20S ISO	Ant2	5320	-20	-32.31	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5320	+20	-34.20	≤-25	PASS
NTNV	11AX20S ISO	Ant2	5320	+40	-52.04	≤-40	PASS
NTNV	11AX40S ISO	Ant2	5270	-80	-48.94	≤-40	PASS
NTNV	11AX40S ISO	Ant2	5270	-40	-38.98	≤-25	PASS
NTNV	11AX40S ISO	Ant2	5270	+40	-41.04	≤-25	PASS
NTNV	11AX40S ISO	Ant2	5270	+80	-50.54	≤-40	PASS
NTNV	11AX40S ISO	Ant2	5310	-80	-48.92	≤-40	PASS
NTNV	11AX40S ISO	Ant2	5310	-40	-35.88	≤-25	PASS
NTNV	11AX40S ISO	Ant2	5310	+40	-37.16	≤-25	PASS

NTNV	11AX40S ISO	Ant2	5310	+80	-49.96	≤40	PASS
NTNV	11AX80S ISO	Ant2	5290	-80	-34.95	≤25	PASS
NTNV	11AX80S ISO	Ant2	5290	+80	-37.15	≤25	PASS

Test Graphs

