














































NTHV BLE 2M Ant1 2480 30~500




NTHV BLE 2M Ant1 2480 500~1000




NTHV BLE 2M Ant1 2480 1000~2387









Test Graphs_Step2









Appendix B.6: Test Results of Spurious Emissions for Receiver
Test Result

Test Condition	Test Mode	Antenna	Freq (MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	BLE_1M	Ant1	2402	30~500	182.52	-67.65	≤-54	0.17179	≤4	PASS
				500~1000	894.00	-73.72	≤-54	0.04246	≤4	PASS
				1000~12500	3786.45	-63.56	≤-47	0.44055	≤20	PASS
			2440	30~500	184.87	-68.21	≤-54	0.15101	≤4	PASS
				500~1000	731.75	-75.15	≤-54	0.03055	≤4	PASS
				1000~12500	3792.20	-63.39	≤-47	0.45814	≤20	PASS
			2480	30~500	142.57	-66.53	≤-54	0.22233	≤4	PASS
				500~1000	731.75	-75.84	≤-54	0.02606	≤4	PASS
				1000~12500	3746.78	-63.35	≤-47	0.46238	≤20	PASS
	BLE_2M	Ant1	2402	30~500	185.57	-68.18	≤-54	0.15205	≤4	PASS
				500~1000	731.75	-73.76	≤-54	0.04207	≤4	PASS
				1000~12500	3812.90	-63.80	≤-47	0.41687	≤20	PASS
			2440	30~500	188.16	-66.92	≤-54	0.20324	≤4	PASS
				500~1000	731.75	-75.38	≤-54	0.02897	≤4	PASS
				1000~12500	3777.25	-62.90	≤-47	0.51286	≤20	PASS
			2480	30~500	174.53	-67.53	≤-54	0.17660	≤4	PASS
				500~1000	731.75	-76.08	≤-54	0.02466	≤4	PASS
				1000~12500	3726.65	-63.57	≤-47	0.43954	≤20	PASS
NTLV	BLE_1M	Ant1	2402	30~500	181.81	-69.50	≤-54	0.11220	≤4	PASS
				500~1000	731.75	-75.28	≤-54	0.02965	≤4	PASS
				1000~12500	1984.40	-63.17	≤-47	0.48195	≤20	PASS
			2440	30~500	176.17	-67.62	≤-54	0.17298	≤4	PASS
				500~1000	731.75	-75.27	≤-54	0.02972	≤4	PASS
				1000~12500	3813.48	-63.85	≤-47	0.41210	≤20	PASS
			2480	30~500	184.87	-68.29	≤-54	0.14825	≤4	PASS
				500~1000	731.75	-74.69	≤-54	0.03396	≤4	PASS
				1000~12500	3765.18	-63.59	≤-47	0.43752	≤20	PASS
	BLE_2M	Ant1	2402	30~500	188.39	-67.73	≤-54	0.16866	≤4	PASS
				500~1000	731.75	-76.05	≤-54	0.02483	≤4	PASS
				1000~12500	3704.23	-63.78	≤-47	0.41879	≤20	PASS
			2440	30~500	190.51	-67.61	≤-54	0.17338	≤4	PASS
				500~1000	731.75	-75.09	≤-54	0.03097	≤4	PASS
				1000~12500	3776.68	-63.32	≤-47	0.46559	≤20	PASS
			2480	30~500	182.99	-66.91	≤-54	0.20370	≤4	PASS
				500~1000	731.75	-73.91	≤-54	0.04064	≤4	PASS
				1000~12500	3805.43	-63.94	≤-47	0.40365	≤20	PASS
NTHV	BLE_1M	Ant1	2402	30~500	187.22	-67.92	≤-54	0.16144	≤4	PASS
				500~1000	731.75	-75.84	≤-54	0.02606	≤4	PASS
				1000~12500	3776.10	-63.74	≤-47	0.42267	≤20	PASS
			2440	30~500	190.74	-67.32	≤-54	0.18535	≤4	PASS
				500~1000	731.75	-75.33	≤-54	0.02931	≤4	PASS
				1000~12500	3815.78	-63.99	≤-47	0.39902	≤20	PASS
			2480	30~500	178.29	-67.64	≤-54	0.17219	≤4	PASS
				500~1000	731.75	-75.77	≤-54	0.02649	≤4	PASS
				1000~12500	3737.58	-63.08	≤-47	0.49204	≤20	PASS
	BLE_2M	Ant1	2402	30~500	184.40	-67.84	≤-54	0.16444	≤4	PASS
				500~1000	731.75	-75.05	≤-54	0.03126	≤4	PASS
				1000~12500	3777.25	-63.72	≤-47	0.42462	≤20	PASS
			2440	30~500	186.51	-68.09	≤-54	0.15524	≤4	PASS
				500~1000	731.75	-76.09	≤-54	0.02460	≤4	PASS
				1000~12500	3765.75	-63.10	≤-47	0.48978	≤20	PASS
			2480	30~500	142.57	-67.45	≤-54	0.17989	≤4	PASS
				500~1000	731.75	-75.23	≤-54	0.02999	≤4	PASS
				1000~12500	3818.08	-63.95	≤-47	0.40272	≤20	PASS




Test Graphs







NTNV BLE 1M Ant1 2440 30~500




NTNV BLE 1M Ant1 2440 500~1000




NTNV BLE 1M Ant1 2440 1000~12500




NTNV BLE 1M Ant1 2480 30~500




NTNV BLE 1M Ant1 2480 500~1000




NTNV BLE 1M Ant1 2480 1000~12500




NTNV BLE 2M Ant1 2402 30~500




NTNV BLE 2M Ant1 2402 500~1000




NTNV BLE 2M Ant1 2402 1000~12500




NTNV BLE 2M Ant1 2440 30~500




NTNV BLE 2M Ant1 2440 500~1000




NTNV BLE 2M Ant1 2440 1000~12500




NTNV BLE 2M Ant1 2480 30~500




NTNV BLE 2M Ant1 2480 500~1000




NTNV BLE 2M Ant1 2480 1000~12500




NTLV BLE 1M Ant1 2402 30~500




NTLV BLE 1M Ant1 2402 500~1000




NTLV BLE 1M Ant1 2402 1000~12500




NTLV BLE 1M Ant1 2440 30~500




NTLV BLE 1M Ant1 2440 500~1000




NTLV BLE 1M Ant1 2440 1000~12500




NTLV BLE 1M Ant1 2480 30~500




NTLV BLE 1M Ant1 2480 500~1000




NTLV BLE 1M Ant1 2480 1000~12500




NTLV BLE 2M Ant1 2402 30~500




NTLV BLE 2M Ant1 2402 500~1000




NTLV BLE 2M Ant1 2402 1000~12500




NTLV BLE 2M Ant1 2440 30~500




NTLV BLE 2M Ant1 2440 500~1000




NTLV BLE 2M Ant1 2440 1000~12500




NTLV BLE 2M Ant1 2480 30~500




NTLV BLE 2M Ant1 2480 500~1000




NTLV BLE 2M Ant1 2480 1000~12500



NTHV BLE 1M Ant1 2402 30~500



NTHV BLE 1M Ant1 2402 500~1000



NTHV BLE 1M Ant1 2402 1000~12500

Appendix B

CN26XNH9 001


Page 85 of 90




TÜVRheinland®

Prüfbericht - Produkte


Test Report - Products




NTHV BLE 1M Ant1 2440 30~500




NTHV BLE 1M Ant1 2440 500~1000




NTHV BLE 1M Ant1 2440 1000~12500




NTHV BLE 1M Ant1 2480 30~500




NTHV BLE 1M Ant1 2480 500~1000




NTHV BLE 1M Ant1 2480 1000~12500




NTHV BLE 2M Ant1 2402 30~500




NTHV BLE 2M Ant1 2402 500~1000




NTHV BLE 2M Ant1 2402 1000~12500




NTHV BLE 2M Ant1 2440 30~500




NTHV BLE 2M Ant1 2440 500~1000




NTHV BLE 2M Ant1 2440 1000~12500



NTHV BLE 2M Ant1 2480 30~500



NTHV BLE 2M Ant1 2480 500~1000



NTHV BLE 2M Ant1 2480 1000~12500

