

測試頻道: IEEE 802.11ax (HEW40) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/13

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 2444.100     | 93.20                    | 7.33                    | 100.53                     | 54.00           | 46.53        | AVG      | 主波訊號不予判定 |
| 2   | X   | 2455.600     | 105.86                   | 7.37                    | 113.23                     | 74.00           | 39.23        | peak     | 主波訊號不予判定 |
| 3   |     | 2483.500     | 59.35                    | 7.47                    | 66.82                      | 74.00           | -7.18        | peak     |          |
| 4   |     | 2483.500     | 45.73                    | 7.47                    | 53.20                      | 54.00           | -0.80        | AVG      |          |
| 5   |     | 2484.700     | 65.12                    | 7.47                    | 72.59                      | 74.00           | -1.41        | peak     |          |
| 6   |     | 2484.700     | 45.86                    | 7.47                    | 53.33                      | 54.00           | -0.67        | AVG      |          |

測試頻道: IEEE 802.11ax (HEW40) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/13

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 2443.900     | 80.08                    | 7.33                    | 87.41                      | 54.00           | 33.41        | AVG      | 主波訊號不予判定 |
| 2   | X   | 2455.900     | 92.77                    | 7.38                    | 100.15                     | 74.00           | 26.15        | peak     | 主波訊號不予判定 |
| 3   |     | 2483.500     | 41.07                    | 7.47                    | 48.54                      | 74.00           | -25.46       | peak     |          |
| 4   |     | 2483.500     | 31.08                    | 7.47                    | 38.55                      | 54.00           | -15.45       | AVG      |          |

# With Beamforming

測試頻道: IEEE 802.11n (HT20) /  
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2390.000     | 60.87                    | 7.17                    | 68.04                      | 74.00           | -5.96        | peak     |          |
| 2   |     | 2390.000     | 45.96                    | 7.17                    | 53.13                      | 54.00           | -0.87        | AVG      |          |
| 3   | *   | 2410.500     | 103.25                   | 7.24                    | 110.49                     | 54.00           | 56.49        | AVG      | 主波訊號不予判定 |
| 4   | X   | 2410.800     | 107.61                   | 7.24                    | 114.85                     | 74.00           | 40.85        | peak     | 主波訊號不予判定 |

測試頻道: IEEE 802.11n (HT20) /  
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2390.000     | 43.21                    | 7.17                    | 50.38                      | 74.00           | -23.62       | peak     |          |
| 2   |     | 2390.000     | 32.74                    | 7.17                    | 39.91                      | 54.00           | -14.09       | AVG      |          |
| 3   | *   | 2409.250     | 86.83                    | 7.23                    | 94.06                      | 54.00           | 40.06        | AVG      | 主波訊號不予判定 |
| 4   | X   | 2416.550     | 95.84                    | 7.25                    | 103.09                     | 74.00           | 29.09        | peak     | 主波訊號不予判定 |

測試頻道: IEEE 802.11n (HT20) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 2458.100     | 108.31                   | 7.39                    | 115.70                     | 74.00           | 41.70        | peak     | 主波訊號不予判定 |
| 2   | *   | 2460.800     | 97.71                    | 7.39                    | 105.10                     | 54.00           | 51.10        | AVG      | 主波訊號不予判定 |
| 3   |     | 2483.500     | 56.67                    | 7.47                    | 64.14                      | 74.00           | -9.86        | peak     |          |
| 4   |     | 2483.500     | 45.93                    | 7.47                    | 53.40                      | 54.00           | -0.60        | AVG      |          |

測試頻道: IEEE 802.11n (HT20) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 2455.750     | 87.82                    | 7.37                    | 95.19                      | 54.00           | 41.19        | AVG      | 主波訊號不予判定 |
| 2   | X   | 2457.000     | 97.14                    | 7.38                    | 104.52                     | 74.00           | 30.52        | peak     | 主波訊號不予判定 |
| 3   |     | 2483.500     | 44.04                    | 7.47                    | 51.51                      | 74.00           | -22.49       | peak     |          |
| 4   |     | 2483.500     | 32.40                    | 7.47                    | 39.87                      | 54.00           | -14.13       | AVG      |          |

測試頻道: IEEE 802.11n (HT40) /  
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2390.000     | 54.85                    | 7.17                    | 62.02                      | 74.00           | -11.98       | peak     |          |
| 2   |     | 2390.000     | 45.01                    | 7.17                    | 52.18                      | 54.00           | -1.82        | AVG      |          |
| 3   | X   | 2415.100     | 102.39                   | 7.25                    | 109.64                     | 74.00           | 35.64        | peak     | 主波訊號不予判定 |
| 4   | *   | 2434.200     | 97.38                    | 7.31                    | 104.69                     | 54.00           | 50.69        | AVG      | 主波訊號不予判定 |

測試頻道: IEEE 802.11n (HT40) /  
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2390.000     | 43.72                    | 7.17                    | 50.89                      | 74.00           | -23.11       | peak     |          |
| 2   |     | 2390.000     | 33.33                    | 7.17                    | 40.50                      | 54.00           | -13.50       | AVG      |          |
| 3   | *   | 2414.700     | 85.83                    | 7.25                    | 93.08                      | 54.00           | 39.08        | AVG      | 主波訊號不予判定 |
| 4   | X   | 2424.900     | 90.88                    | 7.28                    | 98.16                      | 74.00           | 24.16        | peak     | 主波訊號不予判定 |

測試頻道: IEEE 802.11n (HT40) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 2443.600     | 103.20                   | 7.33                    | 110.53                     | 74.00           | 36.53        | peak     | 主波訊號不予判定 |
| 2   | *   | 2444.700     | 99.78                    | 7.34                    | 107.12                     | 54.00           | 53.12        | AVG      | 主波訊號不予判定 |
| 3   |     | 2483.500     | 56.66                    | 7.47                    | 64.13                      | 74.00           | -9.87        | peak     |          |
| 4   |     | 2483.500     | 44.62                    | 7.47                    | 52.09                      | 54.00           | -1.91        | AVG      |          |

測試頻道: IEEE 802.11n (HT40) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 2443.300     | 92.84                    | 7.33                    | 100.17                     | 74.00           | 26.17        | peak     | 主波訊號不予判定 |
| 2   | *   | 2444.700     | 88.58                    | 7.34                    | 95.92                      | 54.00           | 41.92        | AVG      | 主波訊號不予判定 |
| 3   |     | 2483.500     | 44.96                    | 7.47                    | 52.43                      | 74.00           | -21.57       | peak     |          |
| 4   |     | 2483.500     | 34.40                    | 7.47                    | 41.87                      | 54.00           | -12.13       | AVG      |          |

測試頻道: IEEE 802.11ax (HEW20) /  
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%


Orthogonal Axis: X

Polarization: Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2390.000     | 63.64                    | 7.17                    | 70.81                      | 74.00           | -3.19        | peak     |          |
| 2   |     | 2390.000     | 46.62                    | 7.17                    | 53.79                      | 54.00           | -0.21        | AVG      |          |
| 3   | X   | 2410.200     | 108.17                   | 7.24                    | 115.41                     | 74.00           | 41.41        | peak     | 主波訊號不予判定 |
| 4   | *   | 2414.200     | 101.35                   | 7.25                    | 108.60                     | 54.00           | 54.60        | AVG      | 主波訊號不予判定 |

|                                                               |                        |
|---------------------------------------------------------------|------------------------|
| 測試頻道: IEEE 802.11ax (HEW20) /<br>2.4 GHz 頻帶 / 2310 - 2390 MHz | 測試模式: 發射               |
| 解析頻寬: 1000 kHz / 1000 kHz                                     | 視頻頻寬: 1000 kHz / 10 Hz |
| 量測天線: Horn Antenna                                            | 測試距離: 3 米              |
| 檢 測 器: Peak/AV                                                | 測試日期: 108/08/28        |
| 環境溫度: 24°C                                                    | 環境濕度: 52%              |



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2390.000     | 44.34                    | 7.17                    | 51.51                      | 74.00           | -22.49       | peak     |          |
| 2   |     | 2390.000     | 32.84                    | 7.17                    | 40.01                      | 54.00           | -13.99       | AVG      |          |
| 3   | X   | 2410.100     | 96.51                    | 7.24                    | 103.75                     | 74.00           | 29.75        | peak     | 主波訊號不予判定 |
| 4   | *   | 2411.250     | 90.30                    | 7.24                    | 97.54                      | 54.00           | 43.54        | AVG      | 主波訊號不予判定 |

測試頻道: IEEE 802.11ax (HEW20) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 2458.850     | 107.59                   | 7.38                    | 114.97                     | 74.00           | 40.97        | peak     | 主波訊號不予判定 |
| 2   | *   | 2462.850     | 100.26                   | 7.39                    | 107.65                     | 54.00           | 53.65        | AVG      | 主波訊號不予判定 |
| 3   |     | 2483.500     | 56.02                    | 7.47                    | 63.49                      | 74.00           | -10.51       | peak     |          |
| 4   |     | 2483.500     | 44.49                    | 7.47                    | 51.96                      | 54.00           | -2.04        | AVG      |          |

測試頻道: IEEE 802.11ax (HEW20) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 2459.050     | 99.35                    | 7.38                    | 106.73                     | 74.00           | 32.73        | peak     | 主波訊號不予判定 |
| 2   | *   | 2462.800     | 91.55                    | 7.39                    | 98.94                      | 54.00           | 44.94        | AVG      | 主波訊號不予判定 |
| 3   |     | 2483.500     | 46.23                    | 7.47                    | 53.70                      | 74.00           | -20.30       | peak     |          |
| 4   |     | 2483.500     | 33.38                    | 7.47                    | 40.85                      | 54.00           | -13.15       | AVG      |          |

測試頻道: IEEE 802.11ax (HEW40) /  
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2389.100     | 59.48                    | 7.17                    | 66.65                      | 74.00           | -7.35        | peak     |          |
| 2   |     | 2389.100     | 46.70                    | 7.17                    | 53.87                      | 54.00           | -0.13        | AVG      |          |
| 3   |     | 2390.000     | 55.86                    | 7.17                    | 63.03                      | 74.00           | -10.97       | peak     |          |
| 4   |     | 2390.000     | 45.03                    | 7.17                    | 52.20                      | 54.00           | -1.80        | AVG      |          |
| 5   | *   | 2411.200     | 101.73                   | 7.24                    | 108.97                     | 54.00           | 54.97        | AVG      | 主波訊號不予判定 |
| 6   | X   | 2413.300     | 105.44                   | 7.24                    | 112.68                     | 74.00           | 38.68        | peak     | 主波訊號不予判定 |

測試頻道: IEEE 802.11ax (HEW40) /  
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢 測 器: Peak/AV

測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 2390.000     | 46.43                    | 7.17                    | 53.60                      | 74.00           | -20.40       | peak     |          |
| 2   |     | 2390.000     | 36.33                    | 7.17                    | 43.50                      | 54.00           | -10.50       | AVG      |          |
| 3   | *   | 2412.800     | 87.89                    | 7.24                    | 95.13                      | 54.00           | 41.13        | AVG      | 主波訊號不予判定 |
| 4   | X   | 2427.600     | 96.63                    | 7.29                    | 103.92                     | 74.00           | 29.92        | peak     | 主波訊號不予判定 |

測試頻道: IEEE 802.11ax (HEW40) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 2448.000     | 94.58                    | 7.35                    | 101.93                     | 54.00           | 47.93        | AVG      | 主波訊號不予判定 |
| 2   | X   | 2448.200     | 105.18                   | 7.36                    | 112.54                     | 74.00           | 38.54        | peak     | 主波訊號不予判定 |
| 3   |     | 2483.500     | 60.59                    | 7.47                    | 68.06                      | 74.00           | -5.94        | peak     |          |
| 4   |     | 2483.500     | 46.02                    | 7.47                    | 53.49                      | 54.00           | -0.51        | AVG      |          |

測試頻道: IEEE 802.11ax (HEW40) /  
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/08/28

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 2444.200     | 91.12                    | 7.33                    | 98.45                      | 54.00           | 44.45        | AVG      | 主波訊號不予判定 |
| 2   | X   | 2456.600     | 96.04                    | 7.38                    | 103.42                     | 74.00           | 29.42        | peak     | 主波訊號不予判定 |
| 3   |     | 2483.500     | 42.93                    | 7.47                    | 50.40                      | 74.00           | -23.60       | peak     |          |
| 4   |     | 2483.500     | 33.27                    | 7.47                    | 40.74                      | 54.00           | -13.26       | AVG      |          |